







Mode	72																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																																																																	
ANT	SISO 1/0																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-20  500050585116517452325290 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5015.95</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>40.41</td><td>36.19</td><td>8.29</td><td>32.70</td><td>300</td><td>210 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5015.95	52.19	74.00	-21.81	40.41	36.19	8.29	32.70	300	210 PEAK	Level (dBuV/m) Date: 2024-09-20  100022003400460058007000 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>96.78</td><td>-----</td><td>-----</td><td>84.46</td><td>36.04</td><td>8.93</td><td>32.65</td><td>300</td><td>210 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	96.78	-----	-----	84.46	36.04	8.93	32.65	300	210 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5015.95	52.19	74.00	-21.81	40.41	36.19	8.29	32.70	300	210 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5290.00	96.78	-----	-----	84.46	36.04	8.93	32.65	300	210 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-20  500050585116517452325290 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5128.47</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>33.06</td><td>36.12</td><td>8.50</td><td>32.67</td><td>300</td><td>210 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5128.47	45.01	54.00	-8.99	33.06	36.12	8.50	32.67	300	210 AVERAGE	Level (dBuV/m) Date: 2024-09-20  100022003400460058007000 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>89.17</td><td>-----</td><td>-----</td><td>76.76</td><td>36.03</td><td>9.02</td><td>32.64</td><td>300</td><td>210 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5290.00	89.17	-----	-----	76.76	36.03	9.02	32.64	300	210 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5128.47	45.01	54.00	-8.99	33.06	36.12	8.50	32.67	300	210 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5290.00	89.17	-----	-----	76.76	36.03	9.02	32.64	300	210 AVERAGE																																																																									



Mode	72																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																		
ANT	SISO 1/0																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2024-09-20 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5355.45</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>38.60</td><td>35.99</td><td>9.39</td><td>32.63</td><td>300</td><td>210</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5355.45	51.35	74.00	-22.65	38.60	35.99	9.39	32.63	300	210	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1 5355.45	51.35	74.00	-22.65	38.60	35.99	9.39	32.63	300	210	PEAK																									
Avg	Date: 2024-09-20 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5351.37</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>31.77</td><td>35.99</td><td>9.37</td><td>32.63</td><td>300</td><td>210</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5351.37	44.50	54.00	-9.50	31.77	35.99	9.37	32.63	300	210	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1 5351.37	44.50	54.00	-9.50	31.77	35.99	9.37	32.63	300	210	AVERAGE																									



Mode	72	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11_CO_TX	
ANT	SISO 1/0	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5068.73 52.16 74.00 -21.84 40.30 36.16 8.39 32.69 303 111 PEAK	Level (dBuV/m) Date: 2024-09-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5290.00 98.75 ----- 86.28 36.02 9.09 32.64 303 111 PEAK
	Level (dBuV/m) Date: 2024-09-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5140.36 44.68 54.00 -9.32 32.71 36.12 8.52 32.67 303 111 AVERAGE	Level (dBuV/m) Date: 2024-09-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5290.00 90.01 ----- 77.60 36.03 9.02 32.64 303 111 AVERAGE



Mode	72																																	
	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																	
ANT	SISO 1/0																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2024-09-20 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5350.01</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>41.94</td><td>35.99</td><td>9.36</td><td>32.63</td></tr></table> 111 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.01	54.66	74.00	-19.34	41.94	35.99	9.36	32.63	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																											
1 5350.01	54.66	74.00	-19.34	41.94	35.99	9.36	32.63																											
Avg	Date: 2024-09-20 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5350.18</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>34.03</td><td>35.99</td><td>9.37</td><td>32.63</td></tr></table> 111 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.18	46.76	54.00	-7.24	34.03	35.99	9.37	32.63	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																											
1 5350.18	46.76	54.00	-7.24	34.03	35.99	9.37	32.63																											



Mode	72																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11_CO_TX																																																																																											
ANT	SISO 1/0																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>55.45</td><td>74.00</td><td>-18.55</td><td>52.88</td><td>30.70</td><td>5.46</td><td>33.59</td><td>118</td><td>135</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.62	55.45	74.00	-18.55	52.88	30.70	5.46	33.59	118	135	PEAK	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.01</td><td>-----</td><td>-----</td><td>103.44</td><td>30.71</td><td>5.43</td><td>33.57</td><td>118</td><td>135</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.01	-----	-----	103.44	30.71	5.43	33.57	118	135	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2483.62	55.45	74.00	-18.55	52.88	30.70	5.46	33.59	118	135	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2462.00	106.01	-----	-----	103.44	30.71	5.43	33.57	118	135	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>44.06</td><td>30.70</td><td>5.46</td><td>33.59</td><td>118</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.51	46.63	54.00	-7.37	44.06	30.70	5.46	33.59	118	135	AVERAGE	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.80</td><td>-----</td><td>-----</td><td>95.24</td><td>30.71</td><td>5.43</td><td>33.58</td><td>118</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.80	-----	-----	95.24	30.71	5.43	33.58	118	135	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2483.51	46.63	54.00	-7.37	44.06	30.70	5.46	33.59	118	135	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2462.00	97.80	-----	-----	95.24	30.71	5.43	33.58	118	135	AVERAGE																																																																																	



Mode	72																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX																																																																																	
ANT	SISO 1/0																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-20 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>55.59</td><td>30.70</td><td>5.46</td><td>33.59</td><td>227 188 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	58.16	74.00	-15.84	55.59	30.70	5.46	33.59	227 188 PEAK	Level (dBuV/m) Date: 2024-09-20 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.68</td><td>-----</td><td>-----</td><td>99.11</td><td>30.71</td><td>5.44</td><td>33.58</td><td>227 188 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.68	-----	-----	99.11	30.71	5.44	33.58	227 188 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.66	58.16	74.00	-15.84	55.59	30.70	5.46	33.59	227 188 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	101.68	-----	-----	99.11	30.71	5.44	33.58	227 188 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-09-20 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>42.43</td><td>30.70</td><td>5.46</td><td>33.59</td><td>227 188 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.00	54.00	-9.00	42.43	30.70	5.46	33.59	227 188 AVERAGE	Level (dBuV/m) Date: 2024-09-20 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.20</td><td>-----</td><td>-----</td><td>91.63</td><td>30.71</td><td>5.44</td><td>33.58</td><td>227 188 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.20	-----	-----	91.63	30.71	5.44	33.58	227 188 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	45.00	54.00	-9.00	42.43	30.70	5.46	33.59	227 188 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	94.20	-----	-----	91.63	30.71	5.44	33.58	227 188 AVERAGE																																																																									



Mode	72											
	Harmonic											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz+802.11ac VHT20_CH11 CO_TX											
ANT	SISO 1/0											
Pol.	Horizontal						Vertical					
Peak Avg	<											





Mode	73																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-09-25 Frequency (MHz)						Level (dBuV/m) Date: 2024-09-25 Frequency (MHz)																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>45.97</td><td>68.30</td><td>-22.33</td><td>46.65</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>44.46</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	45.97	68.30	-22.33	46.65	38.74	12.06	51.48	---	---	Peak	2	15540.00	47.29	74.00	-26.71	44.46	40.73	14.58	52.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>52.18</td><td>68.30</td><td>-16.12</td><td>52.86</td><td>38.74</td><td>12.06</td><td>51.48</td><td>204</td><td>108</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>44.83</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10360.00	52.18	68.30	-16.12	52.86	38.74	12.06	51.48	204	108	Peak	2	15540.00	47.66	74.00	-26.34	44.83	40.73	14.58	52.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10360.00	45.97	68.30	-22.33	46.65	38.74	12.06	51.48	---	---	Peak																																																																																																													
2	15540.00	47.29	74.00	-26.71	44.46	40.73	14.58	52.48	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10360.00	52.18	68.30	-16.12	52.86	38.74	12.06	51.48	204	108	Peak																																																																																																													
2	15540.00	47.66	74.00	-26.34	44.83	40.73	14.58	52.48	---	---	Peak																																																																																																													





Mode	74																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg	Date: 2024-09-25						Date: 2024-09-25																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.14</td><td>68.30</td><td>-22.16</td><td>46.56</td><td>38.78</td><td>12.12</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>44.93</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	46.14	68.30	-22.16	46.56	38.78	12.12	51.32	---	---	Peak	2	15660.00	47.84	74.00	-26.16	44.93	40.83	14.64	52.56	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>60.50</td><td>68.30</td><td>-7.80</td><td>60.92</td><td>38.78</td><td>12.12</td><td>51.32</td><td>204</td><td>108</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>43.87</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	60.50	68.30	-7.80	60.92	38.78	12.12	51.32	204	108	Peak	2	15660.00	46.78	74.00	-27.22	43.87	40.83	14.64	52.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	10440.00	46.14	68.30	-22.16	46.56	38.78	12.12	51.32	---	---	Peak																																																																																																							
2	15660.00	47.84	74.00	-26.16	44.93	40.83	14.64	52.56	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	10440.00	60.50	68.30	-7.80	60.92	38.78	12.12	51.32	204	108	Peak																																																																																																							
2	15660.00	46.78	74.00	-27.22	43.87	40.83	14.64	52.56	---	---	Peak																																																																																																							



Mode	75																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.12</td><td>68.30</td><td>-22.18</td><td>46.42</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>42.97</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	46.12	68.30	-22.18	46.42	38.79	12.15	51.24	---	---	Peak	2	15720.00	45.91	74.00	-28.09	42.97	40.88	14.66	52.60	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>61.84</td><td>68.30</td><td>-6.46</td><td>62.14</td><td>38.79</td><td>12.15</td><td>51.24</td><td>204</td><td>109</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>43.90</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	61.84	68.30	-6.46	62.14	38.79	12.15	51.24	204	109	Peak	2	15720.00	46.84	74.00	-27.16	43.90	40.88	14.66	52.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10480.00	46.12	68.30	-22.18	46.42	38.79	12.15	51.24	---	---	Peak																																																																																																											
2	15720.00	45.91	74.00	-28.09	42.97	40.88	14.66	52.60	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10480.00	61.84	68.30	-6.46	62.14	38.79	12.15	51.24	204	109	Peak																																																																																																											
2	15720.00	46.84	74.00	-27.16	43.90	40.88	14.66	52.60	---	---	Peak																																																																																																											





Mode	76																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.72</td><td>68.30</td><td>-22.58</td><td>45.89</td><td>38.81</td><td>12.18</td><td>51.16</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>43.06</td><td>40.92</td><td>14.69</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	45.72	68.30	-22.58	45.89	38.81	12.18	51.16	---	---	Peak	2	15780.00	46.02	74.00	-27.98	43.06	40.92	14.69	52.65	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>56.69</td><td>68.30</td><td>-11.61</td><td>56.86</td><td>38.81</td><td>12.18</td><td>51.16</td><td>218</td><td>146</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>43.89</td><td>40.92</td><td>14.69</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10520.00	56.69	68.30	-11.61	56.86	38.81	12.18	51.16	218	146	Peak	2	15780.00	46.85	74.00	-27.15	43.89	40.92	14.69	52.65	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10520.00	45.72	68.30	-22.58	45.89	38.81	12.18	51.16	---	---	Peak																																																																																																									
2	15780.00	46.02	74.00	-27.98	43.06	40.92	14.69	52.65	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10520.00	56.69	68.30	-11.61	56.86	38.81	12.18	51.16	218	146	Peak																																																																																																									
2	15780.00	46.85	74.00	-27.15	43.89	40.92	14.69	52.65	---	---	Peak																																																																																																									





Mode	77																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-09-25 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>46.08</td><td>38.84</td><td>12.23</td><td>51.00 --- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>42.20</td><td>41.02</td><td>14.75</td><td>52.73 --- Peak</td></tr></table> Level (dBuV/m) Date: 2024-09-25 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>55.40</td><td>38.84</td><td>12.23</td><td>51.00 234 147 Peak</td></tr><tr><td>2</td><td>10600.00</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>47.30</td><td>38.84</td><td>12.23</td><td>51.00 234 147 Average</td></tr><tr><td>3</td><td>15900.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.83</td><td>41.02</td><td>14.75</td><td>52.73 --- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10600.00	46.15	74.00	-27.85	46.08	38.84	12.23	51.00 --- Peak	2	15900.00	45.24	74.00	-28.76	42.20	41.02	14.75	52.73 --- Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10600.00	55.47	74.00	-18.53	55.40	38.84	12.23	51.00 234 147 Peak	2	10600.00	47.37	54.00	-6.63	47.30	38.84	12.23	51.00 234 147 Average	3	15900.00	46.87	74.00	-27.13	43.83	41.02	14.75	52.73 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																						
1	10600.00	46.15	74.00	-27.85	46.08	38.84	12.23	51.00 --- Peak																																																																																																					
2	15900.00	45.24	74.00	-28.76	42.20	41.02	14.75	52.73 --- Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																						
1	10600.00	55.47	74.00	-18.53	55.40	38.84	12.23	51.00 234 147 Peak																																																																																																					
2	10600.00	47.37	54.00	-6.63	47.30	38.84	12.23	51.00 234 147 Average																																																																																																					
3	15900.00	46.87	74.00	-27.13	43.83	41.02	14.75	52.73 --- Peak																																																																																																					



Mode	78																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2"></th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>46.66</td><td>38.86</td><td>12.26</td><td>50.92</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>43.50</td><td>41.07</td><td>14.77</td><td>52.77</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	46.86	74.00	-27.14	46.66	38.86	12.26	50.92	---	---	---	---	---	---	---	Peak	2	15960.00	46.57	74.00	-27.43	43.50	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="6">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2"></th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>52.88</td><td>38.86</td><td>12.26</td><td>50.92</td><td>238</td><td>149</td><td>Peak</td><td colspan="2"></td><td colspan="3"></td></tr><tr><td>2</td><td>10640.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>45.87</td><td>38.86</td><td>12.26</td><td>50.92</td><td>238</td><td>149</td><td>Average</td><td colspan="2"></td><td colspan="3"></td></tr><tr><td>3</td><td>15960.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>44.21</td><td>41.07</td><td>14.77</td><td>52.77</td><td>---</td><td>---</td><td>Peak</td><td colspan="2"></td><td colspan="3"></td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg								1	10640.00	53.08	74.00	-20.92	52.88	38.86	12.26	50.92	238	149	Peak						2	10640.00	46.07	54.00	-7.93	45.87	38.86	12.26	50.92	238	149	Average						3	15960.00	47.28	74.00	-26.72	44.21	41.07	14.77	52.77	---	---	Peak					
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	10640.00	46.86	74.00	-27.14	46.66	38.86	12.26	50.92	---	---	---	---	---	---	---	Peak																																																																																																																																																																																											
2	15960.00	46.57	74.00	-27.43	43.50	41.07	14.77	52.77	---	---	---	---	---	---	---	Peak																																																																																																																																																																																											
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	10640.00	53.08	74.00	-20.92	52.88	38.86	12.26	50.92	238	149	Peak																																																																																																																																																																																																
2	10640.00	46.07	54.00	-7.93	45.87	38.86	12.26	50.92	238	149	Average																																																																																																																																																																																																
3	15960.00	47.28	74.00	-26.72	44.21	41.07	14.77	52.77	---	---	Peak																																																																																																																																																																																																



Mode	79																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	 Level (dBuV/m) Date: 2024-09-25 Frequency (MHz) Limit: 70.0 dBuV/m (PART 15.407) Avg: 52.5 dBuV/m (PART 15.407 AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>46.66</td><td>39.00</td><td>12.52</td><td>50.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>43.72</td><td>41.35</td><td>15.17</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.98	74.00	-26.02	46.66	39.00	12.52	50.20	---	---	Peak	2	16500.00	47.44	68.30	-20.86	43.72	41.35	15.17	52.80	---	---	Peak	 Level (dBuV/m) Date: 2024-09-25 Frequency (MHz) Limit: 70.0 dBuV/m (PART 15.407) Avg: 52.5 dBuV/m (PART 15.407 AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>44.74</td><td>39.00</td><td>12.52</td><td>50.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.27</td><td>68.30</td><td>-21.03</td><td>43.55</td><td>41.35</td><td>15.17</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	46.06	74.00	-27.94	44.74	39.00	12.52	50.20	---	---	Peak	2	16500.00	47.27	68.30	-21.03	43.55	41.35	15.17	52.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	47.98	74.00	-26.02	46.66	39.00	12.52	50.20	---	---	Peak																																																																																																													
2	16500.00	47.44	68.30	-20.86	43.72	41.35	15.17	52.80	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	46.06	74.00	-27.94	44.74	39.00	12.52	50.20	---	---	Peak																																																																																																													
2	16500.00	47.27	68.30	-21.03	43.55	41.35	15.17	52.80	---	---	Peak																																																																																																													



Mode	80																																																																																													
	Harmonic																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Date: 2024-09-25						Date: 2024-09-25																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>46.50</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>43.16</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>46.10</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>43.71</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak																																																																																			
2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak																																																																																			
2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak																																																																																			
	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>46.50</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.18</td><td>68.30</td><td>-21.12</td><td>43.16</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>46.10</td><td>39.06</td><td>12.64</td><td>50.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.73</td><td>68.30</td><td>-20.57</td><td>43.71</td><td>41.47</td><td>15.35</td><td>52.80</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak	2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	11160.00	47.86	74.00	-26.14	46.50	39.06	12.64	50.34	---	---	Peak																																																																																			
2	16740.00	47.18	68.30	-21.12	43.16	41.47	15.35	52.80	---	---	Peak																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	11160.00	47.46	74.00	-26.54	46.10	39.06	12.64	50.34	---	---	Peak																																																																																			
2	16740.00	47.73	68.30	-20.57	43.71	41.47	15.35	52.80	---	---	Peak																																																																																			



Mode	81																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>44.30</td><td>39.16</td><td>12.81</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>42.86</td><td>41.71</td><td>15.62</td><td>52.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	45.71	74.00	-28.29	44.30	39.16	12.81	50.56	---	---	Peak	2	17100.00	47.37	68.30	-20.93	42.86	41.71	15.62	52.82	---	---	Peak	Level (dBuV/m) Date: 2024-09-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>43.55</td><td>39.16</td><td>12.81</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>46.30</td><td>68.30</td><td>-22.00</td><td>41.79</td><td>41.71</td><td>15.62</td><td>52.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	44.96	74.00	-29.04	43.55	39.16	12.81	50.56	---	---	Peak	2	17100.00	46.30	68.30	-22.00	41.79	41.71	15.62	52.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11400.00	45.71	74.00	-28.29	44.30	39.16	12.81	50.56	---	---	Peak																																																																																																												
2	17100.00	47.37	68.30	-20.93	42.86	41.71	15.62	52.82	---	---	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11400.00	44.96	74.00	-29.04	43.55	39.16	12.81	50.56	---	---	Peak																																																																																																												
2	17100.00	46.30	68.30	-22.00	41.79	41.71	15.62	52.82	---	---	Peak																																																																																																												







Mode	82																																																	
	Band Edge																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH40_Full_5200MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2024-09-27																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5060.80</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>40.27</td><td>36.16</td><td>8.37</td><td>32.69</td><td>100</td><td>162</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162	PEAK																																							
Avg <td colspan="11">Date: 2024-09-27</td>	Date: 2024-09-27																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>98.18</td><td>-----</td><td>-----</td><td>86.13</td><td>36.08</td><td>8.63</td><td>32.66</td><td>100</td><td>162</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	98.18	-----	-----	86.13	36.08	8.63	32.66	100	162
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5200.00	98.18	-----	-----	86.13	36.08	8.63	32.66	100	162	PEAK																																							
Peak <td colspan="11">Date: 2024-09-27</td>	Date: 2024-09-27																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5060.80</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>40.27</td><td>36.16</td><td>8.37</td><td>32.69</td><td>100</td><td>162</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5060.80	52.11	74.00	-21.89	40.27	36.16	8.37	32.69	100	162	PEAK																																							
Avg <td colspan="11">Date: 2024-09-27</td>	Date: 2024-09-27																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5028.20</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>30.45</td><td>36.18</td><td>8.31</td><td>32.69</td><td>100</td><td>162</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5028.20	42.25	54.00	-11.75	30.45	36.18	8.31	32.69	100	162
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5028.20	42.25	54.00	-11.75	30.45	36.18	8.31	32.69	100	162	AVERAGE																																							







Mode	82	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH40_Full_5200MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-09-27 1 5143.60 53.47 74.00 -20.53 41.51 36.11 8.52 32.67 100 64 PEAK	Level (dBuV/m) Date: 2024-09-27 1 5200.00 105.52 ----- 93.47 36.08 8.63 32.66 100 64 PEAK
	Level (dBuV/m) Date: 2024-09-27 1 5148.40 43.59 54.00 -10.41 31.62 36.11 8.53 32.67 100 64 AVERAGE	Level (dBuV/m) Date: 2024-09-27 1 5200.00 99.11 ----- 87.06 36.08 8.63 32.66 100 64 AVERAGE







Mode	83																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH40_Full_5200MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5091.80</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>41.04</td><td>36.14</td><td>8.43</td><td>32.68</td><td>363</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5091.80	52.93	74.00	-21.07	41.04	36.14	8.43	32.68	363	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>108.80</td><td>-----</td><td>-----</td><td>96.75</td><td>36.08</td><td>8.63</td><td>32.66</td><td>363</td><td>172</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	108.80	-----	-----	96.75	36.08	8.63	32.66	363	172
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5091.80	52.93	74.00	-21.07	41.04	36.14	8.43	32.68	363	172	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5200.00	108.80	-----	-----	96.75	36.08	8.63	32.66	363	172	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.40</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>31.27</td><td>36.11</td><td>8.53</td><td>32.67</td><td>363</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	43.24	54.00	-10.76	31.27	36.11	8.53	32.67	363	172	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>98.52</td><td>-----</td><td>-----</td><td>86.47</td><td>36.08</td><td>8.63</td><td>32.66</td><td>363</td><td>172</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	98.52	-----	-----	86.47	36.08	8.63	32.66	363	172
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5148.40	43.24	54.00	-10.76	31.27	36.11	8.53	32.67	363	172	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5200.00	98.52	-----	-----	86.47	36.08	8.63	32.66	363	172	AVERAGE																																																																															



Mode	83																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH40_Full_5200MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.40</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>41.03</td><td>36.13</td><td>8.49</td><td>32.68</td><td>300</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.40	52.97	74.00	-21.03	41.03	36.13	8.49	32.68	300	111	PEAK	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5200.00</td><td>105.13</td><td>-----</td><td>-----</td><td>93.09</td><td>36.08</td><td>8.62</td><td>32.66</td><td>300</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	105.13	-----	-----	93.09	36.08	8.62	32.66	300	111	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5123.40	52.97	74.00	-21.03	41.03	36.13	8.49	32.68	300	111	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5200.00	105.13	-----	-----	93.09	36.08	8.62	32.66	300	111	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.40</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>31.45</td><td>36.11</td><td>8.53</td><td>32.67</td><td>300</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.40	43.42	54.00	-10.58	31.45	36.11	8.53	32.67	300	111	AVERAGE	 Level (dBuV/m) Date: 2024-09-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5200.00</td><td>98.57</td><td>-----</td><td>-----</td><td>86.52</td><td>36.08</td><td>8.63</td><td>32.66</td><td>300</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	98.57	-----	-----	86.52	36.08	8.63	32.66	300	111	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5146.40	43.42	54.00	-10.58	31.45	36.11	8.53	32.67	300	111	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5200.00	98.57	-----	-----	86.52	36.08	8.63	32.66	300	111	AVERAGE																																																																																	



		84																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																						
ANT		CDD 0+1																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>38.45</td><td>35.93</td><td>9.68</td><td>32.61</td><td>303</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>5469.80</td><td>51.71</td><td>68.30</td><td>-16.59</td><td>38.71</td><td>35.92</td><td>9.69</td><td>32.61</td><td>303</td><td>199</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	51.45	74.00	-22.55	38.45	35.93	9.68	32.61	303	199	PEAK	2	5469.80	51.71	68.30	-16.59	38.71	35.92	9.69	32.61	303	199	PEAK	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>100.26</td><td>-----</td><td>-----</td><td>87.18</td><td>35.97</td><td>9.73</td><td>32.62</td><td>303</td><td>199</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.26	-----	-----	87.18	35.97	9.73	32.62	303	199	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5455.60	51.45	74.00	-22.55	38.45	35.93	9.68	32.61	303	199	PEAK																																																																																													
2	5469.80	51.71	68.30	-16.59	38.71	35.92	9.69	32.61	303	199	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5550.00	100.26	-----	-----	87.18	35.97	9.73	32.62	303	199	PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.60</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>30.52</td><td>35.93</td><td>9.68</td><td>32.61</td><td>303</td><td>199</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.60	43.52	54.00	-10.48	30.52	35.93	9.68	32.61	303	199	AVERAGE	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>94.13</td><td>-----</td><td>-----</td><td>81.05</td><td>35.97</td><td>9.73</td><td>32.62</td><td>303</td><td>199</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	94.13	-----	-----	81.05	35.97	9.73	32.62	303	199	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5453.60	43.52	54.00	-10.48	30.52	35.93	9.68	32.61	303	199	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5550.00	94.13	-----	-----	81.05	35.97	9.73	32.62	303	199	AVERAGE																																																																																													




Mode	84																																
	Band Edge - R																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																
ANT	CDD 0+1																																
Pol.	Horizontal	Fundamental																															
Peak	Date: 2024-09-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5735.76</td><td>52.09</td><td>68.30</td><td>-16.21</td><td>38.51</td><td>36.23</td><td>10.04 32.69</td></tr></table> Blank		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5735.76	52.09	68.30	-16.21	38.51	36.23	10.04 32.69
	Limit	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																										
1	5735.76	52.09	68.30	-16.21	38.51	36.23	10.04 32.69																										







Mode	84																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																								
ANT	CDD 0+1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-27 535053905430547055105550 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.80</td><td>52.50</td><td>74.00</td><td>-21.50</td><td>39.50</td><td>35.93</td><td>9.68</td><td>32.61</td><td>300</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5468.60</td><td>52.99</td><td>68.30</td><td>-15.31</td><td>39.99</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.80	52.50	74.00	-21.50	39.50	35.93	9.68	32.61	300	239	PEAK	2	5468.60	52.99	68.30	-15.31	39.99	35.92	9.69	32.61	300	239	PEAK	Level (dBuV/m) Date: 2024-09-27 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.80</td><td>-----</td><td>-----</td><td>89.70</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>239</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.80	-----	-----	89.70	35.98	9.74	32.62	300	239	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5450.80	52.50	74.00	-21.50	39.50	35.93	9.68	32.61	300	239	PEAK																																																																																														
2	5468.60	52.99	68.30	-15.31	39.99	35.92	9.69	32.61	300	239	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	102.80	-----	-----	89.70	35.98	9.74	32.62	300	239	PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-09-27 535053905430547055105550 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>31.82</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	44.83	54.00	-9.17	31.82	35.93	9.69	32.61	300	239	AVERAGE	Level (dBuV/m) Date: 2024-09-27 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>96.58</td><td>-----</td><td>-----</td><td>83.48</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>239</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	96.58	-----	-----	83.48	35.98	9.74	32.62	300	239	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5458.00	44.83	54.00	-9.17	31.82	35.93	9.69	32.61	300	239	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5550.00	96.58	-----	-----	83.48	35.98	9.74	32.62	300	239	AVERAGE																																																																																														



Mode	84																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																		
ANT	CDD 0+1																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-09-27  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.21</td><td>51.98</td><td>68.30</td><td>-16.32</td><td>38.31</td><td>36.27</td><td>10.10</td><td>32.70</td><td>300</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.21	51.98	68.30	-16.32	38.31	36.27	10.10	32.70	300	239	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5762.21	51.98	68.30	-16.32	38.31	36.27	10.10	32.70	300	239	PEAK																																								



		85																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																	
ANT		CDD 0+1																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.40</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>38.97</td><td>35.93</td><td>9.68</td><td>32.61</td><td>342</td><td>174 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>51.12</td><td>68.30</td><td>-17.18</td><td>38.12</td><td>35.92</td><td>9.69</td><td>32.61</td><td>342</td><td>174 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	51.97	74.00	-22.03	38.97	35.93	9.68	32.61	342	174 PEAK	2	5464.40	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	342	174 PEAK	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.79</td><td>-----</td><td>-----</td><td>89.71</td><td>35.97</td><td>9.73</td><td>32.62</td><td>342</td><td>174 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.79	-----	-----	89.71	35.97	9.73	32.62	342	174 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5451.40	51.97	74.00	-22.03	38.97	35.93	9.68	32.61	342	174 PEAK																																																																																									
2	5464.40	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	342	174 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5550.00	102.79	-----	-----	89.71	35.97	9.73	32.62	342	174 PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.00</td><td>44.20</td><td>54.00</td><td>-9.80</td><td>31.20</td><td>35.93</td><td>9.68</td><td>32.61</td><td>342</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.00	44.20	54.00	-9.80	31.20	35.93	9.68	32.61	342	174 AVERAGE	 Level (dBuV/m) Date: 2024-09-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>95.50</td><td>-----</td><td>-----</td><td>82.40</td><td>35.98</td><td>9.74</td><td>32.62</td><td>342</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	95.50	-----	-----	82.40	35.98	9.74	32.62	342	174 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5455.00	44.20	54.00	-9.80	31.20	35.93	9.68	32.61	342	174 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5550.00	95.50	-----	-----	82.40	35.98	9.74	32.62	342	174 AVERAGE																																																																																									



Mode	85																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHZ																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-09-27 <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.42</td><td>51.56</td><td>68.30</td><td>-16.74</td><td>37.97</td><td>36.24</td><td>10.05</td><td>32.70</td><td>342</td><td>174 PEAK</td></tr></table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.42	51.56	68.30	-16.74	37.97	36.24	10.05	32.70	342	174 PEAK	Blank
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5739.42	51.56	68.30	-16.74	37.97	36.24	10.05	32.70	342	174 PEAK																																



Mode	85																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																							
ANT	CDD 0+1																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>39.73</td><td>35.94</td><td>9.67</td><td>32.61</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5464.20</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>40.30</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5433.00	52.73	74.00	-21.27	39.73	35.94	9.67	32.61	300	240	PEAK	2	5464.20	53.30	68.30	-15.00	40.30	35.92	9.69	32.61	300	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>105.95</td><td>-----</td><td>-----</td><td>92.85</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	105.95	-----	-----	92.85	35.98	9.74	32.62	300	240	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5433.00	52.73	74.00	-21.27	39.73	35.94	9.67	32.61	300	240	PEAK																																																																																													
2	5464.20	53.30	68.30	-15.00	40.30	35.92	9.69	32.61	300	240	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5550.00	105.95	-----	-----	92.85	35.98	9.74	32.62	300	240	PEAK																																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.60</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>31.99</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.60	45.00	54.00	-9.00	31.99	35.93	9.69	32.61	300	240	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>97.27</td><td>-----</td><td>-----</td><td>84.17</td><td>35.98</td><td>9.74</td><td>32.62</td><td>300</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	97.27	-----	-----	84.17	35.98	9.74	32.62	300	240	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5456.60	45.00	54.00	-9.00	31.99	35.93	9.69	32.61	300	240	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5550.00	97.27	-----	-----	84.17	35.98	9.74	32.62	300	240	AVERAGE																																																																																													




Mode	85																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																
ANT	CDD 0+1																																																
Pol.	Vertical	Fundamental																																															
Peak	Date: 2024-09-27 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5731.25</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>39.02</td><td>36.22</td><td>10.03</td><td>32.69</td><td>300</td><td>240</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5731.25	52.58	68.30	-15.72	39.02	36.22	10.03	32.69	300	240	PEAK	Blank
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5731.25	52.58	68.30	-15.72	39.02	36.22	10.03	32.69	300	240	PEAK																																						



Appendix D. Duty Cycle Plots

Antenna Label	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0	802.11a	96.82	1.388	0.721	1KHz
1	802.11a	96.83	1.395	0.717	1KHz
0+1	802.11ac VHT20	94.06	0.654	1.528	3KHz
	802.11ac VHT40	96.82	1.388	0.721	1KHz
	802.11ac VHT80	88.17	0.324	3.087	10KHZ
	802.11ac VHT160	80.83	0.183	5.455	10KHZ
	802.11ax HE20	95.68	1.011	0.989	1KHz
	802.11ax HE40	92.11	0.533	1.878	3KHz
	802.11ax HE80	86.84	0.287	3.485	10KHZ
	802.11ax HE160	79.66	0.170	5.872	10KHZ


802.11a - ANT0



Date: 8.SEP.2024 17:54:29




802.11a - ANT1



Date: 8.SEP.2024 17:55:06


ANT0+1:

802.11ac VHT20






802.11ac VHT40




802.11ac VHT80






802.11ac VHT160




Date: 8 SEP 2024 18:47:54

802.11ax HE20






802.11ax HE40



802.11ax HE80





802.11ax HE160

