

Appendix D. Photographs of EUT and Setup

The setup photographs for SAR testing are shown as follows.


SAR Test Report

<Photographs of EUT>

Laptop PC Mode




Tablet PC Mode



SAR Test Report

<Antenna Location>


<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side	To Rear Side	Support Band
	(mm)	(mm)	
WWAN MIMO2	2.00	2.00	LTE2, 7, 42, 48, 66 5G NR-n2, 7, 41, 66
WWAN Main0	1.00	8.00	WCDMA 2, 4, 5 LTE 2, 4, 5, 7, 12, 13, 14, 17, 25, 26, 30, 38, 41, 66 5G NR-n2, 5, 12, 66
WLAN Main Ant 0	2.00	2.00	WLAN
WLAN/BT Aux Ant 1	2.00	2.00	WLAN+BT

SAR Test Report


<Front Face View> Convertible PC Tablet Mode



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WWAN MIMO2	30.00	117.00	3.00	280.00	LTE2, 7, 42, 48, 66 5G NR-n2, 7, 41, 66
WWAN Main0	197.00	0.00	180.00	57.00	WCDMA 2, 4, 5 LTE 2, 4, 5, 7, 12, 13, 14, 17, 25, 26, 30, 38, 41, 66 5G NR-n2, 5, 12, 66
WLAN Main Ant 0	3.00	209.00	93.00	177.00	WLAN
WLAN/BT Aux Ant 1	3.00	209.00	165.00	105.00	WLAN+BT

SAR Test Report


<Front Face View>Notebook Mode (180°)



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WWAN MIMO2	320.00	30.00	3.00	280.00	LTE2 : 7 , 42 , 48 , 66 5G NR-n2 : 7 , 41 , 66
WWAN Main0	210.00	197.00	180.00	57.00	WCDMA 2 , 4 , 5 LTE 2 , 4 , 5 , 7 , 12 , 13 , 14 , 17 , 25 , 26 , 30 , 38 , 41 , 66 5G NR-n2 : 5 , 12 , 66
WLAN Main Ant 0	422.00	3.00	93.00	177.00	WLAN
WLAN/BT Aux Ant 1	422.00	3.00	165.00	105.00	WLAN+BT

SAR Test Report


<Right Side View> Notebook Mode(90°)



Antenna	Rear Face	Support Band
	(mm)	
WWAN MIMO2	2.00	LTE2, 7, 42, 48, 66 5G NR-n2, 7, 41, 66
WWAN Main0	2.00	WCDMA 2, 4, 5 LTE 2, 4, 5, 7, 12, 13, 14, 17, 25, 26, 30, 38, 41, 66 5G NR-n2, 5, 12, 66
WLAN Main Ant 0	2.00	WLAN
WLAN/BT Aux Ant 1	2.00	WLAN+BT

SAR Test Report

<Photographs of SAR Setup> Tablet Mode



Body - Rear Face of EUT at 0 mm



Body - Bottom Side of EUT at 0 mm




Body - Left Side of EUT at 0 mm



Body - Right Side of EUT at 0 mm



Body - Top Side of EUT at 0 mm



Body - Top Side of EUT at 2 mm


SAR Test Report

Laptop Mode




Body - Bottom of EUT at 0 mm

<Right Side View> Convertible PC Tablet Mode




Antenna	To Front Side	To Rear Side	Support Band
	(mm)	(mm)	
WWAN MIMO2	2.00	2.00	LTE2、7、42、48、66 5G NR-n2、7、41、66
WWAN Main0	1.00	8.00	WCDMA 2、4、5 LTE 2、4、5、7、12、13、14、17、25、26、30、38、41、66 5G NR-n2、5、12、66
WLAN Main Ant 0	2.00	2.00	WLAN
WLAN/BT Aux Ant 1	2.00	2.00	WLAN+BT

<Front Face View> Convertible PC Tablet Mode




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WWAN MIMO2	30.00	117.00	3.00	280.00	LTE2、7、42、48、66 5G NR-n2、7、41、66
WWAN Main0	197.00	0.00	180.00	57.00	WCDMA 2、4、5 LTE 2、4、5、7、12、13、14、17、25、26、30、38、41、66 5G NR-n2、5、12、66
WLAN Main Ant 0	3.00	209.00	93.00	177.00	WLAN
WLAN/BT Aux Ant 1	3.00	209.00	165.00	105.00	WLAN+BT

<Front Face View>Notebook Mode (180°)



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WWAN MIMO2	320.00	30.00	3.00	280.00	LTE2、7、42、48、66 5G NR-n2、7、41、66
WWAN Main0	210.00	197.00	180.00	57.00	WCDMA 2、4、5 LTE 2、4、5、7、12、13、14、17、25、26、30、38、41、66 5G NR-n2、5、12、66
WLAN Main Ant 0	422.00	3.00	93.00	177.00	WLAN
WLAN/BT Aux Ant 1	422.00	3.00	165.00	105.00	WLAN+BT

<Right Side View> Notebook Mode(90°)



Antenna	Rear Face	Support Band
	(mm)	
WWAN MIMO2	2.00	LTE2、7、42、48、66 5G NR-n2、7、41、66
WWAN Main0	2.00	WCDMA 2、4、5 LTE 2、4、5、7、12、13、14、17、25、26、30、38、41、66 5G NR-n2、5、12、66
WLAN Main Ant 0	2.00	WLAN
WLAN/BT Aux Ant 1	2.00	WLAN+BT