ATTACHMENT A. ID LABEL INFORMATION AND LOCATION PHOTOS

DATE: JUN. 7, 1999

1.1 ID Label Information

Following is a copy of the label that will be placed on the rear side of the cabinet.

Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label

·WYUNDAI

Model NO : P790

POWER: AC 100-240VAC

2.5 A 60/50Hz

FCC ID : CKLP790

Serial No :

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, ncluding interference that may cause undesired operation.

Product complies with DHHS Rules-21 CFR subchapter J-applicable at date of manufacture"

HYUNDAI ELECTRONICS AMERICA 166 Baypoint Parkway, San Jose , CA 95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD.

MADE IN KOREA



"Product complies with DHHS Rules-21 CFR including interference that may cause undesired operation. 2)this device must accept any interference received, 1)this device may not cause harmful interference, and

subchapter j-applicable at date of manufacture" WARNUNG: Vor ffnen des Ger tes Netzstecker ziehen. Disconnect power before opening.

3101 North 1st Street, San Jose, CA95134 HYUNDAI ELECTRONICS IND. CO., LTD. MANUFACTURED BY HYUNDAI ELECTRONICS AMERICA

631 6345 200

MADE IN KOREA

9241-3

ISO

R ntgenverordnung ausreichend abgeschirmt.

Beschleunigungsspannung: Max. 27.5kV





Serial No.

Die in diesem Ger t entstehende R ntgenstrahlung ist durch eine eigensichere Kathodenstrahlr hre nach Anlage III Manufactured

2.5A 60/50Hz CKLP790

APRIL 1999

Apparaten skall anslutas till jordat n tuttag. Connect only to a properly grounded outlet. exigences du R glement sur le mat riel brouilleur du Canada. Cet appareil num rique de la classe B respecte toutes les the Canadian Interference-Causing Equipment Regulations This Class B digital apparatus meets all requirements of

TPY

1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)



