


FCC ID LABEL & LOCATION


LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 15(C) FCC ID LABEL**



NOTES:(UNLESS OTHERWISE SPECIFIED).

- 1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
- 2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
- 3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

This product contains an FCC
and Industry Canada transmitter.
FCC ID: KBCIX100XA750WLBT
IC: 1943A-IX100Xa

RI.0 4 PL

-	3	MH	JMD	CHANGED FONT ON DRAWING		
C6	2	MH	JMD	IX100Xa WAS IX100A		
-	1	MH	JMD	PROTOTYPE RELEASE		
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
DRAFTER J.DERTING				DATE 2-12-04	DESCRIPTION LBL, IX100X,BT,WLAN,AC750	
CHECKER				DATE		
ELEC. ENG				DATE	SIZE B	DWG. NO 26-0573-001
MECH. ENG				DATE	SCALE 4.000	
MFG. ENG				DATE		
					SHEET 1 OF 1	REV 3

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING


NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.


TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE
PROJECTION

ITRONIX


S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210





NOTES:(UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



SCALE 1:000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING				.TOL. EXCEPT AS NOTED X ± 0.5 MM X.X ± 0.25 MM X.XX ± 0.125 MM ANG. = 1.0°		THIRD ANGLE PROJECTION		I T R O N I X S.801 STEVENS, P.O. BOX 179 SPOKANE, WA 99210		DRAFTER J.DERTING	DATE 09-06-02	DESCRIPTION LABEL,FCC,PRT 15,IX100			
NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.										CHECKER B.ERLER	DATE 7/10/03				
										ELEC. ENG	DATE				
										MECH. ENG BE	DATE 09-06-02				
										MFG. ENG J.VOCATURE	DATE 10/2/02				
												SIZE B	DWG. NO 26-0404-001		
												SCALE 2.000	SHEET 1 OF 1	REV A	