


802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 18.5
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.40036G	56.41	74.00	-17.59	41.46	3	Horizontal	227	2.70	-	39.80	9.44	34.29	
AV	11.40012G	43.49	54.00	-10.51	28.54	3	Horizontal	227	2.70	-	39.80	9.44	34.29	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.609G	58.66	68.20	-9.54	53.26	3	Vertical	105	1.80	-	31.60	6.00	32.20	
PK	5.741G	117.18	Inf	-Inf	111.49	3	Vertical	105	1.80	-	31.96	6.00	32.27	
AV	5.742G	108.20	Inf	-Inf	102.51	3	Vertical	105	1.80	-	31.97	6.00	32.28	
PK	5.941G	57.50	68.20	-10.70	51.64	3	Vertical	105	1.80	-	32.18	6.07	32.39	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.514G	61.16	68.20	-7.04	55.89	3	Horizontal	93	1.80	-	31.50	5.91	32.14
PK	5.738G	122.87	Inf	-Inf	117.19	3	Horizontal	93	1.80	-	31.95	6.00	32.27
AV	5.739G	112.85	Inf	-Inf	107.16	3	Horizontal	93	1.80	-	31.96	6.00	32.27
PK	5.937G	57.60	68.20	-10.60	51.75	3	Horizontal	93	1.80	-	32.17	6.07	32.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49788G	57.58	74.00	-16.42	42.79	3	Vertical	324	1.61	-	39.60	9.50	34.31	
AV	11.49G	45.32	54.00	-8.68	30.52	3	Vertical	324	1.61	-	39.62	9.49	34.31	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48988G	56.72	74.00	-17.28	41.92	3	Horizontal	267	1.19	-	39.62	9.49	34.31	
AV	11.49G	43.66	54.00	-10.34	28.86	3	Horizontal	267	1.19	-	39.62	9.49	34.31	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.59G	59.24	68.20	-8.96	53.85	3	Vertical	68	2.64	-	31.58	5.99	32.18	
PK	5.792G	115.82	Inf	-Inf	110.13	3	Vertical	68	2.64	-	32.00	6.00	32.31	
AV	5.794G	106.77	Inf	-Inf	101.08	3	Vertical	68	2.64	-	32.00	6.00	32.31	
PK	6.015G	58.03	68.20	-10.17	52.07	3	Vertical	68	2.64	-	32.29	6.11	32.44	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.641G	60.60	68.20	-7.60	55.21	3	Horizontal	95	2.23	-	31.60	6.00	32.21	
PK	5.779G	122.19	Inf	-Inf	116.49	3	Horizontal	95	2.23	-	32.00	6.00	32.30	
AV	5.781G	112.63	Inf	-Inf	106.93	3	Horizontal	95	2.23	-	32.00	6.00	32.30	
PK	5.963G	57.78	68.20	-10.42	51.91	3	Horizontal	95	2.23	-	32.20	6.08	32.41	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56956G	57.07	74.00	-16.93	42.30	3	Vertical	325	1.80	-	39.53	9.54	34.30	
AV	11.57006G	44.61	54.00	-9.39	29.84	3	Vertical	325	1.80	-	39.53	9.54	34.30	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56808G	55.63	74.00	-18.37	40.86	3	Horizontal	326	2.71	-	39.53	9.54	34.30	
AV	11.57G	42.97	54.00	-11.03	28.20	3	Horizontal	326	2.71	-	39.53	9.54	34.30	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5838G	59.67	68.20	-8.53	54.30	3	Vertical	2	2.69	-	31.57	5.98	32.18
PK	5.8274G	121.41	Inf	-Inf	115.73	3	Vertical	2	2.69	-	32.00	6.01	32.33
AV	5.8298G	110.75	Inf	-Inf	105.07	3	Vertical	2	2.69	-	32.00	6.01	32.33
PK	6.0374G	58.42	68.20	-9.78	52.33	3	Vertical	2	2.69	-	32.42	6.12	32.45

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.5838G	61.61	68.20	-6.59	56.24	3	Horizontal	97	1.77	-	31.57	5.98	32.18	
PK	5.8202G	122.27	Inf	-Inf	116.58	3	Horizontal	97	1.77	-	32.00	6.01	32.32	
AV	5.819G	112.69	Inf	-Inf	107.00	3	Horizontal	97	1.77	-	32.00	6.01	32.32	
PK	6.0554G	58.71	68.20	-9.49	52.54	3	Horizontal	97	1.77	-	32.49	6.13	32.45	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65436G	56.96	74.00	-17.04	42.31	3	Vertical	323	1.80	-	39.34	9.59	34.28	
AV	11.65012G	44.02	54.00	-9.98	29.36	3	Vertical	323	1.80	-	39.35	9.59	34.28	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6504G	55.86	74.00	-18.14	41.20	3	Horizontal	308	1.31	-	39.35	9.59	34.28	
AV	11.65G	42.57	54.00	-11.43	27.91	3	Horizontal	308	1.31	-	39.35	9.59	34.28	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 16
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	61.60	74.00	-12.40	55.62	3	Vertical	345	2.60	-	34.10	7.22	35.34
AV	5.15G	49.59	54.00	-4.41	43.61	3	Vertical	345	2.60	-	34.10	7.22	35.34
PK	5.1932G	110.20	Inf	-Inf	104.24	3	Vertical	345	2.60	-	34.01	7.29	35.34
AV	5.1916G	101.10	Inf	-Inf	95.13	3	Vertical	345	2.60	-	34.02	7.29	35.34
PK	5.3708G	59.66	74.00	-14.34	53.23	3	Vertical	345	2.60	-	34.56	7.21	35.34
AV	5.37G	46.58	54.00	-7.42	40.15	3	Vertical	345	2.60	-	34.56	7.21	35.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 16
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.43	74.00	-8.57	59.47	3	Horizontal	92	1.17	-	34.08	7.22	35.34
AV	5.1476G	52.88	54.00	-1.12	46.91	3	Horizontal	92	1.17	-	34.09	7.22	35.34
PK	5.2068G	113.02	Inf	-Inf	107.03	3	Horizontal	92	1.17	-	34.03	7.30	35.34
AV	5.1868G	103.89	Inf	-Inf	97.92	3	Horizontal	92	1.17	-	34.03	7.28	35.34
PK	5.3788G	58.83	74.00	-15.17	52.43	3	Horizontal	92	1.17	-	34.54	7.21	35.35
AV	5.37G	46.69	54.00	-7.31	40.26	3	Horizontal	92	1.17	-	34.56	7.21	35.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 16
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57438G	60.67	74.00	-13.33	44.27	3	Vertical	48	1.42	-	38.33	12.32	34.25
AV	15.56976G	46.95	54.00	-7.05	30.53	3	Vertical	48	1.42	-	38.35	12.32	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 16
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5663G	60.27	74.00	-13.73	43.83	3	Horizontal	157	1.78	-	38.37	12.32	34.25
AV	15.56984G	46.39	54.00	-7.61	29.97	3	Horizontal	157	1.78	-	38.35	12.32	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 22
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	62.03	74.00	-11.97	56.06	3	Vertical	3	2.17	-	34.09	7.22	35.34
AV	5.15G	49.02	54.00	-4.98	43.04	3	Vertical	3	2.17	-	34.10	7.22	35.34
PK	5.229G	114.78	Inf	-Inf	108.71	3	Vertical	3	2.17	-	34.12	7.29	35.34
AV	5.248G	105.14	Inf	-Inf	99.01	3	Vertical	3	2.17	-	34.19	7.28	35.34
PK	5.375G	60.61	74.00	-13.39	54.19	3	Vertical	3	2.17	-	34.55	7.21	35.34
AV	5.41G	48.55	54.00	-5.45	42.14	3	Vertical	3	2.17	-	34.54	7.22	35.35
PK	5.471G	58.34	68.20	-9.86	51.69	3	Vertical	3	2.17	-	34.66	7.34	35.35

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 22
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	62.03	74.00	-11.97	56.09	3	Horizontal	115	3.00	-	34.07	7.21	35.34
AV	5.11G	52.88	54.00	-1.12	47.10	3	Horizontal	115	3.00	-	33.94	7.17	35.33
PK	5.233G	119.27	Inf	-Inf	113.20	3	Horizontal	115	3.00	-	34.13	7.28	35.34
AV	5.213G	108.09	Inf	-Inf	102.09	3	Horizontal	115	3.00	-	34.05	7.29	35.34
PK	5.356G	61.09	74.00	-12.91	54.62	3	Horizontal	115	3.00	-	34.59	7.22	35.34
AV	5.35G	49.67	54.00	-4.33	43.19	3	Horizontal	115	3.00	-	34.60	7.22	35.34
PK	5.465G	59.57	68.20	-8.63	52.92	3	Horizontal	115	3.00	-	34.67	7.33	35.35

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 22
03-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69388G	60.95	74.00	-13.05	45.03	3	Vertical	242	2.80	-	37.82	12.40	34.30
AV	15.68668G	46.90	54.00	-7.10	30.94	3	Vertical	242	2.80	-	37.85	12.40	34.29

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 22
03-F-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.68714G	60.79	74.00	-13.21	44.83	3	Horizontal	119	2.13	-	37.85	12.40	34.29
AV	15.68582G	46.86	54.00	-7.14	30.89	3	Horizontal	119	2.13	-	37.86	12.40	34.29

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 23
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	59.13	74.00	-14.87	53.65	3	Vertical	350	2.75	-	31.71	5.75	31.98
AV	5.15G	46.18	54.00	-7.82	40.71	3	Vertical	350	2.75	-	31.70	5.75	31.98
PK	5.2712G	116.89	Inf	-Inf	112.02	3	Vertical	350	2.75	-	31.10	5.80	32.03
AV	5.2724G	106.91	Inf	-Inf	102.04	3	Vertical	350	2.75	-	31.10	5.80	32.03
PK	5.3516G	65.62	74.00	-8.38	60.77	3	Vertical	350	2.75	-	31.11	5.80	32.06
AV	5.3516G	52.01	54.00	-1.99	47.16	3	Vertical	350	2.75	-	31.11	5.80	32.06

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 23
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.78	74.00	-14.22	54.31	3	Horizontal	116	1.19	-	31.70	5.75	31.98
AV	5.1494G	49.20	54.00	-4.80	43.73	3	Horizontal	116	1.19	-	31.70	5.75	31.98
PK	5.2736G	118.56	Inf	-Inf	113.69	3	Horizontal	116	1.19	-	31.10	5.80	32.03
AV	5.2544G	109.30	Inf	-Inf	104.42	3	Horizontal	116	1.19	-	31.10	5.80	32.02
PK	5.3534G	65.65	74.00	-8.35	60.80	3	Horizontal	116	1.19	-	31.12	5.80	32.07
AV	5.354G	52.60	54.00	-1.40	47.75	3	Horizontal	116	1.19	-	31.12	5.80	32.07

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 23
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80734G	59.73	74.00	-14.27	43.81	3	Vertical	89	1.95	-	37.79	12.47	34.34
AV	15.80976G	46.31	54.00	-7.69	30.39	3	Vertical	89	1.95	-	37.78	12.48	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 23
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8058G	59.57	74.00	-14.43	43.65	3	Horizontal	90	2.63	-	37.79	12.47	34.34
AV	15.811G	46.21	54.00	-7.79	30.29	3	Horizontal	90	2.63	-	37.78	12.48	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 19
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2932G	111.95	Inf	-Inf	107.09	3	Vertical	349	2.76	-	31.10	5.80	32.04	
AV	5.292G	103.38	Inf	-Inf	98.52	3	Vertical	349	2.76	-	31.10	5.80	32.04	
PK	5.3508G	67.45	74.00	-6.55	62.61	3	Vertical	349	2.76	-	31.10	5.80	32.06	
AV	5.352G	52.26	54.00	-1.74	47.41	3	Vertical	349	2.76	-	31.11	5.80	32.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 19
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2932G	113.55	Inf	-Inf	108.69	3	Horizontal	118	1.19	-	31.10	5.80	32.04	
AV	5.2944G	104.51	Inf	-Inf	99.65	3	Horizontal	118	1.19	-	31.10	5.80	32.04	
PK	5.3526G	65.31	74.00	-8.69	60.46	3	Horizontal	118	1.19	-	31.12	5.80	32.07	
AV	5.3526G	51.51	54.00	-2.49	46.66	3	Horizontal	118	1.19	-	31.12	5.80	32.07	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 19
06-F-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.93062G	60.13	74.00	-13.87	44.43	3	Vertical	130	2.66	-	37.54	12.55	34.39	
AV	15.9292G	45.72	54.00	-8.28	30.02	3	Vertical	130	2.66	-	37.54	12.55	34.39	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9331G	59.37	74.00	-14.63	43.67	3	Horizontal	93	2.86	-	37.53	12.56	34.39
AV	15.93428G	45.71	54.00	-8.29	30.01	3	Horizontal	93	2.86	-	37.53	12.56	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 19.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.452G	65.67	74.00	-8.33	60.43	3	Vertical	349	2.85	-	31.50	5.85	32.11	
AV	5.4544G	49.80	54.00	-4.20	44.56	3	Vertical	349	2.85	-	31.50	5.85	32.11	
PK	5.4696G	67.03	68.20	-1.17	61.78	3	Vertical	349	2.85	-	31.50	5.87	32.12	
PK	5.5128G	115.04	Inf	-Inf	109.77	3	Vertical	349	2.85	-	31.50	5.91	32.14	
AV	5.5136G	104.61	Inf	-Inf	99.34	3	Vertical	349	2.85	-	31.50	5.91	32.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 19.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.14	74.00	-8.86	59.89	3	Horizontal	126	1.80	-	31.50	5.86	32.11
AV	5.4576G	50.47	54.00	-3.53	45.22	3	Horizontal	126	1.80	-	31.50	5.86	32.11
PK	5.4688G	67.03	68.20	-1.17	61.78	3	Horizontal	126	1.80	-	31.50	5.87	32.12
PK	5.4956G	114.74	Inf	-Inf	109.47	3	Horizontal	126	1.80	-	31.50	5.90	32.13
AV	5.5172G	104.78	Inf	-Inf	99.50	3	Horizontal	126	1.80	-	31.50	5.92	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.01886G	57.40	74.00	-16.60	42.30	3	Vertical	359	1.50	-	40.12	9.21	34.23	
AV	11.01984G	43.59	54.00	-10.41	28.49	3	Vertical	359	1.50	-	40.12	9.21	34.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.01574G	57.20	74.00	-16.80	42.08	3	Horizontal	286	1.62	-	40.14	9.21	34.23	
AV	11.01742G	43.59	54.00	-10.41	28.48	3	Horizontal	286	1.62	-	40.13	9.21	34.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 23.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.307G	57.48	68.20	-10.72	52.63	3	Vertical	98	1.32	-	31.10	5.80	32.05	
PK	5.46G	61.39	74.00	-12.61	56.14	3	Vertical	98	1.32	-	31.50	5.86	32.11	
AV	5.46G	48.35	54.00	-5.65	43.10	3	Vertical	98	1.32	-	31.50	5.86	32.11	
PK	5.462G	65.37	68.20	-2.83	60.12	3	Vertical	98	1.32	-	31.50	5.86	32.11	
PK	5.563G	114.42	Inf	-Inf	109.10	3	Vertical	98	1.32	-	31.53	5.96	32.17	
AV	5.545G	104.23	Inf	-Inf	98.94	3	Vertical	98	1.32	-	31.50	5.95	32.16	
PK	5.738G	59.59	68.20	-8.61	53.91	3	Vertical	98	1.32	-	31.95	6.00	32.27	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 23.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	58.26	68.20	-9.94	53.42	3	Horizontal	128	1.61	-	31.10	5.80	32.06
PK	5.456G	65.41	74.00	-8.59	60.16	3	Horizontal	128	1.61	-	31.50	5.86	32.11
AV	5.457G	51.51	54.00	-2.49	46.26	3	Horizontal	128	1.61	-	31.50	5.86	32.11
PK	5.462G	66.01	68.20	-2.19	60.76	3	Horizontal	128	1.61	-	31.50	5.86	32.11
PK	5.536G	118.32	Inf	-Inf	113.03	3	Horizontal	128	1.61	-	31.50	5.94	32.15
AV	5.536G	108.03	Inf	-Inf	102.74	3	Horizontal	128	1.61	-	31.50	5.94	32.15
PK	5.74G	58.47	68.20	-9.73	52.78	3	Horizontal	128	1.61	-	31.96	6.00	32.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 23.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09944G	57.27	74.00	-16.73	42.46	3	Vertical	114	2.56	-	39.80	9.26	34.25
AV	11.0989G	43.31	54.00	-10.69	28.50	3	Vertical	114	2.56	-	39.80	9.26	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 23.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09624G	57.63	74.00	-16.37	42.80	3	Horizontal	77	2.60	-	39.82	9.26	34.25
AV	11.10042G	43.25	54.00	-10.75	28.44	3	Horizontal	77	2.60	-	39.80	9.26	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6728G	114.89	Inf	-Inf	109.43	3	Vertical	15	2.69	-	31.69	6.00	32.23	
AV	5.6532G	105.46	Inf	-Inf	100.07	3	Vertical	15	2.69	-	31.61	6.00	32.22	
PK	5.7324G	67.05	68.20	-1.15	61.39	3	Vertical	15	2.69	-	31.93	6.00	32.27	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6808G	114.94	Inf	-Inf	109.46	3	Horizontal	81	3.00	-	31.72	6.00	32.24
AV	5.6812G	105.23	Inf	-Inf	99.75	3	Horizontal	81	3.00	-	31.72	6.00	32.24
PK	5.734G	66.87	68.20	-1.33	61.20	3	Horizontal	81	3.00	-	31.94	6.00	32.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.34128G	56.72	74.00	-17.28	41.92	3	Vertical	241	2.07	-	39.68	9.40	34.28	
AV	11.34002G	43.01	54.00	-10.99	28.21	3	Vertical	241	2.07	-	39.68	9.40	34.28	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34076G	57.67	74.00	-16.33	42.87	3	Horizontal	297	2.94	-	39.68	9.40	34.28
AV	11.34248G	43.04	54.00	-10.96	28.23	3	Horizontal	297	2.94	-	39.68	9.41	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 24
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	63.85	68.20	-4.35	58.46	3	Vertical	8	2.64	-	31.60	6.00	32.21	
PK	5.738G	118.33	Inf	-Inf	112.65	3	Vertical	8	2.64	-	31.95	6.00	32.27	
AV	5.738G	108.61	Inf	-Inf	102.93	3	Vertical	8	2.64	-	31.95	6.00	32.27	
PK	5.959G	57.72	68.20	-10.48	51.85	3	Vertical	8	2.64	-	32.20	6.08	32.41	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 24
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.18	68.94	-1.76	61.80	3	Horizontal	96	2.42	-	31.60	6.00	32.22
PK	5.751G	120.03	Inf	-Inf	114.31	3	Horizontal	96	2.42	-	32.00	6.00	32.28
AV	5.771G	109.45	Inf	-Inf	103.74	3	Horizontal	96	2.42	-	32.00	6.00	32.29
PK	5.976G	57.76	68.20	-10.44	51.89	3	Horizontal	96	2.42	-	32.20	6.09	32.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 24
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50864G	57.16	74.00	-16.84	42.37	3	Vertical	244	1.67	-	39.59	9.51	34.31	
AV	11.50754G	43.12	54.00	-10.88	28.34	3	Vertical	244	1.67	-	39.59	9.50	34.31	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 24
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50844G	56.96	74.00	-17.04	42.17	3	Horizontal	255	1.76	-	39.59	9.51	34.31
AV	11.50592G	43.11	54.00	-10.89	28.33	3	Horizontal	255	1.76	-	39.59	9.50	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	61.65	70.42	-8.77	56.26	3	Vertical	99	2.20	-	31.61	6.00	32.22
PK	5.78G	113.97	Inf	-Inf	108.27	3	Vertical	99	2.20	-	32.00	6.00	32.30
AV	5.779G	105.09	Inf	-Inf	99.39	3	Vertical	99	2.20	-	32.00	6.00	32.30
PK	6.018G	58.20	68.20	-10.00	52.22	3	Vertical	99	2.20	-	32.31	6.11	32.44

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.653G	65.29	70.42	-5.13	59.90	3	Horizontal	103	2.84	-	31.61	6.00	32.22	
PK	5.793G	119.35	Inf	-Inf	113.66	3	Horizontal	103	2.84	-	32.00	6.00	32.31	
AV	5.792G	110.17	Inf	-Inf	104.48	3	Horizontal	103	2.84	-	32.00	6.00	32.31	
PK	5.961G	58.33	68.20	-9.87	52.46	3	Horizontal	103	2.84	-	32.20	6.08	32.41	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 25
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5905G	57.17	74.00	-16.83	42.40	3	Vertical	337	2.07	-	39.51	9.55	34.29
AV	11.5856G	42.81	54.00	-11.19	28.04	3	Vertical	337	2.07	-	39.51	9.55	34.29

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 25
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58832G	57.03	74.00	-16.97	42.26	3	Horizontal	291	1.60	-	39.51	9.55	34.29
AV	11.59446G	42.92	54.00	-11.08	28.14	3	Horizontal	291	1.60	-	39.51	9.56	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 15
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.27	74.00	-13.73	54.29	3	Vertical	345	2.56	-	34.10	7.22	35.34
AV	5.15G	48.38	54.00	-5.62	42.40	3	Vertical	345	2.56	-	34.10	7.22	35.34
PK	5.2316G	107.81	Inf	-Inf	101.74	3	Vertical	345	2.56	-	34.13	7.28	35.34
AV	5.2308G	97.09	Inf	-Inf	91.03	3	Vertical	345	2.56	-	34.12	7.28	35.34
PK	5.4076G	58.80	74.00	-15.20	52.40	3	Vertical	345	2.56	-	34.53	7.22	35.35
AV	5.3732G	46.07	54.00	-7.93	39.65	3	Vertical	345	2.56	-	34.55	7.21	35.34

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 15
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.06	74.00	-10.94	57.10	3	Horizontal	89	1.19	-	34.08	7.22	35.34
AV	5.1476G	52.91	54.00	-1.09	46.94	3	Horizontal	89	1.19	-	34.09	7.22	35.34
PK	5.1876G	108.87	Inf	-Inf	102.91	3	Horizontal	89	1.19	-	34.02	7.28	35.34
AV	5.1868G	99.31	Inf	-Inf	93.34	3	Horizontal	89	1.19	-	34.03	7.28	35.34
PK	5.4044G	59.09	74.00	-14.91	52.71	3	Horizontal	89	1.19	-	34.52	7.21	35.35
AV	5.39G	47.21	54.00	-6.79	40.83	3	Horizontal	89	1.19	-	34.52	7.21	35.35

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 15
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63168G	60.71	74.00	-13.29	44.55	3	Vertical	223	2.33	-	38.07	12.36	34.27
AV	15.63208G	47.10	54.00	-6.90	30.94	3	Vertical	223	2.33	-	38.07	12.36	34.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 15
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62718G	61.03	74.00	-12.97	44.85	3	Horizontal	142	1.93	-	38.09	12.36	34.27
AV	15.63034G	47.18	54.00	-6.82	31.01	3	Horizontal	142	1.93	-	38.08	12.36	34.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 17.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	58.41	74.00	-15.59	52.79	3	Vertical	350	2.63	-	31.86	5.72	31.96
AV	5.1492G	45.06	54.00	-8.94	39.59	3	Vertical	350	2.63	-	31.70	5.75	31.98
PK	5.2916G	109.16	Inf	-Inf	104.30	3	Vertical	350	2.63	-	31.10	5.80	32.04
AV	5.2708G	98.86	Inf	-Inf	93.99	3	Vertical	350	2.63	-	31.10	5.80	32.03
PK	5.3532G	67.20	74.00	-6.80	62.35	3	Vertical	350	2.63	-	31.12	5.80	32.07
AV	5.3508G	52.60	54.00	-1.40	47.76	3	Vertical	350	2.63	-	31.10	5.80	32.06
PK	5.4796G	56.93	68.20	-11.27	51.67	3	Vertical	350	2.63	-	31.50	5.88	32.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 17.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	58.67	74.00	-15.33	53.13	3	Horizontal	117	1.21	-	31.77	5.74	31.97
AV	5.134G	45.08	54.00	-8.92	39.52	3	Horizontal	117	1.21	-	31.80	5.73	31.97
PK	5.294G	110.17	Inf	-Inf	105.31	3	Horizontal	117	1.21	-	31.10	5.80	32.04
AV	5.274G	100.49	Inf	-Inf	95.62	3	Horizontal	117	1.21	-	31.10	5.80	32.03
PK	5.3532G	66.49	74.00	-7.51	61.64	3	Horizontal	117	1.21	-	31.12	5.80	32.07
AV	5.3532G	51.55	54.00	-2.45	46.70	3	Horizontal	117	1.21	-	31.12	5.80	32.07
PK	5.4692G	57.35	68.20	-10.85	52.10	3	Horizontal	117	1.21	-	31.50	5.87	32.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 17.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.87288G	59.49	74.00	-14.51	43.69	3	Vertical	48	1.50	-	37.65	12.52	34.37	
AV	15.86696G	45.81	54.00	-8.19	30.00	3	Vertical	48	1.50	-	37.67	12.51	34.37	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 17.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8665G	59.82	74.00	-14.18	44.01	3	Horizontal	189	1.17	-	37.67	12.51	34.37
AV	15.86594G	45.77	54.00	-8.23	29.96	3	Horizontal	189	1.17	-	37.67	12.51	34.37

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 19
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.337G	56.87	68.20	-11.33	52.03	3	Vertical	98	1.31	-	31.10	5.80	32.06	
PK	5.447G	62.68	74.00	-11.32	57.45	3	Vertical	98	1.31	-	31.49	5.85	32.11	
PK	5.465G	63.39	68.20	-4.81	58.14	3	Vertical	98	1.31	-	31.50	5.86	32.11	
AV	5.46G	49.44	54.00	-4.56	44.19	3	Vertical	98	1.31	-	31.50	5.86	32.11	
PK	5.523G	105.93	Inf	-Inf	100.65	3	Vertical	98	1.31	-	31.50	5.92	32.14	
AV	5.544G	97.11	Inf	-Inf	91.83	3	Vertical	98	1.31	-	31.50	5.94	32.16	
PK	5.749G	58.02	68.20	-10.18	52.30	3	Vertical	98	1.31	-	32.00	6.00	32.28	

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 19
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	57.79	68.20	-10.41	52.93	3	Horizontal	125	1.45	-	31.10	5.80	32.04
PK	5.456G	65.40	74.00	-8.60	60.15	3	Horizontal	125	1.45	-	31.50	5.86	32.11
AV	5.456G	52.84	54.00	-1.16	47.59	3	Horizontal	125	1.45	-	31.50	5.86	32.11
PK	5.465G	62.46	68.20	-5.74	57.21	3	Horizontal	125	1.45	-	31.50	5.86	32.11
PK	5.509G	109.82	Inf	-Inf	104.55	3	Horizontal	125	1.45	-	31.50	5.91	32.14
AV	5.515G	101.77	Inf	-Inf	96.49	3	Horizontal	125	1.45	-	31.50	5.92	32.14
PK	5.756G	59.01	68.20	-9.19	53.29	3	Horizontal	125	1.45	-	32.00	6.00	32.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06356G	57.72	74.00	-16.28	42.77	3	Vertical	95	2.92	-	39.95	9.24	34.24
AV	11.06038G	43.40	54.00	-10.60	28.44	3	Vertical	95	2.92	-	39.96	9.24	34.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 19
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05504G	56.99	74.00	-17.01	42.02	3	Horizontal	123	1.20	-	39.98	9.23	34.24
AV	11.05568G	43.38	54.00	-10.62	28.41	3	Horizontal	123	1.20	-	39.98	9.23	34.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 21
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	58.06	74.00	-15.94	52.83	3	Vertical	103	1.80	-	31.49	5.85	32.11
PK	5.466G	59.46	68.20	-8.74	54.21	3	Vertical	103	1.80	-	31.50	5.87	32.12
AV	5.46G	45.56	54.00	-8.44	40.31	3	Vertical	103	1.80	-	31.50	5.86	32.11
PK	5.585G	108.53	Inf	-Inf	103.15	3	Vertical	103	1.80	-	31.57	5.99	32.18
AV	5.586G	99.64	Inf	-Inf	94.26	3	Vertical	103	1.80	-	31.57	5.99	32.18
PK	5.727G	63.99	68.20	-4.21	58.35	3	Vertical	103	1.80	-	31.91	6.00	32.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 21
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.406G	59.96	74.00	-14.04	54.83	3	Horizontal	96	1.00	-	31.41	5.81	32.09
PK	5.467G	61.97	68.20	-6.23	56.72	3	Horizontal	96	1.00	-	31.50	5.87	32.12
AV	5.447G	47.19	54.00	-6.81	41.96	3	Horizontal	96	1.00	-	31.49	5.85	32.11
PK	5.588G	113.25	Inf	-Inf	107.86	3	Horizontal	96	1.00	-	31.58	5.99	32.18
AV	5.586G	104.78	Inf	-Inf	99.40	3	Horizontal	96	1.00	-	31.57	5.99	32.18
PK	5.728G	66.68	68.20	-1.52	61.04	3	Horizontal	96	1.00	-	31.91	6.00	32.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 21
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21654G	57.36	74.00	-16.64	42.69	3	Vertical	16	1.74	-	39.60	9.33	34.26	
AV	11.2155G	42.88	54.00	-11.12	28.21	3	Vertical	16	1.74	-	39.60	9.33	34.26	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 21
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21834G	57.33	74.00	-16.67	42.66	3	Horizontal	270	1.10	-	39.60	9.33	34.26
AV	11.21628G	42.96	54.00	-11.04	28.29	3	Horizontal	270	1.10	-	39.60	9.33	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	62.65	68.20	-5.55	57.27	3	Vertical	67	2.93	-	31.60	6.00	32.22
PK	5.745G	108.89	Inf	-Inf	103.19	3	Vertical	67	2.93	-	31.98	6.00	32.28
AV	5.746G	99.60	Inf	-Inf	93.90	3	Vertical	67	2.93	-	31.98	6.00	32.28
PK	6.012G	58.06	68.20	-10.14	52.12	3	Vertical	67	2.93	-	32.27	6.11	32.44

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	66.07	68.20	-2.13	60.69	3	Horizontal	96	2.23	-	31.60	6.00	32.22	
PK	5.771G	112.93	Inf	-Inf	107.22	3	Horizontal	96	2.23	-	32.00	6.00	32.29	
AV	5.75G	103.32	Inf	-Inf	97.60	3	Horizontal	96	2.23	-	32.00	6.00	32.28	
PK	5.978G	58.33	68.20	-9.87	52.46	3	Horizontal	96	2.23	-	32.20	6.09	32.42	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55052G	57.00	74.00	-17.00	42.22	3	Vertical	161	1.66	-	39.55	9.53	34.30	
AV	11.54748G	43.01	54.00	-10.99	28.23	3	Vertical	161	1.66	-	39.55	9.53	34.30	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 20.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55322G	56.72	74.00	-17.28	41.94	3	Horizontal	71	2.03	-	39.55	9.53	34.30	
AV	11.54782G	42.91	54.00	-11.09	28.13	3	Horizontal	71	2.03	-	39.55	9.53	34.30	

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 15
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	60.82	74.00	-13.18	54.84	3	Vertical	345	2.70	-	34.10	7.22	35.34
AV	5.1332G	49.77	54.00	-4.23	43.88	3	Vertical	345	2.70	-	34.03	7.20	35.34
PK	5.1924G	104.65	Inf	-Inf	98.68	3	Vertical	345	2.70	-	34.02	7.29	35.34
AV	5.2724G	95.29	Inf	-Inf	89.08	3	Vertical	345	2.70	-	34.29	7.26	35.34
PK	5.354G	63.01	74.00	-10.99	56.54	3	Vertical	345	2.70	-	34.59	7.22	35.34
AV	5.354G	51.42	54.00	-2.58	44.95	3	Vertical	345	2.70	-	34.59	7.22	35.34
PK	5.4756G	59.38	68.20	-8.82	52.73	3	Vertical	345	2.70	-	34.65	7.35	35.35

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_4TX
Setting 15
03-C-L-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	61.94	74.00	-12.06	56.14	3	Horizontal	112	1.26	-	33.96	7.17	35.33
AV	5.114G	51.09	54.00	-2.91	45.29	3	Horizontal	112	1.26	-	33.96	7.17	35.33
PK	5.2548G	106.84	Inf	-Inf	100.69	3	Horizontal	112	1.26	-	34.22	7.27	35.34
AV	5.274G	97.59	Inf	-Inf	91.37	3	Horizontal	112	1.26	-	34.30	7.26	35.34
PK	5.354G	63.22	74.00	-10.78	56.75	3	Horizontal	112	1.26	-	34.59	7.22	35.34
AV	5.3956G	52.99	54.00	-1.01	46.63	3	Horizontal	112	1.26	-	34.51	7.20	35.35
PK	5.4916G	58.98	68.20	-9.22	52.33	3	Horizontal	112	1.26	-	34.62	7.38	35.35

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 15
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75222G	60.24	74.00	-13.76	44.32	3	Vertical	309	1.45	-	37.80	12.44	34.32
AV	15.7503G	47.23	54.00	-6.77	31.31	3	Vertical	309	1.45	-	37.80	12.44	34.32

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 15
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7483G	60.77	74.00	-13.23	44.85	3	Horizontal	46	2.69	-	37.80	12.44	34.32
AV	15.74574G	47.12	54.00	-6.88	31.21	3	Horizontal	46	2.69	-	37.80	12.43	34.32

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 17.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	57.36	68.20	-10.84	52.52	3	Vertical	100	1.41	-	31.10	5.80	32.06
PK	5.4036G	60.68	74.00	-13.32	55.56	3	Vertical	100	1.41	-	31.41	5.80	32.09
AV	5.4228G	48.70	54.00	-5.30	43.53	3	Vertical	100	1.41	-	31.45	5.82	32.10
PK	5.4644G	59.87	68.20	-8.33	54.62	3	Vertical	100	1.41	-	31.50	5.86	32.11
PK	5.5236G	103.51	Inf	-Inf	98.23	3	Vertical	100	1.41	-	31.50	5.92	32.14
AV	5.5652G	93.23	Inf	-Inf	87.90	3	Vertical	100	1.41	-	31.53	5.97	32.17
PK	5.7252G	62.68	68.20	-5.52	57.05	3	Vertical	100	1.41	-	31.90	6.00	32.27

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 17.5
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3492G	58.17	68.20	-10.03	53.33	3	Horizontal	87	1.66	-	31.10	5.80	32.06	
PK	5.3828G	64.85	74.00	-9.15	59.83	3	Horizontal	87	1.66	-	31.30	5.80	32.08	
AV	5.4212G	52.73	54.00	-1.27	47.57	3	Horizontal	87	1.66	-	31.44	5.82	32.10	
PK	5.4612G	61.69	68.20	-6.51	56.44	3	Horizontal	87	1.66	-	31.50	5.86	32.11	
PK	5.5236G	107.56	Inf	-Inf	102.28	3	Horizontal	87	1.66	-	31.50	5.92	32.14	
AV	5.562G	97.06	Inf	-Inf	91.75	3	Horizontal	87	1.66	-	31.52	5.96	32.17	
PK	5.7428G	62.95	68.20	-5.25	57.26	3	Horizontal	87	1.66	-	31.97	6.00	32.28	

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 17.5
06-F-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.14214G	57.86	74.00	-16.14	43.10	3	Vertical	305	1.65	-	39.72	9.29	34.25	
AV	11.14006G	43.18	54.00	-10.82	28.43	3	Vertical	305	1.65	-	39.72	9.28	34.25	

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 17.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13894G	57.08	74.00	-16.92	42.33	3	Horizontal	85	1.82	-	39.72	9.28	34.25
AV	11.1399G	43.18	54.00	-10.82	28.43	3	Horizontal	85	1.82	-	39.72	9.28	34.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1498G	52.99	54.00	-1.01	3	Horizontal	93	1.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 54
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1494G	67.88	74.00	-6.12	64.10	3	Vertical	2	1.26	-	31.90	7.22	35.34	
AV	5.1498G	50.15	54.00	-3.85	46.37	3	Vertical	2	1.26	-	31.90	7.22	35.34	
PK	5.1888G	114.84	Inf	-Inf	111.16	3	Vertical	2	1.26	-	31.74	7.28	35.34	
AV	5.1732G	105.27	Inf	-Inf	101.54	3	Vertical	2	1.26	-	31.81	7.26	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 54
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1482G	68.23	74.00	-5.77	64.45	3	Horizontal	268	1.44	-	31.90	7.22	35.34	
AV	5.1482G	52.82	54.00	-1.18	49.04	3	Horizontal	268	1.44	-	31.90	7.22	35.34	
PK	5.176G	122.28	Inf	-Inf	118.56	3	Horizontal	268	1.44	-	31.80	7.26	35.34	
AV	5.1754G	112.39	Inf	-Inf	108.67	3	Horizontal	268	1.44	-	31.80	7.26	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 54
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5344G	60.69	74.00	-13.31	44.42	3	Vertical	230	1.73	-	38.50	13.17	35.40
AV	15.55216G	47.07	54.00	-6.93	30.86	3	Vertical	230	1.73	-	38.44	13.18	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 54
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.55056G	60.74	74.00	-13.26	44.52	3	Horizontal	18	1.65	-	38.45	13.18	35.41	
AV	15.54944G	47.06	54.00	-6.94	30.85	3	Horizontal	18	1.65	-	38.45	13.17	35.41	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 62
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.78	74.00	-11.22	59.00	3	Vertical	272	2.15	-	31.90	7.22	35.34
AV	5.1496G	48.06	54.00	-5.94	44.28	3	Vertical	272	2.15	-	31.90	7.22	35.34
PK	5.208G	118.73	Inf	-Inf	115.12	3	Vertical	272	2.15	-	31.65	7.30	35.34
AV	5.208G	108.26	Inf	-Inf	104.65	3	Vertical	272	2.15	-	31.65	7.30	35.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 62
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	66.71	74.00	-7.29	62.93	3	Horizontal	270	1.80	-	31.90	7.22	35.34	
AV	5.1492G	52.17	54.00	-1.83	48.39	3	Horizontal	270	1.80	-	31.90	7.22	35.34	
PK	5.1912G	123.36	Inf	-Inf	119.67	3	Horizontal	270	1.80	-	31.74	7.29	35.34	
AV	5.1928G	114.25	Inf	-Inf	110.57	3	Horizontal	270	1.80	-	31.73	7.29	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5948G	60.38	74.00	-13.62	44.31	3	Vertical	294	2.45	-	38.32	13.20	35.45
AV	15.6196G	46.89	54.00	-7.11	30.93	3	Vertical	294	2.45	-	38.22	13.21	35.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61608G	60.08	74.00	-13.92	44.10	3	Horizontal	260	2.91	-	38.24	13.21	35.47
AV	15.61976G	46.92	54.00	-7.08	30.96	3	Horizontal	260	2.91	-	38.22	13.21	35.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	58.41	74.00	-15.59	54.62	3	Vertical	67	1.98	-	31.92	7.21	35.34
AV	5.1192G	47.01	54.00	-6.99	43.20	3	Vertical	67	1.98	-	31.96	7.18	35.33
PK	5.2328G	118.37	Inf	-Inf	114.93	3	Vertical	67	1.98	-	31.50	7.28	35.34
AV	5.2432G	108.52	Inf	-Inf	105.14	3	Vertical	67	1.98	-	31.44	7.28	35.34
PK	5.36G	58.72	74.00	-15.28	55.48	3	Vertical	67	1.98	-	31.36	7.22	35.34
AV	5.3528G	45.60	54.00	-8.40	42.40	3	Vertical	67	1.98	-	31.32	7.22	35.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	60.84	74.00	-13.16	57.05	3	Horizontal	72	1.49	-	31.91	7.22	35.34
AV	5.1192G	52.70	54.00	-1.30	48.89	3	Horizontal	72	1.49	-	31.96	7.18	35.33
PK	5.2328G	122.88	Inf	-Inf	119.44	3	Horizontal	72	1.49	-	31.50	7.28	35.34
AV	5.2336G	112.77	Inf	-Inf	109.33	3	Horizontal	72	1.49	-	31.50	7.28	35.34
PK	5.3656G	62.40	74.00	-11.60	59.13	3	Horizontal	72	1.49	-	31.39	7.22	35.34
AV	5.36G	50.18	54.00	-3.82	46.94	3	Horizontal	72	1.49	-	31.36	7.22	35.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7012G	60.55	74.00	-13.45	44.94	3	Vertical	42	2.24	-	37.90	13.25	35.54	
AV	15.70144G	46.28	54.00	-7.72	30.67	3	Vertical	42	2.24	-	37.90	13.25	35.54	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72152G	59.82	74.00	-14.18	44.24	3	Horizontal	205	1.60	-	37.88	13.26	35.56
AV	15.70056G	46.17	54.00	-7.83	30.56	3	Horizontal	205	1.60	-	37.90	13.25	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1394G	58.97	74.00	-15.03	55.18	3	Vertical	352	1.64	-	31.92	7.21	35.34	
AV	5.14G	47.21	54.00	-6.79	43.42	3	Vertical	352	1.64	-	31.92	7.21	35.34	
PK	5.2642G	120.30	Inf	-Inf	116.94	3	Vertical	352	1.64	-	31.43	7.27	35.34	
AV	5.269G	110.14	Inf	-Inf	106.77	3	Vertical	352	1.64	-	31.44	7.27	35.34	
PK	5.3824G	59.37	74.00	-14.63	56.02	3	Vertical	352	1.64	-	31.49	7.21	35.35	
AV	5.3794G	47.06	54.00	-6.94	43.72	3	Vertical	352	1.64	-	31.48	7.21	35.35	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	63.91	74.00	-10.09	60.12	3	Horizontal	95	1.63	-	31.92	7.21	35.34
AV	5.1394G	52.61	54.00	-1.39	48.82	3	Horizontal	95	1.63	-	31.92	7.21	35.34
PK	5.2576G	118.56	Inf	-Inf	115.21	3	Horizontal	95	1.63	-	31.42	7.27	35.34
AV	5.2546G	108.05	Inf	-Inf	104.71	3	Horizontal	95	1.63	-	31.41	7.27	35.34
PK	5.3518G	62.75	74.00	-11.25	59.56	3	Horizontal	95	1.63	-	31.31	7.22	35.34
AV	5.38G	49.00	54.00	-5.00	45.66	3	Horizontal	95	1.63	-	31.48	7.21	35.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7844G	59.50	74.00	-14.50	44.00	3	Vertical	300	2.89	-	37.82	13.29	35.61
AV	15.76168G	46.09	54.00	-7.91	30.56	3	Vertical	300	2.89	-	37.84	13.28	35.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78864G	59.43	74.00	-14.57	43.94	3	Horizontal	358	1.48	-	37.81	13.29	35.61
AV	15.764G	45.95	54.00	-8.05	30.42	3	Horizontal	358	1.48	-	37.84	13.28	35.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2928G	119.55	Inf	-Inf	116.15	3	Vertical	353	1.24	-	31.49	7.25	35.34	
AV	5.294G	109.42	Inf	-Inf	106.02	3	Vertical	353	1.24	-	31.49	7.25	35.34	
PK	5.352G	60.61	74.00	-13.39	57.42	3	Vertical	353	1.24	-	31.31	7.22	35.34	
AV	5.35G	48.38	54.00	-5.62	45.20	3	Vertical	353	1.24	-	31.30	7.22	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3092G	125.51	Inf	-Inf	122.14	3	Horizontal	90	1.21	-	31.46	7.25	35.34	
AV	5.3088G	114.99	Inf	-Inf	111.62	3	Horizontal	90	1.21	-	31.46	7.25	35.34	
AV	5.3504G	52.65	54.00	-1.35	49.47	3	Horizontal	90	1.21	-	31.30	7.22	35.34	
PK	5.3504G	68.27	74.00	-5.73	65.09	3	Horizontal	90	1.21	-	31.30	7.22	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61808G	55.79	74.00	-18.21	41.21	3	Vertical	327	1.62	-	39.56	10.39	35.37	
AV	10.61768G	42.28	54.00	-11.72	27.70	3	Vertical	327	1.62	-	39.56	10.39	35.37	
PK	15.9072G	59.14	74.00	-14.86	43.71	3	Vertical	296	1.05	-	37.79	13.35	35.71	
AV	15.91584G	45.85	54.00	-8.15	30.43	3	Vertical	296	1.05	-	37.78	13.36	35.72	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60712G	56.54	74.00	-17.46	41.95	3	Horizontal	288	2.25	-	39.59	10.38	35.38
AV	10.61072G	42.36	54.00	-11.64	27.77	3	Horizontal	288	2.25	-	39.58	10.38	35.37
PK	15.91696G	59.40	74.00	-14.60	43.98	3	Horizontal	236	1.67	-	37.78	13.36	35.72
AV	15.8972G	45.84	54.00	-8.16	30.39	3	Horizontal	236	1.67	-	37.80	13.35	35.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 53
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3172G	113.03	Inf	-Inf	109.70	3	Vertical	8	1.80	-	31.43	7.24	35.34	
AV	5.3284G	96.36	Inf	-Inf	93.07	3	Vertical	8	1.80	-	31.39	7.24	35.34	
PK	5.3508G	58.62	74.00	-15.38	55.44	3	Vertical	8	1.80	-	31.30	7.22	35.34	
AV	5.3558G	46.10	54.00	-7.90	42.89	3	Vertical	8	1.80	-	31.33	7.22	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT X_4TX
Setting 53
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3122G	114.11	Inf	-Inf	110.76	3	Horizontal	96	1.80	-	31.45	7.24	35.34	
AV	5.3112G	104.51	Inf	-Inf	101.15	3	Horizontal	96	1.80	-	31.46	7.24	35.34	
PK	5.3548G	69.96	74.00	-4.04	66.75	3	Horizontal	96	1.80	-	31.33	7.22	35.34	
AV	5.3514G	52.87	54.00	-1.13	49.68	3	Horizontal	96	1.80	-	31.31	7.22	35.34	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 53
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62816G	55.84	74.00	-18.16	41.27	3	Vertical	224	1.94	-	39.54	10.39	35.36	
AV	10.62064G	42.23	54.00	-11.77	27.65	3	Vertical	224	1.94	-	39.56	10.39	35.37	
PK	15.96112G	59.54	74.00	-14.46	44.18	3	Vertical	359	2.30	-	37.74	13.38	35.76	
AV	15.96736G	45.92	54.00	-8.08	30.57	3	Vertical	359	2.30	-	37.73	13.38	35.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 53
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64688G	56.11	74.00	-17.89	41.55	3	Horizontal	157	1.93	-	39.51	10.39	35.34	
AV	10.62152G	42.20	54.00	-11.80	27.62	3	Horizontal	157	1.93	-	39.56	10.39	35.37	
PK	15.9504G	60.22	74.00	-13.78	44.84	3	Horizontal	204	1.38	-	37.75	13.38	35.75	
AV	15.96344G	45.90	54.00	-8.10	30.54	3	Horizontal	204	1.38	-	37.74	13.38	35.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 52
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	60.56	74.00	-13.44	56.69	3	Vertical	99	1.60	-	31.90	7.32	35.35	
AV	5.4588G	46.69	54.00	-7.31	42.82	3	Vertical	99	1.60	-	31.90	7.32	35.35	
PK	5.4688G	66.30	68.20	-1.90	62.41	3	Vertical	99	1.60	-	31.90	7.34	35.35	
PK	5.5002G	114.77	Inf	-Inf	110.82	3	Vertical	99	1.60	-	31.90	7.40	35.35	
AV	5.4992G	105.49	Inf	-Inf	101.54	3	Vertical	99	1.60	-	31.90	7.40	35.35	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 52
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	63.68	74.00	-10.32	59.81	3	Horizontal	96	2.28	-	31.90	7.32	35.35	
AV	5.4594G	49.35	54.00	-4.65	45.48	3	Horizontal	96	2.28	-	31.90	7.32	35.35	
PK	5.4678G	66.86	68.20	-1.34	62.97	3	Horizontal	96	2.28	-	31.90	7.34	35.35	
PK	5.495G	118.97	Inf	-Inf	115.03	3	Horizontal	96	2.28	-	31.90	7.39	35.35	
AV	5.498G	109.70	Inf	-Inf	105.75	3	Horizontal	96	2.28	-	31.90	7.40	35.35	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 52
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.00728G	57.33	74.00	-16.67	41.61	3	Vertical	85	2.10	-	40.27	10.50	35.05
AV	11.01G	43.70	54.00	-10.30	27.99	3	Vertical	85	2.10	-	40.26	10.50	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 52
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0044G	57.46	74.00	-16.54	41.72	3	Horizontal	225	1.50	-	40.28	10.50	35.04
AV	10.9976G	43.67	54.00	-10.33	27.91	3	Horizontal	225	1.50	-	40.30	10.50	35.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3352G	57.64	68.20	-10.56	54.39	3	Vertical	94	1.52	-	31.36	7.23	35.34
PK	5.4528G	58.58	74.00	-15.42	54.72	3	Vertical	94	1.52	-	31.90	7.31	35.35
PK	5.4612G	58.89	68.20	-9.31	55.02	3	Vertical	94	1.52	-	31.90	7.32	35.35
AV	5.4576G	45.92	54.00	-8.08	42.05	3	Vertical	94	1.52	-	31.90	7.32	35.35
PK	5.5824G	119.22	Inf	-Inf	115.19	3	Vertical	94	1.52	-	31.86	7.56	35.39
AV	5.5812G	110.03	Inf	-Inf	106.00	3	Vertical	94	1.52	-	31.86	7.56	35.39
PK	5.7744G	64.25	68.20	-3.95	60.31	3	Vertical	94	1.52	-	32.00	7.43	35.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.34G	61.41	68.20	-6.79	58.18	3	Horizontal	81	1.17	-	31.34	7.23	35.34	
PK	5.46G	61.37	74.00	-12.63	57.50	3	Horizontal	81	1.17	-	31.90	7.32	35.35	
AV	5.46G	50.51	54.00	-3.49	46.64	3	Horizontal	81	1.17	-	31.90	7.32	35.35	
PK	5.4684G	60.57	68.20	-7.63	56.68	3	Horizontal	81	1.17	-	31.90	7.34	35.35	
PK	5.5776G	118.42	Inf	-Inf	114.39	3	Horizontal	81	1.17	-	31.86	7.56	35.39	
AV	5.5776G	110.29	Inf	-Inf	106.26	3	Horizontal	81	1.17	-	31.86	7.56	35.39	
PK	5.7492G	59.05	68.20	-9.15	55.07	3	Horizontal	81	1.17	-	32.00	7.45	35.47	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14992G	56.46	74.00	-17.54	41.28	3	Vertical	360	1.17	-	39.85	10.54	35.21
AV	11.15328G	42.99	54.00	-11.01	27.80	3	Vertical	360	1.17	-	39.85	10.55	35.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16808G	56.23	74.00	-17.77	41.08	3	Horizontal	25	1.67	-	39.83	10.55	35.23
AV	11.15304G	42.99	54.00	-11.01	27.80	3	Horizontal	25	1.67	-	39.85	10.55	35.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 49
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6976G	113.11	Inf	-Inf	109.16	3	Vertical	350	2.13	-	31.90	7.50	35.45	
AV	5.6932G	103.09	Inf	-Inf	99.14	3	Vertical	350	2.13	-	31.89	7.51	35.45	
PK	5.7252G	61.14	68.20	-7.06	57.18	3	Vertical	350	2.13	-	31.95	7.47	35.46	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7074G	107.14	Inf	-Inf	103.19	3	Horizontal	92	1.96	-	31.91	7.49	35.45
AV	5.708G	97.56	Inf	-Inf	93.60	3	Horizontal	92	1.96	-	31.92	7.49	35.45
PK	5.7256G	66.89	68.20	-1.31	62.93	3	Horizontal	92	1.96	-	31.95	7.47	35.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40328G	56.26	74.00	-17.74	40.93	3	Vertical	268	1.83	-	40.20	10.62	35.49
AV	11.402G	42.92	54.00	-11.08	27.59	3	Vertical	268	1.83	-	40.20	10.62	35.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40984G	55.96	74.00	-18.04	40.64	3	Horizontal	274	2.02	-	40.20	10.62	35.50
AV	11.39984G	42.91	54.00	-11.09	27.58	3	Horizontal	274	2.02	-	40.20	10.62	35.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 60
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	59.93	68.20	-8.27	56.00	3	Vertical	94	1.44	-	31.80	7.55	35.42	
PK	5.738G	117.33	Inf	-Inf	113.36	3	Vertical	94	1.44	-	31.98	7.46	35.47	
AV	5.738G	107.65	Inf	-Inf	103.68	3	Vertical	94	1.44	-	31.98	7.46	35.47	
PK	5.969G	56.85	68.20	-11.35	52.60	3	Vertical	94	1.44	-	32.26	7.57	35.58	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 60
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.625G	61.38	68.20	-6.82	57.37	3	Horizontal	72	1.38	-	31.85	7.57	35.41	
PK	5.738G	120.72	Inf	-Inf	116.75	3	Horizontal	72	1.38	-	31.98	7.46	35.47	
AV	5.748G	112.68	Inf	-Inf	108.70	3	Horizontal	72	1.38	-	32.00	7.45	35.47	
PK	5.989G	57.82	68.20	-10.38	53.60	3	Horizontal	72	1.38	-	32.22	7.59	35.59	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 60
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50648G	56.02	74.00	-17.98	40.78	3	Vertical	84	2.94	-	40.19	10.65	35.60	
AV	11.47608G	43.19	54.00	-10.81	27.92	3	Vertical	84	2.94	-	40.20	10.64	35.57	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 60
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.47648G	56.68	74.00	-17.32	41.41	3	Horizontal	46	2.48	-	40.20	10.64	35.57	
AV	11.47432G	43.21	54.00	-10.79	27.94	3	Horizontal	46	2.48	-	40.20	10.64	35.57	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4994G	58.07	68.20	-10.13	54.12	3	Vertical	162	2.13	-	31.90	7.40	35.35
PK	5.7934G	118.88	Inf	-Inf	114.97	3	Vertical	162	2.13	-	32.00	7.41	35.50
AV	5.7934G	108.57	Inf	-Inf	104.66	3	Vertical	162	2.13	-	32.00	7.41	35.50
PK	6.0838G	58.08	68.20	-10.12	53.49	3	Vertical	162	2.13	-	32.43	7.73	35.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5438G	61.49	68.20	-6.71	57.56	3	Horizontal	69	1.80	-	31.81	7.49	35.37
PK	5.7778G	122.74	Inf	-Inf	118.81	3	Horizontal	69	1.80	-	32.00	7.42	35.49
AV	5.7778G	113.74	Inf	-Inf	109.81	3	Horizontal	69	1.80	-	32.00	7.42	35.49
PK	6.0562G	57.46	68.20	-10.74	52.87	3	Horizontal	69	1.80	-	32.49	7.68	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58064G	57.48	74.00	-16.52	42.35	3	Vertical	321	2.08	-	40.04	10.67	35.58
AV	11.57G	45.59	54.00	-8.41	30.44	3	Vertical	321	2.08	-	40.06	10.67	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57028G	57.15	74.00	-16.85	42.00	3	Horizontal	52	2.05	-	40.06	10.67	35.58
AV	11.56999G	44.66	54.00	-9.34	29.51	3	Horizontal	52	2.05	-	40.06	10.67	35.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5406G	58.58	68.20	-9.62	54.65	3	Vertical	360	2.02	-	31.82	7.48	35.37
PK	5.8214G	117.95	Inf	-Inf	114.00	3	Vertical	360	2.02	-	32.04	7.42	35.51
AV	5.819G	108.15	Inf	-Inf	104.20	3	Vertical	360	2.02	-	32.04	7.42	35.51
PK	6.1046G	57.82	68.20	-10.38	53.20	3	Vertical	360	2.02	-	32.42	7.76	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5934G	62.20	68.20	-6.00	58.12	3	Horizontal	96	1.80	-	31.89	7.59	35.40
PK	5.819G	123.50	Inf	-Inf	119.55	3	Horizontal	96	1.80	-	32.04	7.42	35.51
AV	5.8178G	114.46	Inf	-Inf	110.51	3	Horizontal	96	1.80	-	32.04	7.42	35.51
PK	6.1022G	57.70	68.20	-10.50	53.10	3	Horizontal	96	1.80	-	32.41	7.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65002G	56.78	74.00	-17.22	41.90	3	Vertical	335	2.14	-	39.75	10.70	35.57
AV	11.64848G	42.73	54.00	-11.27	27.85	3	Vertical	335	2.14	-	39.76	10.69	35.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64805G	56.73	74.00	-17.27	41.85	3	Horizontal	259	2.49	-	39.76	10.69	35.57
AV	11.65116G	42.73	54.00	-11.27	27.86	3	Horizontal	259	2.49	-	39.74	10.70	35.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 44
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	59.52	74.00	-14.48	55.73	3	Vertical	355	1.78	-	31.91	7.22	35.34
AV	5.1498G	46.84	54.00	-7.16	43.06	3	Vertical	355	1.78	-	31.90	7.22	35.34
PK	5.1876G	110.56	Inf	-Inf	106.87	3	Vertical	355	1.78	-	31.75	7.28	35.34
AV	5.1882G	100.18	Inf	-Inf	96.49	3	Vertical	355	1.78	-	31.75	7.28	35.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 44
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1486G	65.35	74.00	-8.65	61.57	3	Horizontal	93	1.57	-	31.90	7.22	35.34	
AV	5.1498G	52.99	54.00	-1.01	49.21	3	Horizontal	93	1.57	-	31.90	7.22	35.34	
PK	5.1756G	114.07	Inf	-Inf	110.35	3	Horizontal	93	1.57	-	31.80	7.26	35.34	
AV	5.1726G	103.96	Inf	-Inf	100.23	3	Horizontal	93	1.57	-	31.81	7.26	35.34	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 44
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.56828G	60.00	74.00	-14.00	43.85	3	Vertical	130	2.94	-	38.40	13.18	35.43	
AV	15.5696G	46.61	54.00	-7.39	30.47	3	Vertical	130	2.94	-	38.39	13.18	35.43	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 44
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56806G	60.00	74.00	-14.00	43.85	3	Horizontal	147	1.54	-	38.40	13.18	35.43
AV	15.57002G	46.60	54.00	-7.40	30.45	3	Horizontal	147	1.54	-	38.39	13.19	35.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	68.79	74.00	-5.21	65.01	3	Vertical	348	2.32	-	31.90	7.22	35.34
AV	5.148G	49.45	54.00	-4.55	45.67	3	Vertical	348	2.32	-	31.90	7.22	35.34
PK	5.222G	116.68	Inf	-Inf	113.16	3	Vertical	348	2.32	-	31.57	7.29	35.34
AV	5.227G	107.54	Inf	-Inf	104.05	3	Vertical	348	2.32	-	31.54	7.29	35.34
PK	5.36G	59.65	74.00	-14.35	56.41	3	Vertical	348	2.32	-	31.36	7.22	35.34
AV	5.35G	46.60	54.00	-7.40	43.42	3	Vertical	348	2.32	-	31.30	7.22	35.34
PK	5.467G	57.17	68.20	-11.03	53.29	3	Vertical	348	2.32	-	31.90	7.33	35.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.141G	67.84	74.00	-6.16	64.05	3	Horizontal	85	1.80	-	31.92	7.21	35.34	
AV	5.149G	52.22	54.00	-1.78	48.44	3	Horizontal	85	1.80	-	31.90	7.22	35.34	
PK	5.231G	120.56	Inf	-Inf	117.11	3	Horizontal	85	1.80	-	31.51	7.28	35.34	
AV	5.232G	110.26	Inf	-Inf	106.81	3	Horizontal	85	1.80	-	31.51	7.28	35.34	
PK	5.355G	60.32	74.00	-13.68	57.11	3	Horizontal	85	1.80	-	31.33	7.22	35.34	
AV	5.35G	49.19	54.00	-4.81	46.01	3	Horizontal	85	1.80	-	31.30	7.22	35.34	
PK	5.463G	58.63	68.20	-9.57	54.75	3	Horizontal	85	1.80	-	31.90	7.33	35.35	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69084G	59.96	74.00	-14.04	44.30	3	Vertical	206	1.98	-	37.94	13.25	35.53
AV	15.69245G	46.31	54.00	-7.69	30.66	3	Vertical	206	1.98	-	37.93	13.25	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69046G	60.79	74.00	-13.21	45.13	3	Horizontal	145	2.27	-	37.94	13.25	35.53
AV	15.691G	46.29	54.00	-7.71	30.63	3	Horizontal	145	2.27	-	37.94	13.25	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	58.99	74.00	-15.01	55.20	3	Vertical	349	1.44	-	31.93	7.20	35.34
AV	5.15G	45.87	54.00	-8.13	42.09	3	Vertical	349	1.44	-	31.90	7.22	35.34
PK	5.283G	115.34	Inf	-Inf	111.95	3	Vertical	349	1.44	-	31.47	7.26	35.34
AV	5.284G	106.24	Inf	-Inf	102.85	3	Vertical	349	1.44	-	31.47	7.26	35.34
PK	5.35G	65.20	74.00	-8.80	62.02	3	Vertical	349	1.44	-	31.30	7.22	35.34
AV	5.35G	49.12	54.00	-4.88	45.94	3	Vertical	349	1.44	-	31.30	7.22	35.34
PK	5.461G	57.36	68.20	-10.84	53.49	3	Vertical	349	1.44	-	31.90	7.32	35.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.83	74.00	-14.17	56.05	3	Horizontal	75	1.25	-	31.90	7.22	35.34
AV	5.15G	50.26	54.00	-3.74	46.48	3	Horizontal	75	1.25	-	31.90	7.22	35.34
PK	5.267G	119.31	Inf	-Inf	115.95	3	Horizontal	75	1.25	-	31.43	7.27	35.34
AV	5.268G	108.71	Inf	-Inf	105.34	3	Horizontal	75	1.25	-	31.44	7.27	35.34
PK	5.362G	65.86	74.00	-8.14	62.61	3	Horizontal	75	1.25	-	31.37	7.22	35.34
AV	5.35G	52.04	54.00	-1.96	48.86	3	Horizontal	75	1.25	-	31.30	7.22	35.34
PK	5.492G	59.11	68.20	-9.09	55.18	3	Horizontal	75	1.25	-	31.90	7.38	35.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81039G	59.80	74.00	-14.20	44.32	3	Vertical	124	2.17	-	37.80	13.31	35.63
AV	15.8094G	45.64	54.00	-8.36	30.17	3	Vertical	124	2.17	-	37.80	13.30	35.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 56
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.81131G	59.74	74.00	-14.26	44.26	3	Horizontal	43	2.02	-	37.80	13.31	35.63	
AV	15.81181G	45.68	54.00	-8.32	30.20	3	Horizontal	43	2.02	-	37.80	13.31	35.63	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.102G	57.13	74.00	-16.87	53.31	3	Vertical	346	2.82	-	32.00	7.15	35.33	
AV	5.147G	44.28	54.00	-9.72	40.49	3	Vertical	346	2.82	-	31.91	7.22	35.34	
PK	5.307G	112.77	Inf	-Inf	109.39	3	Vertical	346	2.82	-	31.47	7.25	35.34	
AV	5.308G	102.85	Inf	-Inf	99.47	3	Vertical	346	2.82	-	31.47	7.25	35.34	
PK	5.351G	61.89	74.00	-12.11	58.70	3	Vertical	346	2.82	-	31.31	7.22	35.34	
AV	5.35G	48.81	54.00	-5.19	45.63	3	Vertical	346	2.82	-	31.30	7.22	35.34	
PK	5.497G	57.72	68.20	-10.48	53.78	3	Vertical	346	2.82	-	31.90	7.39	35.35	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.101G	57.82	74.00	-16.18	54.00	3	Horizontal	111	1.04	-	32.00	7.15	35.33	
AV	5.145G	44.62	54.00	-9.38	40.83	3	Horizontal	111	1.04	-	31.91	7.22	35.34	
PK	5.299G	116.55	Inf	-Inf	113.14	3	Horizontal	111	1.04	-	31.50	7.25	35.34	
AV	5.298G	105.73	Inf	-Inf	102.32	3	Horizontal	111	1.04	-	31.50	7.25	35.34	
PK	5.35G	65.71	74.00	-8.29	62.53	3	Horizontal	111	1.04	-	31.30	7.22	35.34	
AV	5.35G	52.92	54.00	-1.08	49.74	3	Horizontal	111	1.04	-	31.30	7.22	35.34	
PK	5.47G	57.55	68.20	-10.65	53.66	3	Horizontal	111	1.04	-	31.90	7.34	35.35	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 48
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61844G	56.13	74.00	-17.87	41.55	3	Vertical	290	2.74	-	39.56	10.39	35.37	
AV	10.61758G	42.31	54.00	-11.69	27.73	3	Vertical	290	2.74	-	39.56	10.39	35.37	
PK	15.9323G	59.08	74.00	-14.92	43.67	3	Vertical	204	2.21	-	37.77	13.37	35.73	
AV	15.93175G	45.70	54.00	-8.30	30.29	3	Vertical	204	2.21	-	37.77	13.37	35.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 48
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6206G	55.91	74.00	-18.09	41.33	3	Horizontal	271	2.39	-	39.56	10.39	35.37	
AV	10.61887G	42.29	54.00	-11.71	27.71	3	Horizontal	271	2.39	-	39.56	10.39	35.37	
PK	15.93085G	59.47	74.00	-14.53	44.06	3	Horizontal	50	1.62	-	37.77	13.37	35.73	
AV	15.92948G	45.75	54.00	-8.25	30.35	3	Horizontal	50	1.62	-	37.77	13.36	35.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 47
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.313G	57.31	68.20	-10.89	53.96	3	Vertical	355	2.36	-	31.45	7.24	35.34	
PK	5.46G	59.94	74.00	-14.06	56.07	3	Vertical	355	2.36	-	31.90	7.32	35.35	
AV	5.46G	47.18	54.00	-6.82	43.31	3	Vertical	355	2.36	-	31.90	7.32	35.35	
PK	5.468G	64.28	68.20	-3.92	60.39	3	Vertical	355	2.36	-	31.90	7.34	35.35	
PK	5.508G	110.41	Inf	-Inf	106.46	3	Vertical	355	2.36	-	31.88	7.42	35.35	
AV	5.514G	101.68	Inf	-Inf	97.74	3	Vertical	355	2.36	-	31.87	7.43	35.36	
PK	5.733G	57.87	68.20	-10.33	53.90	3	Vertical	355	2.36	-	31.97	7.47	35.47	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 47
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.309G	58.03	68.20	-10.17	54.66	3	Horizontal	86	1.18	-	31.46	7.25	35.34	
PK	5.458G	63.11	74.00	-10.89	59.24	3	Horizontal	86	1.18	-	31.90	7.32	35.35	
AV	5.39G	49.23	54.00	-4.77	45.83	3	Horizontal	86	1.18	-	31.54	7.21	35.35	
PK	5.469G	67.15	68.20	-1.05	63.26	3	Horizontal	86	1.18	-	31.90	7.34	35.35	
PK	5.503G	115.13	Inf	-Inf	111.18	3	Horizontal	86	1.18	-	31.89	7.41	35.35	
AV	5.511G	105.88	Inf	-Inf	101.94	3	Horizontal	86	1.18	-	31.88	7.42	35.36	
PK	5.727G	58.28	68.20	-9.92	54.32	3	Horizontal	86	1.18	-	31.95	7.47	35.46	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 47
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.021G	56.81	74.00	-17.19	41.14	3	Vertical	111	2.16	-	40.22	10.51	35.06
AV	11.01772G	43.59	54.00	-10.41	27.91	3	Vertical	111	2.16	-	40.23	10.51	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 47
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.01911G	56.81	74.00	-17.19	41.14	3	Horizontal	224	2.65	-	40.22	10.51	35.06	
AV	11.01954G	43.49	54.00	-10.51	27.82	3	Horizontal	224	2.65	-	40.22	10.51	35.06	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 55
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	56.83	68.20	-11.37	53.49	3	Vertical	360	1.80	-	31.44	7.24	35.34
PK	5.458G	61.75	74.00	-12.25	57.88	3	Vertical	360	1.80	-	31.90	7.32	35.35
AV	5.457G	46.30	54.00	-7.70	42.44	3	Vertical	360	1.80	-	31.90	7.31	35.35
PK	5.466G	63.58	68.20	-4.62	59.70	3	Vertical	360	1.80	-	31.90	7.33	35.35
PK	5.548G	114.87	Inf	-Inf	110.94	3	Vertical	360	1.80	-	31.80	7.50	35.37
AV	5.545G	104.38	Inf	-Inf	100.45	3	Vertical	360	1.80	-	31.81	7.49	35.37
PK	5.791G	58.08	68.20	-10.12	54.17	3	Vertical	360	1.80	-	32.00	7.41	35.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 55
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	57.59	68.20	-10.61	54.27	3	Horizontal	123	1.76	-	31.42	7.24	35.34
PK	5.46G	62.52	74.00	-11.48	58.65	3	Horizontal	123	1.76	-	31.90	7.32	35.35
AV	5.46G	47.97	54.00	-6.03	44.10	3	Horizontal	123	1.76	-	31.90	7.32	35.35
PK	5.465G	66.94	68.20	-1.26	63.06	3	Horizontal	123	1.76	-	31.90	7.33	35.35
PK	5.562G	118.23	Inf	-Inf	114.27	3	Horizontal	123	1.76	-	31.82	7.52	35.38
AV	5.54G	108.87	Inf	-Inf	104.94	3	Horizontal	123	1.76	-	31.82	7.48	35.37
PK	5.746G	57.82	68.20	-10.38	53.85	3	Horizontal	123	1.76	-	31.99	7.45	35.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 55
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1015G	56.82	74.00	-17.18	41.54	3	Vertical	64	2.33	-	39.90	10.53	35.15
AV	11.09866G	43.09	54.00	-10.91	27.80	3	Vertical	64	2.33	-	39.91	10.53	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 55
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09754G	57.00	74.00	-17.00	41.71	3	Horizontal	210	2.49	-	39.91	10.53	35.15
AV	11.10176G	43.13	54.00	-10.87	27.85	3	Horizontal	210	2.49	-	39.90	10.53	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 46
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.444G	57.49	74.00	-16.51	53.69	3	Vertical	2	2.92	-	31.86	7.29	35.35	
AV	5.433G	44.68	54.00	-9.32	40.96	3	Vertical	2	2.92	-	31.80	7.27	35.35	
PK	5.469G	56.88	68.20	-11.32	52.99	3	Vertical	2	2.92	-	31.90	7.34	35.35	
PK	5.664G	110.55	Inf	-Inf	106.61	3	Vertical	2	2.92	-	31.83	7.54	35.43	
AV	5.665G	101.53	Inf	-Inf	97.59	3	Vertical	2	2.92	-	31.83	7.54	35.43	
PK	5.737G	58.61	68.20	-9.59	54.65	3	Vertical	2	2.92	-	31.97	7.46	35.47	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	58.41	74.00	-15.59	54.55	3	Horizontal	82	2.97	-	31.90	7.31	35.35
AV	5.43G	45.39	54.00	-8.61	41.70	3	Horizontal	82	2.97	-	31.78	7.26	35.35
PK	5.461G	58.31	68.20	-9.89	54.44	3	Horizontal	82	2.97	-	31.90	7.32	35.35
PK	5.657G	114.39	Inf	-Inf	110.47	3	Horizontal	82	2.97	-	31.81	7.54	35.43
AV	5.653G	105.06	Inf	-Inf	101.13	3	Horizontal	82	2.97	-	31.81	7.55	35.43
PK	5.767G	66.77	68.20	-1.43	62.82	3	Horizontal	82	2.97	-	32.00	7.43	35.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33784G	56.90	74.00	-17.10	41.64	3	Vertical	268	2.71	-	40.08	10.60	35.42	
AV	11.34047G	42.65	54.00	-11.35	27.39	3	Vertical	268	2.71	-	40.08	10.60	35.42	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.34099G	56.60	74.00	-17.40	41.34	3	Horizontal	294	2.97	-	40.08	10.60	35.42	
AV	11.34052G	42.66	54.00	-11.34	27.40	3	Horizontal	294	2.97	-	40.08	10.60	35.42	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 58
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	63.10	68.20	-5.10	59.16	3	Vertical	2	2.90	-	31.81	7.55	35.42	
PK	5.746G	117.53	Inf	-Inf	113.56	3	Vertical	2	2.90	-	31.99	7.45	35.47	
AV	5.743G	107.45	Inf	-Inf	103.47	3	Vertical	2	2.90	-	31.99	7.46	35.47	
PK	5.946G	56.92	68.20	-11.28	52.66	3	Vertical	2	2.90	-	32.28	7.55	35.57	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 58
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.85	68.20	-1.35	62.93	3	Horizontal	92	1.00	-	31.80	7.55	35.43
PK	5.747G	119.54	Inf	-Inf	115.57	3	Horizontal	92	1.00	-	31.99	7.45	35.47
AV	5.748G	110.51	Inf	-Inf	106.53	3	Horizontal	92	1.00	-	32.00	7.45	35.47
PK	6G	57.18	68.20	-11.02	52.98	3	Horizontal	92	1.00	-	32.20	7.60	35.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 58
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50818G	56.90	74.00	-17.10	41.67	3	Vertical	323	1.36	-	40.18	10.65	35.60
AV	11.50876G	42.83	54.00	-11.17	27.60	3	Vertical	323	1.36	-	40.18	10.65	35.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 58
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50868G	56.56	74.00	-17.44	41.33	3	Horizontal	116	2.34	-	40.18	10.65	35.60	
AV	11.51153G	42.81	54.00	-11.19	27.58	3	Horizontal	116	2.34	-	40.18	10.65	35.60	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	62.71	68.20	-5.49	58.78	3	Vertical	3	2.61	-	31.80	7.55	35.42	
PK	5.801G	115.56	Inf	-Inf	111.66	3	Vertical	3	2.61	-	32.00	7.40	35.50	
AV	5.804G	106.89	Inf	-Inf	102.98	3	Vertical	3	2.61	-	32.01	7.40	35.50	
PK	5.982G	57.36	68.20	-10.84	53.13	3	Vertical	3	2.61	-	32.24	7.58	35.59	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 62
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	66.97	68.20	-1.23	63.04	3	Horizontal	90	2.42	-	31.80	7.55	35.42	
PK	5.792G	123.28	Inf	-Inf	119.37	3	Horizontal	90	2.42	-	32.00	7.41	35.50	
AV	5.793G	112.33	Inf	-Inf	108.42	3	Horizontal	90	2.42	-	32.00	7.41	35.50	
PK	5.934G	57.51	68.20	-10.69	53.31	3	Horizontal	90	2.42	-	32.24	7.53	35.57	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58969G	57.71	74.00	-16.29	42.59	3	Vertical	324	2.11	-	40.02	10.68	35.58	
AV	11.58997G	45.66	54.00	-8.34	30.54	3	Vertical	324	2.11	-	40.02	10.68	35.58	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 62
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59019G	57.65	74.00	-16.35	42.53	3	Horizontal	50	1.80	-	40.02	10.68	35.58	
AV	11.58997G	44.29	54.00	-9.71	29.17	3	Horizontal	50	1.80	-	40.02	10.68	35.58	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 45
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.68	74.00	-13.32	56.90	3	Vertical	82	1.12	-	31.90	7.22	35.34
AV	5.15G	49.31	54.00	-4.69	45.53	3	Vertical	82	1.12	-	31.90	7.22	35.34
PK	5.241G	106.40	Inf	-Inf	103.01	3	Vertical	82	1.12	-	31.45	7.28	35.34
AV	5.234G	95.40	Inf	-Inf	91.96	3	Vertical	82	1.12	-	31.50	7.28	35.34
PK	5.423G	57.01	74.00	-16.99	53.37	3	Vertical	82	1.12	-	31.74	7.25	35.35
AV	5.448G	43.97	54.00	-10.03	40.13	3	Vertical	82	1.12	-	31.89	7.30	35.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 45
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	64.35	74.00	-9.65	60.56	3	Horizontal	89	1.79	-	31.92	7.21	35.34
AV	5.15G	52.59	54.00	-1.41	48.81	3	Horizontal	89	1.79	-	31.90	7.22	35.34
PK	5.171G	111.59	Inf	-Inf	107.85	3	Horizontal	89	1.79	-	31.82	7.26	35.34
AV	5.173G	101.99	Inf	-Inf	98.26	3	Horizontal	89	1.79	-	31.81	7.26	35.34
PK	5.361G	57.96	74.00	-16.04	54.71	3	Horizontal	89	1.79	-	31.37	7.22	35.34
AV	5.361G	44.76	54.00	-9.24	41.51	3	Horizontal	89	1.79	-	31.37	7.22	35.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 45
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63231G	60.76	74.00	-13.24	44.85	3	Vertical	352	2.72	-	38.17	13.22	35.48	
AV	15.62753G	46.99	54.00	-7.01	31.07	3	Vertical	352	2.72	-	38.19	13.21	35.48	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 45
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63241G	60.90	74.00	-13.10	44.99	3	Horizontal	104	2.00	-	38.17	13.22	35.48	
AV	15.62764G	47.09	54.00	-6.91	31.17	3	Horizontal	104	2.00	-	38.19	13.21	35.48	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	57.14	74.00	-16.86	53.32	3	Vertical	349	2.78	-	31.98	7.17	35.33
AV	5.147G	45.11	54.00	-8.89	41.32	3	Vertical	349	2.78	-	31.91	7.22	35.34
PK	5.321G	110.83	Inf	-Inf	107.51	3	Vertical	349	2.78	-	31.42	7.24	35.34
AV	5.314G	101.21	Inf	-Inf	97.87	3	Vertical	349	2.78	-	31.44	7.24	35.34
PK	5.351G	64.25	74.00	-9.75	61.06	3	Vertical	349	2.78	-	31.31	7.22	35.34
AV	5.351G	51.91	54.00	-2.09	48.72	3	Vertical	349	2.78	-	31.31	7.22	35.34
PK	5.536G	56.71	68.20	-11.49	52.78	3	Vertical	349	2.78	-	31.83	7.47	35.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	57.59	74.00	-16.41	53.80	3	Horizontal	109	2.67	-	31.92	7.21	35.34
AV	5.15G	44.98	54.00	-9.02	41.20	3	Horizontal	109	2.67	-	31.90	7.22	35.34
PK	5.292G	113.07	Inf	-Inf	109.68	3	Horizontal	109	2.67	-	31.48	7.25	35.34
AV	5.298G	102.46	Inf	-Inf	99.05	3	Horizontal	109	2.67	-	31.50	7.25	35.34
PK	5.35G	66.21	74.00	-7.79	63.03	3	Horizontal	109	2.67	-	31.30	7.22	35.34
PK	5.501G	57.46	68.20	-10.74	53.51	3	Horizontal	109	2.67	-	31.90	7.40	35.35
AV	5.352G	52.87	54.00	-1.13	49.68	3	Horizontal	109	2.67	-	31.31	7.22	35.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.86826G	59.04	74.00	-14.96	43.59	3	Vertical	258	1.03	-	37.80	13.33	35.68	
AV	15.86799G	45.69	54.00	-8.31	30.24	3	Vertical	258	1.03	-	37.80	13.33	35.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86781G	59.08	74.00	-14.92	43.63	3	Horizontal	185	1.15	-	37.80	13.33	35.68
AV	15.86828G	45.60	54.00	-8.40	30.15	3	Horizontal	185	1.15	-	37.80	13.33	35.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	56.81	68.20	-11.39	53.52	3	Vertical	346	2.96	-	31.39	7.24	35.34
PK	5.447G	62.05	74.00	-11.95	58.23	3	Vertical	346	2.96	-	31.88	7.29	35.35
PK	5.47G	63.16	68.20	-5.04	59.27	3	Vertical	346	2.96	-	31.90	7.34	35.35
AV	5.46G	49.76	54.00	-4.24	45.89	3	Vertical	346	2.96	-	31.90	7.32	35.35
PK	5.494G	111.14	Inf	-Inf	107.20	3	Vertical	346	2.96	-	31.90	7.39	35.35
AV	5.492G	101.48	Inf	-Inf	97.55	3	Vertical	346	2.96	-	31.90	7.38	35.35
PK	5.756G	57.22	68.20	-10.98	53.26	3	Vertical	346	2.96	-	32.00	7.44	35.48

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.299G	57.17	68.20	-11.03	53.76	3	Horizontal	123	1.75	-	31.50	7.25	35.34	
PK	5.455G	65.77	74.00	-8.23	61.91	3	Horizontal	123	1.75	-	31.90	7.31	35.35	
AV	5.46G	52.13	54.00	-1.87	48.26	3	Horizontal	123	1.75	-	31.90	7.32	35.35	
PK	5.468G	66.51	68.20	-1.69	62.62	3	Horizontal	123	1.75	-	31.90	7.34	35.35	
AV	5.503G	102.98	Inf	-Inf	99.03	3	Horizontal	123	1.75	-	31.89	7.41	35.35	
PK	5.538G	113.34	Inf	-Inf	109.41	3	Horizontal	123	1.75	-	31.82	7.48	35.37	
PK	5.73G	57.27	68.20	-10.93	53.31	3	Horizontal	123	1.75	-	31.96	7.47	35.47	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05979G	56.74	74.00	-17.26	41.27	3	Vertical	210	1.62	-	40.06	10.52	35.11
AV	11.05944G	43.18	54.00	-10.82	27.71	3	Vertical	210	1.62	-	40.06	10.52	35.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 49
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05922G	57.64	74.00	-16.36	42.17	3	Horizontal	233	1.08	-	40.06	10.52	35.11
AV	11.0587G	43.14	54.00	-10.86	27.66	3	Horizontal	233	1.08	-	40.07	10.52	35.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 54
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.45	74.00	-13.55	56.58	3	Vertical	97	1.68	-	31.90	7.32	35.35
AV	5.46G	48.27	54.00	-5.73	44.40	3	Vertical	97	1.68	-	31.90	7.32	35.35
PK	5.47G	61.95	68.20	-6.25	58.06	3	Vertical	97	1.68	-	31.90	7.34	35.35
PK	5.573G	112.31	Inf	-Inf	108.30	3	Vertical	97	1.68	-	31.85	7.55	35.39
AV	5.577G	102.92	Inf	-Inf	98.91	3	Vertical	97	1.68	-	31.85	7.55	35.39
PK	5.725G	63.28	68.20	-4.92	59.32	3	Vertical	97	1.68	-	31.95	7.47	35.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 54
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.455G	62.94	74.00	-11.06	59.08	3	Horizontal	75	1.73	-	31.90	7.31	35.35	
AV	5.46G	50.86	54.00	-3.14	46.99	3	Horizontal	75	1.73	-	31.90	7.32	35.35	
PK	5.467G	63.83	68.20	-4.37	59.95	3	Horizontal	75	1.73	-	31.90	7.33	35.35	
PK	5.581G	117.78	Inf	-Inf	113.75	3	Horizontal	75	1.73	-	31.86	7.56	35.39	
AV	5.58G	108.46	Inf	-Inf	104.43	3	Horizontal	75	1.73	-	31.86	7.56	35.39	
PK	5.727G	66.71	68.20	-1.49	62.75	3	Horizontal	75	1.73	-	31.95	7.47	35.46	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 54
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21789G	56.32	74.00	-17.68	41.19	3	Vertical	153	1.42	-	39.84	10.57	35.28
AV	11.21848G	42.72	54.00	-11.28	27.59	3	Vertical	153	1.42	-	39.84	10.57	35.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 54
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21919G	56.31	74.00	-17.69	41.19	3	Horizontal	229	2.03	-	39.84	10.57	35.29
AV	11.2186G	42.74	54.00	-11.26	27.61	3	Horizontal	229	2.03	-	39.84	10.57	35.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 52
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	60.40	68.94	-8.54	56.48	3	Vertical	90	2.93	-	31.80	7.55	35.43
PK	5.748G	105.46	Inf	-Inf	101.48	3	Vertical	90	2.93	-	32.00	7.45	35.47
AV	5.749G	95.29	Inf	-Inf	91.31	3	Vertical	90	2.93	-	32.00	7.45	35.47
PK	6.015G	56.82	68.20	-11.38	52.50	3	Vertical	90	2.93	-	32.29	7.62	35.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 52
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	66.97	68.20	-1.23	63.04	3	Horizontal	92	1.69	-	31.80	7.55	35.42	
PK	5.786G	112.39	Inf	-Inf	108.47	3	Horizontal	92	1.69	-	32.00	7.41	35.49	
AV	5.784G	102.93	Inf	-Inf	99.00	3	Horizontal	92	1.69	-	32.00	7.42	35.49	
PK	5.932G	57.42	68.20	-10.78	53.23	3	Horizontal	92	1.69	-	32.23	7.53	35.57	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 52
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54801G	56.68	74.00	-17.32	41.51	3	Vertical	208	2.56	-	40.10	10.66	35.59	
AV	11.54923G	42.91	54.00	-11.09	27.74	3	Vertical	208	2.56	-	40.10	10.66	35.59	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 52
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55087G	56.37	74.00	-17.63	41.19	3	Horizontal	65	1.56	-	40.10	10.67	35.59
AV	11.55043G	42.85	54.00	-11.15	27.67	3	Horizontal	65	1.56	-	40.10	10.67	35.59

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	60.81	74.00	-13.19	57.02	3	Vertical	-0	1.04	-	31.93	7.20	35.34
AV	5.1364G	49.25	54.00	-4.75	45.46	3	Vertical	-0	1.04	-	31.93	7.20	35.34
PK	5.2356G	105.69	Inf	-Inf	102.26	3	Vertical	-0	1.04	-	31.49	7.28	35.34
AV	5.234G	95.98	Inf	-Inf	92.54	3	Vertical	-0	1.04	-	31.50	7.28	35.34
PK	5.37G	63.15	74.00	-10.85	59.86	3	Vertical	-0	1.04	-	31.42	7.21	35.34
PK	5.4644G	59.49	68.20	-8.71	55.61	3	Vertical	-0	1.04	-	31.90	7.33	35.35
AV	5.4244G	52.09	54.00	-1.91	48.44	3	Vertical	-0	1.04	-	31.75	7.25	35.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT_X_4TX
Setting 46
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	64.50	74.00	-9.50	60.71	3	Horizontal	92	1.04	-	31.92	7.21	35.34
AV	5.13G	52.85	54.00	-1.15	49.06	3	Horizontal	92	1.04	-	31.94	7.19	35.34
PK	5.1908G	109.93	Inf	-Inf	106.24	3	Horizontal	92	1.04	-	31.74	7.29	35.34
AV	5.186G	100.13	Inf	-Inf	96.43	3	Horizontal	92	1.04	-	31.76	7.28	35.34
PK	5.4196G	64.52	74.00	-9.48	60.91	3	Horizontal	92	1.04	-	31.72	7.24	35.35
AV	5.3508G	52.96	54.00	-1.04	49.78	3	Horizontal	92	1.04	-	31.30	7.22	35.34
PK	5.4612G	60.89	68.20	-7.31	57.02	3	Horizontal	92	1.04	-	31.90	7.32	35.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.74917G	60.00	74.00	-14.00	44.46	3	Vertical	94	2.14	-	37.85	13.27	35.58
AV	15.74901G	46.02	54.00	-7.98	30.48	3	Vertical	94	2.14	-	37.85	13.27	35.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT X_4TX
Setting 46
03-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.75035G	59.72	74.00	-14.28	44.17	3	Horizontal	30	2.28	-	37.85	13.28	35.58	
AV	15.75125G	45.95	54.00	-8.05	30.40	3	Horizontal	30	2.28	-	37.85	13.28	35.58	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	58.07	68.20	-10.13	54.86	3	Vertical	346	2.93	-	31.32	7.23	35.34
PK	5.4372G	65.02	74.00	-8.98	61.28	3	Vertical	346	2.93	-	31.82	7.27	35.35
AV	5.3956G	52.95	54.00	-1.05	49.53	3	Vertical	346	2.93	-	31.57	7.20	35.35
PK	5.4676G	63.75	68.20	-4.45	59.86	3	Vertical	346	2.93	-	31.90	7.34	35.35
PK	5.4932G	106.51	Inf	-Inf	102.57	3	Vertical	346	2.93	-	31.90	7.39	35.35
AV	5.4932G	97.81	Inf	-Inf	93.87	3	Vertical	346	2.93	-	31.90	7.39	35.35
PK	5.7284G	64.84	68.20	-3.36	60.87	3	Vertical	346	2.93	-	31.96	7.47	35.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	58.25	68.20	-9.95	55.03	3	Horizontal	113	1.80	-	31.33	7.23	35.34
PK	5.4052G	64.44	74.00	-9.56	60.95	3	Horizontal	113	1.80	-	31.63	7.21	35.35
AV	5.4052G	52.83	54.00	-1.17	49.34	3	Horizontal	113	1.80	-	31.63	7.21	35.35
PK	5.4644G	63.37	68.20	-4.83	59.49	3	Horizontal	113	1.80	-	31.90	7.33	35.35
PK	5.546G	108.62	Inf	-Inf	104.69	3	Horizontal	113	1.80	-	31.81	7.49	35.37
AV	5.514G	98.90	Inf	-Inf	94.96	3	Horizontal	113	1.80	-	31.87	7.43	35.36
PK	5.7476G	64.74	68.20	-3.46	60.76	3	Horizontal	113	1.80	-	32.00	7.45	35.47

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 48
03-F-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.14064G	56.58	74.00	-17.42	41.38	3	Vertical	75	2.33	-	39.86	10.54	35.20
AV	11.13995G	42.92	54.00	-11.08	27.72	3	Vertical	75	2.33	-	39.86	10.54	35.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 48
03-F-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1375G	56.74	74.00	-17.26	41.53	3	Horizontal	275	1.36	-	39.86	10.54	35.19
AV	11.14141G	42.98	54.00	-11.02	27.78	3	Horizontal	275	1.36	-	39.86	10.54	35.20



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.954G	39.43	54.00	-14.57	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9416G	48.25	74.00	-25.75	-1.57	3	Vertical	0	0.00	-	49.82	27.67	4.17	33.41
AV	1.954G	39.43	54.00	-14.57	-1.36	3	Vertical	0	0.00	"Worst"	40.79	27.86	4.18	33.40

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9538G	44.43	74.00	-29.57	-1.36	3	Horizontal	0	0.00	-	45.79	27.86	4.18	33.40
AV	1.9486G	36.69	54.00	-17.31	-1.45	3	Horizontal	0	0.00	"Worst"	38.14	27.78	4.17	33.40