


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	57.07	13.48	43.59	74.00	-16.93	257	162	Peak	Horizontal	
2	5460.00	55.56	11.98	43.58	68.20	-12.64	257	162	Peak	Horizontal	
3 *	5580.00	113.40	69.88	43.52	68.20	45.20	257	162	Peak	Horizontal	
4	5783.00	58.05	14.31	43.74	68.20	-10.15	257	162	Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5377.50	56.12	12.62	43.50	74.00	-17.88	306	86	Peak	Vertical	
2	5463.50	55.80	12.21	43.59	68.20	-12.40	306	86	Peak	Vertical	
3 *	5580.00	109.92	66.40	43.52	68.20	41.72	306	86	Peak	Vertical	
4	5792.50	57.45	13.71	43.74	68.20	-10.75	306	86	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	44.12	0.53	43.59	54.00	-9.88	257	162	Average	Horizontal	
2 *	5580.00	104.35	60.83	43.52	54.00	50.35	257	162	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5377.50	43.87	0.37	43.50	54.00	-10.13	306	86	Average	Vertical	
2 *	5580.00	101.11	57.59	43.52	54.00	47.11	306	86	Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5366.50	56.86	13.41	43.45	74.00	-17.14	249	162	Peak	Horizontal	
2	5466.50	56.30	12.70	43.60	68.20	-11.90	249	162	Peak	Horizontal	
3 *	5700.00	112.41	68.75	43.66	68.20	44.21	249	162	Peak	Horizontal	
4 !	5725.00	66.84	23.15	43.69	68.20	-1.36	249	162	Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5488.00	57.25	13.65	43.60	74.00	-16.75	325	123	Peak	Vertical	
2	5470.00	56.25	12.64	43.61	68.20	-11.95	325	123	Peak	Vertical	
3 *	5700.00	109.45	65.79	43.66	68.20	41.25	325	123	Peak	Vertical	
4	5725.50	61.30	17.61	43.69	68.20	-6.90	325	123	Peak	Vertical	


802.11a

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5366.50	44.00	0.55	43.45	54.00	-10.00		249	162	Average	Horizontal	
2 *	5700.00	103.07	59.41	43.66	54.00	49.07		249	162	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5408.00	43.96	0.36	43.60	54.00	-10.04		325	123	Average	Vertical	
2 *	5700.00	100.02	56.36	43.66	54.00	46.02		325	123	Average	Vertical	

802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	58.69	15.09	43.60	74.00	-15.31	104	133	Peak	Horizontal	
2	5461.00	57.55	13.97	43.58	68.20	-10.65	104	133	Peak	Horizontal	
3	5720.00	116.89	73.21	43.68	122.20	-5.31	104	133	Peak	Horizontal	
4	6863.50	61.22	15.98	45.24	68.20	-6.98	104	133	Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.00	58.65	15.06	43.59	74.00	-15.35	353	112	Peak	Vertical	
2	5463.00	57.41	13.82	43.59	68.20	-10.79	353	112	Peak	Vertical	
3	5720.00	115.88	72.20	43.68	122.20	-6.32	353	112	Peak	Vertical	
4	6948.50	61.66	16.40	45.26	68.20	-6.54	353	112	Peak	Vertical	

802.11a

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5410.50	45.98	2.38	43.60	54.00	-8.02	104	133	Average	Horizontal	
2 *	5720.00	107.22	63.54	43.68	54.00	53.22	104	133	Average	Horizontal	

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5422.00	46.09	2.50	43.59	54.00	-7.91	353	112	Average	Vertical	
2 *	5720.00	106.19	62.51	43.68	54.00	52.19	353	112	Average	Vertical	


802.11n HT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.00	56.87	13.30	43.57	74.00	-17.13	263	160	Peak	Horizontal	
2	5469.50	59.11	15.50	43.61	68.20	-9.09	263	160	Peak	Horizontal	
3 *	5500.00	111.69	68.00	43.69	68.20	43.49	263	160	Peak	Horizontal	
4	5734.00	57.32	13.63	43.69	68.20	-10.88	263	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	57.50	13.93	43.57	74.00	-16.50	315	90	Peak	Vertical	
2	5469.00	56.02	12.41	43.61	68.20	-12.18	315	90	Peak	Vertical	
3 *	5500.00	107.99	64.30	43.69	68.20	39.79	315	90	Peak	Vertical	
4	5760.50	57.49	13.77	43.72	68.20	-10.71	315	90	Peak	Vertical	


802.11n HT20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.00	44.31	0.74	43.57	54.00	-9.69	263	160 Average	Horizontal	
2 *	5500.00	102.89	59.20	43.69	54.00	48.89	263	160 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	43.84	0.27	43.57	54.00	-10.16	315	90 Average	Vertical	
2 *	5500.00	99.82	56.13	43.69	54.00	45.82	315	90 Average	Vertical	


802.11n HT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5396.50	57.79	14.10	43.60	74.00	-16.30	257	162	Peak	Horizontal	
2	5469.00	55.88	12.27	43.61	68.20	-12.32	257	162	Peak	Horizontal	
3 *	5588.00	112.88	69.36	43.52	68.20	44.68	257	162	Peak	Horizontal	
4	5772.50	57.47	13.74	43.73	68.20	-10.73	257	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.50	56.79	13.22	43.57	74.00	-17.21	306	85	Peak	Vertical	
2	5467.00	55.48	11.88	43.60	68.20	-12.72	306	85	Peak	Vertical	
3 *	5588.00	108.73	65.21	43.52	68.20	40.53	306	85	Peak	Vertical	
4	5764.00	58.06	14.34	43.72	68.20	-10.14	306	85	Peak	Vertical	

802.11n HT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5396.50	44.07	0.47	43.60	54.00	-9.93	257	162	Average	Horizontal	
2 *	5500.00	104.10	60.58	43.52	54.00	50.10	257	162	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.50	43.87	0.30	43.57	54.00	-10.13	306	85	Average	Vertical	
2 *	5500.00	100.03	57.31	43.52	54.00	46.03	306	85	Average	Vertical	

802.11n HT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.50	57.25	13.72	43.53	74.00	-16.75	248	161	Peak	Horizontal	
2	5462.00	55.94	12.36	43.58	68.20	-12.26	248	161	Peak	Horizontal	
3 *	5700.00	111.26	67.60	43.66	68.20	43.06	248	161	Peak	Horizontal	
4	5725.50	61.58	17.89	43.69	68.20	-6.62	248	161	Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.50	56.63	13.03	43.60	74.00	-17.37	325	122	Peak	Vertical	
2	5469.00	55.82	12.21	43.61	68.20	-12.38	325	122	Peak	Vertical	
3 *	5700.00	107.76	64.10	43.66	68.20	39.56	325	122	Peak	Vertical	
4	5725.50	59.85	16.16	43.69	68.20	-8.35	325	122	Peak	Vertical	

802.11n HT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.50	44.09	0.56	43.53	54.00	-9.91	248	161	Average	Horizontal	
2 *	5700.00	102.87	59.21	43.66	54.00	48.87	248	161	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.50	43.95	0.35	43.60	54.00	-10.05	325	122	Average	Vertical	
2 *	5700.00	99.76	56.10	43.66	54.00	45.76	325	122	Average	Vertical	


802.11n HT20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	58.69	15.09	43.60	74.00	-15.31	104	133	Peak	Horizontal	
2	5461.00	57.55	13.97	43.58	68.20	-10.65	104	133	Peak	Horizontal	
3 !	5720.00	116.89	73.21	43.68	122.20	-5.31	104	133	Peak	Horizontal	
4	6863.50	61.22	15.98	45.24	68.20	-6.98	104	133	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.00	58.65	15.06	43.59	74.00	-15.35	353	112	Peak	Vertical	
2	5463.00	57.41	13.82	43.59	68.20	-10.79	353	112	Peak	Vertical	
3	5720.00	115.88	72.20	43.68	122.20	-6.32	353	112	Peak	Vertical	
4	6948.50	61.66	16.40	45.26	68.20	-6.54	353	112	Peak	Vertical	

802.11n HT20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	45.98	2.38	43.60	54.00	-8.02	104	133	Average	Horizontal	
2 *	5720.00	107.22	63.54	43.68	54.00	53.22	104	133	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.00	46.09	2.50	43.59	54.00	-7.91	353	112	Average	Vertical	
2 *	5720.00	106.19	62.51	43.68	54.00	52.19	353	112	Average	Vertical	


802.11n HT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	60.83	17.25	43.58	74.00	-13.17	262	160	Peak	Horizontal	
2	5470.00	67.29	23.68	43.61	68.20	-0.91	262	160	Peak	Horizontal	
3	5510.00	108.99	65.35	43.64	68.20	40.79	262	160	Peak	Horizontal	
4	5814.50	57.52	13.73	43.79	68.20	-10.68	262	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	57.72	14.14	43.58	74.00	-16.28	315	90	Peak	Vertical	
2	5469.50	64.18	20.57	43.61	68.20	-4.02	315	90	Peak	Vertical	
3	5510.00	105.36	61.72	43.64	68.20	37.16	315	90	Peak	Vertical	
4	5732.00	58.04	14.35	43.69	68.20	-10.16	315	90	Peak	Vertical	


802.11n HT40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5458.00	46.74	3.16	43.58	54.00	-7.26	262	160	Average	Horizontal	
2 *	5510.00	102.85	59.21	43.64	54.00	48.85	262	160	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5459.50	45.21	1.63	43.58	54.00	-8.79	315	90	Average	Vertical	
2 *	5510.00	99.73	56.09	43.64	54.00	45.73	315	90	Average	Vertical	


802.11n HT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.50	57.34	13.67	43.57	74.00	-16.76	272	160	Peak	Horizontal	
2	5469.00	56.21	12.63	43.58	68.20	-11.99	272	160	Peak	Horizontal	
3 *	5550.00	110.09	66.65	43.44	68.20	41.89	272	160	Peak	Horizontal	
4	5815.00	57.83	14.04	43.79	68.20	-10.37	272	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	57.86	14.26	43.60	74.00	-16.14	310	85	Peak	Vertical	
2	5467.50	57.27	13.66	43.61	68.20	-10.93	310	85	Peak	Vertical	
3 *	5550.00	105.84	62.40	43.44	68.20	37.64	310	85	Peak	Vertical	
4	5759.50	58.37	14.65	43.72	68.20	-9.83	310	85	Peak	Vertical	


802.11n HT40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.58	45.17	1.68	43.57	54.00	-8.83	272	160	Average	Horizontal	
2 *	5550.00	103.17	59.73	43.44	54.00	49.17	272	160	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	45.39	1.79	43.60	54.00	-8.61	310	85	Average	Vertical	
2 *	5550.00	100.41	56.97	43.44	54.00	46.41	310	85	Average	Vertical	


802.11n HT40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	57.61	14.02	43.59	74.00	-16.39	251	162	Peak	Horizontal	
2	5469.50	56.12	12.51	43.61	68.20	-12.08	251	162	Peak	Horizontal	
3 *	5678.00	110.68	67.16	43.52	68.20	42.48	251	162	Peak	Horizontal	
4	5785.00	57.95	14.21	43.74	68.20	-10.25	251	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5421.50	56.61	13.02	43.59	74.00	-17.39	324	114	Peak	Vertical	
2	5463.50	55.58	11.99	43.59	68.20	-12.62	324	114	Peak	Vertical	
3 *	5678.00	107.21	63.69	43.52	68.20	39.01	324	114	Peak	Vertical	
4	5831.50	57.84	14.00	43.84	68.20	-10.36	324	114	Peak	Vertical	


802.11n HT40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	44.86	1.27	43.59	54.00	-9.14	251	162 Average	Horizontal	
2 *	5678.00	103.36	59.04	43.52	54.00	49.36	251	162 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5421.50	45.22	1.63	43.59	54.00	-8.78	324	114 Average	Vertical	
2 *	5678.00	101.48	57.96	43.52	54.00	47.48	324	114 Average	Vertical	

802.11n HT40

CH 142 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5410.00	58.56	14.96	43.60	74.00	-15.44	105	133	Peak	Horizontal		
2	5470.00	57.55	13.94	43.61	65.20	-10.65	105	133	Peak	Horizontal		
3	5710.00	115.20	71.53	43.67	122.20	-7.00	105	133	Peak	Horizontal		
4	6861.50	61.54	16.31	45.23	68.20	-6.66	105	133	Peak	Horizontal		

CH 142 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5420.50	58.31	14.74	43.57	74.00	-15.69	336	110	Peak	Vertical		
2	5469.00	58.19	14.58	43.61	65.20	-10.01	336	110	Peak	Vertical		
3	5710.00	114.41	70.74	43.67	122.20	-7.79	336	110	Peak	Vertical		
4	6888.50	61.70	16.40	45.30	68.20	-6.50	336	110	Peak	Vertical		

802.11n HT40

CH 142 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.00	46.59	2.99	43.60	54.00	-7.41	105	133	Average	Horizontal	
2 *	5710.00	105.65	61.98	43.67	54.00	51.65	105	133	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5428.50	46.63	3.06	43.57	54.00	-7.37	336	110	Average	Vertical	
2 *	5710.00	104.49	60.82	43.67	54.00	50.49	336	110	Average	Vertical	


802.11ac VHT80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.50	59.51	15.94	43.57	74.00	-14.49	259	160	Peak	Horizontal	
2	5470.00	62.23	18.62	43.61	68.20	-5.97	259	160	Peak	Horizontal	
3 *	5530.00	105.19	61.65	43.54	68.20	36.99	259	160	Peak	Horizontal	
4	5780.00	58.26	14.53	43.73	68.20	-9.94	259	160	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	57.31	13.73	43.58	74.00	-16.69	303	100	Peak	Vertical	
2	5465.00	59.23	15.63	43.60	68.20	-8.97	303	100	Peak	Vertical	
3 *	5530.00	100.51	56.97	43.54	68.20	32.31	303	100	Peak	Vertical	
4	5833.50	57.83	13.98	43.85	68.20	-10.37	303	100	Peak	Vertical	

802.11ac VHT80

CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.58	46.45	2.88	43.57	54.00	-7.55	259	160	Average	Horizontal	
2 *	5538.00	101.94	58.40	43.54	54.00	47.94	259	160	Average	Horizontal	

CH 106 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	45.63	2.85	43.58	54.00	-8.37	303	160	Average	Vertical	
2 *	5538.00	97.56	54.02	43.54	54.00	43.56	303	160	Average	Vertical	


802.11ac VHT80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.50	57.90	14.33	43.57	74.00	-16.10	254	162	Peak	Horizontal	
2	5460.00	56.87	13.29	43.58	68.20	-11.33	254	162	Peak	Horizontal	
3 *	5610.00	107.36	63.81	43.55	68.20	39.16	254	162	Peak	Horizontal	
4	5833.00	58.09	14.24	43.85	68.20	-10.11	254	162	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5414.50	56.90	13.31	43.59	74.00	-17.10	304	94	Peak	Vertical	
2	5460.50	55.81	12.20	43.61	68.20	-12.39	304	94	Peak	Vertical	
3 *	5610.00	103.90	60.35	43.55	68.20	35.70	304	94	Peak	Vertical	
4	5765.50	57.70	13.98	43.72	68.20	-10.50	304	94	Peak	Vertical	


802.11ac VHT80

CH 122 (Horizontal) Average


CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 138 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.50	58.92	15.37	43.55	74.00	-15.08	100	133	Peak	Horizontal	
2	5461.50	57.09	13.51	43.58	68.20	-11.11	100	133	Peak	Horizontal	
3	5690.00	110.73	67.11	43.62	122.20	-11.47	100	133	Peak	Horizontal	
4	6742.50	61.29	16.19	45.10	68.20	-6.91	100	133	Peak	Horizontal	

CH 138 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5421.00	58.74	15.15	43.59	74.00	-15.26	324	112	Peak	Vertical	
2	5469.00	57.72	14.11	43.61	68.20	-10.48	324	112	Peak	Vertical	
3	5690.00	108.32	64.70	43.62	122.20	-13.88	324	112	Peak	Vertical	
4	6834.50	61.86	16.64	45.22	68.20	-6.34	324	112	Peak	Vertical	

802.11ac VHT80


CH 138 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5621.00	59.31	15.79	43.52	68.20	-8.89	100	134 Peak	Horizontal	
2	5700.00	62.87	19.21	43.66	105.20	-42.33	100	134 Peak	Horizontal	
3	5720.00	75.80	32.12	43.68	110.80	-35.00	100	134 Peak	Horizontal	
4	5725.00	83.41	39.72	43.69	122.20	-38.79	100	134 Peak	Horizontal	
5	5745.00	117.50	73.80	43.70	122.20	-4.70	100	134 Peak	Horizontal	
6	5852.00	58.46	14.57	43.89	117.64	-59.18	100	134 Peak	Horizontal	
7	5871.50	69.66	16.71	43.95	106.18	-45.52	100	134 Peak	Horizontal	
8	5897.00	59.54	15.52	44.02	88.88	-29.34	100	134 Peak	Horizontal	
9	5952.50	59.76	15.48	44.28	68.20	-8.44	100	134 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5577.50	58.86	15.34	43.52	68.20	-9.34	350	110 Peak	Vertical	
2	5700.00	59.18	15.52	43.66	105.20	-46.02	350	110 Peak	Vertical	
3	5719.50	72.46	28.78	43.68	110.66	-38.20	350	110 Peak	Vertical	
4	5725.00	81.37	37.68	43.69	122.20	-40.83	350	110 Peak	Vertical	
5	5745.00	116.24	72.54	43.70	122.20	-5.96	350	110 Peak	Vertical	
6	5852.00	58.78	14.81	43.89	117.64	-58.94	350	110 Peak	Vertical	
7	5862.50	58.78	14.86	43.92	108.70	-49.92	350	110 Peak	Vertical	
8	5883.00	59.04	15.05	43.99	99.26	-40.22	350	110 Peak	Vertical	
9	5999.50	59.35	15.03	44.32	68.20	-8.85	350	110 Peak	Vertical	

802.11a

CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5745.00	107.30	63.60	43.70	54.00	53.30	100	134	Average	Horizontal	

CH 149 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5745.00	105.63	61.93	43.70	54.00	51.63	350	110	Average	Vertical	

802.11a
CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5593.50	59.97	15.51	43.56	68.20	-9.13	100	133	Peak	Horizontal	
2	5681.50	58.75	15.17	43.58	91.55	-32.80	100	133	Peak	Horizontal	
3	5706.50	58.69	15.02	43.67	107.02	-48.33	100	133	Peak	Horizontal	
4	5724.50	58.48	14.79	43.69	121.06	-62.58	100	133	Peak	Horizontal	
5	5785.00	116.27	72.53	43.74	122.20	-5.93	100	133	Peak	Horizontal	
6	5853.50	58.59	14.68	43.91	114.22	-55.03	100	133	Peak	Horizontal	
7	5862.50	59.76	15.84	43.92	105.78	-48.94	100	133	Peak	Horizontal	
8	5898.50	59.86	15.83	44.03	87.77	-27.91	100	133	Peak	Horizontal	
9	5979.50	59.41	15.11	44.30	68.20	-8.79	100	133	Peak	Horizontal	

CH 157 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5577.50	58.46	14.94	43.52	68.20	-9.74	345	109	Peak	Vertical	
2	5680.50	58.09	14.48	43.61	96.72	-38.63	345	109	Peak	Vertical	
3	5703.00	57.82	14.15	43.67	106.04	-48.22	345	109	Peak	Vertical	
4	5726.50	57.58	13.90	43.68	111.94	-54.36	345	109	Peak	Vertical	
5	5785.00	114.46	70.72	43.74	122.20	-7.74	345	109	Peak	Vertical	
6	5851.00	60.22	16.33	43.89	119.92	-59.70	345	109	Peak	Vertical	
7	5869.50	58.59	14.64	43.95	106.74	-48.15	345	109	Peak	Vertical	
8	5879.50	59.28	15.30	43.98	101.86	-42.58	345	109	Peak	Vertical	
9	5925.50	59.70	15.54	44.16	68.20	-8.50	345	109	Peak	Vertical	

802.11a

CH 157 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5785.00	106.67	62.93	43.74	54.00	52.67	100	133	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5785.00	104.44	60.70	43.74	54.00	50.44	345	109	Average	Vertical		

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5587.50	58.67	15.13	43.54	68.20	-9.53	100	161 Peak	Horizontal	
2	5666.50	58.88	15.37	43.51	89.45	-21.57	100	161 Peak	Horizontal	
3	5711.00	58.37	14.70	43.67	108.28	-49.91	100	161 Peak	Horizontal	
4	5722.00	57.89	14.21	43.68	115.36	-57.47	100	161 Peak	Horizontal	
5	5825.00	116.74	72.92	43.82	122.20	-5.46	100	161 Peak	Horizontal	
6	5851.00	73.21	29.32	43.89	119.92	-46.71	100	161 Peak	Horizontal	
7	5855.00	67.90	23.99	43.91	118.00	-42.00	100	161 Peak	Horizontal	
8	5901.50	59.44	15.39	44.05	85.55	-26.11	100	161 Peak	Horizontal	
9	5942.00	59.72	15.48	44.24	68.20	-8.48	100	161 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5554.50	58.84	15.39	43.45	68.20	-9.36	339	110 Peak	Vertical	
2	5664.50	58.67	15.18	43.49	78.96	-20.29	339	110 Peak	Vertical	
3	5706.00	58.07	14.40	43.67	106.88	-48.81	339	110 Peak	Vertical	
4	5728.50	57.95	14.27	43.68	111.94	-53.99	339	110 Peak	Vertical	
5	5825.00	114.20	70.38	43.82	122.20	-8.00	339	110 Peak	Vertical	
6	5851.00	71.10	27.21	43.89	119.92	-48.82	339	110 Peak	Vertical	
7	5859.00	67.74	23.82	43.92	109.68	-41.94	339	110 Peak	Vertical	
8	5910.50	60.35	16.27	44.08	78.90	-18.55	339	110 Peak	Vertical	
9	5979.00	59.76	15.46	44.30	68.20	-8.44	339	110 Peak	Vertical	

802.11a

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	105.70	62.88	43.82	54.00	52.70	100	161	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	104.17	60.35	43.82	54.00	50.17	339	110	Average	Vertical		

802.11n HT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5551.00	58.31	14.87	43.44	68.20	-9.89	115	162	Peak	Horizontal	
2	5690.50	63.08	19.43	43.65	104.09	-41.01	115	162	Peak	Horizontal	
3	5720.00	77.68	34.00	43.68	110.80	-33.12	115	162	Peak	Horizontal	
4	5724.00	88.47	44.78	43.69	119.92	-31.45	115	162	Peak	Horizontal	
5	5745.00	116.47	72.77	43.70	122.20	-5.73	115	162	Peak	Horizontal	
6	5851.50	59.19	15.30	43.89	118.78	-59.59	115	162	Peak	Horizontal	
7	5866.50	59.22	15.28	43.94	107.58	-48.36	115	162	Peak	Horizontal	
8	5898.00	59.32	15.29	44.03	88.14	-28.82	115	162	Peak	Horizontal	
9	5933.00	59.50	15.31	44.19	68.20	-8.70	115	162	Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5543.00	58.51	15.04	43.47	68.20	-9.69	351	110	Peak	Vertical	
2	5660.50	59.53	16.02	43.51	81.93	-22.40	351	110	Peak	Vertical	
3	5719.50	73.56	29.88	43.68	110.66	-37.10	351	110	Peak	Vertical	
4	5725.00	84.29	40.60	43.69	122.20	-37.91	351	110	Peak	Vertical	
5	5745.00	115.29	71.59	43.70	122.20	-6.91	351	110	Peak	Vertical	
6	5851.50	58.46	14.57	43.89	118.78	-60.32	351	110	Peak	Vertical	
7	5875.50	59.53	15.57	43.96	105.62	-46.09	351	110	Peak	Vertical	
8	5900.00	59.42	15.39	44.03	86.66	-27.24	351	110	Peak	Vertical	
9	5930.50	59.47	15.29	44.18	68.20	-8.73	351	110	Peak	Vertical	

802.11n HT20

CH 149 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5745.00	107.04	63.34	43.70	54.00	53.04	115	162 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5745.00	105.63	61.93	43.70	54.00	51.63	351	110 Average	Vertical	

802.11n HT20
CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5562.50	58.73	15.25	43.48	68.20	-9.47	104	162	Peak	Horizontal	
2	5662.00	58.40	14.92	43.48	77.11	-18.71	104	162	Peak	Horizontal	
3	5781.50	59.94	16.27	43.67	105.62	-45.68	104	162	Peak	Horizontal	
4	5720.00	58.90	15.22	43.68	110.80	-51.90	104	162	Peak	Horizontal	
5	5785.00	116.81	73.07	43.74	122.20	-5.39	104	162	Peak	Horizontal	
6	5853.50	60.23	16.32	43.91	114.22	-53.99	104	162	Peak	Horizontal	
7	5868.00	60.94	16.99	43.95	107.16	-46.22	104	162	Peak	Horizontal	
8	5886.50	59.62	15.63	43.99	96.66	-37.04	104	162	Peak	Horizontal	
9	5927.50	59.97	15.80	44.17	68.20	-8.23	104	162	Peak	Horizontal	

CH 157 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5583.50	58.69	15.01	43.68	68.20	-9.51	364	110	Peak	Vertical	
2	5677.50	58.59	15.03	43.56	88.59	-30.00	364	110	Peak	Vertical	
3	5728.00	57.90	14.22	43.68	110.80	-52.90	364	110	Peak	Vertical	
4	5721.50	58.22	14.54	43.68	114.22	-56.00	364	110	Peak	Vertical	
5	5785.00	115.42	71.68	43.74	122.20	-6.78	364	110	Peak	Vertical	
6	5850.50	58.02	14.93	43.89	121.00	-62.24	364	110	Peak	Vertical	
7	5859.00	59.13	15.21	43.92	109.68	-50.55	364	110	Peak	Vertical	
8	5917.00	59.47	15.35	44.12	74.10	-14.63	364	110	Peak	Vertical	
9	5987.50	59.70	15.39	44.31	68.20	-8.50	364	110	Peak	Vertical	

802.11n HT20

CH 157 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	107.19	63.45	43.74	54.00	53.19	104	162	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	105.71	61.97	43.74	54.00	51.71	364	110	Average	Vertical	