


Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.28	43.27	54.00	10.73	Pass	Horizontal
2	5182.8661	34.68	15.40	-42.72	80.51	87.87	54.00	-33.87	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.03	43.02	54.00	10.98	Pass	Vertical
2	5183.3417	34.68	15.41	-42.73	78.44	85.80	54.00	-31.80	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	48.74	55.73	74.00	18.27	Pass	Horizontal
2	5180.3004	34.68	15.38	-42.73	87.44	94.77	74.00	-20.77	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	48.94	55.93	74.00	18.07	Pass	Vertical
2	5185.2941	34.69	15.43	-42.73	86.20	93.59	74.00	-19.59	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.79	43.78	54.00	10.22	Pass	Horizontal
2	5178.7234	34.68	15.36	-42.73	76.74	84.05	54.00	-30.05	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.37	43.36	54.00	10.64	Pass	Vertical
2	5186.6083	34.69	15.44	-42.73	75.41	82.81	54.00	-28.81	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	52.52	59.51	74.00	14.49	Pass	Horizontal
2	5185.5069	34.69	15.43	-42.73	88.26	95.65	74.00	-21.65	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	55.51	62.50	74.00	11.50	Pass	Vertical
2	5186.7084	34.69	15.44	-42.73	86.98	94.38	74.00	-20.38	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channe	5210
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	40.39	47.38	54.00	6.62	Pass	Horizontal
2	5185.5069	34.69	15.43	-42.73	78.11	85.50	54.00	-31.50	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	42.46	49.45	54.00	4.55	Pass	Vertical
2	5185.7071	34.69	15.43	-42.73	76.93	84.32	54.00	-30.32	Pass	Vertical

Band1 MIMO:

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	46.85	53.84	74.00	20.16	Pass	Horizontal
2	5182.8661	34.68	15.40	-42.72	93.63	100.99	74.00	-26.99	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	46.64	53.63	74.00	20.37	Pass	Vertical
2	5182.3905	34.68	15.40	-42.73	94.93	102.28	74.00	-28.28	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.43	43.42	54.00	10.58	Pass	Horizontal
2	5182.8661	34.68	15.40	-42.72	81.46	88.82	54.00	-34.82	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.42	43.41	54.00	10.59	Pass	Vertical
2	5183.1039	34.68	15.40	-42.72	82.13	89.49	54.00	-35.49	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	48.24	55.23	74.00	18.77	Pass	Horizontal
2	5186.3454	34.69	15.44	-42.73	88.86	96.26	74.00	-22.26	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	49.75	56.74	74.00	17.26	Pass	Vertical
2	5186.3454	34.69	15.44	-42.73	89.73	97.13	74.00	-23.13	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.80	43.79	54.00	10.21	Pass	Horizontal
2	5181.3517	34.68	15.39	-42.73	78.50	85.84	54.00	-31.84	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	36.74	43.73	54.00	10.27	Pass	Vertical
2	5182.1402	34.68	15.39	-42.72	78.22	85.57	54.00	-31.57	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	52.67	59.66	74.00	14.34	Pass	Horizontal
2	5185.7071	34.69	15.43	-42.73	88.12	95.51	74.00	-21.51	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	52.81	59.80	74.00	14.20	Pass	Vertical
2	5202.1277	34.70	15.56	-42.72	89.50	97.04	74.00	-23.04	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	41.39	48.38	54.00	5.62	Pass	Horizontal
2	5185.5069	34.69	15.43	-42.73	78.08	85.47	54.00	-31.47	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-42.74	41.01	48.00	54.00	6.00	Pass	Vertical
2	5188.9111	34.69	15.46	-42.72	77.90	85.33	54.00	-31.33	Pass	Vertical

Band 2
ANT1:

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5316.3767	34.82	15.62	-42.68	89.37	97.13	74.00	-23.13	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	50.07	58.18	74.00	15.82	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5317.9600	34.82	15.63	-42.67	88.83	96.61	74.00	-22.61	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	49.35	57.46	74.00	16.54	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.2703	34.82	15.66	-42.67	79.01	86.82	54.00	-32.82	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	37.72	45.83	54.00	8.17	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.2703	34.82	15.66	-42.67	78.51	86.32	54.00	-32.32	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	37.71	45.82	54.00	8.18	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5316.9462	34.82	15.62	-42.67	92.65	100.42	74.00	-26.42	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	49.14	57.25	74.00	16.75	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.4043	34.82	15.68	-42.67	91.95	99.78	74.00	-25.78	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	48.33	56.44	74.00	17.56	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.5544	34.82	15.68	-42.67	82.21	90.04	54.00	-36.04	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	38.00	46.11	54.00	7.89	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.2541	34.82	15.68	-42.67	81.49	89.32	54.00	-35.32	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	38.16	46.27	54.00	7.73	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5318.8986	34.82	15.64	-42.67	92.33	100.12	74.00	-26.12	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	48.15	56.26	74.00	17.74	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5324.1552	34.82	15.69	-42.67	91.34	99.18	74.00	-25.18	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	48.65	56.76	74.00	17.24	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.7046	34.82	15.68	-42.66	82.11	89.95	54.00	-35.95	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	38.07	46.18	54.00	7.82	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.5544	34.82	15.68	-42.67	81.45	89.28	54.00	-35.28	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	38.11	46.22	54.00	7.78	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5311.9524	34.81	15.58	-42.68	88.79	96.50	74.00	-22.50	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	60.68	68.79	74.00	5.21	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5308.0100	34.81	15.54	-42.68	88.58	96.25	74.00	-22.25	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	61.78	69.89	74.00	4.11	Pass	Vertical

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel	5290
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5314.0175	34.81	15.60	-42.67	71.90	79.64	54.00	-25.64	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	43.72	51.83	54.00	2.17	Pass	Horizontal

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channe	5290
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5313.6421	34.81	15.59	-42.67	72.12	79.85	54.00	-25.85	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	43.90	52.01	54.00	1.99	Pass	Vertical

ANT2:

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.8548	34.82	15.68	-42.66	89.94	97.78	74.00	-23.78	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	48.56	56.67	74.00	17.33	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.4043	34.82	15.68	-42.67	89.08	96.91	74.00	-22.91	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	48.04	56.15	74.00	17.85	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.2541	34.82	15.68	-42.67	78.26	86.09	54.00	-32.09	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	37.69	45.80	54.00	8.20	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.2541	34.82	15.68	-42.67	77.68	85.51	54.00	-31.51	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	37.07	45.18	54.00	8.82	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5324.3054	34.82	15.69	-42.67	89.68	97.52	74.00	-23.52	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	48.13	56.24	74.00	17.76	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5324.1552	34.82	15.69	-42.67	88.78	96.62	74.00	-22.62	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	48.21	56.32	74.00	17.68	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Chann	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5323.7046	34.82	15.68	-42.66	78.44	86.28	54.00	-32.28	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	37.84	45.95	54.00	8.05	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5322.8035	34.82	15.68	-42.67	77.42	85.25	54.00	-31.25	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	37.10	45.21	54.00	8.79	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5302.9912	34.80	15.50	-42.68	88.85	96.47	74.00	-22.47	Pass	Horizontal
2	5350.0000	34.85	15.92	-42.66	49.86	57.97	74.00	16.03	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5310
Remark:	PK		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5296.9462	34.80	15.46	-42.68	90.55	98.13	74.00	-24.13	Pass	Vertical
2	5350.0000	34.85	15.92	-42.66	50.00	58.11	74.00	15.89	Pass	Vertical