



11A_Ant1_5720_UNII-3




Date: 23.MAR.2024 11:12:33

11A_Ant2_5720_UNII-3




Date: 23.MAR.2024 10:41:16

11A_Ant1_5745




Date: 23.MAR.2024 11:14:53


11A_Ant2_5745




11A_Ant1_5785





11A_Ant2_5785



11A_Ant1_5825









Date: 25.MAR.2024 10:18:15

11N20MIMO_Ant2_5200




Date: 25.MAR.2024 10:23:48

11N20MIMO_Ant1_5240





Date: 25.MAR.2024 10:24:11


11N20MIMO_Ant2_5240




Date: 25.MAR.2024 10:30:04











11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5720_UNII-2C



11N20MIMO_Ant2_5720_UNII-2C



11N20MIMO_Ant1_5720_UNII-3




Date: 11.APR 2024 06:36:37

11N20MIMO_Ant2_5720_UNII-3




Date: 25.MAR 2024 11:31:46

11N20MIMO_Ant1_5745




Date: 25.MAR 2024 11:32:10

11N20MIMO_Ant2_5745




Date: 25.MAR.2024 11:36:00

11N20MIMO_Ant1_5785




Date: 25.MAR.2024 11:36:23

11N20MIMO_Ant2_5785





Date: 25.MAR.2024 11:45:45

11N20MIMO_Ant1_5825




Date: 25.MAR.2024 11:46:08






Date: 11.APR 2024 06:43:14

11N40MIMO_Ant2_5230




Date: 11.APR 2024 08:16:48

11N40MIMO_Ant1_5270




Date: 11.APR 2024 08:16:56

11N40MIMO_Ant2_5270




Date: 11.APR 2024 08:19:08

11N40MIMO_Ant1_5310




Date: 11 APR 2024 08:19:30

11N40MIMO_Ant2_5310




Date: 26 MAR 2024 05:27:32

11N40MIMO_Ant1_5510




Date: 26 MAR 2024 05:27:54


11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550





11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5670









11N40MIMO_Ant2_5710_UNII-3





11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755









Date: 26.MAR.2024 08:37:02

11AC80MIMO_Ant1_5290




Date: 26.MAR.2024 08:37:24

11AC80MIMO_Ant2_5290




Date: 11.APR.2024 08:38:08

11AC80MIMO_Ant1_5530




Date: 11.APR.2024 08:38:30

11AC80MIMO_Ant2_5530




Date: 11 APR 2024 08:42:09

11AC80MIMO_Ant1_5610




Date: 11 APR 2024 08:42:32

11AC80MIMO_Ant2_5610




Date: 11 APR 2024 08:45:22


11AC80MIMO_Ant1_5690_UNII-2C




11AC80MIMO_Ant2_5690_UNII-2C




11AC80MIMO_Ant1_5690_UNII-3



11AC80MIMO_Ant2_5690_UNII-3





11.6. APPENDIX F: DUTY CYCLE

11.6.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	1.34	1.83	0.7322	73.22	1.35	0.75	1
11G	1.26	1.76	0.7159	71.59	1.45	0.79	1
11N20MIMO	0.63	1.12	0.5625	56.25	2.50	1.59	2
11N40MIMO	0.31	0.81	0.3827	38.27	4.17	3.23	4

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.

11.6.2. Test Graphs





11.7. APPENDIX G: FREQUENCY STABILITY

11.7.1. Test Result

Frequency Error vs. Voltage									
802.11a:5180MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5180.0212	4.09	5180.0133	2.58	5179.9983	-0.33	5179.9793	-4.00
TN	VN	5180.0209	4.04	5180.0111	2.14	5179.9919	-1.56	5179.9804	-3.79
TN	VH	5179.9980	-0.38	5179.9840	-3.09	5179.9776	-4.33	5179.9882	-2.27
Frequency Error vs. Temperature									
802.11a:5180MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5180.0012	0.24	5179.9935	-1.26	5179.9997	-0.06	5179.9836	-3.16
60	VN	5179.9901	-1.92	5179.9755	-4.73	5180.0240	4.63	5180.0049	0.95
50	VN	5179.9957	-0.83	5179.9996	-0.07	5179.9796	-3.93	5180.0217	4.18
40	VN	5180.0114	2.19	5180.0089	1.72	5180.0225	4.34	5180.0085	1.65
30	VN	5179.9788	-4.09	5180.0149	2.88	5179.9968	-0.61	5180.0131	2.53
20	VN	5179.9776	-4.32	5179.9963	-0.72	5179.9860	-2.70	5179.9921	-1.53
10	VN	5180.0140	2.71	5180.0129	2.49	5179.9833	-3.22	5179.9765	-4.54
0	VN	5180.0058	1.13	5180.0243	4.69	5180.0029	0.56	5179.9944	-1.09

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.5 TEST ENVIRONMENT.


Frequency Error vs. Voltage									
802.11a:5825MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5824.9782	-3.74	5825.0216	3.71	5825.0087	1.49	5824.9962	-0.65
TN	VN	5824.9966	-0.58	5825.0038	0.66	5824.9945	-0.94	5824.9882	-2.03
TN	VH	5824.9776	-3.84	5825.0248	4.26	5825.0161	2.76	5825.0086	1.47
Frequency Error vs. Temperature									
802.11a:5825MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5825.0246	4.22	5824.9799	-3.44	5825.0116	2.00	5825.0245	4.20
60	VN	5824.9756	-4.19	5825.0218	3.75	5824.9972	-0.47	5824.9877	-2.11
50	VN	5824.9789	-3.63	5825.0223	3.83	5825.0058	0.99	5825.0053	0.92
40	VN	5824.9858	-2.43	5824.9979	-0.36	5824.9940	-1.02	5824.9834	-2.86
30	VN	5825.0044	0.76	5824.9817	-3.14	5825.0060	1.03	5824.9848	-2.61
20	VN	5824.9769	-3.97	5824.9838	-2.77	5824.9946	-0.92	5824.9838	-2.78
10	VN	5824.9862	-2.36	5825.0018	0.32	5824.9979	-0.36	5824.9957	-0.74
0	VN	5824.9944	-0.97	5824.9813	-3.21	5824.9827	-2.97	5825.0143	2.46

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.5 TEST ENVIRONMENT.


11.8. APPENDIX H: CALIBRATION

Mode	Frequency (MHz)	Type	Result	Verdict
ac80	5530	DFS_FCC_T0	See test Graph	Pass




11.9. APPENDIX I: SHUTDOWN TIME

Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
ac80	5530	0.463	10	0.009	0.26	0.006	0.06	Pass



11.10. APPENDIX J: NON-OCCUPANCY

Mode	Frequency (MHz)	Result	Verdict
ac80	5530	See test Graph	Pass



END OF REPORT