

<CF29 WLANb+g DataTac CDMA model photo>

1) CF-29 photo



Front View

3) WLAN exterior photo



WLAN Top View



WLAN Bottom View

5) DataTac Module Position



DataTac Module

6) DataTac Module Exterior photo



Top View



Bottom View

8) CDMA module position



SB555 Module Adapter Position



SB555 Module Adapter Slide Position



SB555 Module Adapter View-1



SB555 Module Adapter View-2

9) CDMA Module exterior/interior photo



SB555 Module Top View



SB555 module Bottom View





SB555 Module Interior Top View



SB555 Module Interior Bottom View


10) Antenna position (WLANb+g)



11) Antenna Magnified photo (WLANb+g)



Top View




Receive only Antenna View




Send & Receive Antenna View

12) Antenna Position (DataTac)





Side Cover open



DataTac Antenna

13) Antenna Position (CDMA)



Front View



Whip Antenna



Whip Antenna I/F PWB

14) Antenna Specification

WLANb+g Send & Receive Antenna:	(Inverted F type: 1.86dBi max)
WLANb+g Receive only Antenna:	(Inverted F type: 2.86dBi max)
DataTac Antenna:	(Inverted F type: -0.83dBi max)
CDMA Antenna:	(Inverted F type: 2.15dBi max)

15) Antenna distance



- ↔ CDMA antenna / DataTac antenna distance > **20cm**
- ↔ WLAN send antenna / DataTac antenna > **20cm**
- ↔ CDMA antenna / bottom of PC > **20cm**
- ↔ WLAN send antenna / bottom of PC > **20cm**