

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 285 of 303

Test Band = NR UL CA n5A-n78A 3700M-3800M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1649	46.31	-94.97	-48.66	-13.00	35.66	142	136	Horizontal
2	2473.5	71.37	-91.42	-20.05	-13.00	7.05	263	240	Horizontal
3	3300.36	36.24	-88.37	-52.13	-13.00	39.13	251	265	Horizontal
4	7310.18	47.90	-100.63	-52.73	-13.00	39.73	174	42	Horizontal
5	10965.27	42.59	-91.32	-48.73	-13.00	35.73	145	83	Horizontal
6	14620.36	40.08	-89.81	-49.73	-13.00	36.73	263	197	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1650.18	39.09	-94.97	-55.88	-13.00	42.88	142	360	Vertical
2	2475.27	38.98	-91.41	-52.43	-13.00	39.43	263	307	Vertical
3	3300.36	36.14	-88.37	-52.23	-13.00	39.23	251	307	Vertical
4	7310.18	48.61	-100.63	-52.02	-13.00	39.02	175	279	Vertical
5	10965.27	42.25	-91.32	-49.07	-13.00	36.07	265	10	Vertical
6	14620.36	42.06	-89.81	-47.75	-13.00	34.75	241	97	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 286 of 303

Test Band = NR UL CA n5A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1655.18	39.57	-94.96	-55.39	-13.00	42.39	263	101	Horizontal
2	2428	44.02	-91.76	-47.74	-13.00	34.74	251	247	Horizontal
3	3310.36	36.88	-88.37	-51.49	-13.00	38.49	174	360	Horizontal
4	7410.18	48.20	-100.76	-52.56	-13.00	39.56	163	316	Horizontal
5	11115.27	43.10	-90.92	-47.82	-13.00	34.82	254	327	Horizontal
6	14820.36	41.79	-89.81	-48.02	-13.00	35.02	142	327	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1655.18	39.50	-94.96	-55.46	-13.00	42.46	263	148	Vertical
2	2482.77	39.01	-91.35	-52.34	-13.00	39.34	251	11	Vertical
3	3310.36	37.48	-88.37	-50.89	-13.00	37.89	174	54	Vertical
4	7410.18	48.42	-100.76	-52.34	-13.00	39.34	186	109	Vertical
5	11115.27	43.74	-90.92	-47.18	-13.00	34.18	263	26	Vertical
6	14820.36	41.76	-89.81	-48.05	-13.00	35.05	241	4	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 287 of 303

Test Band = NR UL CA n5A-n78A 3700M-3800M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1659.5	49.39	-94.95	-45.56	-13.00	32.56	263	360	Horizontal
2	2489	68.50	-91.31	-22.81	-13.00	9.81	254	282	Horizontal
3	3320.36	37.30	-88.37	-51.07	-13.00	38.07	174	299	Horizontal
4	7510.18	49.10	-100.29	-51.19	-13.00	38.19	265	35	Horizontal
5	11265.27	43.06	-91.08	-48.02	-13.00	35.02	263	167	Horizontal
6	15020.36	43.04	-90.39	-47.35	-13.00	34.35	241	1	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1660.18	40.15	-94.94	-54.79	-13.00	41.79	263	333	Vertical
2	2490.27	39.51	-91.30	-51.79	-13.00	38.79	241	223	Vertical
3	3320.36	36.55	-88.37	-51.82	-13.00	38.82	178	148	Vertical
4	7510.18	48.70	-100.29	-51.59	-13.00	38.59	263	319	Vertical
5	11265.27	43.71	-91.08	-47.37	-13.00	34.37	241	1	Vertical
6	15020.36	42.70	-90.39	-47.69	-13.00	34.69	142	108	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 288 of 303

Test Band = NR UL CA n7A-n78A 3700M-3800M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.18	49.51	-105.84	-56.33	-13.00	43.33	142	328	Horizontal
2	7310.18	49.03	-100.63	-51.60	-13.00	38.60	263	299	Horizontal
3	7503.27	48.57	-100.33	-51.76	-13.00	38.76	251	94	Horizontal
4	10004.36	45.19	-93.80	-48.61	-13.00	35.61	145	308	Horizontal
5	10965.27	42.22	-91.32	-49.10	-13.00	36.10	152	0	Horizontal
6	14620.36	41.07	-89.81	-48.74	-13.00	35.74	263	16	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.18	51.29	-105.84	-54.55	-13.00	41.55	163	348	Vertical
2	7310.18	49.32	-100.63	-51.31	-13.00	38.31	251	144	Vertical
3	7503.27	48.43	-100.33	-51.90	-13.00	38.90	141	267	Vertical
4	10004.36	46.31	-93.80	-47.49	-13.00	34.49	263	236	Vertical
5	10965.27	42.05	-91.32	-49.27	-13.00	36.27	211	185	Vertical
6	14620.36	40.84	-89.81	-48.97	-13.00	35.97	144	357	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 289 of 303

Test Band = NR UL CA n7A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5052.18	48.83	-105.71	-56.88	-13.00	43.88	263	307	Horizontal
2	7410.18	48.60	-100.76	-52.16	-13.00	39.16	236	63	Horizontal
3	7578.27	49.97	-99.91	-49.94	-13.00	36.94	251	221	Horizontal
4	10104.36	44.56	-93.50	-48.94	-13.00	35.94	144	25	Horizontal
5	11115.27	43.88	-90.92	-47.04	-13.00	34.04	211	85	Horizontal
6	14820.36	41.71	-89.81	-48.10	-13.00	35.10	152	357	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5052.18	50.39	-105.71	-55.32	-13.00	42.32	163	289	Vertical
2	7410.18	48.56	-100.76	-52.20	-13.00	39.20	284	0	Vertical
3	7578.27	49.26	-99.91	-50.65	-13.00	37.65	176	2	Vertical
4	10104.36	45.03	-93.50	-48.47	-13.00	35.47	251	91	Vertical
5	11115.27	42.47	-90.92	-48.45	-13.00	35.45	142	1	Vertical
6	14820.36	40.09	-89.81	-49.72	-13.00	36.72	284	299	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 290 of 303

Test Band = NR UL CA n7A-n78A 3700M-3800M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5102.18	49.69	-105.59	-55.90	-13.00	42.90	263	0	Horizontal
2	7510.18	49.83	-100.29	-50.46	-13.00	37.46	263	357	Horizontal
3	7653.27	50.14	-99.71	-49.57	-13.00	36.57	141	357	Horizontal
4	10204.36	43.56	-93.15	-49.59	-13.00	36.59	263	275	Horizontal
5	11265.27	43.94	-91.08	-47.14	-13.00	34.14	284	34	Horizontal
6	15020.36	42.34	-90.39	-48.05	-13.00	35.05	321	327	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5102.18	50.25	-105.59	-55.34	-13.00	42.34	251	357	Vertical
2	7510.18	48.05	-100.29	-52.24	-13.00	39.24	142	278	Vertical
3	7653.27	49.31	-99.71	-50.40	-13.00	37.40	263	247	Vertical
4	10204.36	44.00	-93.15	-49.15	-13.00	36.15	284	298	Vertical
5	11265.27	42.42	-91.08	-48.66	-13.00	35.66	176	258	Vertical
6	15020.36	42.62	-90.39	-47.77	-13.00	34.77	254	196	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 291 of 303

Test Band = NR UL CA n66A-n78A 3700M-3800M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3404.18	36.29	-88.36	-52.07	-13.00	39.07	263	360	Horizontal
2	5106.27	49.77	-105.60	-55.83	-13.00	42.83	241	286	Horizontal
3	6808.36	49.71	-101.85	-52.14	-13.00	39.14	175	17	Horizontal
4	7310.18	48.30	-100.63	-52.33	-13.00	39.33	263	0	Horizontal
5	10965.27	41.24	-91.32	-50.08	-13.00	37.08	254	65	Horizontal
6	14620.36	41.67	-89.81	-48.14	-13.00	35.14	185	275	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3404.18	36.91	-88.36	-51.45	-13.00	38.45	142	299	Vertical
2	5106.27	49.75	-105.60	-55.85	-13.00	42.85	263	338	Vertical
3	6808.36	49.04	-101.85	-52.81	-13.00	39.81	255	357	Vertical
4	7310.18	49.46	-100.63	-51.17	-13.00	38.17	244	277	Vertical
5	10965.27	42.35	-91.32	-48.97	-13.00	35.97	196	1	Vertical
6	14620.36	40.19	-89.81	-49.62	-13.00	36.62	221	318	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 292 of 303

Test Band = NR UL CA n66A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3454.18	36.00	-88.16	-52.16	-13.00	39.16	142	3	Horizontal
2	5181.27	49.60	-105.75	-56.15	-13.00	43.15	263	21	Horizontal
3	6908.36	48.31	-101.41	-53.10	-13.00	40.10	254	145	Horizontal
4	7410.18	48.08	-100.76	-52.68	-13.00	39.68	142	307	Horizontal
5	11115.27	43.08	-90.92	-47.84	-13.00	34.84	263	297	Horizontal
6	14820.36	41.00	-89.81	-48.81	-13.00	35.81	251	115	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3454.18	36.69	-88.16	-51.47	-13.00	38.47	142	102	Vertical
2	5181.27	50.76	-105.75	-54.99	-13.00	41.99	263	179	Vertical
3	6908.36	48.36	-101.41	-53.05	-13.00	40.05	284	248	Vertical
4	7410.18	49.24	-100.76	-51.52	-13.00	38.52	176	200	Vertical
5	11115.27	42.73	-90.92	-48.19	-13.00	35.19	263	0	Vertical
6	14820.36	40.70	-89.81	-49.11	-13.00	36.11	241	357	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 293 of 303

Test Band = NR UL CA n66A-n78A 3700M-3800M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3504.18	36.26	-87.95	-51.69	-13.00	38.69	122	180	Horizontal
2	5256.27	50.88	-105.74	-54.86	-13.00	41.86	251	0	Horizontal
3	7008.36	48.48	-101.47	-52.99	-13.00	39.99	142	194	Horizontal
4	7510.18	48.89	-100.29	-51.40	-13.00	38.40	286	31	Horizontal
5	11265.27	42.80	-91.08	-48.28	-13.00	35.28	254	184	Horizontal
6	15020.36	42.66	-90.39	-47.73	-13.00	34.73	144	6	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3504.18	35.16	-87.95	-52.79	-13.00	39.79	263	360	Vertical
2	5256.27	50.66	-105.74	-55.08	-13.00	42.08	251	106	Vertical
3	7008.36	48.58	-101.47	-52.89	-13.00	39.89	142	17	Vertical
4	7510.18	48.71	-100.29	-51.58	-13.00	38.58	262	288	Vertical
5	11265.27	44.11	-91.08	-46.97	-13.00	33.97	263	1	Vertical
6	15020.36	42.96	-90.39	-47.43	-13.00	34.43	241	17	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 294 of 303

Test Band = NR UL CA 71A-n78A 3700M-3800M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328.18	40.26	-95.91	-55.65	-13.00	42.65	251	79	Horizontal
2	1992.27	40.18	-93.45	-53.27	-13.00	40.27	174	250	Horizontal
3	2656.36	38.13	-90.77	-52.64	-13.00	39.64	155	71	Horizontal
4	7310.18	48.94	-100.63	-51.69	-13.00	38.69	241	184	Horizontal
5	10965.27	42.26	-91.32	-49.06	-13.00	36.06	142	134	Horizontal
6	14620.36	41.11	-89.81	-48.70	-13.00	35.70	263	63	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328.18	39.50	-95.91	-56.41	-13.00	43.41	152	94	Vertical
2	1992.27	38.60	-93.45	-54.85	-13.00	41.85	263	60	Vertical
3	2656.36	38.56	-90.77	-52.21	-13.00	39.21	241	28	Vertical
4	7310.18	48.28	-100.63	-52.35	-13.00	39.35	142	54	Vertical
5	10965.27	42.01	-91.32	-49.31	-13.00	36.31	263	246	Vertical
6	14620.36	41.65	-89.81	-48.16	-13.00	35.16	251	277	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 295 of 303

Test Band = NR UL CA 71A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1343.18	39.58	-95.86	-56.28	-13.00	43.28	142	360	Horizontal
2	2014.77	39.14	-93.34	-54.20	-13.00	41.20	263	359	Horizontal
3	2686.36	37.92	-90.61	-52.69	-13.00	39.69	251	54	Horizontal
4	7410.18	48.48	-100.76	-52.28	-13.00	39.28	263	0	Horizontal
5	11115.27	45.24	-90.92	-45.68	-13.00	32.68	254	3	Horizontal
6	14820.36	41.49	-89.81	-48.32	-13.00	35.32	174	308	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1343.18	40.06	-95.86	-55.80	-13.00	42.80	142	186	Vertical
2	2014.77	38.79	-93.34	-54.55	-13.00	41.55	263	54	Vertical
3	2686.36	38.01	-90.61	-52.60	-13.00	39.60	284	360	Vertical
4	7410.18	48.32	-100.76	-52.44	-13.00	39.44	142	258	Vertical
5	11115.27	43.09	-90.92	-47.83	-13.00	34.83	263	146	Vertical
6	14820.36	41.63	-89.81	-48.18	-13.00	35.18	251	337	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 296 of 303

Test Band = NR UL CA 71A-n78A 3700M-3800M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1358.18	39.84	-95.81	-55.97	-13.00	42.97	263	199	Horizontal
2	2037.27	38.96	-93.27	-54.31	-13.00	41.31	251	325	Horizontal
3	2716.36	37.94	-90.45	-52.51	-13.00	39.51	184	171	Horizontal
4	7510.18	47.47	-100.29	-52.82	-13.00	39.82	163	139	Horizontal
5	11265.27	43.68	-91.08	-47.40	-13.00	34.40	251	258	Horizontal
6	15020.36	42.99	-90.39	-47.40	-13.00	34.40	144	298	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1358.18	40.82	-95.81	-54.99	-13.00	41.99	163	333	Vertical
2	2037.27	39.05	-93.27	-54.22	-13.00	41.22	254	62	Vertical
3	2716.36	38.59	-90.45	-51.86	-13.00	38.86	147	112	Vertical
4	7510.18	48.38	-100.29	-51.91	-13.00	38.91	142	307	Vertical
5	11265.27	42.77	-91.08	-48.31	-13.00	35.31	263	218	Vertical
6	15020.36	41.95	-90.39	-48.44	-13.00	35.44	251	327	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 297 of 303

Test Band = NR UL CA n25A-n78A 3700M-3800M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3704.18	34.36	-87.25	-52.89	-13.00	39.89	186	274	Horizontal
2	5556.27	50.09	-105.32	-55.23	-13.00	42.23	265	0	Horizontal
3	7310.18	49.01	-100.63	-51.62	-13.00	38.62	263	94	Horizontal
4	7408.36	47.78	-100.77	-52.99	-13.00	39.99	241	247	Horizontal
5	10965.27	42.47	-91.32	-48.85	-13.00	35.85	142	44	Horizontal
6	14620.36	41.59	-89.81	-48.22	-13.00	35.22	251	104	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3704.18	33.58	-87.25	-53.67	-13.00	40.67	142	22	Vertical
2	5556.27	50.75	-105.32	-54.57	-13.00	41.57	263	166	Vertical
3	7310.18	47.95	-100.63	-52.68	-13.00	39.68	142	1	Vertical
4	7408.36	47.63	-100.77	-53.14	-13.00	40.14	175	247	Vertical
5	10965.27	43.30	-91.32	-48.02	-13.00	35.02	263	146	Vertical
6	14620.36	40.57	-89.81	-49.24	-13.00	36.24	251	55	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 298 of 303

Test Band = NR UL CA n25A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3729.18	34.35	-87.02	-52.67	-13.00	39.67	163	129	Horizontal
2	5593.77	50.39	-105.40	-55.01	-13.00	42.01	251	226	Horizontal
3	7410.18	48.74	-100.76	-52.02	-13.00	39.02	142	348	Horizontal
4	7458.36	49.44	-100.54	-51.10	-13.00	38.10	174	236	Horizontal
5	11115.27	43.18	-90.92	-47.74	-13.00	34.74	263	46	Horizontal
6	14820.36	42.07	-89.81	-47.74	-13.00	34.74	251	276	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3729.18	33.99	-87.02	-53.03	-13.00	40.03	142	51	Vertical
2	5593.77	50.96	-105.40	-54.44	-13.00	41.44	263	1	Vertical
3	7410.18	48.21	-100.76	-52.55	-13.00	39.55	142	237	Vertical
4	7458.36	47.38	-100.54	-53.16	-13.00	40.16	176	136	Vertical
5	11115.27	43.56	-90.92	-47.36	-13.00	34.36	263	74	Vertical
6	14820.36	41.14	-89.81	-48.67	-13.00	35.67	251	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 299 of 303

Test Band = NR UL CA n25A-n78A 3700M-3800M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3754.18	33.86	-86.80	-52.94	-13.00	39.94	241	3	Horizontal
2	5631.27	49.82	-105.28	-55.46	-13.00	42.46	175	338	Horizontal
3	7508.36	48.03	-100.30	-52.27	-13.00	39.27	263	134	Horizontal
4	7510.18	48.33	-100.29	-51.96	-13.00	38.96	163	187	Horizontal
5	11265.27	43.97	-91.08	-47.11	-13.00	34.11	251	25	Horizontal
6	15020.36	43.84	-90.39	-46.55	-13.00	33.55	144	144	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3754.18	33.34	-86.80	-53.46	-13.00	40.46	142	70	Vertical
2	5631.27	49.96	-105.28	-55.32	-13.00	42.32	263	126	Vertical
3	7508.36	48.52	-100.30	-51.78	-13.00	38.78	174	17	Vertical
4	7510.18	47.49	-100.29	-52.80	-13.00	39.80	142	134	Vertical
5	11265.27	44.37	-91.08	-46.71	-13.00	33.71	263	0	Vertical
6	15020.36	43.78	-90.39	-46.61	-13.00	33.61	284	134	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 300 of 303

Test on the worst case:

Test Band = NR UL CA n5A-n78A 3700M-3800M_ TM1
Test Channel = Mid Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9568.1042	37.68	-37.88	38.54	-56.92	-13.00	43.92	285	93	Horizontal
2	13644.8542	34.65	-34.63	39.99	-55.25	-13.00	42.25	241	277	Horizontal
3	17279.8125	32.59	-31.81	39.72	-54.76	-13.00	41.76	142	360	Horizontal
4	7482.18	39.21	-41.66	36.49	-61.22	-13.00	48.22	263	347	Horizontal
5	11223.27	32.58	-35.10	39.38	-58.40	-13.00	45.40	295	277	Horizontal
6	14964.36	31.13	-34.32	39.24	-59.21	-13.00	46.21	287	277	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9194.3542	36.25	-38.25	38.58	-58.68	-13.00	45.68	196	235	Vertical
2	13324.2917	34.11	-35.07	39.79	-56.43	-13.00	43.43	265	343	Vertical
3	17051.7292	34.30	-32.16	38.81	-54.31	-13.00	41.31	284	273	Vertical
4	7482.18	38.93	-41.66	36.49	-61.50	-13.00	48.50	142	360	Vertical
5	11223.27	34.16	-35.10	39.38	-56.82	-13.00	43.82	263	3	Vertical
6	14964.36	31.10	-34.32	39.24	-59.24	-13.00	46.24	228	360	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000122RG02

Rev.: 01

Page: 301 of 303

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	5.700000	0.001520	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	2.600000	0.000693	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	0.500000	0.000133	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VH	NT	4.300000	0.001147	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VN	NT	1.400000	0.000373	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VL	NT	5.500000	0.001467	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000122RG02

Rev.: 01

Page: 302 of 303

Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	9.100000	0.002427	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	8.900000	0.002373	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	5.800000	0.001547	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	4.100000	0.001093	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	3.200000	0.000853	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	6.500000	0.001733	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	4.100000	0.001093	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	4.600000	0.001227	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	5.500000	0.001467	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-30	-0.200000	-0.000053	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-20	13.200000	0.003520	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-10	2.000000	0.000533	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	0	7.500000	0.002000	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	10	4.800000	0.001280	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	20	7.700000	0.002053	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	30	3.700000	0.000987	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	40	-0.900000	-0.000240	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	50	13.400000	0.003573	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000122RG02

Rev.: 01

Page: 303 of 303

Test Result for MIMO

Frequency Error VS. Voltage

Voltage										
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	3.800000	0.001013	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	-7.500000	-0.002000	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	-0.500000	-0.000133	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VH	NT	-3.500000	-0.000933	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VN	NT	-2.400000	-0.000640	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	VL	NT	0.400000	0.000107	PASS

Frequency Error VS. Temperature

Voltage										
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	-6.900000	-0.001840	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	-1.700000	-0.000453	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	0.600000	0.000160	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	-4.100000	-0.001093	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	-1.100000	-0.000293	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	-5.800000	-0.001547	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	0.600000	0.000160	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	-2.800000	-0.000747	PASS
N78-3700-3800	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	-1.000000	-0.000267	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-30	-3.600000	-0.000960	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-20	-4.400000	-0.001173	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	-10	3.400000	0.000907	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	0	3.500000	0.000933	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	10	-1.400000	-0.000373	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	20	0.300000	0.000080	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	30	-7.500000	-0.002000	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	40	-8.400000	-0.002240	PASS
N78-3700-3800	30	100	CP-QPSK	M	Outer_Full	NV	50	-4.100000	-0.001093	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com