



B18 QPSK 5M 12 6 23915 High



B18 QPSK 5M 25 0 23875 Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



B18 QPSK 5M 25 0 23915 High



B18 16QAM 5M 1 0 23875 Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



B18 16QAM 5M 1 0 23895 Mid



B18 16QAM 5M 1 0 23915 High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sedfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforced many be responsible to the fullent extent of the fullent extent document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488 www.tw.sqs.com



B18 16QAM 5M 1 24 23875 Low



B18 16QAM 5M 1 24 23895 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



B18 16QAM 5M 1 24 23915 High



B18 16QAM 5M 12 6 23875 Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



B18 16QAM 5M 12 6 23895 Mid



B18 16QAM 5M 12 6 23915 High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



B18 16QAM 5M 25 0 23875 Low



B18 16QAM 5M 25 0 23895 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



B18 16QAM 5M 25 0 23915 High



B18 64QAM 5M 1 0 23875 Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


www.tw.sqs.com



B18 64QAM 5M 1 0 23895 Mid



B18 64QAM 5M 1 0 23915 High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



B18 64QAM 5M 1 24 23875 Low



B18 64QAM 5M 1 24 23895 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



B18 64QAM 5M 1 24 23915 High



B18 64QAM 5M 12 6 23875 Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



B18 64QAM 5M 12 6 23895 Mid



B18 64QAM 5M 12 6 23915 High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



B18 64QAM 5M 25 0 23875 Low




B18 64QAM 5M 25 0 23895 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





B18 64QAM 5M 25 0 23915 High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and efforted many be responsible to the fullent extent of the followers. document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 85 of 139

10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 86 of 139

§90.691 Emission mask requirements for EA-based systems.

- (a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:
- (1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50 + 10 Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.
- (2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz. the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + 10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents.

The format document is a first of the format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the first of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page 87 of 139

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 88 of 139

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 89 of 139

10.4. Measurement Equipment Used:

FRP	EIRP MEASUREM		NT List 966 C	hamber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2017	09/19/2018
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018
Pre-Amplifier	Agilent	8447D	2944A07676	01/03/2017	01/02/2018
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/03/2017	01/02/2018
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 90 of 139


10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: LTE Band 14 Mode (Main Antenna)

Operation Band :LTE B14 Temp./Humi. :22.1 deg C / 68 RH

Fundamental Frequency Engineer :790.5 MHz :Kane

Operation Mode :TX LOW EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
56.19	S	-65.21	-54.45	-9.69	-1.07	-13.00	-52.21
93.05	S	-71.54	-69.51	-0.81	-1.22	-13.00	-58.54
173.56	S	-70.73	-68.94	-0.26	-1.53	-13.00	-57.73
385.99	S	-70.50	-72.03	3.83	-2.30	-13.00	-57.50
597.45	S	-65.17	-65.68	3.26	-2.75	-13.00	-52.17
929.19	S	-60.58	-60.46	3.13	-3.25	-13.00	-47.58
1581.00	Н	-62.08	-66.93	9.01	-4.16	-13.00	-49.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 91 of 139

Operation Band :LTE B14 Fundamental Frequency :790.5 MHz **Operation Mode** :TX LOW EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
54.25	S	-60.76	-49.51	-10.18	-1.06	-13.00	-47.76
133.79	S	-73.10	-69.06	-2.66	-1.37	-13.00	-60.10
167.74	S	-73.43	-70.84	-1.07	-1.51	-13.00	-60.43
435.46	S	-69.89	-71.35	3.69	-2.23	-13.00	-56.89
580.96	S	-66.89	-67.48	3.37	-2.79	-13.00	-53.89
944.71	S	-62.36	-62.22	3.06	-3.19	-13.00	-49.36
1581.00	Н	-60.60	-65.45	9.01	-4.16	-13.00	-47.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司



EUT Pol.

Report No.: ER/2017/B0215

Page 92 of 139


Operation Band :LTE B14 Fundamental Frequency :793 MHz **Operation Mode** :TX MID

:H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
52.31	S	-66.81	-55.05	-10.70	-1.05	-13.00	-53.81
162.89	S	-71.42	-68.51	-1.42	-1.49	-13.00	-58.42
275.41	S	-71.23	-72.84	3.46	-1.85	-13.00	-58.23
485.90	S	-67.00	-68.55	3.80	-2.26	-13.00	-54.00
625.58	S	-65.27	-65.96	3.19	-2.50	-13.00	-52.27
929.19	S	-59.72	-59.61	3.13	-3.25	-13.00	-46.72
1586.00	Н	-63.24	-68.10	9.03	-4.17	-13.00	-50.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 93 of 139

Operation Band :LTE B14 Fundamental Frequency :793 MHz **Operation Mode** :TX MID EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
56.19	S	-62.19	-51.44	-9.69	-1.07	-13.00	-49.19
165.80	S	-73.23	-70.52	-1.21	-1.50	-13.00	-60.23
364.65	S	-70.80	-72.48	3.85	-2.16	-13.00	-57.80
479.11	S	-67.84	-69.37	3.77	-2.24	-13.00	-54.84
636.25	S	-67.87	-68.59	3.17	-2.45	-13.00	-54.87
930.16	S	-61.73	-61.61	3.12	-3.24	-13.00	-48.73
1586.00	Н	-62.52	-67.37	9.03	-4.17	-13.00	-49.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EUT Pol.

Report No.: ER/2017/B0215

:22.1 deg_C / 68 RH

Page 94 of 139

:Kane


Operation Band :LTE B14 Fundamental Frequency :795.5 MHz **Operation Mode** :TX HIGH

:H Plane

Engineer

:VERTICAL Measurement Antenna Pol.

Temp./Humi.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
56.19	S	-66.07	-55.31	-9.69	-1.07	-13.00	-53.07
95.96	S	-71.13	-68.74	-1.16	-1.23	-13.00	-58.13
165.80	S	-70.80	-68.08	-1.21	-1.50	-13.00	-57.80
449.04	S	-69.11	-70.57	3.65	-2.19	-13.00	-56.11
628.49	S	-64.53	-65.24	3.18	-2.47	-13.00	-51.53
930.16	S	-59.81	-59.69	3.12	-3.24	-13.00	-46.81
1591.00	Н	-62.83	-67.70	9.05	-4.18	-13.00	-49.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 95 of 139

Operation Band :LTE B14 Fundamental Frequency :795.5 MHz **Operation Mode** :TX HIGH EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
N 41 1—	E/LUE/0	-ID	•			-ID	-ID
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
57.16	S	-59.82	-49.30	-9.44	-1.07	-13.00	-46.82
95.96	S	-74.20	-71.81	-1.16	-1.23	-13.00	-61.20
159.98	S	-73.09	-69.97	-1.64	-1.48	-13.00	-60.09
478.14	S	-69.51	-71.04	3.77	-2.24	-13.00	-56.51
641.10	S	-67.10	-67.82	3.16	-2.43	-13.00	-54.10
929.19	S	-62.07	-61.95	3.13	-3.25	-13.00	-49.07
1591.00	Н	-63.39	-68.26	9.05	-4.18	-13.00	-50.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 96 of 139

Radiated Spurious Emission Measurement Result: LTE Band 18 Mode

Operation Band :LTE B18 Temp./Humi. :22.1 deg_C / 68 RH

Fundamental Frequency :826.5 MHz Engineer :Kane **Operation Mode** :TX LOW

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
57.16	S	-65.19	-54.67	-9.44	-1.07	-13.00	-52.19
159.98	S	-70.93	-67.81	-1.64	-1.48	-13.00	-57.93
382.11	S	-71.24	-72.80	3.83	-2.27	-13.00	-58.24
516.94	S	-66.93	-68.32	3.76	-2.37	-13.00	-53.93
590.66	S	-65.06	-65.57	3.31	-2.80	-13.00	-52.06
930.16	S	-61.34	-61.22	3.12	-3.24	-13.00	-48.34
1653.00	Н	-62.05	-67.09	9.27	-4.24	-13.00	-49.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 97 of 139

Operation Band :LTE B18 Fundamental Frequency :826.5 MHz **Operation Mode** :TX LOW EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
-			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
52.31	S	-60.61	-48.85	-10.70	-1.05	-13.00	-47.61
153.19	S	-74.57	-71.18	-1.95	-1.44	-13.00	-61.57
364.65	S	-70.31	-72.00	3.85	-2.16	-13.00	-57.31
537.31	S	-68.93	-70.01	3.65	-2.57	-13.00	-55.93
692.51	S	-66.80	-67.05	3.09	-2.84	-13.00	-53.80
871.96	S	-58.83	-58.92	3.27	-3.18	-13.00	-45.83
1653.00	Н	-61.79	-66.83	9.27	-4.24	-13.00	-48.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EUT Pol.

Report No.: ER/2017/B0215

Page 98 of 139


Operation Band :LTE B18 Fundamental Frequency :827 MHz **Operation Mode** :TX MID

:H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
57.16	S	-66.65	-56.14	-9.44	-1.07	-13.00	-53.65
97.90	S	-72.16	-69.54	-1.38	-1.24	-13.00	-59.16
173.56	S	-71.05	-69.25	-0.26	-1.53	-13.00	-58.05
240.49	S	-69.49	-71.05	3.29	-1.74	-13.00	-56.49
742.95	S	-53.79	-53.84	3.17	-3.12	-13.00	-40.79
922.40	S	-59.85	-59.75	3.16	-3.26	-13.00	-46.85
1654.00	Н	-63.27	-68.31	9.28	-4.24	-13.00	-50.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 99 of 139

Operation Band :LTE B18 Fundamental Frequency :827 MHz **Operation Mode** :TX MID EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
51.34	S	-61.68	-49.66	-10.97	-1.05	-13.00	-48.68
148.34	S	-73.81	-70.19	-2.19	-1.42	-13.00	-60.81
224.00	S	-72.22	-73.75	3.24	-1.71	-13.00	-59.22
519.85	S	-68.29	-69.65	3.75	-2.39	-13.00	-55.29
694.45	S	-66.28	-66.49	3.09	-2.88	-13.00	-53.28
870.99	S	-59.82	-59.92	3.27	-3.17	-13.00	-46.82
1654.00	Н	-62.13	-67.16	9.28	-4.24	-13.00	-49.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 100 of 139

Operation Band :LTE B18 Fundamental Frequency :827.5 MHz **Operation Mode** :TX HIGH EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
54.25	S	-66.26	-55.01	-10.18	-1.06	-13.00	-53.26
170.65	S	-71.10	-68.79	-0.79	-1.52	-13.00	-58.10
241.46	S	-69.08	-70.64	3.31	-1.74	-13.00	-56.08
512.09	S	-67.78	-69.22	3.79	-2.35	-13.00	-54.78
747.80	S	-59.55	-59.64	3.18	-3.09	-13.00	-46.55
873.90	S	-60.08	-60.15	3.27	-3.19	-13.00	-47.08
1655.00	Н	-63.47	-68.51	9.28	-4.25	-13.00	-50.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



EUT Pol.

Report No.: ER/2017/B0215

Page 101 of 139


Operation Band :LTE B18 Fundamental Frequency :827.5 MHz **Operation Mode** :TX HIGH

:H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
							_
54.25	S	-59.35	-48.10	-10.18	-1.06	-13.00	-46.35
167.74	S	-73.18	-70.60	-1.07	-1.51	-13.00	-60.18
357.86	S	-71.01	-72.76	3.85	-2.11	-13.00	-58.01
742.95	S	-61.77	-61.82	3.17	-3.12	-13.00	-48.77
870.99	S	-61.46	-61.56	3.27	-3.17	-13.00	-48.46
975.75	S	-61.46	-61.84	3.56	-3.18	-13.00	-48.46
1655.00	Н	-62.82	-67.86	9.28	-4.25	-13.00	-49.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 102 of 139

Radiated Spurious Emission Measurement Result: LTE Band 18 Mode (Part 90S)

Temp./Humi. **Operation Band** :LTE B18 :22.1 deg_C / 68 RH

Fundamental Frequency :817.5 MHz Engineer :Kane **Operation Mode** :TX LOW

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
							_
57.16	S	-64.76	-54.24	-9.44	-1.07	-13.00	-51.76
167.74	S	-70.69	-68.10	-1.07	-1.51	-13.00	-57.69
382.11	S	-70.74	-72.31	3.83	-2.27	-13.00	-57.74
684.75	S	-64.89	-65.28	3.10	-2.70	-13.00	-51.89
924.34	S	-59.36	-59.25	3.15	-3.26	-13.00	-46.36
975.75	S	-60.01	-60.39	3.56	-3.18	-13.00	-47.01
1635.00	Н	-62.35	-67.38	9.21	-4.17	-13.00	-49.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



EUT Pol.

Report No.: ER/2017/B0215

Page 103 of 139


Operation Band :LTE B18 Fundamental Frequency :817.5 MHz **Operation Mode**

:TX LOW :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
							_
54.25	S	-61.32	-50.07	-10.18	-1.06	-13.00	-48.32
146.40	S	-74.41	-70.68	-2.31	-1.42	-13.00	-61.41
367.56	S	-71.04	-72.70	3.85	-2.18	-13.00	-58.04
513.06	S	-67.17	-68.61	3.79	-2.35	-13.00	-54.17
701.24	S	-65.73	-65.82	3.08	-3.00	-13.00	-52.73
938.89	S	-62.49	-62.37	3.08	-3.21	-13.00	-49.49
1635.00	Н	-62.79	-67.82	9.21	-4.17	-13.00	-49.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司



:22.1 deg_C / 68 RH


Page 104 of 139

:Kane

Operation Band :LTE B18 Fundamental Frequency :819.5 MHz **Operation Mode** :TX MID

Temp./Humi. Engineer

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	['] dBm	dBd/dBi	dB	dBm	dB
56.19	S	-65.87	-55.12	-9.69	-1.07	-13.00	-52.87
95.96	S	-71.14	-68.75	-1.16	-1.23	-13.00	-58.14
160.95	S	-69.51	-66.47	-1.57	-1.48	-13.00	-56.51
422.85	S	-69.90	-71.33	3.74	-2.31	-13.00	-56.90
631.40	S	-64.07	-64.78	3.18	-2.46	-13.00	-51.07
932.10	S	-60.91	-60.79	3.12	-3.23	-13.00	-47.91
1639.00	Н	-63.30	-68.33	9.22	-4.19	-13.00	-50.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 105 of 139

Operation Band :LTE B18 Fundamental Frequency :819.5 MHz **Operation Mode** :TX MID EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
54.25	S	-59.32	-48.08	-10.18	-1.06	-13.00	-46.32
172.59	S	-74.44	-72.47	-0.44	-1.53	-13.00	-61.44
224.00	S	-72.53	-74.06	3.24	-1.71	-13.00	-59.53
410.24	S	-68.85	-70.24	3.78	-2.40	-13.00	-55.85
585.81	S	-69.16	-69.71	3.34	-2.79	-13.00	-56.16
978.66	S	-61.65	-62.08	3.62	-3.19	-13.00	-48.65
1639.00	Н	-62.37	-67.40	9.22	-4.19	-13.00	-49.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 106 of 139

Operation Band :LTE B18 Fundamental Frequency :821.5 MHz **Operation Mode** :TX HIGH EUT Pol. :H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
							_
54.25	S	-64.96	-53.72	-10.18	-1.06	-13.00	-51.96
95.96	S	-72.83	-70.44	-1.16	-1.23	-13.00	-59.83
167.74	S	-70.63	-68.05	-1.07	-1.51	-13.00	-57.63
459.71	S	-69.28	-70.76	3.69	-2.21	-13.00	-56.28
634.31	S	-63.84	-64.56	3.17	-2.45	-13.00	-50.84
936.95	S	-59.89	-59.77	3.09	-3.22	-13.00	-46.89
1643.00	Н	-62.63	-67.66	9.24	-4.20	-13.00	-49.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com

台灣檢驗科技股份有限公司



EUT Pol.

Report No.: ER/2017/B0215

Page 107 of 139


Operation Band :LTE B18 Fundamental Frequency :821.5 MHz **Operation Mode** :TX HIGH

:H Plane

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
153.19	S	-73.61	-70.22	-1.95	-1.44	-13.00	-60.61
388.90	S	-70.06	-71.57	3.83	-2.31	-13.00	-57.06
555.74	S	-68.27	-69.06	3.55	-2.75	-13.00	-55.27
687.66	S	-67.49	-67.83	3.10	-2.76	-13.00	-54.49
927.25	S	-62.42	-62.31	3.14	-3.25	-13.00	-49.42
973.81	S	-61.67	-62.02	3.52	-3.18	-13.00	-48.67
1643.00	Н	-63.25	-68.29	9.24	-4.20	-13.00	-50.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 108 of 139

Radiated Spurious Emission Measurement Result: LTE Band 14 (AUX antenna)

:2017-11-29 **Operation Band** :LTE B14 **Test Date**

Fundamental Frequency :790.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX LOW Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
							_
61.04	S	Peak	0.00	-68.02	-68.02	-13.00	-55.02
94.99	S	Peak	0.00	-66.19	-66.19	-13.00	-53.19
216.24	S	Peak	0.00	-70.48	-70.48	-13.00	-57.48
471.35	S	Peak	-0.01	-68.17	-68.18	-13.00	-55.18
629.46	S	Peak	0.00	-64.65	-64.65	-13.00	-51.65
686.69	S	Peak	0.00	-64.11	-64.11	-13.00	-51.11
1581.00	Н	Peak	0.00	-62.38	-62.38	-13.00	-49.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 109 of 139

:2017-11-29

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:LTE B14 :790.5 MHz :TX LOW :H Plane

Test Date

Temp./Humi. :22.1 deg_C / 68 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.




Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
83.35	S	Peak	0.00	-67.53	-67.53	-13.00	-54.53
173.56	S	Peak	0.00	-72.65	-72.65	-13.00	-59.65
219.15	S	Peak	0.00	-67.85	-67.85	-13.00	-54.85
413.15	S	Peak	0.00	-70.10	-70.10	-13.00	-57.10
550.89	S	Peak	0.00	-69.53	-69.53	-13.00	-56.53
687.66	S	Peak	0.00	-67.37	-67.37	-13.00	-54.37
1581.00	Н	Peak	0.00	-62.15	-62.15	-13.00	-49.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com






Operation Band :LTE B14 **Test Date** :2017-11-29

Fundamental Frequency :793 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX MID Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
34.85	S	Peak	0.00	-61.06	-61.06	-13.00	-48.06
57.16	S	Peak	-0.01	-62.29	-62.30	-13.00	-49.30
95.96	S	Peak	0.01	-64.81	-64.80	-13.00	-51.80
313.24	S	Peak	-0.01	-69.18	-69.19	-13.00	-56.19
526.64	S	Peak	0.00	-65.69	-65.69	-13.00	-52.69
679.90	S	Peak	0.01	-63.23	-63.22	-13.00	-50.22
1586.00	Н	Peak	0.00	-62.14	-62.14	-13.00	-49.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 111 of 139

Operation Band :LTE B14 **Test Date** :2017-11-29

Fundamental Frequency :793 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX MID Engineer :Kane

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
85.29	S	Peak	0.00	-65.44	-65.44	-13.00	-52.44
152.22	S	Peak	0.00	-73.27	-73.27	-13.00	-60.27
219.15	S	Peak	0.01	-65.22	-65.21	-13.00	-52.21
413.15	S	Peak	0.00	-67.59	-67.59	-13.00	-54.59
519.85	S	Peak	0.00	-67.64	-67.64	-13.00	-54.64
647.89	S	Peak	0.00	-66.40	-66.40	-13.00	-53.40
1586.00	Н	Peak	0.00	-61.26	-61.26	-13.00	-48.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

台灣檢驗科技股份有限公司




Page 112 of 139

Operation Band :LTE B14 **Test Date** :2017-11-29

Fundamental Frequency :795 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
36.79	S	Peak	0.01	-60.54	-60.53	-13.00	-47.53	
56.19	S	Peak	0.00	-61.74	-61.74	-13.00	-48.74	
90.14	S	Peak	0.00	-62.40	-62.40	-13.00	-49.40	
219.15	S	Peak	0.01	-66.05	-66.04	-13.00	-53.04	
445.16	S	Peak	0.00	-67.62	-67.62	-13.00	-54.62	
618.79	S	Peak	0.01	-63.76	-63.75	-13.00	-50.75	
1591.00	Н	Peak	0.00	-62.45	-62.45	-13.00	-49.45	




Page 113 of 139

Operation Band :LTE B14 **Test Date** :2017-11-29

Fundamental Frequency :795 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer :Kane

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
88.20	S	Peak	0.00	-67.36	-67.36	-13.00	-54.36
165.80	S	Peak	0.00	-70.29	-70.29	-13.00	-57.29
221.09	S	Peak	0.01	-58.01	-58.00	-13.00	-45.00
367.56	S	Peak	0.00	-69.63	-69.63	-13.00	-56.63
574.17	S	Peak	0.00	-65.14	-65.14	-13.00	-52.14
689.60	S	Peak	0.00	-61.48	-61.48	-13.00	-48.48
1591.00	Н	Peak	0.00	-60.49	-60.49	-13.00	-47.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page 114 of 139

Radiated Spurious Emission Measurement Result: LTE Band 18

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :826.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX LOW Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
34.85	S	Peak	-0.01	-60.50	-60.51	-13.00	-47.51	
59.10	S	Peak	0.00	-62.54	-62.54	-13.00	-49.54	
95.96	S	Peak	0.00	-64.88	-64.88	-13.00	-51.88	
219.15	S	Peak	0.01	-65.28	-65.27	-13.00	-52.27	
445.16	S	Peak	0.00	-68.22	-68.22	-13.00	-55.22	
613.94	S	Peak	0.00	-63.52	-63.52	-13.00	-50.52	
1653.00	Н	Peak	0.00	-61.97	-61.97	-13.00	-48.97	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 115 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :826.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX LOW Engineer :Kane

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
90.14	S	Peak	0.00	-67.86	-67.86	-13.00	-54.86
168.71	S	Peak	-0.01	-70.02	-70.03	-13.00	-57.03
219.15	S	Peak	0.00	-61.18	-61.18	-13.00	-48.18
361.74	S	Peak	0.00	-69.89	-69.89	-13.00	-56.89
539.25	S	Peak	0.01	-65.92	-65.91	-13.00	-52.91
624.61	S	Peak	0.00	-63.88	-63.88	-13.00	-50.88
1653.00	Н	Peak	0.01	-61.68	-61.67	-13.00	-48.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 116 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :827 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX MID Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
34.85	S	Peak	0.00	-60.66	-60.66	-13.00	-47.66
59.10	S	Peak	-0.01	-62.68	-62.69	-13.00	-49.69
95.96	S	Peak	0.00	-64.40	-64.40	-13.00	-51.40
175.50	S	Peak	-0.01	-68.31	-68.32	-13.00	-55.32
323.91	S	Peak	0.00	-69.47	-69.47	-13.00	-56.47
550.89	S	Peak	0.00	-64.93	-64.93	-13.00	-51.93
1654.00	Н	Peak	-0.01	-61.50	-61.51	-13.00	-48.51



Page 117 of 139

Operation Band :LTE B18 Fundamental Frequency **Operation Mode**

EUT Pol.


:827 MHz :TX MID :H Plane

Test Date :2017-11-29

Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
90.14	S	Peak	0.00	-67.64	-67.64	-13.00	-54.64
159.01	S	Peak	-0.01	-70.38	-70.39	-13.00	-57.39
219.15	S	Peak	0.01	-58.60	-58.59	-13.00	-45.59
390.84	S	Peak	0.00	-69.64	-69.64	-13.00	-56.64
570.29	S	Peak	0.00	-64.38	-64.38	-13.00	-51.38
684.75	S	Peak	-0.01	-63.13	-63.14	-13.00	-50.14
1654.00	Н	Peak	-0.01	-61.81	-61.82	-13.00	-48.82




Page 118 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :827.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
							_
36.79	S	Peak	0.01	-60.67	-60.66	-13.00	-47.66
56.19	S	Peak	0.01	-62.06	-62.05	-13.00	-49.05
90.14	S	Peak	0.00	-63.68	-63.68	-13.00	-50.68
168.71	S	Peak	-0.01	-67.94	-67.95	-13.00	-54.95
219.15	S	Peak	0.01	-65.61	-65.60	-13.00	-52.60
689.60	S	Peak	0.00	-61.90	-61.90	-13.00	-48.90
1655.00	Н	Peak	0.01	-63.19	-63.18	-13.00	-50.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 119 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :827.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
90.14	S	Peak	0.00	-68.25	-68.25	-13.00	-55.25
180.35	S	Peak	0.00	-70.68	-70.68	-13.00	-57.68
221.09	S	Peak	0.01	-58.12	-58.11	-13.00	-45.11
405.39	S	Peak	0.00	-69.05	-69.05	-13.00	-56.05
529.55	S	Peak	0.00	-64.43	-64.43	-13.00	-51.43
618.79	S	Peak	0.01	-63.41	-63.40	-13.00	-50.40
1655.00	Н	Peak	0.01	-62.71	-62.70	-13.00	-49.70




Page 120 of 139

Radiated Spurious Emission Measurement Result: LTE Band 18 (Part 90S)

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :817.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX LOW Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
34.85	S	Peak	0.00	-60.53	-60.53	-13.00	-47.53
57.16	S	Peak	0.00	-62.70	-62.70	-13.00	-49.70
95.96	S	Peak	0.00	-62.64	-62.64	-13.00	-49.64
219.15	S	Peak	0.00	-66.16	-66.16	-13.00	-53.16
531.49	S	Peak	0.00	-66.41	-66.41	-13.00	-53.41
680.87	S	Peak	0.00	-65.18	-65.18	-13.00	-52.18
1635.00	Н	Peak	0.00	-61.91	-61.91	-13.00	-48.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 121 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :817.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX LOW Engineer :Kane

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
85.29	S	Peak	0.00	-67.44	-67.44	-13.00	-54.44
167.74	S	Peak	0.00	-70.16	-70.16	-13.00	-57.16
219.15	S	Peak	0.00	-58.75	-58.75	-13.00	-45.75
359.80	S	Peak	0.00	-70.21	-70.21	-13.00	-57.21
513.06	S	Peak	-0.01	-67.18	-67.19	-13.00	-54.19
612.00	S	Peak	0.00	-63.09	-63.09	-13.00	-50.09
1635.00	Н	Peak	-0.01	-61.42	-61.43	-13.00	-48.43



Page 122 of 139

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B18 :819.5 MHz :TX MID :H Plane

Test Date :2017-11-29

Temp./Humi. :22.1 deg_C / 68 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
34.85	S	Peak	0.00	-61.78	-61.78	-13.00	-48.78
59.10	S	Peak	0.00	-62.17	-62.17	-13.00	-49.17
90.14	S	Peak	0.00	-63.72	-63.72	-13.00	-50.72
160.95	S	Peak	0.01	-69.70	-69.69	-13.00	-56.69
308.39	S	Peak	0.00	-70.05	-70.05	-13.00	-57.05
634.31	S	Peak	-0.01	-64.19	-64.20	-13.00	-51.20
1639.00	Н	Peak	0.00	-61.89	-61.89	-13.00	-48.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 123 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :819.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX MID Engineer

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
85.29	S	Peak	0.00	-67.95	-67.95	-13.00	-54.95
179.38	S	Peak	0.00	-69.90	-69.90	-13.00	-56.90
224.97	S	Peak	0.01	-63.56	-63.55	-13.00	-50.55
367.56	S	Peak	-0.01	-70.32	-70.33	-13.00	-57.33
580.96	S	Peak	0.01	-65.45	-65.44	-13.00	-52.44
684.75	S	Peak	-0.01	-62.20	-62.21	-13.00	-49.21
1639.00	Н	Peak	0.01	-61.48	-61.47	-13.00	-48.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com




Page 124 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :821.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dBµV/m	dB
36.79	S	Peak	0.00	-60.41	-60.41	-13.00	-47.41
59.10	S	Peak	0.00	-62.98	-62.98	-13.00	-49.98
95.96	S	Peak	0.00	-64.17	-64.17	-13.00	-51.17
173.56	S	Peak	0.00	-69.99	-69.99	-13.00	-56.99
219.15	S	Peak	0.00	-66.03	-66.03	-13.00	-53.03
636.25	S	Peak	0.00	-63.56	-63.56	-13.00	-50.56
1643.00	Н	Peak	-0.01	-61.38	-61.39	-13.00	-48.39




Page 125 of 139

Operation Band :LTE B18 **Test Date** :2017-11-29

Fundamental Frequency :821.5 MHz Temp./Humi. :22.1 deg_C / 68 RH

Operation Mode :TX HIGH Engineer :Kane

:HORIZONTAL EUT Pol. :H Plane Measurement Antenna Pol.



Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Safe Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
94.99	S	Peak	0.00	-68.44	-68.44	-13.00	-55.44
167.74	S	Peak	0.00	-70.17	-70.17	-13.00	-57.17
207.51	S	Peak	0.00	-68.84	-68.84	-13.00	-55.84
219.15	S	Peak	0.01	-59.37	-59.36	-13.00	-46.36
529.55	S	Peak	-0.01	-64.68	-64.69	-13.00	-51.69
618.79	S	Peak	0.00	-63.42	-63.42	-13.00	-50.42
1643.00	Н	Peak	0.00	-61.27	-61.27	-13.00	-48.27



Page 126 of 139


11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents.

The document is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions of Electronic Document.

The document is subject to Terms and Conditions of Electronic Document at www.sgs.com/terms and www.sgs.com/terms and www.sgs.com/terms and <a href="https://ww Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 127 of 139

11.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

SGS Taiwan Ltd.

f (886-2) 2298-0488 www.tw.sqs.com



Page 128 of 139

11.4. Measurement Equipment Used

.+. Mcasarcinciic	quipinent 03cc				
Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU-	SUCOFLEX	23670/2	01/05/2017	01/04/2018
	BER+SUHNER	102			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach this document is unlawful and offenders may be prosecuted to the fullest extent of the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page 129 of 139


11.5. Measurement Result

Reference Freq.:		E B14 Mid Channel	793 N	MHz 10M QPSK CH 23330
Power Supply Vdc	Temp.	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	Fred	. ERROR vs. \	/OLTAC	SE
4.5	25	793.0000029	-1.15	4700
3.82	25	793.000004	0	4700
3.6	25	792.999996	-8	4700
3.2 (End Point)	25	792.999998	-6	4700
	Fr	eq. ERROR vs	. Temp.	
3.82	-30	792.9999974	-7.03	4700
3.82	-20	793.0000062	1.75	4700
3.82	-10	793.0000095	5.12	4700
3.82	0	792.9999942	-10.25	4700
3.82	10	793.0000065	2.08	4700
3.82	20	793.0000044	0	4700
3.82	30	793.0000069	2.43	4700
3.82	40	792.9999914	-13.04	4700
3.82	50	793.0000029	-1.49	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach this document is unlawful and offenders may be prosecuted to the fullest extent of the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279





LTE B18 Mid 827MHz 5M QPSK Reference (Part 22) Freq.: CH 23970 Channel **Power** Limit = +/- 2.5Temp. Freq. Delta Supply ppm (°C) (MHz) (Hz) Vdc (Hz) Freq. ERROR vs. VOLTAGE 25 827.0000029 1.53 2091 4.5 3.82 25 827.0000014 0 2091 3.6 25 826.9999973 -4.062091 3.2 25 827.0000037 2.31 2091 (End Point) Freq. ERROR vs. Temp. -30 827.0000135 2091 3.82 2.18 3.82 -20 826.9999929 -18.452091 3.82 -10 827.0000147 3.36 2091 0 3.82 827.0000113 -0.052091 10 -13.93 2091 3.82 826.9999974 20 3.82 827.0000114 0 2091 3.82 30 -13.5 2091 826.9999979 3.82 40 827.0000104 -0.982091 3.82 50 2091 826.9999907 -20.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





LTE B18 Mid (Part 819.5MHz 5M QPSK CH Reference 90S) Freq.: Channel **Power** Limit = +/- 2.5Temp. Freq. Delta Supply ppm (°C) (MHz) (Hz) Vdc (Hz) Freq. ERROR vs. VOLTAGE 25 819.5000045 1769 4.5 3.82 25 819.5000032 0 1769 3.6 25 819.5000046 1.34 1769 3.2 25 819.5000016 -1.591769 (End Point) Freq. ERROR vs. Temp. -30 819.5000083 6.73 3.82 1769 3.82 -20 819.4999902 -11.31769 3.82 -10 819.4999955 -6.011769 0 3.82 819.5000141 12.61 1769 10 3.82 819.49999 -11.56 1769 3.82 20 819.5000015 0 1769 3.82 30 819.5000016 0.08 1769 3.82 40 819.499992 -9.49 1769 3.82 1769 50 819.5000132 11.63

Note: The battery is rated 3.82V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 132 of 139

12. **PEAK TO AVERAGE RATIO**

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. **Measurement Procedure**


- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. **Measurement Equipment Used**

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





12.5. **Measurement Result**

Tabular Results:

			LTE	BAND 14				
Chai	Channel bandwidth: 5MHz			Channel bandwidth: 10MHz				
Freq. (MHz)	СН	Peak-to-A Rati (dB	0	Freq. (MHz)	СН	Peak-to-A Rati (dB	0	
, ,		64QAM	Limit	, ,		64QAM	Limit	
790.5	23305	5.43	13					
793.0	23330	5.19	13	793.0	23330	5.51	13	
795.5	23355	5.78	13					

LT	LTE BAND 18 (Part 22)						
Channel bandwidth: 5MHz							
Freq. (MHz)	СН	Peak-to-Average Ratio (dB)					
		64QAM	Limit				
		יוויו	Liiiii				
826.5	23965	6.67	13				
826.5 827	23965 23970						

LTE BAND 18 (Part 90S)				
Channel bandwidth: 5MHz				
Freq. (MHz) CH		Rati	eak-to-Average Ratio (dB)	
, ,		64QAM	Limit	
817.5	23875	6.30	13	
819.5	23895	6.61	13	
017.3	20070	0.0.		

Measurement Results:


Please refer to next pge.

t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach this document is unlawful and offenders may be prosecuted to the fullest extent of the law. appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band14 5MHz 64QAM 25 0 Low



Band14 5MHz 64QAM 25 0 Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band14 5MHz 64QAM 25 0 High



Band14 10MHz 64QAM 50 0 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band18 5MHz_64QAM_25_0_Low



Band18 5MHz 64QAM 25 0 Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band18 5MHz 64QAM 25 0 High



(Part 90S) Band18_5MHz_64QAM_25_0_Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band18 5MHz 64QAM 25 0 Mid



Band18 5MHz 64QAM 25 0 High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 139 of 139

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488