

Antenna Specifications

Antenna gain: -2.79dBi max

Model Name:F0021

Antenna type:PCB Antenna

Frequency range:2.4GHZ-2.5GHZ

Manufacture:Shenzhen Warsong Technology Co., Ltd.


**Address: D3.Tongfuyu Industrial Area , Street Community of Shajing Town,
BaoAn,ShenZhen, China**

报告目录/Report Table of Contents

- 测试条件/Test conditions
- 天线&样机外观/Appearance of antenna and prototype
- 天线S参数/Antenna S parameters
- 天线无源效率/Antenna passive efficiency
- 天线辐射场型/Antenna radiation pattern


测试条件/Test conditions

测试项目 Test items	测试仪器 instrument	厂商 manufacturer
S参数 / s-parameter	E5062A	Agilent
无源效率 Passive efficiency	E5071C/RayZone 1800	Keysight/GTS




样机外观/Prototype appearance


天线位置/Antenna position



天线S参数 Antenna parameters




匹配参数/Matching parameters



编号Number	规格Specifications	厂商Manufacturer	公差public errand	备注notes
1	L=6. 8nH/0402	MURATA	± 5%	
2	C=1. 0pF/0402	MURATA	± 0. 1pF	





天线尺寸/Antenna size



天线无源效率/Antenna passive efficiency

Freq(MHz)	Gain(dB)	Efficiency(dB)	Efficiency(%)
2400	-3.45	-7.57	17.48
2410	-3.25	-7.49	17.81
2420	-3.13	-7.43	18.09
2430	-2.98	-7.31	18.59
2440	-2.85	-7.21	19.02
2450	-2.79	-7.16	19.22
2460	-2.79	-7.14	19.31
2470	-2.85	-7.17	19.20
2480	-2.92	-7.23	18.94
2490	-3.05	-7.31	18.56
2500	-3.12	-7.40	18.21

天线辐射场型 / Antenna radiation pattern



Thanks for Your Attention