

LABORATORY TEST REPORT

RADIO PERFORMANCE MEASUREMENTS

for the

TPHN0A Handportable Transceiver

Tested in accordance with:

FCC 47 CFR Parts 22, 27, 90 and 90R

RSS-119 Issue 12
RSS-Gen Issue 5

Report Section: B of three sections

Report Revision: 1

Issue Date: 23 January 2023

PREPARED BY: L. M. White


Test Technician

CHECKED & APPROVED BY: M. C. James


Laboratory Technical Manager



FCC Registration: 838288
ISED Registration: 737A

All tests reported herein have been performed in accordance with the laboratory's scope of accreditation.

This document must not be reproduced except in full, without the written permission of the Compliance Laboratory Manager

TELTEST Laboratories (A Division of Tait International Ltd)
PO Box 1645, 558 Wairakei Road, Christchurch, New Zealand.

Telephone: 64 3 358 3399
FAX: 64 3 359 4632

FCC ID: CASTPHN0A
IC : 737A-TPHN0A

Page 1 of 236

Report Revision: 1
Issue Date: 23 January 2023

TABLE OF CONTENTS

SAMPLE INFORMATION	3
TEST RESULTS	4
TRANSMITTER SPECTRUM MASKS	4

For convenience, this test report is divided into 3 sections. This is section B.

Section A contains: Revision History

Introduction

Test Requirements and Result Summary

Statement of Compliance

Channel Table

List of Antennae Intended for use with the Device

Modulation types, Necessary Bandwidth & Emission Designators

Transmitter Output Power(Conducted)

Transmitter Audio Frequency Response – Pre-emphasis

Transmitter Modulation Limiting

Transmitter Occupied (99%) Bandwidth

Section B contains: Transmitter Spectrum Masks

Section C contains: Adjacent Channel Power Ratio

Transmitter Spurious Emissions (Conducted)

Transmitter Spurious Emissions (Radiated)

Transmitter Radiated Emissions in the GNSS Band

Transmitter Conducted Emissions in the GNSS Band

Transient Frequency Behavior

Transmitter Frequency Stability – Temperature

Transmitter Frequency Stability – Voltage

Receiver Spurious Emissions (Conducted)

Test Equipment List

Annex A – Test Setup Details

SAMPLE INFORMATION

DESCRIPTION OF SAMPLE

Manufacturer Tait International Limited
Equipment: Handportable Transceiver
Type: TPHN0A
Product Code: T03-00071-NBAC
Serial Number(s): 26637742

Transmit Frequency range (MHz)	136 → 174	378 → 520	757 → 870	896 → 941
Rated Transmit Power (Watts)	6	5	3	3

TEST RESULTS

TRANSMITTER SPECTRUM MASKS

SPECIFICATION: FCC 47 CFR 2.1049 (c) RSS-119 5.5

GUIDE: TIA/EIA-603E 2.2.11 (Analogue)
TIA-102.CAAA-C 2.2.5 (Digital)

MEASUREMENT PROCEDURE:

1. Refer Annex A for Equipment Set up.
2. For Analogue measurements: The EUT was modulated by a 2500 Hz tone at an input level 16 dB above a level that produced 50% deviation. The input level was established at the frequency of maximum response of the audio modulating circuit.
For Data measurements: The EUT was modulated with an internally generated pseudo random bit sequence at the appropriate Baud rates.
3. The Occupied Bandwidth was measured on the Spectrum Analyser, with bandwidth settings as noted on the recorded plots.

MEASUREMENT RESULTS:

See the plots on the following pages for 12.5 and 25 kHz channel spacing.

MEASUREMENT UNCERTAINTY 95% $\pm 0.65\text{dB}$

LIMIT CLAUSE: FCC 47 CFR 90.210 RSS-119 5.5

EMISSION MASKS

Channel Frequency	Modulation	Channel Spacing	
		12.5 kHz	25 kHz
138-174 MHz	Analogue, FFSK, Digital Voice/data	D	N/A
406-430, 450-470 MHz (ISED) 421-512 MHz (FCC)	Analogue	D	B
	FFSK, Digital Voice/data	D	C
806-821/851-866 MHz & 821-824/866-869 MHz (ISED)	Analogue	D	B
	FFSK, Digital Voice/data	D	G
806-809/851-854 MHz (FCC)	Analogue	B	B
	FFSK, Digital Voice/data	H	H
809-824/854-869 MHz (FCC)	Analogue	D	B
	FFSK, Digital Voice/data	D	G
896-901/935-940 MHz (ISED)	Analogue	I	N/A
	FFSK, Digital Voice/data	J	N/A
928-929 MHz (ISED)	Analogue	D	N/A
	FFSK, Digital Voice/data	D	N/A
896-901/935-940 MHz (FCC)	Analogue	I	N/A
	FFSK, Digital Voice/data	J	N/A

DATA SPEED

Digital Voice/Data	12.5 kHz Channel Spacing	9600 bps & 12000 bps
FFSK	12.5 kHz Channel Spacing	1200 bps & 2400 bps

Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

138.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

138.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

143.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

143.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

148.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

148.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

150.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

Tx FREQUENCY:


FCC 47 CFR 2.1049(C)

150.05 MHz

6 W

RSS-119 5.5

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.05 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

Tx FREQUENCY:


FCC 47 CFR 2.1049(C)

162.025 MHz

6 W

RSS-119 5.5

12.5 kHz Channel Spacing




Tx FREQUENCY:

162.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

173.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

173.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 406.125 MHz 5 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 406.125 MHz 5 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 418.025 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 418.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 429.975 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 429.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 438.025 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 438.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 450.025 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 450.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 460.025 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 460.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

469.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

469.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 511.975 MHz 5 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 511.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 806.025 MHz 3 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 806.025 MHz 3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 806.025 MHz 1 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 806.025 MHz 1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

815.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

815.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

823.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

823.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 851.025 MHz 3 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 851.025 MHz 3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 851.025 MHz 1 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 851.025 MHz 1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

860.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

860.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

868.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

868.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 896.025 MHz 3 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 896.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

899.0 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

899.0 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 900.975 MHz 3 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 900.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

902.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

902.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

915.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

915.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 928.025 MHz 3 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 928.025 MHz 3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 928.025 MHz 1 W


RSS-119 5.5

12.5 kHz Channel Spacing



Tx FREQUENCY: 928.025 MHz 1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 935.025 MHz 3 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 935.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 939.875 MHz 3 W

RSS-119 5.5


12.5 kHz Channel Spacing



Tx FREQUENCY: 939.875 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

25 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 511.975 MHz 5 W


RSS-119 5.5

25 kHz Channel Spacing



Tx FREQUENCY: 511.975 MHz 1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 806.025 MHz 3 W


RSS-119 5.5

25 kHz Channel Spacing



Tx FREQUENCY: 806.025 MHz 1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 815.025 MHz 3 W


RSS-119 5.5

25 kHz Channel Spacing



Tx FREQUENCY: 815.025 MHz 1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 823.975 MHz 3 W


RSS-119 5.5

25 kHz Channel Spacing



Tx FREQUENCY: 823.975 MHz 1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

ANALOGUE VOICE

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

860.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

860.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks


ANALOGUE VOICE

SPECIFICATION: FCC 47 CFR 2.1049(C)

Tx FREQUENCY: 868.975 MHz 3 W


RSS-119 5.5

25 kHz Channel Spacing



Tx FREQUENCY: 868.975 MHz 1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

138.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

138.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

143.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

143.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

148.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

148.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

150.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

150.05 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.05 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

162.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

162.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

173.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

173.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

406.125 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

406.125 MHz

5 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

418.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

418.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

429.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

429.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

438.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

438.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

450.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

450.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

460.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

460.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

469.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

469.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

511.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

511.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

815.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

815.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

823.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

823.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz

3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

860.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

860.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

868.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

868.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

896.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

896.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

899.0 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

899.0 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

900.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

900.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

902.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

902.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

915.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

915.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

928.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

928.025 MHz

3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

928.025 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

928.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

935.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

935.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

939.875 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

939.875 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

25 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

511.975 MHz

5 W

25 kHz Channel Spacing




Tx FREQUENCY:

511.975 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

3 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

1 W

25 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

815.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

815.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

823.975 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

823.975 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz

3 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

1 W

25 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

860.025 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

860.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 1200 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

868.975 MHz

3 W

25 kHz Channel Spacing




Tx FREQUENCY:

868.975 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

138.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

138.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

143.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

143.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

148.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

148.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

150.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

150.05 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

150.05 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

162.025 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

162.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

173.975 MHz

6 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

173.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

406.125 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

406.125 MHz

5 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

406.125 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

418.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

418.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

429.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

429.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

438.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

438.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

450.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

450.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

460.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

460.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

469.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

469.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

511.975 MHz

5 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

511.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

806.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

815.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

815.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

823.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

823.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

851.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

851.025 MHz


3 W

12.5 kHz Channel Spacing




Transmitter Spectrum Masks

12.5 kHz Channel Spacing



12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

860.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

860.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

868.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

868.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

896.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

896.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

899.0 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

899.0 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

900.975 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

900.975 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

902.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

902.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

915.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

915.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

928.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

928.025 MHz

3 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

928.025 MHz

1 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

928.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

935.025 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

935.025 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

939.875 MHz

3 W

12.5 kHz Channel Spacing




Tx FREQUENCY:

939.875 MHz

1 W

12.5 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

491.025 MHz

5 W

25 kHz Channel Spacing




Tx FREQUENCY:

491.025 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

511.975 MHz

5 W

25 kHz Channel Spacing




Tx FREQUENCY:

511.975 MHz

1 W

25 kHz Channel Spacing



Transmitter Spectrum Masks

FFSK 2400 bps

SPECIFICATION:

FCC 47 CFR 2.1049(C)


RSS-119 5.5

Tx FREQUENCY:

806.025 MHz

3 W

25 kHz Channel Spacing



Tx FREQUENCY:

806.025 MHz

3 W

25 kHz Channel Spacing

