





























REPORT NO.: 4790962528-1-RF-4

Page 423 of 485

## 11AX80MIMO\_Ant1\_5690\_UNII-3

REPORT NO.: 4790962528-1-RF-4

Page 424 of 485

## 11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

| Test Mode | Antenna       | Frequency[MHz] | Power        | Limit            | EIRP          | Limit            | Verdict      |
|-----------|---------------|----------------|--------------|------------------|---------------|------------------|--------------|
| Test Mode |               |                | [dBm/MHz]    | [dBm/MHz]        | [dBm/MHz]     | [dBm/MHz]        |              |
|           | Ant0          | 5180           | 3.01         | ≤11.00           | 9.09          | ≤10.00           | PASS         |
|           | Ant1          | 5180           | 3.15         | ≤11.00           | 9.23          | ≤10.00           | PASS         |
|           | Ant0          | 5200           | 3.18         | ≤11.00<br>≤11.00 | 9.26          | ≤10.00           | PASS<br>PASS |
|           | Ant1<br>Ant0  | 5200<br>5240   | 3.07<br>3.14 | ≤11.00<br>≤11.00 | 9.15<br>9.22  | ≤10.00<br>≤10.00 | PASS         |
|           | Ant1          | 5240           | 2.83         | ≤11.00<br>≤11.00 | 8.91          | ≤10.00<br>≤10.00 | PASS         |
|           | Ant0          | 5260           | 4.04         | ≤11.00<br>≤11.00 | 10.12         | <u></u>          | PASS         |
|           | Ant1          | 5260           | 4.45         | ≤11.00<br>≤11.00 | 10.53         |                  | PASS         |
|           | Ant0          | 5280           | 3.63         | ≤11.00           | 9.71          |                  | PASS         |
|           | Ant1          | 5280           | 4.12         | ≤11.00           | 10.20         |                  | PASS         |
|           | Ant0          | 5320           | 3.77         | ≤11.00           | 9.85          |                  | PASS         |
|           | Ant1          | 5320           | 4.23         | ≤11.00           | 10.31         |                  | PASS         |
|           | Ant0          | 5500           | 4.07         | ≤11.00           | 10.15         |                  | PASS         |
| 11A       | Ant1          | 5500           | 3.74         | ≤11.00           | 9.82          |                  | PASS         |
| HA        | Ant0          | 5580           | 4.51         | ≤11.00           | 10.59         |                  | PASS         |
|           | Ant1          | 5580           | 3.52         | ≤11.00           | 9.60          |                  | PASS         |
|           | Ant0          | 5700           | 4.53         | ≤11.00           | 10.61         |                  | PASS         |
|           | Ant1          | 5700           | 3.84         | ≤11.00           | 9.92          |                  | PASS         |
|           | Ant0          | 5720_UNII-2C   | 4.44         | ≤11.00           | 10.52         |                  | PASS         |
|           | Ant1          | 5720_UNII-2C   | 3.90         | ≤11.00           | 9.98          |                  | PASS         |
|           | Ant0          | 5720_UNII-3    | -0.11        | ≤30.00           | 5.97          |                  | PASS         |
|           | Ant1          | 5720_UNII-3    | -0.40        | ≤30.00           | 5.68          |                  | PASS         |
|           | Ant0          | 5745<br>5745   | 1.67         | ≤30.00           | 7.75          |                  | PASS         |
|           | Ant1<br>Ant0  | 5785           | 1.70<br>2.09 | ≤30.00<br>≤30.00 | 7.78<br>8.17  |                  | PASS<br>PASS |
|           | Ant1          | 5785           | 1.44         | ≤30.00<br>≤30.00 | 7.52          |                  | PASS         |
|           | Ant0          | 5825           | 1.92         | ≤30.00           | 8.00          |                  | PASS         |
|           | Ant1          | 5825           | 1.36         | ≤30.00           | 7.44          |                  | PASS         |
|           | Ant0          | 5180           | -3.52        | ≤7.91            | 2.56          | ≤10.00           | PASS         |
|           | Ant1          | 5180           | -2.23        | ≤7.91            | 3.85          | ≤10.00           | PASS         |
|           | total         | 5180           | 0.18         | ≤7.91            | 9.27          | ≤10.00           | PASS         |
|           | Ant0          | 5200           | -3.93        | ≤7.91            | 2.15          | ≤10.00           | PASS         |
|           | Ant1          | 5200           | -2.36        | ≤7.91            | 3.72          | ≤10.00           | PASS         |
|           | total         | 5200           | -0.06        | ≤7.91            | 9.03          | ≤10.00           | PASS         |
|           | Ant0          | 5240           | -3.81        | ≤7.91            | 2.27          | ≤10.00           | PASS         |
|           | Ant1          | 5240           | -2.17        | ≤7.91            | 3.91          | ≤10.00           | PASS         |
|           | total         | 5240           | 0.10         | ≤7.91            | 9.19          | ≤10.00           | PASS         |
|           | Ant0          | 5260           | 1.60         | ≤7.91            | 7.68          |                  | PASS         |
|           | Ant1          | 5260           | 2.97         | ≤7.91            | 9.05          |                  | PASS         |
|           | total         | 5260           | 5.35         | ≤7.91            | 14.44         |                  | PASS         |
|           | Ant0          | 5280           | 2.25         | ≤7.91            | 8.33          |                  | PASS         |
|           | Ant1          | 5280<br>5280   | 3.28<br>5.81 | ≤7.91<br>≤7.91   | 9.36<br>14.90 |                  | PASS<br>PASS |
| 11N20MIMO | total<br>Ant0 | 5280           | 1.33         | ≤7.91<br>≤7.91   | 7.41          |                  | PASS         |
|           | Ant1          | 5320           | 2.70         | ≤7.91<br>≤7.91   | 8.78          |                  | PASS         |
|           | total         | 5320           | 5.08         | ≤7.91            | 14.17         |                  | PASS         |
|           | Ant0          | 5500           | 1.97         | ≤7.91            | 8.05          |                  | PASS         |
|           | Ant1          | 5500           | 2.82         | ≤7.91            | 8.90          |                  | PASS         |
|           | total         | 5500           | 5.43         | ≤7.91            | 14.52         |                  | PASS         |
|           | Ant0          | 5580           | 1.60         | ≤7.91            | 7.68          |                  | PASS         |
|           | Ant1          | 5580           | 2.56         | ≤7.91            | 8.64          |                  | PASS         |
|           | total         | 5580           | 5.12         | ≤7.91            | 14.21         |                  | PASS         |
|           | Ant0          | 5700           | 1.72         | ≤7.91            | 7.80          |                  | PASS         |
|           | Ant1          | 5700           | 2.99         | ≤7.91            | 9.07          |                  | PASS         |
|           | total         | 5700           | 5.41         | ≤7.91            | 14.50         |                  | PASS         |
|           | Ant0          | 5720_UNII-2C   | 2.08         | ≤7.91            | 8.16          |                  | PASS         |
|           | Ant1          | 5720_UNII-2C   | 3.36         | ≤7.91            | 9.44          |                  | PASS         |
|           | total         | 5720_UNII-2C   | 5.78         | ≤7.91            | 14.87         |                  | PASS         |



|                 | A n+O | 5720 LINII 2 | -2.34  | ≤26.91           | 3.74  |        | PASS |
|-----------------|-------|--------------|--------|------------------|-------|--------|------|
|                 | Ant0  | 5720_UNII-3  |        |                  |       |        |      |
|                 | Ant1  | 5720_UNII-3  | -1.25  | ≤26.91           | 4.83  |        | PASS |
|                 | total | 5720_UNII-3  | 1.25   | ≤26.91           | 10.34 |        | PASS |
|                 | Ant0  | 5745         | -0.07  | ≤26.91           | 6.01  |        | PASS |
|                 | Ant1  | 5745         | 0.40   | ≤26.91           | 6.48  |        | PASS |
|                 | total | 5745         | 3.18   | ≤26.91           | 12.27 |        | PASS |
|                 | Ant0  | 5785         | -0.81  | ≤26.91           | 5.27  |        | PASS |
|                 | Ant1  | 5785         | 0.15   | ≤26.91           | 6.23  |        | PASS |
|                 | total | 5785         | 2.71   | ≤26.91           | 11.80 |        | PASS |
|                 | Ant0  | 5825         | -0.16  | ≤26.91           | 5.92  |        | PASS |
|                 | Ant1  | 5825         | 0.04   | ≤26.91           | 6.12  |        | PASS |
|                 | total | 5825         | 2.95   | ≤26.91           | 12.04 |        | PASS |
|                 | Ant0  | 5190         | -3.55  | ≤7.91            | 2.53  | ≤10.00 | PASS |
|                 | Ant1  | 5190         | -2.55  | ≤7.91            | 3.53  | ≤10.00 | PASS |
|                 | total | 5190         | -0.01  | ≤7.91            | 9.08  | ≤10.00 | PASS |
|                 |       | 5230         | -4.08  | ≤7.91            |       |        | PASS |
|                 | Ant0  |              |        |                  | 2.00  | ≤10.00 |      |
|                 | Ant1  | 5230         | -2.48  | ≤7.91            | 3.60  | ≤10.00 | PASS |
|                 | total | 5230         | -0.20  | ≤7.91            | 8.89  | ≤10.00 | PASS |
|                 | Ant0  | 5270         | -0.93  | ≤7.91            | 5.15  |        | PASS |
|                 | Ant1  | 5270         | 0.22   | ≤7.91            | 6.30  |        | PASS |
|                 | total | 5270         | 2.69   | ≤7.91            | 11.78 |        | PASS |
|                 | Ant0  | 5310         | -1.19  | ≤7.91            | 4.89  |        | PASS |
|                 | Ant1  | 5310         | -0.05  | ≤7.91            | 6.03  |        | PASS |
|                 | total | 5310         | 2.43   | ≤7.91            | 11.52 |        | PASS |
|                 | Ant0  | 5510         | -0.63  | ≤7.91            | 5.45  |        | PASS |
|                 | Ant1  | 5510         | 0.33   | ≤7.91            | 6.41  |        | PASS |
|                 | total | 5510         | 2.89   | ≤7.91            | 11.98 |        | PASS |
|                 | Ant0  | 5550         | -1.12  | ≤7.91            | 4.96  |        | PASS |
| 11N40MIMO       | Ant1  | 5550         | -0.01  | ≤7.91            | 6.07  |        | PASS |
| 1 11440IVIIIVIO | total | 5550         | 2.48   | ≤7.91            | 11.57 |        | PASS |
|                 |       |              |        |                  |       |        |      |
|                 | Ant0  | 5670         | -1.44  | ≤7.91            | 4.64  |        | PASS |
|                 | Ant1  | 5670         | -0.13  | ≤7.91            | 5.95  |        | PASS |
| 1               | total | 5670         | 2.27   | ≤7.91            | 11.36 |        | PASS |
|                 | Ant0  | 5710_UNII-2C | -0.58  | ≤7.91            | 5.50  |        | PASS |
|                 | Ant1  | 5710_UNII-2C | 0.14   | ≤7.91            | 6.22  |        | PASS |
|                 | total | 5710_UNII-2C | 2.81   | ≤7.91            | 11.90 |        | PASS |
|                 | Ant0  | 5710_UNII-3  | -6.45  | ≤26.91           | -0.37 |        | PASS |
|                 | Ant1  | 5710_UNII-3  | -5.65  | ≤26.91           | 0.43  |        | PASS |
|                 | total | 5710_UNII-3  | -3.02  | ≤26.91           | 6.07  |        | PASS |
|                 | Ant0  | 5755         | -3.71  | ≤26.91           | 2.37  |        | PASS |
|                 | Ant1  | 5755         | -2.26  | ≤26.91           | 3.82  |        | PASS |
|                 | total | 5755         | 0.09   | ≤26.91           | 9.18  |        | PASS |
|                 | Ant0  | 5795         | -3.86  | ≤26.91           | 2.22  |        | PASS |
|                 | Ant1  | 5795         | -2.82  | ≤26.91           | 3.26  |        | PASS |
|                 | total | 5795         | -0.30  | ≤26.91           | 8.79  |        | PASS |
| -               | _     | 5210         | -5.35  | ≤7.91            | 0.73  | ≤10.00 | PASS |
| 11AC80MIMO      | Ant0  | 5210         | -3.78  | ≤7.91<br>≤7.91   |       |        | PASS |
|                 | Ant1  |              |        |                  | 2.30  | ≤10.00 |      |
|                 | total | 5210         | -1.48  | ≤7.91            | 7.61  | ≤10.00 | PASS |
|                 | Ant0  | 5290         | -3.77  | ≤7.91            | 2.31  |        | PASS |
|                 | Ant1  | 5290         | -2.52  | ≤7.91            | 3.56  |        | PASS |
|                 | total | 5290         | -0.09  | ≤7.91            | 9.00  |        | PASS |
|                 | Ant0  | 5530         | -5.07  | ≤7.91            | 1.01  |        | PASS |
|                 | Ant1  | 5530         | -4.36  | ≤7.91            | 1.72  |        | PASS |
|                 | total | 5530         | -1.69  | ≤7.91            | 7.40  |        | PASS |
|                 | Ant0  | 5610         | -5.49  | ≤7.91            | 0.59  |        | PASS |
|                 | Ant1  | 5610         | -4.42  | ≤7.91            | 1.66  |        | PASS |
|                 | total | 5610         | -1.91  | ≤7.91            | 7.18  |        | PASS |
|                 | Ant0  | 5690_UNII-2C | -4.98  | ≤7.91            | 1.10  |        | PASS |
|                 | Ant1  | 5690_UNII-2C | -3.90  | ≤7.91            | 2.18  |        | PASS |
|                 | total | 5690_UNII-2C | -1.40  | ≤7.91            | 7.69  |        | PASS |
|                 | Ant0  | 5690_UNII-3  | -11.26 | ≤26.91           | -5.18 |        | PASS |
|                 | Ant1  | 5690_UNII-3  | -10.23 | ≤26.91           | -4.15 |        | PASS |
|                 | total | 5690_UNII-3  | -7.70  | ≤26.91<br>≤26.91 | 1.39  |        | PASS |
|                 |       |              |        |                  |       |        |      |
|                 | Ant0  | 5775         | -7.93  | ≤26.91           | -1.85 |        | PASS |



|            |       |              | 1     |        | 1     | 1                |      |
|------------|-------|--------------|-------|--------|-------|------------------|------|
|            | Ant1  | 5775         | -6.46 | ≤26.91 | -0.38 |                  | PASS |
|            | total | 5775         | -4.12 | ≤26.91 | 4.97  |                  | PASS |
|            | Ant0  | 5180         | -3.71 | ≤7.91  | 2.37  | ≤10.00           | PASS |
|            | Ant1  | 5180         | -2.57 | ≤7.91  | 3.51  | ≤10.00           | PASS |
|            |       |              |       |        |       | ≤10.00<br>≤10.00 |      |
|            | total | 5180         | -0.09 | ≤7.91  | 9.00  |                  | PASS |
|            | Ant0  | 5200         | -3.38 | ≤7.91  | 2.70  | ≤10.00           | PASS |
|            | Ant1  | 5200         | -2.25 | ≤7.91  | 3.83  | ≤10.00           | PASS |
|            | total | 5200         | 0.23  | ≤7.91  | 9.32  | ≤10.00           | PASS |
|            | Ant0  | 5240         | -4.17 | ≤7.91  | 1.91  | ≤10.00           | PASS |
|            | Ant1  | 5240         | -2.12 | ≤7.91  | 3.96  | ≤10.00           | PASS |
|            | -     | 5240         |       |        |       |                  |      |
|            | total |              | -0.01 | ≤7.91  | 9.08  | ≤10.00           | PASS |
|            | Ant0  | 5260         | -2.22 | ≤7.91  | 3.86  |                  | PASS |
|            | Ant1  | 5260         | -0.73 | ≤7.91  | 5.35  |                  | PASS |
|            | total | 5260         | 1.60  | ≤7.91  | 10.69 |                  | PASS |
|            | Ant0  | 5280         | -1.29 | ≤7.91  | 4.79  |                  | PASS |
|            | Ant1  | 5280         | -0.46 | ≤7.91  | 5.62  |                  | PASS |
|            | total | 5280         | 2.16  | ≤7.91  | 11.25 |                  | PASS |
|            |       |              |       |        |       |                  |      |
|            | Ant0  | 5320         | -2.20 | ≤7.91  | 3.88  |                  | PASS |
|            | Ant1  | 5320         | -0.65 | ≤7.91  | 5.43  |                  | PASS |
|            | total | 5320         | 1.65  | ≤7.91  | 10.74 |                  | PASS |
|            | Ant0  | 5500         | -2.10 | ≤7.91  | 3.98  |                  | PASS |
|            | Ant1  | 5500         | -0.90 | ≤7.91  | 5.18  |                  | PASS |
|            |       | 5500         | 1.55  | ≤7.91  | 10.64 |                  | PASS |
| 11AX20MIMO | total |              |       |        |       |                  |      |
|            | Ant0  | 5580         | -2.40 | ≤7.91  | 3.68  |                  | PASS |
|            | Ant1  | 5580         | -1.10 | ≤7.91  | 4.98  |                  | PASS |
|            | total | 5580         | 1.31  | ≤7.91  | 10.40 |                  | PASS |
|            | Ant0  | 5700         | -1.77 | ≤7.91  | 4.31  |                  | PASS |
|            | Ant1  | 5700         | -0.77 | ≤7.91  | 5.31  |                  | PASS |
|            | total | 5700         | 1.77  | ≤7.91  | 10.86 |                  | PASS |
|            |       |              |       |        |       |                  |      |
|            | Ant0  | 5720_UNII-2C | -1.36 | ≤7.91  | 4.72  |                  | PASS |
|            | Ant1  | 5720_UNII-2C | -0.68 | ≤7.91  | 5.40  |                  | PASS |
|            | total | 5720_UNII-2C | 2.00  | ≤7.91  | 11.09 |                  | PASS |
|            | Ant0  | 5720_UNII-3  | -5.53 | ≤26.91 | 0.55  |                  | PASS |
|            | Ant1  | 5720_UNII-3  | -4.90 | ≤26.91 | 1.18  |                  | PASS |
|            | total | 5720_UNII-3  | -2.19 | ≤26.91 | 6.90  |                  | PASS |
|            |       |              |       |        |       |                  |      |
|            | Ant0  | 5745         | -4.33 | ≤26.91 | 1.75  |                  | PASS |
|            | Ant1  | 5745         | -3.20 | ≤26.91 | 2.88  |                  | PASS |
|            | total | 5745         | -0.72 | ≤26.91 | 8.37  |                  | PASS |
|            | Ant0  | 5785         | -4.50 | ≤26.91 | 1.58  |                  | PASS |
|            | Ant1  | 5785         | -3.79 | ≤26.91 | 2.29  |                  | PASS |
|            | total | 5785         | -1.12 | ≤26.91 | 7.97  |                  | PASS |
|            | -     |              |       |        |       |                  |      |
|            | Ant0  | 5825         | -3.94 | ≤26.91 | 2.14  |                  | PASS |
|            | Ant1  | 5825         | -3.21 | ≤26.91 | 2.87  |                  | PASS |
|            | total | 5825         | -0.55 | ≤26.91 | 8.54  |                  | PASS |
| 11AX40MIMO | Ant0  | 5190         | -4.32 | ≤7.91  | 1.76  | ≤10.00           | PASS |
|            | Ant1  | 5190         | -4.14 | ≤7.91  | 1.94  | ≤10.00           | PASS |
|            | total | 5190         | -1.22 | ≤7.91  | 7.87  | ≤10.00           | PASS |
|            | Ant0  | 5230         |       | ≤7.91  | 1.04  | ≤10.00<br>≤10.00 | PASS |
|            |       |              | -5.04 |        |       |                  |      |
|            | Ant1  | 5230         | -3.73 | ≤7.91  | 2.35  | ≤10.00           | PASS |
|            | total | 5230         | -1.33 | ≤7.91  | 7.76  | ≤10.00           | PASS |
|            | Ant0  | 5270         | -4.66 | ≤7.91  | 1.42  |                  | PASS |
|            | Ant1  | 5270         | -3.26 | ≤7.91  | 2.82  |                  | PASS |
|            | total | 5270         | -0.89 | ≤7.91  | 8.20  |                  | PASS |
|            | Ant0  | 5310         | -5.05 | ≤7.91  | 1.03  |                  | PASS |
|            |       |              |       |        |       |                  |      |
|            | Ant1  | 5310         | -3.04 | ≤7.91  | 3.04  |                  | PASS |
|            | total | 5310         | -0.92 | ≤7.91  | 8.17  |                  | PASS |
|            | Ant0  | 5510         | -4.48 | ≤7.91  | 1.60  |                  | PASS |
|            | Ant1  | 5510         | -3.35 | ≤7.91  | 2.73  |                  | PASS |
|            | total | 5510         | -0.87 | ≤7.91  | 8.22  |                  | PASS |
|            | Ant0  | 5550         | -5.08 | ≤7.91  | 1.00  |                  | PASS |
|            |       |              |       |        |       |                  |      |
|            | Ant1  | 5550         | -3.55 | ≤7.91  | 2.53  |                  | PASS |
|            | total | 5550         | -1.24 | ≤7.91  | 7.85  |                  | PASS |
|            | Ant0  | 5670         | -5.02 | ≤7.91  | 1.06  |                  | PASS |
|            | Ant1  | 5670         | -4.11 | ≤7.91  | 1.97  |                  | PASS |
|            |       |              | •     | •      | •     | •                |      |



REPORT NO.: 4790962528-1-RF-4 Page 427 of 485

|            |       |              |        | _      | •     |        |      |
|------------|-------|--------------|--------|--------|-------|--------|------|
|            | total | 5670         | -1.53  | ≤7.91  | 7.56  |        | PASS |
|            | Ant0  | 5710_UNII-2C | -3.88  | ≤7.91  | 2.20  |        | PASS |
|            | Ant1  | 5710_UNII-2C | -3.28  | ≤7.91  | 2.80  |        | PASS |
|            | total | 5710_UNII-2C | -0.56  | ≤7.91  | 8.53  |        | PASS |
|            | Ant0  | 5710_UNII-3  | -9.74  | ≤26.91 | -3.66 |        | PASS |
|            | Ant1  | 5710_UNII-3  | -8.85  | ≤26.91 | -2.77 |        | PASS |
|            | total | 5710_UNII-3  | -6.26  | ≤26.91 | 2.83  |        | PASS |
|            | Ant0  | 5755         | -7.26  | ≤26.91 | -1.18 |        | PASS |
|            | Ant1  | 5755         | -6.36  | ≤26.91 | -0.28 |        | PASS |
|            | total | 5755         | -3.78  | ≤26.91 | 5.31  |        | PASS |
|            | Ant0  | 5795         | -7.06  | ≤26.91 | -0.98 |        | PASS |
|            | Ant1  | 5795         | -6.25  | ≤26.91 | -0.17 |        | PASS |
|            | total | 5795         | -3.63  | ≤26.91 | 5.46  |        | PASS |
|            | Ant0  | 5210         | -8.13  | ≤7.91  | -2.05 | ≤10.00 | PASS |
|            | Ant1  | 5210         | -6.36  | ≤7.91  | -0.28 | ≤10.00 | PASS |
|            | total | 5210         | -4.15  | ≤7.91  | 4.94  | ≤10.00 | PASS |
|            | Ant0  | 5290         | -7.16  | ≤7.91  | -1.08 |        | PASS |
|            | Ant1  | 5290         | -5.81  | ≤7.91  | 0.27  |        | PASS |
|            | total | 5290         | -3.42  | ≤7.91  | 5.67  |        | PASS |
|            | Ant0  | 5530         | -7.30  | ≤7.91  | -1.22 |        | PASS |
|            | Ant1  | 5530         | -6.26  | ≤7.91  | -0.18 |        | PASS |
|            | total | 5530         | -3.74  | ≤7.91  | 5.35  |        | PASS |
|            | Ant0  | 5610         | -7.19  | ≤7.91  | -1.11 |        | PASS |
| 11AX80MIMO | Ant1  | 5610         | -6.25  | ≤7.91  | -0.17 |        | PASS |
|            | total | 5610         | -3.68  | ≤7.91  | 5.41  |        | PASS |
|            | Ant0  | 5690_UNII-2C | -7.69  | ≤7.91  | -1.61 |        | PASS |
|            | Ant1  | 5690_UNII-2C | -6.75  | ≤7.91  | -0.67 |        | PASS |
|            | total | 5690_UNII-2C | -4.18  | ≤7.91  | 4.91  |        | PASS |
|            | Ant0  | 5690_UNII-3  | -13.31 | ≤26.91 | -7.23 |        | PASS |
|            | Ant1  | 5690_UNII-3  | -13.10 | ≤26.91 | -7.02 |        | PASS |
|            | total | 5690_UNII-3  | -10.19 | ≤26.91 | -1.10 |        | PASS |
|            | Ant0  | 5775         | -11.19 | ≤26.91 | -5.11 |        | PASS |
|            | Ant1  | 5775         | -9.53  | ≤26.91 | -3.45 |        | PASS |
| ľ          | total | 5775         | -7.27  | ≤26.91 | 1.82  |        | PASS |

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



## 11.5.2. Test Graphs





























































































































