


## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.122G   | 53.86         | 54.00         | -0.14      | 8.96       | 3       | V         | 344        | 2.27      | -        |
| AV   | 5.203G   | 102.91        | Inf           | -Inf       | 9.17       | 3       | V         | 344        | 2.27      | -        |
| AV   | 5.365G   | 51.95         | 54.00         | -2.05      | 9.46       | 3       | V         | 344        | 2.27      | -        |
| PK   | 5.142G   | 70.30         | 74.00         | -3.70      | 9.02       | 3       | V         | 344        | 2.27      | -        |
| PK   | 5.203G   | 112.89        | Inf           | -Inf       | 9.17       | 3       | V         | 344        | 2.27      | -        |
| PK   | 5.364G   | 62.51         | 74.00         | -11.49     | 9.46       | 3       | V         | 344        | 2.27      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.109G    | 49.15         | 54.00         | -4.85      | 8.93       | 3       | H         | 350        | 1.07      | -        |
| AV   | 5.191G    | 94.20         | Inf           | -Inf       | 9.14       | 3       | H         | 350        | 1.07      | -        |
| AV   | 5.411G    | 47.81         | 54.00         | -6.19      | 9.55       | 3       | H         | 350        | 1.07      | -        |
| PK   | 5.149995G | 60.82         | 74.00         | -13.18     | 9.03       | 3       | H         | 350        | 1.07      | -        |
| PK   | 5.191G    | 103.82        | Inf           | -Inf       | 9.14       | 3       | H         | 350        | 1.07      | -        |
| PK   | 5.369G    | 59.20         | 74.00         | -14.80     | 9.47       | 3       | H         | 350        | 1.07      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170721  
EUT X 4TX  
Setting 18  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.146G   | 47.15         | 54.00         | -6.85      | 9.02       | 3       | V         | 252        | 1.58      | -        |
| AV   | 5.304G   | 102.15        | Inf           | -Inf       | 9.36       | 3       | V         | 252        | 1.58      | -        |
| AV   | 5.365G   | 53.72         | 54.00         | -0.28      | 9.46       | 3       | V         | 252        | 1.58      | -        |
| PK   | 5.078G   | 59.53         | 74.00         | -14.47     | 8.85       | 3       | V         | 252        | 1.58      | -        |
| PK   | 5.304G   | 111.29        | Inf           | -Inf       | 9.36       | 3       | V         | 252        | 1.58      | -        |
| PK   | 5.365G   | 64.29         | 74.00         | -9.71      | 9.46       | 3       | V         | 252        | 1.58      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




20170721  
EUT X 4TX  
Setting 18  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.133G    | 47.08         | 54.00         | -6.92      | 8.99       | 3       | H         | 347        | 1.25      | -        |
| AV   | 5.269G    | 93.24         | Inf           | -Inf       | 9.29       | 3       | H         | 347        | 1.25      | -        |
| AV   | 5.350005G | 48.16         | 54.00         | -5.84      | 9.44       | 3       | H         | 347        | 1.25      | -        |
| PK   | 5.065G    | 58.89         | 74.00         | -15.11     | 8.81       | 3       | H         | 347        | 1.25      | -        |
| PK   | 5.27G     | 102.67        | Inf           | -Inf       | 9.29       | 3       | H         | 347        | 1.25      | -        |
| PK   | 5.389G    | 60.39         | 74.00         | -13.61     | 9.50       | 3       | H         | 347        | 1.25      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170721  
EUT X 4TX  
Setting 18  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.449G   | 53.98         | 54.00         | -0.02      | 9.65       | 3       | V         | 351        | 2.15      | -        |
| AV   | 5.509G   | 103.99        | Inf           | -Inf       | 9.80       | 3       | V         | 351        | 2.15      | -        |
| PK   | 5.447G   | 65.96         | 74.00         | -8.04      | 9.65       | 3       | V         | 351        | 2.15      | -        |
| PK   | 5.469G   | 67.82         | 68.20         | -0.38      | 9.71       | 3       | V         | 351        | 2.15      | -        |
| PK   | 5.509G   | 112.90        | Inf           | -Inf       | 9.80       | 3       | V         | 351        | 2.15      | -        |
| PK   | 5.734G   | 60.17         | 68.20         | -8.03      | 9.91       | 3       | V         | 351        | 2.15      | -        |

# **802.11ac VHT80\_Nss1,(MCS0)\_4TX**

## **5530MHz\_TX**




20170721  
 EUT X 4TX  
 Setting 18  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.458G   | 48.41         | 54.00         | -5.59      | 9.68       | 3       | H         | 340        | 1.20      | -        |
| AV   | 5.535G   | 92.80         | Inf           | -Inf       | 9.82       | 3       | H         | 340        | 1.20      | -        |
| PK   | 5.448G   | 59.84         | 74.00         | -14.16     | 9.65       | 3       | H         | 340        | 1.20      | -        |
| PK   | 5.468G   | 59.81         | 68.20         | -8.39      | 9.70       | 3       | H         | 340        | 1.20      | -        |
| PK   | 5.535G   | 102.17        | Inf           | -Inf       | 9.82       | 3       | H         | 340        | 1.20      | -        |
| PK   | 5.766G   | 59.99         | 68.20         | -8.21      | 9.91       | 3       | H         | 340        | 1.20      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.449G   | 50.39         | 54.00         | -3.61      | 9.65       | 3       | V         | 349        | 2.02      | -        |
| AV   | 5.588G   | 104.21        | Inf           | -Inf       | 9.87       | 3       | V         | 349        | 2.02      | -        |
| PK   | 5.448G   | 61.38         | 74.00         | -12.62     | 9.65       | 3       | V         | 349        | 2.02      | -        |
| PK   | 5.469G   | 65.44         | 68.20         | -2.76      | 9.71       | 3       | V         | 349        | 2.02      | -        |
| PK   | 5.588G   | 113.53        | Inf           | -Inf       | 9.87       | 3       | V         | 349        | 2.02      | -        |
| PK   | 5.73G    | 66.27         | 68.20         | -1.93      | 9.91       | 3       | V         | 349        | 2.02      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.455G   | 48.16         | 54.00         | -5.84      | 9.67       | 3       | H         | 338        | 2.13      | -        |
| AV   | 5.617G   | 95.63         | Inf           | -Inf       | 9.88       | 3       | H         | 338        | 2.13      | -        |
| PK   | 5.437G   | 59.51         | 74.00         | -14.49     | 9.62       | 3       | H         | 338        | 2.13      | -        |
| PK   | 5.469G   | 58.90         | 68.20         | -9.30      | 9.71       | 3       | H         | 338        | 2.13      | -        |
| PK   | 5.598G   | 104.50        | Inf           | -Inf       | 9.88       | 3       | H         | 338        | 2.13      | -        |
| PK   | 5.737G   | 60.29         | 68.20         | -7.91      | 9.91       | 3       | H         | 338        | 2.13      | -        |

# **802.11ac VHT80\_Nss1,(MCS0)\_4TX**

## **5690MHz Straddle 5.47-5.725GHz\_TX**




20170721  
EUT X 4TX  
Setting 21.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4464G  | 53.81         | 54.00         | -0.19      | 9.65       | 3       | V         | 207        | 2.06      | -        |
| AV   | 5.708G   | 107.15        | Inf           | -Inf       | 9.90       | 3       | V         | 207        | 2.06      | -        |
| PK   | 5.4464G  | 66.20         | 74.00         | -7.80      | 9.65       | 3       | V         | 207        | 2.06      | -        |
| PK   | 5.468G   | 67.96         | 68.20         | -0.24      | 9.70       | 3       | V         | 207        | 2.06      | -        |
| PK   | 5.6684G  | 116.06        | Inf           | -Inf       | 9.89       | 3       | V         | 207        | 2.06      | -        |
| PK   | 5.9288G  | 68.18         | 68.20         | -0.02      | 10.10      | 3       | V         | 207        | 2.06      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170721  
EUT X 4TX  
Setting 21.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4464G  | 51.33         | 54.00         | -2.67      | 9.65       | 3       | H         | 251        | 2.95      | -        |
| AV   | 5.696G   | 97.69         | Inf           | -Inf       | 9.90       | 3       | H         | 251        | 2.95      | -        |
| PK   | 5.4464G  | 63.70         | 74.00         | -10.30     | 9.65       | 3       | H         | 251        | 2.95      | -        |
| PK   | 5.4656G  | 63.92         | 68.20         | -4.28      | 9.70       | 3       | H         | 251        | 2.95      | -        |
| PK   | 5.7176G  | 106.82        | Inf           | -Inf       | 9.90       | 3       | H         | 251        | 2.95      | -        |
| PK   | 5.9468G  | 61.35         | 68.20         | -6.85      | 10.13      | 3       | H         | 251        | 2.95      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170721  
EUT X 4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 104.22        | Inf           | -Inf       | 9.92       | 3       | V         | 45         | 1.94      | -        |
| PK   | 5.649G   | 68.13         | 68.20         | -0.07      | 9.89       | 3       | V         | 45         | 1.94      | -        |
| PK   | 5.792G   | 114.48        | Inf           | -Inf       | 9.92       | 3       | V         | 45         | 1.94      | -        |
| PK   | 5.93G    | 65.03         | 68.20         | -3.17      | 10.10      | 3       | V         | 45         | 1.94      | -        |

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170721  
EUT X 4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.76G    | 96.35         | Inf           | -Inf       | 9.91       | 3       | H         | 273        | 2.80      | -        |
| PK   | 5.641G   | 61.46         | 68.20         | -6.74      | 9.89       | 3       | H         | 273        | 2.80      | -        |
| PK   | 5.76G    | 106.82        | Inf           | -Inf       | 9.91       | 3       | H         | 273        | 2.80      | -        |
| PK   | 5.938G   | 60.11         | 68.20         | -8.09      | 10.11      | 3       | H         | 273        | 2.80      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1482G  | 50.74         | 54.00         | -3.26      | 9.03       | 3       | V         | 246        | 2.18      | -        |
| AV   | 5.1834G  | 108.39        | Inf           | -Inf       | 9.12       | 3       | V         | 246        | 2.18      | -        |
| PK   | 5.1466G  | 63.07         | 74.00         | -10.93     | 9.03       | 3       | V         | 246        | 2.18      | -        |
| PK   | 5.184G   | 119.76        | Inf           | -Inf       | 9.12       | 3       | V         | 246        | 2.18      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 47.57         | 54.00         | -6.43      | 9.03       | 3       | H         | 259        | 1.17      | -        |
| AV   | 5.178G   | 99.56         | Inf           | -Inf       | 9.11       | 3       | H         | 259        | 1.17      | -        |
| PK   | 5.149G   | 59.37         | 74.00         | -14.63     | 9.03       | 3       | H         | 259        | 1.17      | -        |
| PK   | 5.179G   | 110.56        | Inf           | -Inf       | 9.11       | 3       | H         | 259        | 1.17      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 50.22         | 54.00         | -3.78      | 9.03       | 3       | V         | 338        | 2.15      | -        |
| AV   | 5.2068G   | 109.89        | Inf           | -Inf       | 9.17       | 3       | V         | 338        | 2.15      | -        |
| PK   | 5.148G    | 62.75         | 74.00         | -11.25     | 9.03       | 3       | V         | 338        | 2.15      | -        |
| PK   | 5.1976G   | 120.48        | Inf           | -Inf       | 9.15       | 3       | V         | 338        | 2.15      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1492G  | 47.40         | 54.00         | -6.60      | 9.03       | 3       | H         | 256        | 2.79      | -        |
| AV   | 5.1936G  | 100.54        | Inf           | -Inf       | 9.14       | 3       | H         | 256        | 2.79      | -        |
| PK   | 5.1484G  | 59.57         | 74.00         | -14.43     | 9.03       | 3       | H         | 256        | 2.79      | -        |
| PK   | 5.1948G  | 112.08        | Inf           | -Inf       | 9.15       | 3       | H         | 256        | 2.79      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170722  
EUT X 4TX  
Setting 29 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 50.78         | 54.00         | -3.22      | 9.03       | 3       | V         | 357        | 2.77      | -        |
| AV   | 5.2334G   | 111.14        | Inf           | -Inf       | 9.22       | 3       | V         | 357        | 2.77      | -        |
| AV   | 5.3576G   | 50.22         | 54.00         | -3.78      | 9.45       | 3       | V         | 357        | 2.77      | -        |
| PK   | 5.1494G   | 72.98         | 74.00         | -1.02      | 9.03       | 3       | V         | 357        | 2.77      | -        |
| PK   | 5.2334G   | 120.80        | Inf           | -Inf       | 9.22       | 3       | V         | 357        | 2.77      | -        |
| PK   | 5.357G    | 70.29         | 74.00         | -3.71      | 9.45       | 3       | V         | 357        | 2.77      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.138G   | 46.95         | 54.00         | -7.05      | 9.00       | 3       | H         | 258        | 1.42      | -        |
| AV   | 5.2424G  | 102.59        | Inf           | -Inf       | 9.24       | 3       | H         | 258        | 1.42      | -        |
| AV   | 5.3576G  | 47.01         | 54.00         | -6.99      | 9.45       | 3       | H         | 258        | 1.42      | -        |
| PK   | 5.132G   | 58.84         | 74.00         | -15.16     | 8.99       | 3       | H         | 258        | 1.42      | -        |
| PK   | 5.2418G  | 113.35        | Inf           | -Inf       | 9.24       | 3       | H         | 258        | 1.42      | -        |
| PK   | 5.3522G  | 59.14         | 74.00         | -14.86     | 9.44       | 3       | H         | 258        | 1.42      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 47.90         | 54.00         | -6.10      | 9.03       | 3       | V         | 277        | 2.01      | -        |
| AV   | 5.2624G   | 110.86        | Inf           | -Inf       | 9.28       | 3       | V         | 277        | 2.01      | -        |
| AV   | 5.350005G | 53.30         | 54.00         | -0.70      | 9.44       | 3       | V         | 277        | 2.01      | -        |
| PK   | 5.14G     | 70.23         | 74.00         | -3.77      | 9.01       | 3       | V         | 277        | 2.01      | -        |
| PK   | 5.2624G   | 121.46        | Inf           | -Inf       | 9.28       | 3       | V         | 277        | 2.01      | -        |
| PK   | 5.3512G   | 73.94         | 74.00         | -0.06      | 9.44       | 3       | V         | 277        | 2.01      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1436G  | 46.60         | 54.00         | -7.40      | 9.02       | 3       | H         | 256        | 1.63      | -        |
| AV   | 5.2534G  | 103.45        | Inf           | -Inf       | 9.26       | 3       | H         | 256        | 1.63      | -        |
| AV   | 5.3506G  | 47.75         | 54.00         | -6.25      | 9.44       | 3       | H         | 256        | 1.63      | -        |
| PK   | 5.1442G  | 62.47         | 74.00         | -11.53     | 9.02       | 3       | H         | 256        | 1.63      | -        |
| PK   | 5.2552G  | 113.22        | Inf           | -Inf       | 9.26       | 3       | H         | 256        | 1.63      | -        |
| PK   | 5.3566G  | 59.75         | 74.00         | -14.25     | 9.45       | 3       | H         | 256        | 1.63      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5300MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3024G   | 109.07        | Inf           | -Inf       | 9.35       | 3       | V         | 358        | 1.98      | -        |
| AV   | 5.350005G | 51.66         | 54.00         | -2.34      | 9.44       | 3       | V         | 358        | 1.98      | -        |
| PK   | 5.2984G   | 120.12        | Inf           | -Inf       | 9.35       | 3       | V         | 358        | 1.98      | -        |
| PK   | 5.350005G | 64.69         | 74.00         | -9.31      | 9.44       | 3       | V         | 358        | 1.98      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.298G    | 102.05        | Inf           | -Inf       | 9.35       | 3       | H         | 259        | 1.34      | -        |
| AV   | 5.350005G | 47.87         | 54.00         | -6.13      | 9.44       | 3       | H         | 259        | 1.34      | -        |
| PK   | 5.2968G   | 111.89        | Inf           | -Inf       | 9.34       | 3       | H         | 259        | 1.34      | -        |
| PK   | 5.3512G   | 60.82         | 74.00         | -13.18     | 9.44       | 3       | H         | 259        | 1.34      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3224G  | 108.93        | Inf           | -Inf       | 9.39       | 3       | V         | 353        | 2.16      | -        |
| AV   | 5.3508G  | 53.28         | 54.00         | -0.72      | 9.44       | 3       | V         | 353        | 2.16      | -        |
| PK   | 5.3222G  | 121.25        | Inf           | -Inf       | 9.39       | 3       | V         | 353        | 2.16      | -        |
| PK   | 5.3504G  | 67.64         | 74.00         | -6.36      | 9.44       | 3       | V         | 353        | 2.16      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3244G  | 101.89        | Inf           | -Inf       | 9.39       | 3       | H         | 259        | 2.69      | -        |
| AV   | 5.3502G  | 48.80         | 54.00         | -5.20      | 9.44       | 3       | H         | 259        | 2.69      | -        |
| PK   | 5.325G   | 112.40        | Inf           | -Inf       | 9.39       | 3       | H         | 259        | 2.69      | -        |
| PK   | 5.3506G  | 61.58         | 74.00         | -12.42     | 9.44       | 3       | H         | 259        | 2.69      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4598G  | 49.36         | 54.00         | -4.64      | 9.68       | 3       | V         | 277        | 1.91      | -        |
| AV   | 5.5066G  | 108.45        | Inf           | -Inf       | 9.80       | 3       | V         | 277        | 1.91      | -        |
| PK   | 5.4598G  | 62.38         | 74.00         | -11.62     | 9.68       | 3       | V         | 277        | 1.91      | -        |
| PK   | 5.4694G  | 66.70         | 68.20         | -1.50      | 9.71       | 3       | V         | 277        | 1.91      | -        |
| PK   | 5.5026G  | 118.91        | Inf           | -Inf       | 9.79       | 3       | V         | 277        | 1.91      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-R-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 47.12         | 54.00         | -6.88      | 9.68       | 3       | H         | 222        | 2.39      | -        |
| AV   | 5.4972G  | 98.77         | Inf           | -Inf       | 9.78       | 3       | H         | 222        | 2.39      | -        |
| PK   | 5.4514G  | 59.79         | 74.00         | -14.21     | 9.66       | 3       | H         | 222        | 2.39      | -        |
| PK   | 5.4684G  | 60.58         | 68.20         | -7.62      | 9.70       | 3       | H         | 222        | 2.39      | -        |
| PK   | 5.4968G  | 110.32        | Inf           | -Inf       | 9.78       | 3       | H         | 222        | 2.39      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4368G  | 47.66         | 54.00         | -6.34      | 9.62       | 3       | V         | 288        | 1.50      | -        |
| AV   | 5.5864G  | 112.07        | Inf           | -Inf       | 9.87       | 3       | V         | 288        | 1.50      | -        |
| PK   | 5.404G   | 59.31         | 74.00         | -14.69     | 9.53       | 3       | V         | 288        | 1.50      | -        |
| PK   | 5.468G   | 60.53         | 68.20         | -7.67      | 9.70       | 3       | V         | 288        | 1.50      | -        |
| PK   | 5.5856G  | 121.91        | Inf           | -Inf       | 9.87       | 3       | V         | 288        | 1.50      | -        |
| PK   | 5.7312G  | 60.16         | 68.20         | -8.04      | 9.91       | 3       | V         | 288        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45998G | 47.05         | 54.00         | -6.95      | 9.68       | 3       | H         | 313        | 2.57      | -        |
| AV   | 5.5856G  | 102.72        | Inf           | -Inf       | 9.87       | 3       | H         | 313        | 2.57      | -        |
| PK   | 5.432G   | 59.76         | 74.00         | -14.24     | 9.61       | 3       | H         | 313        | 2.57      | -        |
| PK   | 5.468G   | 59.16         | 68.20         | -9.04      | 9.70       | 3       | H         | 313        | 2.57      | -        |
| PK   | 5.5864G  | 114.34        | Inf           | -Inf       | 9.87       | 3       | H         | 313        | 2.57      | -        |
| PK   | 5.7416G  | 59.66         | 68.20         | -8.54      | 9.91       | 3       | H         | 313        | 2.57      | -        |

# **802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX**

## **5700MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 25  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6994G  | 108.07        | Inf           | -Inf       | 9.90       | 3       | V         | 286        | 1.95      | -        |
| PK   | 5.699G   | 119.99        | Inf           | -Inf       | 9.90       | 3       | V         | 286        | 1.95      | -        |
| PK   | 5.727G   | 67.84         | 68.20         | -0.36      | 9.91       | 3       | V         | 286        | 1.95      | -        |

# **802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX**

## **5700MHz\_TX**




20170722  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6992G  | 98.00         | Inf           | -Inf       | 9.90       | 3       | H         | 328        | 2.94      | -        |
| PK   | 5.6992G  | 108.81        | Inf           | -Inf       | 9.90       | 3       | H         | 328        | 2.94      | -        |
| PK   | 5.7252G  | 61.93         | 68.20         | -6.27      | 9.91       | 3       | H         | 328        | 2.94      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G   | 47.14         | 54.00         | -6.86      | 9.67       | 3       | V         | 47         | 2.08      | -        |
| AV   | 5.726G   | 111.17        | Inf           | -Inf       | 9.91       | 3       | V         | 47         | 2.08      | -        |
| PK   | 5.4404G  | 58.91         | 74.00         | -15.09     | 9.63       | 3       | V         | 47         | 2.08      | -        |
| PK   | 5.4668G  | 58.82         | 68.20         | -9.38      | 9.70       | 3       | V         | 47         | 2.08      | -        |
| PK   | 5.7188G  | 122.11        | Inf           | -Inf       | 9.90       | 3       | V         | 47         | 2.08      | -        |
| PK   | 5.936G   | 60.23         | 68.20         | -7.97      | 10.11      | 3       | V         | 47         | 2.08      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4368G  | 46.93         | 54.00         | -7.07      | 9.62       | 3       | H         | 272        | 2.27      | -        |
| AV   | 5.7188G  | 101.37        | Inf           | -Inf       | 9.90       | 3       | H         | 272        | 2.27      | -        |
| PK   | 5.4308G  | 58.69         | 74.00         | -15.31     | 9.60       | 3       | H         | 272        | 2.27      | -        |
| PK   | 5.4632G  | 58.99         | 68.20         | -9.21      | 9.69       | 3       | H         | 272        | 2.27      | -        |
| PK   | 5.7188G  | 111.21        | Inf           | -Inf       | 9.90       | 3       | H         | 272        | 2.27      | -        |
| PK   | 5.984G   | 59.79         | 68.20         | -8.41      | 10.18      | 3       | H         | 272        | 2.27      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 111.77        | Inf           | -Inf       | 9.91       | 3       | V         | 340        | 2.26      | -        |
| PK   | 5.622G   | 60.60         | 68.20         | -7.60      | 9.88       | 3       | V         | 340        | 2.26      | -        |
| PK   | 5.751G   | 120.20        | Inf           | -Inf       | 9.91       | 3       | V         | 340        | 2.26      | -        |
| PK   | 5.935G   | 60.28         | 68.20         | -7.92      | 10.11      | 3       | V         | 340        | 2.26      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.751G   | 99.92         | Inf           | -Inf       | 9.91       | 3       | H         | 5          | 1.50      | -        |
| PK   | 5.528G   | 60.18         | 68.20         | -8.02      | 9.82       | 3       | H         | 5          | 1.50      | -        |
| PK   | 5.751G   | 109.63        | Inf           | -Inf       | 9.91       | 3       | H         | 5          | 1.50      | -        |
| PK   | 5.968G   | 59.42         | 68.20         | -8.78      | 10.16      | 3       | H         | 5          | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 107.96        | Inf           | -Inf       | 9.92       | 3       | V         | 9          | 1.50      | -        |
| PK   | 5.633G   | 60.87         | 68.20         | -7.33      | 9.89       | 3       | V         | 9          | 1.50      | -        |
| PK   | 5.783G   | 119.10        | Inf           | -Inf       | 9.92       | 3       | V         | 9          | 1.50      | -        |
| PK   | 5.987G   | 60.19         | 68.20         | -8.01      | 10.18      | 3       | V         | 9          | 1.50      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.791G   | 111.36        | Inf           | -Inf       | 9.92       | 3       | H         | 331        | 1.95      | -        |
| PK   | 5.581G   | 59.90         | 68.20         | -8.30      | 9.86       | 3       | H         | 331        | 1.95      | -        |
| PK   | 5.784G   | 121.72        | Inf           | -Inf       | 9.92       | 3       | H         | 331        | 1.95      | -        |
| PK   | 5.955G   | 60.92         | 68.20         | -7.28      | 10.14      | 3       | H         | 331        | 1.95      | -        |

# **802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX**

## **5825MHz\_TX**




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.827G   | 110.08        | Inf           | -Inf       | 9.96       | 3       | V         | 32         | 1.90      | -        |
| PK   | 5.62G    | 60.38         | 68.20         | -7.82      | 9.88       | 3       | V         | 32         | 1.90      | -        |
| PK   | 5.828G   | 120.75        | Inf           | -Inf       | 9.96       | 3       | V         | 32         | 1.90      | -        |
| PK   | 5.964G   | 60.60         | 68.20         | -7.60      | 10.15      | 3       | V         | 32         | 1.90      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.819G   | 105.39        | Inf           | -Inf       | 9.95       | 3       | H         | 316        | 2.94      | -        |
| PK   | 5.645G   | 59.71         | 68.20         | -8.49      | 9.89       | 3       | H         | 316        | 2.94      | -        |
| PK   | 5.818G   | 115.85        | Inf           | -Inf       | 9.95       | 3       | H         | 316        | 2.94      | -        |
| PK   | 5.962G   | 59.72         | 68.20         | -8.48      | 10.15      | 3       | H         | 316        | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.44         | 54.00         | -2.56      | 9.03       | 3       | V         | 202        | 1.50      | -        |
| AV   | 5.1936G   | 101.88        | Inf           | -Inf       | 9.14       | 3       | V         | 202        | 1.50      | -        |
| PK   | 5.1496G   | 73.95         | 74.00         | -0.05      | 9.03       | 3       | V         | 202        | 1.50      | -        |
| PK   | 5.1836G   | 113.03        | Inf           | -Inf       | 9.12       | 3       | V         | 202        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 49.08         | 54.00         | -4.92      | 9.03       | 3       | H         | 342        | 2.79      | -        |
| AV   | 5.2024G   | 95.83         | Inf           | -Inf       | 9.16       | 3       | H         | 342        | 2.79      | -        |
| PK   | 5.1344G   | 66.15         | 74.00         | -7.85      | 9.00       | 3       | H         | 342        | 2.79      | -        |
| PK   | 5.2016G   | 106.90        | Inf           | -Inf       | 9.16       | 3       | H         | 342        | 2.79      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170722  
EUT X 4TX  
Setting 28 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.67         | 54.00         | -2.33      | 9.03       | 3       | V         | 324        | 1.63      | -        |
| AV   | 5.2288G   | 103.99        | Inf           | -Inf       | 9.21       | 3       | V         | 324        | 1.63      | -        |
| PK   | 5.1488G   | 69.66         | 74.00         | -4.34      | 9.03       | 3       | V         | 324        | 1.63      | -        |
| PK   | 5.2164G   | 117.49        | Inf           | -Inf       | 9.19       | 3       | V         | 324        | 1.63      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170722  
EUT X 4TX  
Setting 28 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1408G  | 47.92         | 54.00         | -6.08      | 9.01       | 3       | H         | 271        | 1.50      | -        |
| AV   | 5.2336G  | 99.31         | Inf           | -Inf       | 9.22       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.1408G  | 63.86         | 74.00         | -10.14     | 9.01       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.2132G  | 109.98        | Inf           | -Inf       | 9.19       | 3       | H         | 271        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.264G   | 100.29        | Inf           | -Inf       | 9.28       | 3       | V         | 263        | 1.50      | -        |
| AV   | 5.3548G  | 49.54         | 54.00         | -4.46      | 9.44       | 3       | V         | 263        | 1.50      | -        |
| PK   | 5.2664G  | 112.78        | Inf           | -Inf       | 9.29       | 3       | V         | 263        | 1.50      | -        |
| PK   | 5.3516G  | 70.73         | 74.00         | -3.27      | 9.44       | 3       | V         | 263        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2664G  | 97.60         | Inf           | -Inf       | 9.29       | 3       | H         | 272        | 1.38      | -        |
| AV   | 5.3548G  | 47.18         | 54.00         | -6.82      | 9.44       | 3       | H         | 272        | 1.38      | -        |
| PK   | 5.2564G  | 107.66        | Inf           | -Inf       | 9.27       | 3       | H         | 272        | 1.38      | -        |
| PK   | 5.3572G  | 60.73         | 74.00         | -13.27     | 9.45       | 3       | H         | 272        | 1.38      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3064G  | 103.42        | Inf           | -Inf       | 9.36       | 3       | V         | 267        | 1.83      | -        |
| AV   | 5.3528G  | 50.54         | 54.00         | -3.46      | 9.44       | 3       | V         | 267        | 1.83      | -        |
| PK   | 5.2936G  | 117.36        | Inf           | -Inf       | 9.34       | 3       | V         | 267        | 1.83      | -        |
| PK   | 5.3524G  | 73.96         | 74.00         | -0.04      | 9.44       | 3       | V         | 267        | 1.83      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3044G  | 94.48         | Inf           | -Inf       | 9.36       | 3       | H         | 345        | 2.78      | -        |
| AV   | 5.3516G  | 47.67         | 54.00         | -6.33      | 9.44       | 3       | H         | 345        | 2.78      | -        |
| PK   | 5.3028G  | 105.89        | Inf           | -Inf       | 9.35       | 3       | H         | 345        | 2.78      | -        |
| PK   | 5.3696G  | 64.28         | 74.00         | -9.72      | 9.47       | 3       | H         | 345        | 2.78      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4552G  | 48.41         | 54.00         | -5.59      | 9.67       | 3       | V         | 354        | 2.34      | -        |
| AV   | 5.5132G  | 100.55        | Inf           | -Inf       | 9.80       | 3       | V         | 354        | 2.34      | -        |
| PK   | 5.4596G  | 67.65         | 74.00         | -6.35      | 9.68       | 3       | V         | 354        | 2.34      | -        |
| PK   | 5.4628G  | 68.14         | 68.20         | -0.06      | 9.69       | 3       | V         | 354        | 2.34      | -        |
| PK   | 5.5124G  | 113.04        | Inf           | -Inf       | 9.80       | 3       | V         | 354        | 2.34      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4236G  | 47.08         | 54.00         | -6.92      | 9.58       | 3       | H         | 285        | 2.48      | -        |
| AV   | 5.518G   | 94.76         | Inf           | -Inf       | 9.81       | 3       | H         | 285        | 2.48      | -        |
| PK   | 5.4312G  | 59.25         | 74.00         | -14.75     | 9.60       | 3       | H         | 285        | 2.48      | -        |
| PK   | 5.4664G  | 61.86         | 68.20         | -6.34      | 9.70       | 3       | H         | 285        | 2.48      | -        |
| PK   | 5.5064G  | 105.89        | Inf           | -Inf       | 9.80       | 3       | H         | 285        | 2.48      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4516G  | 48.89         | 54.00         | -5.11      | 9.66       | 3       | V         | 45         | 2.19      | -        |
| AV   | 5.5468G  | 105.93        | Inf           | -Inf       | 9.83       | 3       | V         | 45         | 2.19      | -        |
| PK   | 5.4524G  | 68.50         | 74.00         | -5.50      | 9.66       | 3       | V         | 45         | 2.19      | -        |
| PK   | 5.4692G  | 68.16         | 68.20         | -0.04      | 9.71       | 3       | V         | 45         | 2.19      | -        |
| PK   | 5.5588G  | 115.45        | Inf           | -Inf       | 9.84       | 3       | V         | 45         | 2.19      | -        |
| PK   | 5.7484G  | 60.40         | 68.20         | -7.80      | 9.91       | 3       | V         | 45         | 2.19      | -        |

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 47.34         | 54.00         | -6.66      | 9.68       | 3       | H         | 344        | 2.18      | -        |
| AV   | 5.5564G   | 94.19         | Inf           | -Inf       | 9.84       | 3       | H         | 344        | 2.18      | -        |
| PK   | 5.458G    | 60.91         | 74.00         | -13.09     | 9.68       | 3       | H         | 344        | 2.18      | -        |
| PK   | 5.4612G   | 61.92         | 68.20         | -6.28      | 9.69       | 3       | H         | 344        | 2.18      | -        |
| PK   | 5.5396G   | 106.34        | Inf           | -Inf       | 9.83       | 3       | H         | 344        | 2.18      | -        |
| PK   | 5.7404G   | 59.11         | 68.20         | -9.09      | 9.91       | 3       | H         | 344        | 2.18      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6736G  | 101.89        | Inf           | -Inf       | 9.89       | 3       | V         | 336        | 2.17      | -        |
| PK   | 5.684G   | 114.20        | Inf           | -Inf       | 9.90       | 3       | V         | 336        | 2.17      | -        |
| PK   | 5.7324G  | 67.70         | 68.20         | -0.50      | 9.91       | 3       | V         | 336        | 2.17      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6736G  | 90.32         | Inf           | -Inf       | 9.89       | 3       | H         | 259        | 1.49      | -        |
| PK   | 5.6824G  | 104.45        | Inf           | -Inf       | 9.90       | 3       | H         | 259        | 1.49      | -        |
| PK   | 5.7672G  | 59.63         | 68.20         | -8.57      | 9.91       | 3       | H         | 259        | 1.49      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.422G   | 47.32         | 54.00         | -6.68      | 9.58       | 3       | V         | 350        | 1.50      | -        |
| AV   | 5.728G   | 107.11        | Inf           | -Inf       | 9.91       | 3       | V         | 350        | 1.50      | -        |
| PK   | 5.4244G  | 59.91         | 74.00         | -14.09     | 9.59       | 3       | V         | 350        | 1.50      | -        |
| PK   | 5.4676G  | 59.47         | 68.20         | -8.73      | 9.70       | 3       | V         | 350        | 1.50      | -        |
| PK   | 5.704G   | 116.67        | Inf           | -Inf       | 9.90       | 3       | V         | 350        | 1.50      | -        |
| PK   | 5.9812G  | 66.81         | 68.20         | -1.39      | 10.17      | 3       | V         | 350        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4292G  | 47.00         | 54.00         | -7.00      | 9.60       | 3       | H         | 265        | 2.61      | -        |
| AV   | 5.6968G  | 101.18        | Inf           | -Inf       | 9.90       | 3       | H         | 265        | 2.61      | -        |
| PK   | 5.4148G  | 59.19         | 74.00         | -14.81     | 9.56       | 3       | H         | 265        | 2.61      | -        |
| PK   | 5.464G   | 58.56         | 68.20         | -9.64      | 9.69       | 3       | H         | 265        | 2.61      | -        |
| PK   | 5.7004G  | 112.54        | Inf           | -Inf       | 9.90       | 3       | H         | 265        | 2.61      | -        |
| PK   | 5.9416G  | 60.60         | 68.20         | -7.60      | 10.12      | 3       | H         | 265        | 2.61      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170722  
EUT X 4TX  
Setting 28 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.759G   | 108.08        | Inf           | -Inf       | 9.91       | 3       | V         | 278        | 1.92      | -        |
| PK   | 5.639G   | 64.51         | 68.20         | -3.69      | 9.89       | 3       | V         | 278        | 1.92      | -        |
| PK   | 5.759G   | 119.47        | Inf           | -Inf       | 9.91       | 3       | V         | 278        | 1.92      | -        |
| PK   | 5.988G   | 60.39         | 68.20         | -7.81      | 10.18      | 3       | V         | 278        | 1.92      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170722  
EUT X 4TX  
Setting 28 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.75G    | 99.80         | Inf           | -Inf       | 9.91       | 3       | H         | 289        | 2.92      | -        |
| PK   | 5.559G   | 60.30         | 68.20         | -7.90      | 9.84       | 3       | H         | 289        | 2.92      | -        |
| PK   | 5.751G   | 110.59        | Inf           | -Inf       | 9.91       | 3       | H         | 289        | 2.92      | -        |
| PK   | 5.948G   | 59.71         | 68.20         | -8.49      | 10.13      | 3       | H         | 289        | 2.92      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 108.94        | Inf           | -Inf       | 9.92       | 3       | V         | 322        | 2.29      | -        |
| PK   | 5.649G   | 63.57         | 68.20         | -4.63      | 9.89       | 3       | V         | 322        | 2.29      | -        |
| PK   | 5.79G    | 118.96        | Inf           | -Inf       | 9.92       | 3       | V         | 322        | 2.29      | -        |
| PK   | 5.94G    | 64.71         | 68.20         | -3.49      | 10.12      | 3       | V         | 322        | 2.29      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.788G   | 95.19         | Inf           | -Inf       | 9.92       | 3       | H         | 43         | 1.44      | -        |
| PK   | 5.649G   | 59.57         | 68.20         | -8.63      | 9.89       | 3       | H         | 43         | 1.44      | -        |
| PK   | 5.788G   | 106.06        | Inf           | -Inf       | 9.92       | 3       | H         | 43         | 1.44      | -        |
| PK   | 5.956G   | 59.63         | 68.20         | -8.57      | 10.14      | 3       | H         | 43         | 1.44      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.135G    | 53.85         | 54.00         | -0.15      | 9.00       | 3       | V         | 233        | 1.50      | -        |
| AV   | 5.206G    | 98.99         | Inf           | -Inf       | 9.17       | 3       | V         | 233        | 1.50      | -        |
| AV   | 5.350005G | 47.82         | 54.00         | -6.18      | 9.44       | 3       | V         | 233        | 1.50      | -        |
| PK   | 5.137G    | 68.42         | 74.00         | -5.58      | 9.00       | 3       | V         | 233        | 1.50      | -        |
| PK   | 5.176G    | 112.03        | Inf           | -Inf       | 9.10       | 3       | V         | 233        | 1.50      | -        |
| PK   | 5.442G    | 59.81         | 74.00         | -14.19     | 9.63       | 3       | V         | 233        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.144G   | 49.07         | 54.00         | -4.93      | 9.02       | 3       | H         | 270        | 2.92      | -        |
| AV   | 5.187G   | 90.85         | Inf           | -Inf       | 9.13       | 3       | H         | 270        | 2.92      | -        |
| AV   | 5.411G   | 47.57         | 54.00         | -6.43      | 9.55       | 3       | H         | 270        | 2.92      | -        |
| PK   | 5.134G   | 65.04         | 74.00         | -8.96      | 9.00       | 3       | H         | 270        | 2.92      | -        |
| PK   | 5.176G   | 104.14        | Inf           | -Inf       | 9.10       | 3       | H         | 270        | 2.92      | -        |
| PK   | 5.405G   | 59.57         | 74.00         | -14.43     | 9.53       | 3       | H         | 270        | 2.92      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.135G   | 48.33         | 54.00         | -5.67      | 9.00       | 3       | V         | 93         | 2.32      | -        |
| AV   | 5.311G   | 98.30         | Inf           | -Inf       | 9.37       | 3       | V         | 93         | 2.32      | -        |
| AV   | 5.36G    | 53.98         | 54.00         | -0.02      | 9.45       | 3       | V         | 93         | 2.32      | -        |
| PK   | 5.135G   | 59.94         | 74.00         | -14.06     | 9.00       | 3       | V         | 93         | 2.32      | -        |
| PK   | 5.258G   | 109.92        | Inf           | -Inf       | 9.27       | 3       | V         | 93         | 2.32      | -        |
| PK   | 5.381G   | 71.09         | 74.00         | -2.91      | 9.49       | 3       | V         | 93         | 2.32      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1G     | 47.32         | 54.00         | -6.68      | 8.91       | 3       | H         | 211        | 2.33      | -        |
| AV   | 5.274G   | 91.43         | Inf           | -Inf       | 9.30       | 3       | H         | 211        | 2.33      | -        |
| AV   | 5.357G   | 50.36         | 54.00         | -3.64      | 9.45       | 3       | H         | 211        | 2.33      | -        |
| PK   | 5.143G   | 58.59         | 74.00         | -15.41     | 9.02       | 3       | H         | 211        | 2.33      | -        |
| PK   | 5.311G   | 102.52        | Inf           | -Inf       | 9.37       | 3       | H         | 211        | 2.33      | -        |
| PK   | 5.356G   | 64.18         | 74.00         | -9.82      | 9.45       | 3       | H         | 211        | 2.33      | -        |

# **802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

## **5530MHz\_TX**




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G   | 53.91         | 54.00         | -0.09      | 9.67       | 3       | V         | 225        | 2.17      | -        |
| AV   | 5.552G   | 100.44        | Inf           | -Inf       | 9.84       | 3       | V         | 225        | 2.17      | -        |
| PK   | 5.455G   | 70.54         | 74.00         | -3.46      | 9.67       | 3       | V         | 225        | 2.17      | -        |
| PK   | 5.467G   | 65.84         | 68.20         | -2.36      | 9.70       | 3       | V         | 225        | 2.17      | -        |
| PK   | 5.54G    | 111.30        | Inf           | -Inf       | 9.83       | 3       | V         | 225        | 2.17      | -        |
| PK   | 5.753G   | 60.20         | 68.20         | -8.00      | 9.91       | 3       | V         | 225        | 2.17      | -        |

# **802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

## **5530MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 24  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.414G   | 49.70         | 54.00         | -4.30      | 9.56       | 3       | H         | 317        | 1.70      | -        |
| AV   | 5.513G   | 89.18         | Inf           | -Inf       | 9.80       | 3       | H         | 317        | 1.70      | -        |
| PK   | 5.432G   | 62.54         | 74.00         | -11.46     | 9.61       | 3       | H         | 317        | 1.70      | -        |
| PK   | 5.467G   | 62.64         | 68.20         | -5.56      | 9.70       | 3       | H         | 317        | 1.70      | -        |
| PK   | 5.556G   | 100.63        | Inf           | -Inf       | 9.84       | 3       | H         | 317        | 1.70      | -        |
| PK   | 5.733G   | 60.18         | 68.20         | -8.02      | 9.91       | 3       | H         | 317        | 1.70      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.457G   | 50.46         | 54.00         | -3.54      | 9.67       | 3       | V         | 321        | 1.95      | -        |
| AV   | 5.598G   | 101.36        | Inf           | -Inf       | 9.88       | 3       | V         | 321        | 1.95      | -        |
| PK   | 5.459G   | 63.31         | 74.00         | -10.69     | 9.68       | 3       | V         | 321        | 1.95      | -        |
| PK   | 5.466G   | 61.55         | 68.20         | -6.65      | 9.70       | 3       | V         | 321        | 1.95      | -        |
| PK   | 5.59G    | 112.66        | Inf           | -Inf       | 9.87       | 3       | V         | 321        | 1.95      | -        |
| PK   | 5.746G   | 67.93         | 68.20         | -0.27      | 9.91       | 3       | V         | 321        | 1.95      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.453G   | 47.60         | 54.00         | -6.40      | 9.66       | 3       | H         | 315        | 1.29      | -        |
| AV   | 5.595G   | 90.59         | Inf           | -Inf       | 9.88       | 3       | H         | 315        | 1.29      | -        |
| PK   | 5.4G     | 59.44         | 74.00         | -14.56     | 9.52       | 3       | H         | 315        | 1.29      | -        |
| PK   | 5.469G   | 58.12         | 68.20         | -10.08     | 9.71       | 3       | H         | 315        | 1.29      | -        |
| PK   | 5.596G   | 101.42        | Inf           | -Inf       | 9.88       | 3       | H         | 315        | 1.29      | -        |
| PK   | 5.773G   | 59.39         | 68.20         | -8.81      | 9.91       | 3       | H         | 315        | 1.29      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4584G  | 53.94         | 54.00         | -0.06      | 9.68       | 3       | V         | 8          | 1.50      | -        |
| AV   | 5.7212G  | 101.42        | Inf           | -Inf       | 9.90       | 3       | V         | 8          | 1.50      | -        |
| PK   | 5.4356G  | 68.23         | 74.00         | -5.77      | 9.62       | 3       | V         | 8          | 1.50      | -        |
| PK   | 5.4632G  | 66.49         | 68.20         | -1.71      | 9.69       | 3       | V         | 8          | 1.50      | -        |
| PK   | 5.7068G  | 112.79        | Inf           | -Inf       | 9.90       | 3       | V         | 8          | 1.50      | -        |
| PK   | 5.9588G  | 68.10         | 68.20         | -0.10      | 10.14      | 3       | V         | 8          | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4464G  | 48.95         | 54.00         | -5.05      | 9.65       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.6768G  | 89.97         | Inf           | -Inf       | 9.90       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.4224G  | 59.86         | 74.00         | -14.14     | 9.58       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.468G   | 59.66         | 68.20         | -8.54      | 9.70       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.6672G  | 101.32        | Inf           | -Inf       | 9.89       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.9744G  | 60.69         | 68.20         | -7.51      | 10.16      | 3       | H         | 8          | 1.50      | -        |

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.799G   | 100.04        | Inf           | -Inf       | 9.92       | 3       | V         | 360        | 1.07      | -        |
| PK   | 5.643G   | 68.11         | 68.20         | -0.09      | 9.89       | 3       | V         | 360        | 1.07      | -        |
| PK   | 5.783G   | 110.61        | Inf           | -Inf       | 9.92       | 3       | V         | 360        | 1.07      | -        |
| PK   | 5.933G   | 63.23         | 68.20         | -4.97      | 10.11      | 3       | V         | 360        | 1.07      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.808G   | 91.72         | Inf           | -Inf       | 9.93       | 3       | H         | 0          | 1.50      | -        |
| PK   | 5.65G    | 60.19         | 68.20         | -8.01      | 9.89       | 3       | H         | 0          | 1.50      | -        |
| PK   | 5.769G   | 102.93        | Inf           | -Inf       | 9.91       | 3       | H         | 0          | 1.50      | -        |
| PK   | 5.979G   | 60.28         | 68.20         | -7.92      | 10.17      | 3       | H         | 0          | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.91         | 54.00         | -0.09      | 9.03       | 3       | V         | 253        | 2.26      | -        |
| AV   | 5.1832G   | 108.57        | Inf           | -Inf       | 9.12       | 3       | V         | 253        | 2.26      | -        |
| PK   | 5.149G    | 70.28         | 74.00         | -3.72      | 9.03       | 3       | V         | 253        | 2.26      | -        |
| PK   | 5.1834G   | 119.75        | Inf           | -Inf       | 9.12       | 3       | V         | 253        | 2.26      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1494G  | 49.69         | 54.00         | -4.31      | 9.03       | 3       | H         | 266        | 1.10      | -        |
| AV   | 5.1844G  | 98.50         | Inf           | -Inf       | 9.12       | 3       | H         | 266        | 1.10      | -        |
| PK   | 5.1496G  | 61.54         | 74.00         | -12.46     | 9.03       | 3       | H         | 266        | 1.10      | -        |
| PK   | 5.1774G  | 111.41        | Inf           | -Inf       | 9.10       | 3       | H         | 266        | 1.10      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 51.69         | 54.00         | -2.31      | 9.03       | 3       | V         | 255        | 2.17      | -        |
| AV   | 5.198G   | 112.23        | Inf           | -Inf       | 9.15       | 3       | V         | 255        | 2.17      | -        |
| PK   | 5.1464G  | 64.02         | 74.00         | -9.98      | 9.03       | 3       | V         | 255        | 2.17      | -        |
| PK   | 5.2024G  | 124.23        | Inf           | -Inf       | 9.16       | 3       | V         | 255        | 2.17      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 47.48         | 54.00         | -6.52      | 9.03       | 3       | H         | 272        | 1.51      | -        |
| AV   | 5.198G   | 103.13        | Inf           | -Inf       | 9.15       | 3       | H         | 272        | 1.51      | -        |
| PK   | 5.1348G  | 59.35         | 74.00         | -14.65     | 9.00       | 3       | H         | 272        | 1.51      | -        |
| PK   | 5.1988G  | 112.86        | Inf           | -Inf       | 9.16       | 3       | H         | 272        | 1.51      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1428G  | 47.14         | 54.00         | -6.86      | 9.02       | 3       | V         | 247        | 2.17      | -        |
| AV   | 5.2418G  | 110.66        | Inf           | -Inf       | 9.24       | 3       | V         | 247        | 2.17      | -        |
| AV   | 5.3684G  | 47.26         | 54.00         | -6.74      | 9.47       | 3       | V         | 247        | 2.17      | -        |
| PK   | 5.1326G  | 60.40         | 74.00         | -13.60     | 8.99       | 3       | V         | 247        | 2.17      | -        |
| PK   | 5.2424G  | 120.63        | Inf           | -Inf       | 9.24       | 3       | V         | 247        | 2.17      | -        |
| PK   | 5.3678G  | 59.58         | 74.00         | -14.42     | 9.47       | 3       | V         | 247        | 2.17      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G  | 46.68         | 54.00         | -7.32      | 9.03       | 3       | H         | 271        | 1.49      | -        |
| AV   | 5.2376G  | 103.44        | Inf           | -Inf       | 9.23       | 3       | H         | 271        | 1.49      | -        |
| AV   | 5.387G   | 46.87         | 54.00         | -7.13      | 9.50       | 3       | H         | 271        | 1.49      | -        |
| PK   | 5.1122G  | 59.00         | 74.00         | -15.00     | 8.94       | 3       | H         | 271        | 1.49      | -        |
| PK   | 5.2466G  | 114.05        | Inf           | -Inf       | 9.25       | 3       | H         | 271        | 1.49      | -        |
| PK   | 5.3618G  | 59.87         | 74.00         | -14.13     | 9.46       | 3       | H         | 271        | 1.49      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1478G   | 49.13         | 54.00         | -4.87      | 9.03       | 3       | V         | 56         | 2.29      | -        |
| AV   | 5.2594G   | 110.01        | Inf           | -Inf       | 9.27       | 3       | V         | 56         | 2.29      | -        |
| AV   | 5.350005G | 53.25         | 54.00         | -0.75      | 9.44       | 3       | V         | 56         | 2.29      | -        |
| PK   | 5.1484G   | 71.92         | 74.00         | -2.08      | 9.03       | 3       | V         | 56         | 2.29      | -        |
| PK   | 5.257G    | 120.48        | Inf           | -Inf       | 9.27       | 3       | V         | 56         | 2.29      | -        |
| PK   | 5.3566G   | 73.97         | 74.00         | -0.03      | 9.45       | 3       | V         | 56         | 2.29      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1424G   | 46.77         | 54.00         | -7.23      | 9.02       | 3       | H         | 280        | 2.25      | -        |
| AV   | 5.2534G   | 100.72        | Inf           | -Inf       | 9.26       | 3       | H         | 280        | 2.25      | -        |
| AV   | 5.365G    | 47.39         | 54.00         | -6.61      | 9.46       | 3       | H         | 280        | 2.25      | -        |
| PK   | 5.149995G | 58.87         | 74.00         | -15.13     | 9.03       | 3       | H         | 280        | 2.25      | -        |
| PK   | 5.2594G   | 111.18        | Inf           | -Inf       | 9.27       | 3       | H         | 280        | 2.25      | -        |
| PK   | 5.3518G   | 59.54         | 74.00         | -14.46     | 9.44       | 3       | H         | 280        | 2.25      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.298G    | 106.75        | Inf           | -Inf       | 9.35       | 3       | V         | 279        | 1.50      | -        |
| AV   | 5.350005G | 51.01         | 54.00         | -2.99      | 9.44       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.3024G   | 118.05        | Inf           | -Inf       | 9.35       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.350005G | 64.21         | 74.00         | -9.79      | 9.44       | 3       | V         | 279        | 1.50      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170722  
EUT X 4TX  
Setting 27 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2968G  | 101.36        | Inf           | -Inf       | 9.34       | 3       | H         | 275        | 2.93      | -        |
| AV   | 5.3512G  | 48.62         | 54.00         | -5.38      | 9.44       | 3       | H         | 275        | 2.93      | -        |
| PK   | 5.2964G  | 112.59        | Inf           | -Inf       | 9.34       | 3       | H         | 275        | 2.93      | -        |
| PK   | 5.3512G  | 61.36         | 74.00         | -12.64     | 9.44       | 3       | H         | 275        | 2.93      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.322G   | 108.08        | Inf           | -Inf       | 9.39       | 3       | V         | 43         | 2.10      | -        |
| AV   | 5.3504G  | 50.74         | 54.00         | -3.26      | 9.44       | 3       | V         | 43         | 2.10      | -        |
| PK   | 5.3228G  | 119.22        | Inf           | -Inf       | 9.39       | 3       | V         | 43         | 2.10      | -        |
| PK   | 5.3528G  | 64.09         | 74.00         | -9.91      | 9.44       | 3       | V         | 43         | 2.10      | -        |

# 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5320MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.318G   | 100.20        | Inf           | -Inf       | 9.38       | 3       | H         | 272        | 1.98      | -        |
| AV   | 5.3508G  | 47.64         | 54.00         | -6.36      | 9.44       | 3       | H         | 272        | 1.98      | -        |
| PK   | 5.318G   | 109.89        | Inf           | -Inf       | 9.38       | 3       | H         | 272        | 1.98      | -        |
| PK   | 5.3756G  | 59.93         | 74.00         | -14.07     | 9.48       | 3       | H         | 272        | 1.98      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5500MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4592G  | 49.25         | 54.00         | -4.75      | 9.68       | 3       | V         | 290        | 1.99      | -        |
| AV   | 5.5064G  | 109.13        | Inf           | -Inf       | 9.80       | 3       | V         | 290        | 1.99      | -        |
| PK   | 5.4552G  | 61.72         | 74.00         | -12.28     | 9.67       | 3       | V         | 290        | 1.99      | -        |
| PK   | 5.4696G  | 65.42         | 68.20         | -2.78      | 9.71       | 3       | V         | 290        | 1.99      | -        |
| PK   | 5.5064G  | 119.43        | Inf           | -Inf       | 9.80       | 3       | V         | 290        | 1.99      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170722  
EUT X 4TX  
Setting 25 (升1 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.454G   | 47.24         | 54.00         | -6.76      | 9.67       | 3       | H         | 187        | 2.90      | -        |
| AV   | 5.4936G  | 97.71         | Inf           | -Inf       | 9.77       | 3       | H         | 187        | 2.90      | -        |
| PK   | 5.4168G  | 59.45         | 74.00         | -14.55     | 9.57       | 3       | H         | 187        | 2.90      | -        |
| PK   | 5.4696G  | 59.41         | 68.20         | -8.79      | 9.71       | 3       | H         | 187        | 2.90      | -        |
| PK   | 5.5028G  | 107.69        | Inf           | -Inf       | 9.79       | 3       | H         | 187        | 2.90      | -        |

# **802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX**

## **5580MHz\_TX**




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4464G  | 47.05         | 54.00         | -6.95      | 9.65       | 3       | V         | 277        | 2.25      | -        |
| AV   | 5.5832G  | 104.19        | Inf           | -Inf       | 9.86       | 3       | V         | 277        | 2.25      | -        |
| PK   | 5.4376G  | 59.39         | 74.00         | -14.61     | 9.62       | 3       | V         | 277        | 2.25      | -        |
| PK   | 5.4672G  | 58.57         | 68.20         | -9.63      | 9.70       | 3       | V         | 277        | 2.25      | -        |
| PK   | 5.584G   | 114.50        | Inf           | -Inf       | 9.87       | 3       | V         | 277        | 2.25      | -        |
| PK   | 5.7336G  | 59.99         | 68.20         | -8.21      | 9.91       | 3       | V         | 277        | 2.25      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4512G  | 46.93         | 54.00         | -7.07      | 9.66       | 3       | H         | 36         | 1.08      | -        |
| AV   | 5.5728G  | 100.66        | Inf           | -Inf       | 9.86       | 3       | H         | 36         | 1.08      | -        |
| PK   | 5.4168G  | 59.77         | 74.00         | -14.23     | 9.57       | 3       | H         | 36         | 1.08      | -        |
| PK   | 5.4632G  | 59.34         | 68.20         | -8.86      | 9.69       | 3       | H         | 36         | 1.08      | -        |
| PK   | 5.5728G  | 111.45        | Inf           | -Inf       | 9.86       | 3       | H         | 36         | 1.08      | -        |
| PK   | 5.7312G  | 59.12         | 68.20         | -9.08      | 9.91       | 3       | H         | 36         | 1.08      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7024G  | 105.25        | Inf           | -Inf       | 9.90       | 3       | V         | 317        | 1.06      | -        |
| PK   | 5.7048G  | 116.57        | Inf           | -Inf       | 9.90       | 3       | V         | 317        | 1.06      | -        |
| PK   | 5.7252G  | 67.93         | 68.20         | -0.27      | 9.91       | 3       | V         | 317        | 1.06      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7066G  | 96.59         | Inf           | -Inf       | 9.90       | 3       | H         | 261        | 1.50      | -        |
| PK   | 5.7076G  | 107.75        | Inf           | -Inf       | 9.90       | 3       | H         | 261        | 1.50      | -        |
| PK   | 5.7254G  | 62.48         | 68.20         | -5.72      | 9.91       | 3       | H         | 261        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4236G  | 47.16         | 54.00         | -6.84      | 9.58       | 3       | V         | 43         | 1.92      | -        |
| AV   | 5.7224G  | 111.65        | Inf           | -Inf       | 9.90       | 3       | V         | 43         | 1.92      | -        |
| PK   | 5.4428G  | 59.09         | 74.00         | -14.91     | 9.64       | 3       | V         | 43         | 1.92      | -        |
| PK   | 5.462G   | 58.69         | 68.20         | -9.51      | 9.69       | 3       | V         | 43         | 1.92      | -        |
| PK   | 5.7152G  | 121.79        | Inf           | -Inf       | 9.90       | 3       | V         | 43         | 1.92      | -        |
| PK   | 5.936G   | 60.25         | 68.20         | -7.95      | 10.11      | 3       | V         | 43         | 1.92      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4308G  | 46.97         | 54.00         | -7.03      | 9.60       | 3       | H         | 285        | 2.94      | -        |
| AV   | 5.7224G  | 101.93        | Inf           | -Inf       | 9.90       | 3       | H         | 285        | 2.94      | -        |
| PK   | 5.4284G  | 59.02         | 74.00         | -14.98     | 9.60       | 3       | H         | 285        | 2.94      | -        |
| PK   | 5.462G   | 59.02         | 68.20         | -9.18      | 9.69       | 3       | H         | 285        | 2.94      | -        |
| PK   | 5.7176G  | 112.86        | Inf           | -Inf       | 9.90       | 3       | H         | 285        | 2.94      | -        |
| PK   | 5.9672G  | 60.72         | 68.20         | -7.48      | 10.15      | 3       | H         | 285        | 2.94      | -        |

# **802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX**

## **5745MHz\_TX**




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.743G   | 111.81        | Inf           | -Inf       | 9.91       | 3       | V         | 334        | 2.02      | -        |
| PK   | 5.598G   | 60.45         | 68.20         | -7.75      | 9.88       | 3       | V         | 334        | 2.02      | -        |
| PK   | 5.742G   | 121.92        | Inf           | -Inf       | 9.91       | 3       | V         | 334        | 2.02      | -        |
| PK   | 5.98G    | 59.97         | 68.20         | -8.23      | 10.17      | 3       | V         | 334        | 2.02      | -        |

# **802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX**

## **5745MHz\_TX**




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.738G   | 100.07        | Inf           | -Inf       | 9.91       | 3       | H         | 65         | 1.50      | -        |
| PK   | 5.598G   | 59.65         | 68.20         | -8.55      | 9.88       | 3       | H         | 65         | 1.50      | -        |
| PK   | 5.74G    | 109.80        | Inf           | -Inf       | 9.91       | 3       | H         | 65         | 1.50      | -        |
| PK   | 5.948G   | 61.13         | 68.20         | -7.07      | 10.13      | 3       | H         | 65         | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.779G   | 112.34        | Inf           | -Inf       | 9.92       | 3       | V         | 337        | 2.02      | -        |
| PK   | 5.604G   | 60.14         | 68.20         | -8.06      | 9.88       | 3       | V         | 337        | 2.02      | -        |
| PK   | 5.781G   | 122.63        | Inf           | -Inf       | 9.92       | 3       | V         | 337        | 2.02      | -        |
| PK   | 5.942G   | 60.64         | 68.20         | -7.56      | 10.12      | 3       | V         | 337        | 2.02      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 103.19        | Inf           | -Inf       | 9.92       | 3       | H         | 142        | 2.56      | -        |
| PK   | 5.586G   | 59.27         | 68.20         | -8.93      | 9.87       | 3       | H         | 142        | 2.56      | -        |
| PK   | 5.78G    | 115.21        | Inf           | -Inf       | 9.92       | 3       | H         | 142        | 2.56      | -        |
| PK   | 5.927G   | 60.75         | 68.20         | -7.45      | 10.10      | 3       | H         | 142        | 2.56      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.823G   | 110.55        | Inf           | -Inf       | 9.95       | 3       | V         | 334        | 1.94      | -        |
| PK   | 5.634G   | 60.43         | 68.20         | -7.77      | 9.89       | 3       | V         | 334        | 1.94      | -        |
| PK   | 5.817G   | 120.81        | Inf           | -Inf       | 9.94       | 3       | V         | 334        | 1.94      | -        |
| PK   | 5.937G   | 60.09         | 68.20         | -8.11      | 10.11      | 3       | V         | 334        | 1.94      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.819G   | 104.61        | Inf           | -Inf       | 9.95       | 3       | H         | 309        | 2.83      | -        |
| PK   | 5.586G   | 59.62         | 68.20         | -8.58      | 9.87       | 3       | H         | 309        | 2.83      | -        |
| PK   | 5.82G    | 115.75        | Inf           | -Inf       | 9.95       | 3       | H         | 309        | 2.83      | -        |
| PK   | 5.975G   | 59.73         | 68.20         | -8.47      | 10.16      | 3       | H         | 309        | 2.83      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170722  
EUT X 4TX  
Setting 24(25 over 2.31)  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.70         | 54.00         | -2.30      | 9.03       | 3       | V         | 347        | 2.40      | -        |
| AV   | 5.198G    | 104.53        | Inf           | -Inf       | 9.15       | 3       | V         | 347        | 2.40      | -        |
| PK   | 5.1348G   | 71.77         | 74.00         | -2.23      | 9.00       | 3       | V         | 347        | 2.40      | -        |
| PK   | 5.1824G   | 114.70        | Inf           | -Inf       | 9.12       | 3       | V         | 347        | 2.40      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1448G  | 47.50         | 54.00         | -6.50      | 9.02       | 3       | H         | 346        | 2.39      | -        |
| AV   | 5.1868G  | 94.91         | Inf           | -Inf       | 9.13       | 3       | H         | 346        | 2.39      | -        |
| PK   | 5.1352G  | 63.14         | 74.00         | -10.86     | 9.00       | 3       | H         | 346        | 2.39      | -        |
| PK   | 5.1864G  | 105.71        | Inf           | -Inf       | 9.13       | 3       | H         | 346        | 2.39      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G   | 53.93         | 54.00         | -0.07      | 9.03       | 3       | V         | 350        | 2.16      | -        |
| AV   | 5.2264G   | 107.68        | Inf           | -Inf       | 9.21       | 3       | V         | 350        | 2.16      | -        |
| AV   | 5.350005G | 48.95         | 54.00         | -5.05      | 9.44       | 3       | V         | 350        | 2.16      | -        |
| PK   | 5.1484G   | 73.89         | 74.00         | -0.11      | 9.03       | 3       | V         | 350        | 2.16      | -        |
| PK   | 5.2228G   | 118.06        | Inf           | -Inf       | 9.20       | 3       | V         | 350        | 2.16      | -        |
| PK   | 5.3524G   | 63.08         | 74.00         | -10.92     | 9.44       | 3       | V         | 350        | 2.16      | -        |

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 46.87         | 54.00         | -7.13      | 9.03       | 3       | H         | 267        | 2.61      | -        |
| AV   | 5.2264G   | 98.90         | Inf           | -Inf       | 9.21       | 3       | H         | 267        | 2.61      | -        |
| AV   | 5.3644G   | 46.54         | 54.00         | -7.46      | 9.46       | 3       | H         | 267        | 2.61      | -        |
| PK   | 5.122G    | 59.14         | 74.00         | -14.86     | 8.96       | 3       | H         | 267        | 2.61      | -        |
| PK   | 5.2264G   | 109.51        | Inf           | -Inf       | 9.21       | 3       | H         | 267        | 2.61      | -        |
| PK   | 5.3578G   | 60.03         | 74.00         | -13.97     | 9.45       | 3       | H         | 267        | 2.61      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 47.85         | 54.00         | -6.15      | 9.03       | 3       | V         | 354        | 1.49      | -        |
| AV   | 5.261G    | 103.52        | Inf           | -Inf       | 9.28       | 3       | V         | 354        | 1.49      | -        |
| AV   | 5.354G    | 50.83         | 54.00         | -3.17      | 9.44       | 3       | V         | 354        | 1.49      | -        |
| PK   | 5.1416G   | 62.97         | 74.00         | -11.03     | 9.01       | 3       | V         | 354        | 1.49      | -        |
| PK   | 5.276G    | 114.10        | Inf           | -Inf       | 9.30       | 3       | V         | 354        | 1.49      | -        |
| PK   | 5.3534G   | 73.73         | 74.00         | -0.27      | 9.44       | 3       | V         | 354        | 1.49      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.141G   | 46.58         | 54.00         | -7.42      | 9.01       | 3       | H         | 271        | 1.56      | -        |
| AV   | 5.264G   | 97.74         | Inf           | -Inf       | 9.28       | 3       | H         | 271        | 1.56      | -        |
| AV   | 5.354G   | 48.54         | 54.00         | -5.46      | 9.44       | 3       | H         | 271        | 1.56      | -        |
| PK   | 5.1398G  | 59.05         | 74.00         | -14.95     | 9.01       | 3       | H         | 271        | 1.56      | -        |
| PK   | 5.2646G  | 109.91        | Inf           | -Inf       | 9.28       | 3       | H         | 271        | 1.56      | -        |
| PK   | 5.3528G  | 68.08         | 74.00         | -5.92      | 9.44       | 3       | H         | 271        | 1.56      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5310MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 24  
 02-W-3-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3044G  | 102.60        | Inf           | -Inf       | 9.36       | 3       | V         | 264        | 1.50      | -        |
| AV   | 5.3548G  | 50.39         | 54.00         | -3.61      | 9.44       | 3       | V         | 264        | 1.50      | -        |
| PK   | 5.3024G  | 113.59        | Inf           | -Inf       | 9.35       | 3       | V         | 264        | 1.50      | -        |
| PK   | 5.3548G  | 73.91         | 74.00         | -0.09      | 9.44       | 3       | V         | 264        | 1.50      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5310MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 24  
 02-W-3-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3068G  | 96.06         | Inf           | -Inf       | 9.36       | 3       | H         | 269        | 2.94      | -        |
| AV   | 5.3524G  | 47.90         | 54.00         | -6.10      | 9.44       | 3       | H         | 269        | 2.94      | -        |
| PK   | 5.3212G  | 106.86        | Inf           | -Inf       | 9.39       | 3       | H         | 269        | 2.94      | -        |
| PK   | 5.3524G  | 63.56         | 74.00         | -10.44     | 9.44       | 3       | H         | 269        | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.454G   | 51.90         | 54.00         | -2.10      | 9.67       | 3       | V         | 255        | 2.08      | -        |
| AV   | 5.4696G  | 51.31         | 54.00         | -2.69      | 9.71       | 3       | V         | 255        | 2.08      | -        |
| AV   | 5.504G   | 104.71        | Inf           | -Inf       | 9.79       | 3       | V         | 255        | 2.08      | -        |
| PK   | 5.4536G  | 73.92         | 74.00         | -0.08      | 9.66       | 3       | V         | 255        | 2.08      | -        |
| PK   | 5.4672G  | 71.75         | 74.00         | -2.25      | 9.70       | 3       | V         | 255        | 2.08      | -        |
| PK   | 5.5008G  | 115.89        | Inf           | -Inf       | 9.79       | 3       | V         | 255        | 2.08      | -        |

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.448G   | 47.13         | 54.00         | -6.87      | 9.65       | 3       | H         | 358        | 1.50      | -        |
| AV   | 5.4644G  | 47.36         | 54.00         | -6.64      | 9.69       | 3       | H         | 358        | 1.50      | -        |
| AV   | 5.5136G  | 93.01         | Inf           | -Inf       | 9.80       | 3       | H         | 358        | 1.50      | -        |
| PK   | 5.4564G  | 62.28         | 74.00         | -11.72     | 9.67       | 3       | H         | 358        | 1.50      | -        |
| PK   | 5.4692G  | 60.08         | 74.00         | -13.92     | 9.71       | 3       | H         | 358        | 1.50      | -        |
| PK   | 5.4976G  | 105.65        | Inf           | -Inf       | 9.78       | 3       | H         | 358        | 1.50      | -        |

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170722  
EUT X 4TX  
Setting 27  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4572G  | 52.10         | 54.00         | -1.90      | 9.67       | 3       | V         | 269        | 1.48      | -        |
| AV   | 5.462G   | 53.66         | 54.00         | -0.34      | 9.69       | 3       | V         | 269        | 1.48      | -        |
| AV   | 5.5548G  | 105.17        | Inf           | -Inf       | 9.84       | 3       | V         | 269        | 1.48      | -        |
| AV   | 5.7252G  | 47.66         | 54.00         | -6.34      | 9.91       | 3       | V         | 269        | 1.48      | -        |
| PK   | 5.454G   | 72.46         | 74.00         | -1.54      | 9.67       | 3       | V         | 269        | 1.48      | -        |
| PK   | 5.4692G  | 71.39         | 74.00         | -2.61      | 9.71       | 3       | V         | 269        | 1.48      | -        |
| PK   | 5.5556G  | 115.42        | Inf           | -Inf       | 9.84       | 3       | V         | 269        | 1.48      | -        |
| PK   | 5.7284G  | 59.64         | 74.00         | -14.36     | 9.91       | 3       | V         | 269        | 1.48      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5550MHz\_TX**




20170722  
EUT X 4TX  
Setting 27  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4564G  | 48.13         | 54.00         | -5.87      | 9.67       | 3       | H         | 152        | 1.07      | -        |
| AV   | 5.4692G  | 48.91         | 54.00         | -5.09      | 9.71       | 3       | H         | 152        | 1.07      | -        |
| AV   | 5.5548G  | 96.50         | Inf           | -Inf       | 9.84       | 3       | H         | 152        | 1.07      | -        |
| AV   | 5.7404G  | 47.33         | 54.00         | -6.67      | 9.91       | 3       | H         | 152        | 1.07      | -        |
| PK   | 5.4444G  | 62.57         | 74.00         | -11.43     | 9.64       | 3       | H         | 152        | 1.07      | -        |
| PK   | 5.466G   | 65.04         | 74.00         | -8.96      | 9.70       | 3       | H         | 152        | 1.07      | -        |
| PK   | 5.5548G  | 107.73        | Inf           | -Inf       | 9.84       | 3       | H         | 152        | 1.07      | -        |
| PK   | 5.7468G  | 59.04         | 74.00         | -14.96     | 9.91       | 3       | H         | 152        | 1.07      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6732G  | 103.74        | Inf           | -Inf       | 9.89       | 3       | V         | 41         | 1.60      | -        |
| AV   | 5.7252G  | 52.08         | 54.00         | -1.92      | 9.91       | 3       | V         | 41         | 1.60      | -        |
| PK   | 5.656G   | 114.82        | Inf           | -Inf       | 9.89       | 3       | V         | 41         | 1.60      | -        |
| PK   | 5.7344G  | 73.70         | 74.00         | -0.30      | 9.91       | 3       | V         | 41         | 1.60      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5670MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 25  
 02-W-3-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.662G   | 101.04        | Inf           | -Inf       | 9.89       | 3       | H         | 310        | 2.94      | -        |
| AV   | 5.7256G  | 51.15         | 54.00         | -2.85      | 9.91       | 3       | H         | 310        | 2.94      | -        |
| PK   | 5.6548G  | 114.12        | Inf           | -Inf       | 9.89       | 3       | H         | 310        | 2.94      | -        |
| PK   | 5.7336G  | 73.57         | 74.00         | -0.43      | 9.91       | 3       | H         | 310        | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4508G  | 47.33         | 54.00         | -6.67      | 9.66       | 3       | V         | 39         | 1.50      | -        |
| AV   | 5.7136G  | 107.82        | Inf           | -Inf       | 9.90       | 3       | V         | 39         | 1.50      | -        |
| PK   | 5.458G   | 59.93         | 74.00         | -14.07     | 9.68       | 3       | V         | 39         | 1.50      | -        |
| PK   | 5.4664G  | 58.69         | 68.20         | -9.51      | 9.70       | 3       | V         | 39         | 1.50      | -        |
| PK   | 5.7232G  | 117.84        | Inf           | -Inf       | 9.90       | 3       | V         | 39         | 1.50      | -        |
| PK   | 5.9644G  | 67.29         | 68.20         | -0.91      | 10.15      | 3       | V         | 39         | 1.50      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5710MHz Straddle 5.47-5.725GHz\_TX**




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4304G  | 47.17         | 54.00         | -6.83      | 9.60       | 3       | H         | 37         | 1.07      | -        |
| AV   | 5.7064G  | 98.08         | Inf           | -Inf       | 9.90       | 3       | H         | 37         | 1.07      | -        |
| PK   | 5.4484G  | 59.17         | 74.00         | -14.83     | 9.65       | 3       | H         | 37         | 1.07      | -        |
| PK   | 5.4652G  | 58.10         | 68.20         | -10.10     | 9.70       | 3       | H         | 37         | 1.07      | -        |
| PK   | 5.7136G  | 109.43        | Inf           | -Inf       | 9.90       | 3       | H         | 37         | 1.07      | -        |
| PK   | 5.9476G  | 60.30         | 68.20         | -7.90      | 10.13      | 3       | H         | 37         | 1.07      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170722  
EUT X 4TX  
Setting 28(29 over 2.29)  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.751G   | 105.88        | Inf           | -Inf       | 9.91       | 3       | V         | 340        | 1.50      | -        |
| PK   | 5.645G   | 66.23         | 68.20         | -1.97      | 9.89       | 3       | V         | 340        | 1.50      | -        |
| PK   | 5.752G   | 116.79        | Inf           | -Inf       | 9.91       | 3       | V         | 340        | 1.50      | -        |
| PK   | 5.948G   | 60.04         | 68.20         | -8.16      | 10.13      | 3       | V         | 340        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170722  
EUT X 4TX  
Setting 28  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.752G   | 95.14         | Inf           | -Inf       | 9.91       | 3       | H         | 35         | 1.50      | -        |
| PK   | 5.75G    | 59.58         | 68.20         | -8.62      | 9.86       | 3       | H         | 35         | 1.50      | -        |
| PK   | 5.743G   | 107.69        | Inf           | -Inf       | 9.91       | 3       | H         | 35         | 1.50      | -        |
| PK   | 5.957G   | 60.44         | 68.20         | -7.76      | 10.14      | 3       | H         | 35         | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5795MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 109.09        | Inf           | -Inf       | 9.92       | 3       | V         | 332        | 1.99      | -        |
| PK   | 5.65G    | 62.21         | 68.20         | -5.99      | 9.89       | 3       | V         | 332        | 1.99      | -        |
| PK   | 5.804G   | 119.25        | Inf           | -Inf       | 9.93       | 3       | V         | 332        | 1.99      | -        |
| PK   | 5.926G   | 68.16         | 68.20         | -0.04      | 10.10      | 3       | V         | 332        | 1.99      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.806G   | 98.20         | Inf           | -Inf       | 9.93       | 3       | H         | 6          | 1.50      | -        |
| PK   | 5.637G   | 59.91         | 68.20         | -8.29      | 9.89       | 3       | H         | 6          | 1.50      | -        |
| PK   | 5.786G   | 109.23        | Inf           | -Inf       | 9.92       | 3       | H         | 6          | 1.50      | -        |
| PK   | 5.967G   | 61.01         | 68.20         | -7.19      | 10.15      | 3       | H         | 6          | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.135G   | 52.23         | 54.00         | -1.77      | 9.00       | 3       | V         | 350        | 2.53      | -        |
| AV   | 5.206G   | 99.77         | Inf           | -Inf       | 9.17       | 3       | V         | 350        | 2.53      | -        |
| AV   | 5.354G   | 48.82         | 54.00         | -5.18      | 9.44       | 3       | V         | 350        | 2.53      | -        |
| PK   | 5.14G    | 73.71         | 74.00         | -0.29      | 9.01       | 3       | V         | 350        | 2.53      | -        |
| PK   | 5.227G   | 110.51        | Inf           | -Inf       | 9.21       | 3       | V         | 350        | 2.53      | -        |
| PK   | 5.365G   | 61.47         | 74.00         | -12.53     | 9.46       | 3       | V         | 350        | 2.53      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.148G   | 48.95         | 54.00         | -5.05      | 9.03       | 3       | H         | 255        | 1.08      | -        |
| AV   | 5.184G   | 94.79         | Inf           | -Inf       | 9.12       | 3       | H         | 255        | 1.08      | -        |
| AV   | 5.358G   | 47.75         | 54.00         | -6.25      | 9.45       | 3       | H         | 255        | 1.08      | -        |
| PK   | 5.143G   | 61.71         | 74.00         | -12.29     | 9.02       | 3       | H         | 255        | 1.08      | -        |
| PK   | 5.188G   | 101.42        | Inf           | -Inf       | 9.13       | 3       | H         | 255        | 1.08      | -        |
| PK   | 5.405G   | 58.97         | 74.00         | -15.03     | 9.53       | 3       | H         | 255        | 1.08      | -        |

# **802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX**

## **5290MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 24  
 02-W-3-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.147G   | 47.50         | 54.00         | -6.50      | 9.03       | 3       | V         | 253        | 1.58      | -        |
| AV   | 5.282G   | 99.48         | Inf           | -Inf       | 9.32       | 3       | V         | 253        | 1.58      | -        |
| AV   | 5.353G   | 53.92         | 54.00         | -0.08      | 9.44       | 3       | V         | 253        | 1.58      | -        |
| PK   | 5.106G   | 59.36         | 74.00         | -14.64     | 8.93       | 3       | V         | 253        | 1.58      | -        |
| PK   | 5.282G   | 110.69        | Inf           | -Inf       | 9.32       | 3       | V         | 253        | 1.58      | -        |
| PK   | 5.376G   | 70.92         | 74.00         | -3.08      | 9.48       | 3       | V         | 253        | 1.58      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170722  
EUT X 4TX  
Setting 24  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.049G   | 47.20         | 54.00         | -6.80      | 8.77       | 3       | H         | 255        | 1.10      | -        |
| AV   | 5.266G   | 93.10         | Inf           | -Inf       | 9.29       | 3       | H         | 255        | 1.10      | -        |
| AV   | 5.354G   | 49.90         | 54.00         | -4.10      | 9.44       | 3       | H         | 255        | 1.10      | -        |
| PK   | 5.133G   | 58.79         | 74.00         | -15.21     | 8.99       | 3       | H         | 255        | 1.10      | -        |
| PK   | 5.267G   | 102.53        | Inf           | -Inf       | 9.29       | 3       | H         | 255        | 1.10      | -        |
| PK   | 5.377G   | 62.95         | 74.00         | -11.05     | 9.48       | 3       | H         | 255        | 1.10      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170722  
EUT X 4TX  
Setting 23  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459G   | 53.70         | 54.00         | -0.30      | 9.68       | 3       | V         | 339        | 2.33      | -        |
| AV   | 5.507G   | 99.54         | Inf           | -Inf       | 9.80       | 3       | V         | 339        | 2.33      | -        |
| PK   | 5.413G   | 66.91         | 74.00         | -7.09      | 9.56       | 3       | V         | 339        | 2.33      | -        |
| PK   | 5.466G   | 64.69         | 68.20         | -3.51      | 9.70       | 3       | V         | 339        | 2.33      | -        |
| PK   | 5.507G   | 109.48        | Inf           | -Inf       | 9.80       | 3       | V         | 339        | 2.33      | -        |
| PK   | 5.734G   | 60.77         | 68.20         | -7.43      | 9.91       | 3       | V         | 339        | 2.33      | -        |

# **802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX**

## **5530MHz\_TX**




20170722  
 EUT X 4TX  
 Setting 23  
 02-W-3-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.455G    | 48.27         | 54.00         | -5.73      | 9.67       | 3       | H         | 340        | 2.26      | -        |
| AV   | 5.551G    | 91.13         | Inf           | -Inf       | 9.84       | 3       | H         | 340        | 2.26      | -        |
| PK   | 5.374G    | 60.05         | 74.00         | -13.95     | 9.48       | 3       | H         | 340        | 2.26      | -        |
| PK   | 5.460005G | 59.88         | 68.20         | -8.32      | 9.68       | 3       | H         | 340        | 2.26      | -        |
| PK   | 5.562G    | 101.36        | Inf           | -Inf       | 9.85       | 3       | H         | 340        | 2.26      | -        |
| PK   | 5.727G    | 59.83         | 68.20         | -8.37      | 9.91       | 3       | H         | 340        | 2.26      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170722  
EUT X 4TX  
Setting 25(26 over 5.59)  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G    | 51.29         | 54.00         | -2.71      | 9.67       | 3       | V         | 3          | 2.01      | -        |
| AV   | 5.622G    | 103.02        | Inf           | -Inf       | 9.88       | 3       | V         | 3          | 2.01      | -        |
| PK   | 5.459G    | 64.81         | 74.00         | -9.19      | 9.68       | 3       | V         | 3          | 2.01      | -        |
| PK   | 5.460005G | 63.04         | 68.20         | -5.16      | 9.68       | 3       | V         | 3          | 2.01      | -        |
| PK   | 5.618G    | 112.96        | Inf           | -Inf       | 9.88       | 3       | V         | 3          | 2.01      | -        |
| PK   | 5.728G    | 66.17         | 68.20         | -2.03      | 9.91       | 3       | V         | 3          | 2.01      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170722  
EUT X 4TX  
Setting 25  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.454G   | 48.00         | 54.00         | -6.00      | 9.67       | 3       | H         | 358        | 2.44      | -        |
| AV   | 5.613G   | 95.19         | Inf           | -Inf       | 9.88       | 3       | H         | 358        | 2.44      | -        |
| PK   | 5.458G   | 59.14         | 74.00         | -14.86     | 9.68       | 3       | H         | 358        | 2.44      | -        |
| PK   | 5.468G   | 61.67         | 68.20         | -6.53      | 9.70       | 3       | H         | 358        | 2.44      | -        |
| PK   | 5.605G   | 105.79        | Inf           | -Inf       | 9.88       | 3       | H         | 358        | 2.44      | -        |
| PK   | 5.729G   | 63.04         | 68.20         | -5.16      | 9.91       | 3       | H         | 358        | 2.44      | -        |

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G   | 53.81         | 54.00         | -0.19      | 9.67       | 3       | V         | 343        | 2.10      | -        |
| AV   | 5.7272G  | 107.03        | Inf           | -Inf       | 9.91       | 3       | V         | 343        | 2.10      | -        |
| PK   | 5.444G   | 64.36         | 74.00         | -9.64      | 9.64       | 3       | V         | 343        | 2.10      | -        |
| PK   | 5.4656G  | 66.56         | 68.20         | -1.64      | 9.70       | 3       | V         | 343        | 2.10      | -        |
| PK   | 5.6948G  | 116.45        | Inf           | -Inf       | 9.90       | 3       | V         | 343        | 2.10      | -        |
| PK   | 5.9264G  | 66.46         | 68.20         | -1.74      | 10.10      | 3       | V         | 343        | 2.10      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170722  
EUT X 4TX  
Setting 29  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4572G  | 49.59         | 54.00         | -4.41      | 9.67       | 3       | H         | 9          | 2.97      | -        |
| AV   | 5.696G   | 97.92         | Inf           | -Inf       | 9.90       | 3       | H         | 9          | 2.97      | -        |
| PK   | 5.4356G  | 60.06         | 74.00         | -13.94     | 9.62       | 3       | H         | 9          | 2.97      | -        |
| PK   | 5.4656G  | 61.76         | 68.20         | -6.44      | 9.70       | 3       | H         | 9          | 2.97      | -        |
| PK   | 5.6972G  | 107.96        | Inf           | -Inf       | 9.90       | 3       | H         | 9          | 2.97      | -        |
| PK   | 5.9276G  | 60.99         | 68.20         | -7.21      | 10.10      | 3       | H         | 9          | 2.97      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170722  
EUT X 4TX  
Setting 26  
02-W-3-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.771G   | 101.24        | Inf           | -Inf       | 9.91       | 3       | V         | 45         | 1.50      | -        |
| PK   | 5.643G   | 68.10         | 68.20         | -0.10      | 9.89       | 3       | V         | 45         | 1.50      | -        |
| PK   | 5.792G   | 111.47        | Inf           | -Inf       | 9.92       | 3       | V         | 45         | 1.50      | -        |
| PK   | 5.929G   | 64.49         | 68.20         | -3.71      | 10.10      | 3       | V         | 45         | 1.50      | -        |

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170722  
EUT X 4TX  
Setting 26  
02-W-3-10  
FSU  
ANT omni Skynet-CO


| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 97.39         | Inf           | -Inf       | 9.92       | 3       | H         | 276        | 2.91      | -        |
| PK   | 5.643G   | 62.23         | 68.20         | -5.97      | 9.89       | 3       | H         | 276        | 2.91      | -        |
| PK   | 5.787G   | 106.72        | Inf           | -Inf       | 9.92       | 3       | H         | 276        | 2.91      | -        |
| PK   | 5.926G   | 60.59         | 68.20         | -7.61      | 10.10      | 3       | H         | 276        | 2.91      | -        |

**For set 6 antenna****Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Pol.<br>(H/V) | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|---------------|----------------|---------------|----------|
| 802.11ac VHT40_Nss1,(MCS0)_4TX | -      | -    | -            | -                 | -                 | -              | -              | -           | -             | -              | -             | -        |
| 5.25-5.35GHz                   | Pass   | AV   | 5.3552G      | 53.99             | 54.00             | -0.01          | 9.44           | 3           | H             | 313            | 2.01          | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170718  
EUT X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.41         | 54.00         | -2.59      | 9.03       | 3       | V         | 188        | 2.99      | -        |
| AV   | 5.1786G   | 105.26        | Inf           | -Inf       | 9.11       | 3       | V         | 188        | 2.99      | -        |
| PK   | 5.149995G | 66.08         | 74.00         | -7.92      | 9.03       | 3       | V         | 188        | 2.99      | -        |
| PK   | 5.1782G   | 116.00        | Inf           | -Inf       | 9.11       | 3       | V         | 188        | 2.99      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170718  
EUT X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 53.98         | 54.00         | -0.02      | 9.03       | 3       | H         | 161        | 2.05      | -        |
| AV   | 5.187G   | 106.86        | Inf           | -Inf       | 9.13       | 3       | H         | 161        | 2.05      | -        |
| PK   | 5.1492G  | 69.57         | 74.00         | -4.43      | 9.03       | 3       | H         | 161        | 2.05      | -        |
| PK   | 5.1872G  | 117.64        | Inf           | -Inf       | 9.13       | 3       | H         | 161        | 2.05      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 21.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 50.14         | 54.00         | -3.86      | 9.03       | 3       | V         | 319        | 2.90      | -        |
| AV   | 5.2016G   | 104.84        | Inf           | -Inf       | 9.16       | 3       | V         | 319        | 2.90      | -        |
| PK   | 5.1412G   | 64.06         | 74.00         | -9.94      | 9.01       | 3       | V         | 319        | 2.90      | -        |
| PK   | 5.2016G   | 116.25        | Inf           | -Inf       | 9.16       | 3       | V         | 319        | 2.90      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 21.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 53.65         | 54.00         | -0.35      | 9.03       | 3       | H         | 160        | 2.21      | -        |
| AV   | 5.2084G  | 106.79        | Inf           | -Inf       | 9.18       | 3       | H         | 160        | 2.21      | -        |
| PK   | 5.1484G  | 68.12         | 74.00         | -5.88      | 9.03       | 3       | H         | 160        | 2.21      | -        |
| PK   | 5.2072G  | 117.14        | Inf           | -Inf       | 9.17       | 3       | H         | 160        | 2.21      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170718  
EUT X\_4TX  
Setting 23(升0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1482G   | 46.99         | 54.00         | -7.01      | 9.03       | 3       | V         | 165        | 2.75      | -        |
| AV   | 5.2334G   | 105.75        | Inf           | -Inf       | 9.22       | 3       | V         | 165        | 2.75      | -        |
| AV   | 5.350005G | 47.13         | 54.00         | -6.87      | 9.44       | 3       | V         | 165        | 2.75      | -        |
| PK   | 5.12G     | 59.37         | 74.00         | -14.63     | 8.96       | 3       | V         | 165        | 2.75      | -        |
| PK   | 5.2334G   | 116.27        | Inf           | -Inf       | 9.22       | 3       | V         | 165        | 2.75      | -        |
| PK   | 5.3534G   | 59.65         | 74.00         | -14.35     | 9.44       | 3       | V         | 165        | 2.75      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 23(升0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 49.17         | 54.00         | -4.83      | 9.03       | 3       | H         | 165        | 2.18      | -        |
| AV   | 5.2472G   | 109.30        | Inf           | -Inf       | 9.25       | 3       | H         | 165        | 2.18      | -        |
| AV   | 5.3534G   | 47.83         | 54.00         | -6.17      | 9.44       | 3       | H         | 165        | 2.18      | -        |
| PK   | 5.149995G | 61.58         | 74.00         | -12.42     | 9.03       | 3       | H         | 165        | 2.18      | -        |
| PK   | 5.2454G   | 120.00        | Inf           | -Inf       | 9.25       | 3       | H         | 165        | 2.18      | -        |
| PK   | 5.354G    | 60.49         | 74.00         | -13.51     | 9.44       | 3       | H         | 165        | 2.18      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 23  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 46.66         | 54.00         | -7.34      | 9.03       | 3       | V         | 323        | 2.97      | -        |
| AV   | 5.2612G  | 107.76        | Inf           | -Inf       | 9.28       | 3       | V         | 323        | 2.97      | -        |
| AV   | 5.3512G  | 49.21         | 54.00         | -4.79      | 9.44       | 3       | V         | 323        | 2.97      | -        |
| PK   | 5.149G   | 60.40         | 74.00         | -13.60     | 9.03       | 3       | V         | 323        | 2.97      | -        |
| PK   | 5.2618G  | 118.62        | Inf           | -Inf       | 9.28       | 3       | V         | 323        | 2.97      | -        |
| PK   | 5.353G   | 67.97         | 74.00         | -6.03      | 9.44       | 3       | V         | 323        | 2.97      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5260MHz\_TX**




20170718  
 EUT\_X\_4TX  
 Setting 23  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1364G   | 47.52         | 54.00         | -6.48      | 9.00       | 3       | H         | 163        | 2.29      | -        |
| AV   | 5.2678G   | 109.67        | Inf           | -Inf       | 9.29       | 3       | H         | 163        | 2.29      | -        |
| AV   | 5.3608G   | 49.96         | 54.00         | -4.04      | 9.45       | 3       | H         | 163        | 2.29      | -        |
| PK   | 5.149995G | 69.47         | 74.00         | -4.53      | 9.03       | 3       | H         | 163        | 2.29      | -        |
| PK   | 5.2672G   | 120.05        | Inf           | -Inf       | 9.29       | 3       | H         | 163        | 2.29      | -        |
| PK   | 5.353G    | 73.76         | 74.00         | -0.24      | 9.44       | 3       | H         | 163        | 2.29      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5300MHz\_TX**




20170718  
 EUT X\_4TX  
 Setting 22(升0.5 OVER)  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3024G  | 108.10        | Inf           | -Inf       | 9.35       | 3       | V         | 176        | 2.93      | -        |
| AV   | 5.3536G  | 48.49         | 54.00         | -5.51      | 9.44       | 3       | V         | 176        | 2.93      | -        |
| PK   | 5.3024G  | 118.49        | Inf           | -Inf       | 9.35       | 3       | V         | 176        | 2.93      | -        |
| PK   | 5.36G    | 62.79         | 74.00         | -11.21     | 9.45       | 3       | V         | 176        | 2.93      | -        |

# 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5300MHz\_TX




20170718  
EUT X\_4TX  
Setting 22(升0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3068G   | 108.86        | Inf           | -Inf       | 9.36       | 3       | H         | 160        | 2.08      | -        |
| AV   | 5.350005G | 52.20         | 54.00         | -1.80      | 9.44       | 3       | H         | 160        | 2.08      | -        |
| PK   | 5.3064G   | 119.33        | Inf           | -Inf       | 9.36       | 3       | H         | 160        | 2.08      | -        |
| PK   | 5.3508G   | 66.50         | 74.00         | -7.50      | 9.44       | 3       | H         | 160        | 2.08      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5320MHz\_TX**




20170718  
EUT\_X\_4TX  
Setting 20.5(±0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3226G  | 105.67        | Inf           | -Inf       | 9.39       | 3       | V         | 26         | 2.63      | -        |
| AV   | 5.3512G  | 48.80         | 54.00         | -5.20      | 9.44       | 3       | V         | 26         | 2.63      | -        |
| PK   | 5.3218G  | 116.51        | Inf           | -Inf       | 9.39       | 3       | V         | 26         | 2.63      | -        |
| PK   | 5.3544G  | 63.08         | 74.00         | -10.92     | 9.44       | 3       | V         | 26         | 2.63      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5320MHz\_TX**




20170718  
 EUT\_X\_4TX  
 Setting 20.5(±0.5 OVER)  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.326G    | 107.42        | Inf           | -Inf       | 9.39       | 3       | H         | 159        | 1.96      | -        |
| AV   | 5.350005G | 52.19         | 54.00         | -1.81      | 9.44       | 3       | H         | 159        | 1.96      | -        |
| PK   | 5.3262G   | 118.20        | Inf           | -Inf       | 9.39       | 3       | H         | 159        | 1.96      | -        |
| PK   | 5.350005G | 66.46         | 74.00         | -7.54      | 9.44       | 3       | H         | 159        | 1.96      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170718  
EUT X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 50.96         | 54.00         | -3.04      | 9.68       | 3       | V         | 174        | 2.86      | -        |
| AV   | 5.468G   | 53.75         | 54.00         | -0.25      | 9.70       | 3       | V         | 174        | 2.86      | -        |
| AV   | 5.5024G  | 107.11        | Inf           | -Inf       | 9.79       | 3       | V         | 174        | 2.86      | -        |
| PK   | 5.4596G  | 65.23         | 74.00         | -8.77      | 9.68       | 3       | V         | 174        | 2.86      | -        |
| PK   | 5.468G   | 67.39         | 74.00         | -6.61      | 9.70       | 3       | V         | 174        | 2.86      | -        |
| PK   | 5.5016G  | 118.60        | Inf           | -Inf       | 9.79       | 3       | V         | 174        | 2.86      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170718  
EUT X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 50.35         | 54.00         | -3.65      | 9.68       | 3       | H         | 165        | 1.50      | -        |
| AV   | 5.4648G  | 53.89         | 54.00         | -0.11      | 9.69       | 3       | H         | 165        | 1.50      | -        |
| AV   | 5.5028G  | 106.36        | Inf           | -Inf       | 9.79       | 3       | H         | 165        | 1.50      | -        |
| PK   | 5.46G    | 64.11         | 74.00         | -9.89      | 9.68       | 3       | H         | 165        | 1.50      | -        |
| PK   | 5.4636G  | 68.75         | 74.00         | -5.25      | 9.69       | 3       | H         | 165        | 1.50      | -        |
| PK   | 5.5028G  | 117.30        | Inf           | -Inf       | 9.79       | 3       | H         | 165        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4592G  | 52.59         | 54.00         | -1.41      | 9.68       | 3       | V         | 171        | 2.94      | -        |
| AV   | 5.5832G  | 108.99        | Inf           | -Inf       | 9.86       | 3       | V         | 171        | 2.94      | -        |
| PK   | 5.46G    | 67.06         | 74.00         | -6.94      | 9.68       | 3       | V         | 171        | 2.94      | -        |
| PK   | 5.4656G  | 68.07         | 68.20         | -0.13      | 9.70       | 3       | V         | 171        | 2.94      | -        |
| PK   | 5.5824G  | 120.12        | Inf           | -Inf       | 9.86       | 3       | V         | 171        | 2.94      | -        |
| PK   | 5.7344G  | 63.24         | 68.20         | -4.96      | 9.91       | 3       | V         | 171        | 2.94      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4552G  | 49.50         | 54.00         | -4.50      | 9.67       | 3       | H         | 313        | 2.81      | -        |
| AV   | 5.572G   | 110.84        | Inf           | -Inf       | 9.85       | 3       | H         | 313        | 2.81      | -        |
| PK   | 5.4568G  | 61.55         | 74.00         | -12.45     | 9.67       | 3       | H         | 313        | 2.81      | -        |
| PK   | 5.4624G  | 63.67         | 68.20         | -4.53      | 9.69       | 3       | H         | 313        | 2.81      | -        |
| PK   | 5.5728G  | 120.49        | Inf           | -Inf       | 9.86       | 3       | H         | 313        | 2.81      | -        |
| PK   | 5.7384G  | 60.40         | 68.20         | -7.80      | 9.91       | 3       | H         | 313        | 2.81      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7042G  | 105.36        | Inf           | -Inf       | 9.90       | 3       | V         | 20         | 2.82      | -        |
| AV   | 5.7252G  | 53.68         | 54.00         | -0.32      | 9.91       | 3       | V         | 20         | 2.82      | -        |
| PK   | 5.705G   | 116.37        | Inf           | -Inf       | 9.90       | 3       | V         | 20         | 2.82      | -        |
| PK   | 5.7252G  | 72.86         | 74.00         | -1.14      | 9.91       | 3       | V         | 20         | 2.82      | -        |

# 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5700MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6928G  | 106.90        | Inf           | -Inf       | 9.90       | 3       | H         | 310        | 2.85      | -        |
| AV   | 5.7318G  | 52.31         | 54.00         | -1.69      | 9.91       | 3       | H         | 310        | 2.85      | -        |
| PK   | 5.6938G  | 117.77        | Inf           | -Inf       | 9.90       | 3       | H         | 310        | 2.85      | -        |
| PK   | 5.7308G  | 68.79         | 74.00         | -5.21      | 9.91       | 3       | H         | 310        | 2.85      | -        |

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.426G   | 46.70         | 54.00         | -7.30      | 9.59       | 3       | V         | 29         | 2.91      | -        |
| AV   | 5.4632G  | 46.59         | 54.00         | -7.41      | 9.69       | 3       | V         | 29         | 2.91      | -        |
| AV   | 5.7128G  | 110.55        | Inf           | -Inf       | 9.90       | 3       | V         | 29         | 2.91      | -        |
| PK   | 5.4344G  | 59.47         | 74.00         | -14.53     | 9.61       | 3       | V         | 29         | 2.91      | -        |
| PK   | 5.4644G  | 58.35         | 74.00         | -15.65     | 9.69       | 3       | V         | 29         | 2.91      | -        |
| PK   | 5.714G   | 121.30        | Inf           | -Inf       | 9.90       | 3       | V         | 29         | 2.91      | -        |
| PK   | 5.984G   | 60.08         | 68.20         | -8.12      | 10.18      | 3       | V         | 29         | 2.91      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170718  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4356G  | 46.75         | 54.00         | -7.25      | 9.62       | 3       | H         | 300        | 2.82      | -        |
| AV   | 5.4668G  | 46.72         | 54.00         | -7.28      | 9.70       | 3       | H         | 300        | 2.82      | -        |
| AV   | 5.7128G  | 111.47        | Inf           | -Inf       | 9.90       | 3       | H         | 300        | 2.82      | -        |
| PK   | 5.4212G  | 59.25         | 74.00         | -14.75     | 9.58       | 3       | H         | 300        | 2.82      | -        |
| PK   | 5.4668G  | 59.34         | 74.00         | -14.66     | 9.70       | 3       | H         | 300        | 2.82      | -        |
| PK   | 5.7128G  | 122.95        | Inf           | -Inf       | 9.90       | 3       | H         | 300        | 2.82      | -        |
| PK   | 5.9372G  | 59.69         | 68.20         | -8.51      | 10.11      | 3       | H         | 300        | 2.82      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5745MHz\_TX**




20170718  
 EUT\_X\_4TX  
 Setting 24  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.738G   | 110.33        | Inf           | -Inf       | 9.91       | 3       | V         | 330        | 2.90      | -        |
| PK   | 5.644G   | 66.54         | 68.20         | -1.66      | 9.89       | 3       | V         | 330        | 2.90      | -        |
| PK   | 5.739G   | 120.56        | Inf           | -Inf       | 9.91       | 3       | V         | 330        | 2.90      | -        |
| PK   | 5.952G   | 59.62         | 68.20         | -8.58      | 10.13      | 3       | V         | 330        | 2.90      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.738G   | 111.35        | Inf           | -Inf       | 9.91       | 3       | H         | 147        | 2.80      | -        |
| PK   | 5.646G   | 68.18         | 68.20         | -0.02      | 9.89       | 3       | H         | 147        | 2.80      | -        |
| PK   | 5.737G   | 122.15        | Inf           | -Inf       | 9.91       | 3       | H         | 147        | 2.80      | -        |
| PK   | 5.962G   | 60.15         | 68.20         | -8.05      | 10.15      | 3       | H         | 147        | 2.80      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.79G    | 108.97        | Inf           | -Inf       | 9.92       | 3       | V         | 331        | 2.75      | -        |
| PK   | 5.65G    | 65.71         | 68.20         | -2.49      | 9.89       | 3       | V         | 331        | 2.75      | -        |
| PK   | 5.79G    | 119.59        | Inf           | -Inf       | 9.92       | 3       | V         | 331        | 2.75      | -        |
| PK   | 5.93G    | 60.95         | 68.20         | -7.25      | 10.10      | 3       | V         | 331        | 2.75      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.777G   | 111.79        | Inf           | -Inf       | 9.92       | 3       | H         | 145        | 2.78      | -        |
| PK   | 5.637G   | 68.13         | 68.20         | -0.07      | 9.89       | 3       | H         | 145        | 2.78      | -        |
| PK   | 5.777G   | 123.06        | Inf           | -Inf       | 9.92       | 3       | H         | 145        | 2.78      | -        |
| PK   | 5.938G   | 62.68         | 68.20         | -5.52      | 10.11      | 3       | H         | 145        | 2.78      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 24.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.817G   | 106.98        | Inf           | -Inf       | 9.94       | 3       | V         | 347        | 2.89      | -        |
| PK   | 5.642G   | 60.15         | 68.20         | -8.05      | 9.89       | 3       | V         | 347        | 2.89      | -        |
| PK   | 5.817G   | 117.50        | Inf           | -Inf       | 9.94       | 3       | V         | 347        | 2.89      | -        |
| PK   | 5.929G   | 64.93         | 68.20         | -3.27      | 10.10      | 3       | V         | 347        | 2.89      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 24.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.818G   | 110.47        | Inf           | -Inf       | 9.95       | 3       | H         | 166        | 2.75      | -        |
| PK   | 5.649G   | 64.36         | 68.20         | -3.84      | 9.89       | 3       | H         | 166        | 2.75      | -        |
| PK   | 5.819G   | 121.04        | Inf           | -Inf       | 9.95       | 3       | H         | 166        | 2.75      | -        |
| PK   | 5.933G   | 67.87         | 68.20         | -0.33      | 10.11      | 3       | H         | 166        | 2.75      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170718  
EUT X\_4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1424G  | 49.36         | 54.00         | -4.64      | 9.02       | 3       | V         | 342        | 2.24      | -        |
| AV   | 5.196G   | 101.21        | Inf           | -Inf       | 9.15       | 3       | V         | 342        | 2.24      | -        |
| PK   | 5.142G   | 62.78         | 74.00         | -11.22     | 9.02       | 3       | V         | 342        | 2.24      | -        |
| PK   | 5.1972G  | 110.87        | Inf           | -Inf       | 9.15       | 3       | V         | 342        | 2.24      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1388G  | 53.66         | 54.00         | -0.34      | 9.01       | 3       | H         | 311        | 2.15      | -        |
| AV   | 5.1788G  | 103.11        | Inf           | -Inf       | 9.11       | 3       | H         | 311        | 2.15      | -        |
| PK   | 5.1388G  | 70.08         | 74.00         | -3.92      | 9.01       | 3       | H         | 311        | 2.15      | -        |
| PK   | 5.1788G  | 113.88        | Inf           | -Inf       | 9.11       | 3       | H         | 311        | 2.15      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 21  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1472G  | 49.50         | 54.00         | -4.50      | 9.03       | 3       | V         | 165        | 2.64      | -        |
| AV   | 5.2332G  | 101.94        | Inf           | -Inf       | 9.22       | 3       | V         | 165        | 2.64      | -        |
| PK   | 5.1384G  | 63.63         | 74.00         | -10.37     | 9.01       | 3       | V         | 165        | 2.64      | -        |
| PK   | 5.234G   | 111.34        | Inf           | -Inf       | 9.22       | 3       | V         | 165        | 2.64      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170718  
EUT X\_4TX  
Setting 21  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1376G  | 53.92         | 54.00         | -0.08      | 9.00       | 3       | H         | 161        | 2.21      | -        |
| AV   | 5.238G   | 105.92        | Inf           | -Inf       | 9.23       | 3       | H         | 161        | 2.21      | -        |
| PK   | 5.1388G  | 69.21         | 74.00         | -4.79      | 9.01       | 3       | H         | 161        | 2.21      | -        |
| PK   | 5.2376G  | 116.57        | Inf           | -Inf       | 9.23       | 3       | H         | 161        | 2.21      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1458G  | 46.96         | 54.00         | -7.04      | 9.02       | 3       | V         | 199        | 2.92      | -        |
| AV   | 5.2604G  | 103.93        | Inf           | -Inf       | 9.27       | 3       | V         | 199        | 2.92      | -        |
| AV   | 5.36G    | 50.32         | 54.00         | -3.68      | 9.45       | 3       | V         | 199        | 2.92      | -        |
| PK   | 5.1368G  | 59.07         | 74.00         | -14.93     | 9.00       | 3       | V         | 199        | 2.92      | -        |
| PK   | 5.261G   | 113.80        | Inf           | -Inf       | 9.28       | 3       | V         | 199        | 2.92      | -        |
| PK   | 5.3588G  | 63.04         | 74.00         | -10.96     | 9.45       | 3       | V         | 199        | 2.92      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1362G  | 47.40         | 54.00         | -6.60      | 9.00       | 3       | H         | 313        | 2.01      | -        |
| AV   | 5.2754G  | 105.26        | Inf           | -Inf       | 9.30       | 3       | H         | 313        | 2.01      | -        |
| AV   | 5.3552G  | 53.99         | 54.00         | -0.01      | 9.44       | 3       | H         | 313        | 2.01      | -        |
| PK   | 5.1374G  | 60.17         | 74.00         | -13.83     | 9.00       | 3       | H         | 313        | 2.01      | -        |
| PK   | 5.2772G  | 115.10        | Inf           | -Inf       | 9.31       | 3       | H         | 313        | 2.01      | -        |
| PK   | 5.3516G  | 69.04         | 74.00         | -4.96      | 9.44       | 3       | H         | 313        | 2.01      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5310MHz\_TX**




20170718  
 EUT\_X\_4TX  
 Setting 19.5  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3004G  | 101.64        | Inf           | -Inf       | 9.35       | 3       | V         | 44         | 2.90      | -        |
| AV   | 5.3592G  | 48.59         | 54.00         | -5.41      | 9.45       | 3       | V         | 44         | 2.90      | -        |
| PK   | 5.3012G  | 111.80        | Inf           | -Inf       | 9.35       | 3       | V         | 44         | 2.90      | -        |
| PK   | 5.3592G  | 63.16         | 74.00         | -10.84     | 9.45       | 3       | V         | 44         | 2.90      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3172G  | 104.37        | Inf           | -Inf       | 9.38       | 3       | H         | 312        | 2.07      | -        |
| AV   | 5.3564G  | 53.89         | 54.00         | -0.11      | 9.45       | 3       | H         | 312        | 2.07      | -        |
| PK   | 5.3172G  | 114.62        | Inf           | -Inf       | 9.38       | 3       | H         | 312        | 2.07      | -        |
| PK   | 5.3548G  | 70.83         | 74.00         | -3.17      | 9.44       | 3       | H         | 312        | 2.07      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170718  
EUT X\_4TX  
Setting 19  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4504G  | 49.03         | 54.00         | -4.97      | 9.66       | 3       | V         | 169        | 2.86      | -        |
| AV   | 5.4696G  | 51.43         | 54.00         | -2.57      | 9.71       | 3       | V         | 169        | 2.86      | -        |
| AV   | 5.5116G  | 104.71        | Inf           | -Inf       | 9.80       | 3       | V         | 169        | 2.86      | -        |
| PK   | 5.45G    | 61.16         | 74.00         | -12.84     | 9.66       | 3       | V         | 169        | 2.86      | -        |
| PK   | 5.4696G  | 66.34         | 74.00         | -7.66      | 9.71       | 3       | V         | 169        | 2.86      | -        |
| PK   | 5.5112G  | 114.40        | Inf           | -Inf       | 9.80       | 3       | V         | 169        | 2.86      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4596G  | 52.77         | 54.00         | -1.23      | 9.68       | 3       | H         | 312        | 2.87      | -        |
| AV   | 5.4696G  | 53.62         | 54.00         | -0.38      | 9.71       | 3       | H         | 312        | 2.87      | -        |
| AV   | 5.5004G  | 103.92        | Inf           | -Inf       | 9.79       | 3       | H         | 312        | 2.87      | -        |
| PK   | 5.4596G  | 68.29         | 74.00         | -5.71      | 9.68       | 3       | H         | 312        | 2.87      | -        |
| PK   | 5.4696G  | 68.03         | 74.00         | -5.97      | 9.71       | 3       | H         | 312        | 2.87      | -        |
| PK   | 5.5012G  | 114.54        | Inf           | -Inf       | 9.79       | 3       | H         | 312        | 2.87      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5550MHz\_TX**




20170718  
EUT X\_4TX  
Setting 21  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.451G   | 50.45         | 54.00         | -3.55      | 9.66       | 3       | V         | 166        | 2.70      | -        |
| AV   | 5.4696G  | 53.92         | 54.00         | -0.08      | 9.71       | 3       | V         | 166        | 2.70      | -        |
| AV   | 5.5518G  | 105.21        | Inf           | -Inf       | 9.84       | 3       | V         | 166        | 2.70      | -        |
| PK   | 5.4492G  | 64.55         | 74.00         | -9.45      | 9.65       | 3       | V         | 166        | 2.70      | -        |
| PK   | 5.4696G  | 68.91         | 74.00         | -5.09      | 9.71       | 3       | V         | 166        | 2.70      | -        |
| PK   | 5.5524G  | 114.88        | Inf           | -Inf       | 9.84       | 3       | V         | 166        | 2.70      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170718  
EUT X\_4TX  
Setting 21  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4594G  | 53.94         | 54.00         | -0.06      | 9.68       | 3       | H         | 305        | 2.93      | -        |
| AV   | 5.4618G  | 53.88         | 54.00         | -0.12      | 9.69       | 3       | H         | 305        | 2.93      | -        |
| AV   | 5.5518G  | 105.22        | Inf           | -Inf       | 9.84       | 3       | H         | 305        | 2.93      | -        |
| PK   | 5.4594G  | 70.60         | 74.00         | -3.40      | 9.68       | 3       | H         | 305        | 2.93      | -        |
| PK   | 5.4612G  | 68.47         | 74.00         | -5.53      | 9.69       | 3       | H         | 305        | 2.93      | -        |
| PK   | 5.5512G  | 115.21        | Inf           | -Inf       | 9.84       | 3       | H         | 305        | 2.93      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6632G  | 102.07        | Inf           | -Inf       | 9.89       | 3       | V         | 325        | 2.40      | -        |
| PK   | 5.6624G  | 111.24        | Inf           | -Inf       | 9.89       | 3       | V         | 325        | 2.40      | -        |
| PK   | 5.726G   | 67.84         | 68.20         | -0.36      | 9.91       | 3       | V         | 325        | 2.40      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 20  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6808G  | 103.94        | Inf           | -Inf       | 9.90       | 3       | H         | 306        | 2.34      | -        |
| PK   | 5.6612G  | 114.11        | Inf           | -Inf       | 9.89       | 3       | H         | 306        | 2.34      | -        |
| PK   | 5.738G   | 68.13         | 68.20         | -0.07      | 9.91       | 3       | H         | 306        | 2.34      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5710MHz\_TX




20170718  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.452G   | 48.76         | 54.00         | -5.24      | 9.66       | 3       | V         | 160        | 2.71      | -        |
| AV   | 5.4652G  | 48.30         | 54.00         | -5.70      | 9.70       | 3       | V         | 160        | 2.71      | -        |
| AV   | 5.7148G  | 106.41        | Inf           | -Inf       | 9.90       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.434G   | 60.94         | 74.00         | -13.06     | 9.61       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.4652G  | 59.68         | 74.00         | -14.32     | 9.70       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.7148G  | 116.74        | Inf           | -Inf       | 9.90       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.9848G  | 63.24         | 68.20         | -4.96      | 10.18      | 3       | V         | 160        | 2.71      | -        |

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170718  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4544G  | 50.76         | 54.00         | -3.24      | 9.67       | 3       | H         | 305        | 2.83      | -        |
| AV   | 5.4604G  | 50.31         | 54.00         | -3.69      | 9.68       | 3       | H         | 305        | 2.83      | -        |
| AV   | 5.7028G  | 109.74        | Inf           | -Inf       | 9.90       | 3       | H         | 305        | 2.83      | -        |
| PK   | 5.458G   | 63.31         | 74.00         | -10.69     | 9.68       | 3       | H         | 305        | 2.83      | -        |
| PK   | 5.464G   | 62.79         | 74.00         | -11.21     | 9.69       | 3       | H         | 305        | 2.83      | -        |
| PK   | 5.7052G  | 120.02        | Inf           | -Inf       | 9.90       | 3       | H         | 305        | 2.83      | -        |
| PK   | 5.944G   | 66.18         | 68.20         | -2.02      | 10.12      | 3       | H         | 305        | 2.83      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5755MHz\_TX**




20170718  
EUT\_X\_4TX  
Setting 22  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.752G   | 103.33        | Inf           | -Inf       | 9.91       | 3       | V         | 152        | 2.13      | -        |
| PK   | 5.63G    | 62.91         | 68.20         | -5.29      | 9.89       | 3       | V         | 152        | 2.13      | -        |
| PK   | 5.752G   | 112.78        | Inf           | -Inf       | 9.91       | 3       | V         | 152        | 2.13      | -        |
| PK   | 5.968G   | 60.11         | 68.20         | -8.09      | 10.16      | 3       | V         | 152        | 2.13      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 22  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 107.70        | Inf           | -Inf       | 9.91       | 3       | H         | 148        | 2.80      | -        |
| PK   | 5.645G   | 67.69         | 68.20         | -0.51      | 9.89       | 3       | H         | 148        | 2.80      | -        |
| PK   | 5.768G   | 117.80        | Inf           | -Inf       | 9.91       | 3       | H         | 148        | 2.80      | -        |
| PK   | 5.925G   | 60.07         | 68.20         | -8.13      | 10.09      | 3       | H         | 148        | 2.80      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 23  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 104.02        | Inf           | -Inf       | 9.92       | 3       | V         | 152        | 2.11      | -        |
| PK   | 5.649G   | 62.02         | 68.20         | -6.18      | 9.89       | 3       | V         | 152        | 2.11      | -        |
| PK   | 5.791G   | 113.88        | Inf           | -Inf       | 9.92       | 3       | V         | 152        | 2.11      | -        |
| PK   | 5.926G   | 63.65         | 68.20         | -4.55      | 10.10      | 3       | V         | 152        | 2.11      | -        |

# 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 23  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 108.28        | Inf           | -Inf       | 9.92       | 3       | H         | 297        | 2.79      | -        |
| PK   | 5.651G   | 65.63         | 68.94         | -3.31      | 9.89       | 3       | H         | 297        | 2.79      | -        |
| PK   | 5.788G   | 118.71        | Inf           | -Inf       | 9.92       | 3       | H         | 297        | 2.79      | -        |
| PK   | 5.926G   | 68.13         | 68.20         | -0.07      | 10.10      | 3       | H         | 297        | 2.79      | -        |

# 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




20170718  
EUT X\_4TX  
Setting 19  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1116G  | 49.29         | 54.00         | -4.71      | 8.94       | 3       | V         | 300        | 2.86      | -        |
| AV   | 5.2332G  | 98.90         | Inf           | -Inf       | 9.22       | 3       | V         | 300        | 2.86      | -        |
| AV   | 5.3556G  | 48.82         | 54.00         | -5.18      | 9.44       | 3       | V         | 300        | 2.86      | -        |
| PK   | 5.1124G  | 63.43         | 74.00         | -10.57     | 8.94       | 3       | V         | 300        | 2.86      | -        |
| PK   | 5.234G   | 109.10        | Inf           | -Inf       | 9.22       | 3       | V         | 300        | 2.86      | -        |
| PK   | 5.3548G  | 60.97         | 74.00         | -13.03     | 9.44       | 3       | V         | 300        | 2.86      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1388G  | 53.73         | 54.00         | -0.27      | 9.01       | 3       | H         | 139        | 2.16      | -        |
| AV   | 5.1988G  | 98.70         | Inf           | -Inf       | 9.16       | 3       | H         | 139        | 2.16      | -        |
| AV   | 5.358G   | 50.08         | 54.00         | -3.92      | 9.45       | 3       | H         | 139        | 2.16      | -        |
| PK   | 5.1172G  | 66.98         | 74.00         | -7.02      | 8.95       | 3       | H         | 139        | 2.16      | -        |
| PK   | 5.198G   | 109.19        | Inf           | -Inf       | 9.15       | 3       | H         | 139        | 2.16      | -        |
| PK   | 5.3564G  | 62.58         | 74.00         | -11.42     | 9.45       | 3       | H         | 139        | 2.16      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170718  
EUT X\_4TX  
Setting 18.5(升0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1468G  | 46.53         | 54.00         | -7.47      | 9.03       | 3       | V         | 195        | 1.32      | -        |
| AV   | 5.278G   | 93.02         | Inf           | -Inf       | 9.31       | 3       | V         | 195        | 1.32      | -        |
| AV   | 5.3516G  | 48.43         | 54.00         | -5.57      | 9.44       | 3       | V         | 195        | 1.32      | -        |
| PK   | 5.1276G  | 59.01         | 74.00         | -14.99     | 8.98       | 3       | V         | 195        | 1.32      | -        |
| PK   | 5.2772G  | 102.61        | Inf           | -Inf       | 9.31       | 3       | V         | 195        | 1.32      | -        |
| PK   | 5.3524G  | 60.08         | 74.00         | -13.92     | 9.44       | 3       | V         | 195        | 1.32      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170718  
EUT X\_4TX  
Setting 18.5(升0.5 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.138G   | 47.25         | 54.00         | -6.75      | 9.00       | 3       | H         | 291        | 2.10      | -        |
| AV   | 5.278G   | 98.77         | Inf           | -Inf       | 9.31       | 3       | H         | 291        | 2.10      | -        |
| AV   | 5.3588G  | 52.79         | 54.00         | -1.21      | 9.45       | 3       | H         | 291        | 2.10      | -        |
| PK   | 5.1308G  | 59.40         | 74.00         | -14.60     | 8.99       | 3       | H         | 291        | 2.10      | -        |
| PK   | 5.2772G  | 108.98        | Inf           | -Inf       | 9.31       | 3       | H         | 291        | 2.10      | -        |
| PK   | 5.3564G  | 66.01         | 74.00         | -7.99      | 9.45       | 3       | H         | 291        | 2.10      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.451G   | 52.25         | 54.00         | -1.75      | 9.66       | 3       | V         | 155        | 2.69      | -        |
| AV   | 5.465G   | 50.18         | 54.00         | -3.82      | 9.70       | 3       | V         | 155        | 2.69      | -        |
| AV   | 5.512G   | 98.44         | Inf           | -Inf       | 9.80       | 3       | V         | 155        | 2.69      | -        |
| AV   | 5.767G   | 47.53         | 54.00         | -6.47      | 9.91       | 3       | V         | 155        | 2.69      | -        |
| PK   | 5.451G   | 64.73         | 74.00         | -9.27      | 9.66       | 3       | V         | 155        | 2.69      | -        |
| PK   | 5.469G   | 62.87         | 74.00         | -11.13     | 9.71       | 3       | V         | 155        | 2.69      | -        |
| PK   | 5.512G   | 108.98        | Inf           | -Inf       | 9.80       | 3       | V         | 155        | 2.69      | -        |
| PK   | 5.77G    | 59.67         | 74.00         | -14.33     | 9.91       | 3       | V         | 155        | 2.69      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170718  
EUT\_X\_4TX  
Setting 19.5  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.432G    | 53.93         | 54.00         | -0.07      | 9.61       | 3       | H         | 293        | 1.50      | -        |
| AV   | 5.461G    | 53.86         | 54.00         | -0.14      | 9.68       | 3       | H         | 293        | 1.50      | -        |
| AV   | 5.534G    | 99.33         | Inf           | -Inf       | 9.82       | 3       | H         | 293        | 1.50      | -        |
| AV   | 5.735G    | 47.78         | 54.00         | -6.22      | 9.91       | 3       | H         | 293        | 1.50      | -        |
| PK   | 5.46G     | 68.99         | 74.00         | -5.01      | 9.68       | 3       | H         | 293        | 1.50      | -        |
| PK   | 5.460005G | 68.99         | 74.00         | -5.01      | 9.68       | 3       | H         | 293        | 1.50      | -        |
| PK   | 5.512G    | 109.41        | Inf           | -Inf       | 9.80       | 3       | H         | 293        | 1.50      | -        |
| PK   | 5.735G    | 60.59         | 74.00         | -13.41     | 9.91       | 3       | H         | 293        | 1.50      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 19.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.449G   | 48.77         | 54.00         | -5.23      | 9.65       | 3       | V         | 314        | 2.90      | -        |
| AV   | 5.589G   | 100.47        | Inf           | -Inf       | 9.87       | 3       | V         | 314        | 2.90      | -        |
| PK   | 5.447G   | 60.75         | 74.00         | -13.25     | 9.65       | 3       | V         | 314        | 2.90      | -        |
| PK   | 5.467G   | 65.25         | 68.20         | -2.95      | 9.70       | 3       | V         | 314        | 2.90      | -        |
| PK   | 5.588G   | 109.99        | Inf           | -Inf       | 9.87       | 3       | V         | 314        | 2.90      | -        |
| PK   | 5.73G    | 66.90         | 68.20         | -1.30      | 9.91       | 3       | V         | 314        | 2.90      | -        |

# 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




20170719  
EUT X\_4TX  
Setting 19.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G     | 50.16         | 54.00         | -3.84      | 9.68       | 3       | H         | 292        | 2.81      | -        |
| AV   | 5.601G    | 101.22        | Inf           | -Inf       | 9.88       | 3       | H         | 292        | 2.81      | -        |
| PK   | 5.46G     | 62.05         | 74.00         | -11.95     | 9.68       | 3       | H         | 292        | 2.81      | -        |
| PK   | 5.460005G | 62.05         | 68.20         | -6.15      | 9.68       | 3       | H         | 292        | 2.81      | -        |
| PK   | 5.6G      | 111.22        | Inf           | -Inf       | 9.88       | 3       | H         | 292        | 2.81      | -        |
| PK   | 5.732G    | 66.31         | 68.20         | -1.89      | 9.91       | 3       | H         | 292        | 2.81      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 21.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4476G  | 51.20         | 54.00         | -2.80      | 9.65       | 3       | V         | 160        | 2.71      | -        |
| AV   | 5.6672G  | 100.98        | Inf           | -Inf       | 9.89       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.4476G  | 62.49         | 74.00         | -11.51     | 9.65       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.468G   | 65.26         | 68.20         | -2.94      | 9.70       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.6672G  | 110.75        | Inf           | -Inf       | 9.89       | 3       | V         | 160        | 2.71      | -        |
| PK   | 5.9396G  | 67.16         | 68.20         | -1.04      | 10.12      | 3       | V         | 160        | 2.71      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 21.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4524G  | 52.95         | 54.00         | -1.05      | 9.66       | 3       | H         | 141        | 2.73      | -        |
| AV   | 5.702G   | 103.24        | Inf           | -Inf       | 9.90       | 3       | H         | 141        | 2.73      | -        |
| PK   | 5.4404G  | 65.43         | 74.00         | -8.57      | 9.63       | 3       | H         | 141        | 2.73      | -        |
| PK   | 5.4608G  | 63.74         | 68.20         | -4.46      | 9.68       | 3       | H         | 141        | 2.73      | -        |
| PK   | 5.6828G  | 112.86        | Inf           | -Inf       | 9.90       | 3       | H         | 141        | 2.73      | -        |
| PK   | 5.9432G  | 67.10         | 68.20         | -1.10      | 10.12      | 3       | H         | 141        | 2.73      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 19.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.754G   | 96.10         | Inf           | -Inf       | 9.91       | 3       | V         | 27         | 1.29      | -        |
| PK   | 5.651G   | 61.61         | 68.94         | -7.33      | 9.89       | 3       | V         | 27         | 1.29      | -        |
| PK   | 5.793G   | 106.21        | Inf           | -Inf       | 9.92       | 3       | V         | 27         | 1.29      | -        |
| PK   | 5.966G   | 59.47         | 68.20         | -8.73      | 10.15      | 3       | V         | 27         | 1.29      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 19.5  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 101.90        | Inf           | -Inf       | 9.92       | 3       | H         | 288        | 2.77      | -        |
| PK   | 5.647G   | 65.84         | 68.20         | -2.36      | 9.89       | 3       | H         | 288        | 2.77      | -        |
| PK   | 5.787G   | 111.49        | Inf           | -Inf       | 9.92       | 3       | H         | 288        | 2.77      | -        |
| PK   | 5.928G   | 64.03         | 68.20         | -4.17      | 10.10      | 3       | H         | 288        | 2.77      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26 (升1 Over)  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1498G  | 50.85         | 54.00         | -3.15      | 9.03       | 3       | V         | 107        | 2.88      | -        |
| AV   | 5.1778G  | 104.09        | Inf           | -Inf       | 9.10       | 3       | V         | 107        | 2.88      | -        |
| PK   | 5.1496G  | 64.39         | 74.00         | -9.61      | 9.03       | 3       | V         | 107        | 2.88      | -        |
| PK   | 5.1778G  | 115.86        | Inf           | -Inf       | 9.10       | 3       | V         | 107        | 2.88      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 50.64         | 54.00         | -3.36      | 9.03       | 3       | H         | 235        | 2.67      | -        |
| AV   | 5.1778G   | 105.08        | Inf           | -Inf       | 9.10       | 3       | H         | 235        | 2.67      | -        |
| PK   | 5.1496G   | 64.39         | 74.00         | -9.61      | 9.03       | 3       | H         | 235        | 2.67      | -        |
| PK   | 5.1774G   | 115.05        | Inf           | -Inf       | 9.10       | 3       | H         | 235        | 2.67      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.96         | 54.00         | -0.04      | 9.03       | 3       | V         | 246        | 2.91      | -        |
| AV   | 5.198G    | 105.73        | Inf           | -Inf       | 9.15       | 3       | V         | 246        | 2.91      | -        |
| PK   | 5.1492G   | 68.03         | 74.00         | -5.97      | 9.03       | 3       | V         | 246        | 2.91      | -        |
| PK   | 5.1956G   | 116.10        | Inf           | -Inf       | 9.15       | 3       | V         | 246        | 2.91      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 48.81         | 54.00         | -5.19      | 9.03       | 3       | H         | 79         | 1.33      | -        |
| AV   | 5.2068G   | 105.17        | Inf           | -Inf       | 9.17       | 3       | H         | 79         | 1.33      | -        |
| PK   | 5.1496G   | 61.43         | 74.00         | -12.57     | 9.03       | 3       | H         | 79         | 1.33      | -        |
| PK   | 5.206G    | 116.26        | Inf           | -Inf       | 9.17       | 3       | H         | 79         | 1.33      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 48.40         | 54.00         | -5.60      | 9.03       | 3       | V         | 238        | 2.50      | -        |
| AV   | 5.2442G  | 106.23        | Inf           | -Inf       | 9.24       | 3       | V         | 238        | 2.50      | -        |
| AV   | 5.351G   | 48.13         | 54.00         | -5.87      | 9.44       | 3       | V         | 238        | 2.50      | -        |
| PK   | 5.1488G  | 60.23         | 74.00         | -13.77     | 9.03       | 3       | V         | 238        | 2.50      | -        |
| PK   | 5.2448G  | 116.06        | Inf           | -Inf       | 9.25       | 3       | V         | 238        | 2.50      | -        |
| PK   | 5.3504G  | 60.65         | 74.00         | -13.35     | 9.44       | 3       | V         | 238        | 2.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G   | 49.68         | 54.00         | -4.32      | 9.03       | 3       | H         | 231        | 2.83      | -        |
| AV   | 5.2466G   | 107.29        | Inf           | -Inf       | 9.25       | 3       | H         | 231        | 2.83      | -        |
| AV   | 5.3504G   | 48.43         | 54.00         | -5.57      | 9.44       | 3       | H         | 231        | 2.83      | -        |
| PK   | 5.149995G | 62.03         | 74.00         | -11.97     | 9.03       | 3       | H         | 231        | 2.83      | -        |
| PK   | 5.2466G   | 117.35        | Inf           | -Inf       | 9.25       | 3       | H         | 231        | 2.83      | -        |
| PK   | 5.3534G   | 60.79         | 74.00         | -13.21     | 9.44       | 3       | H         | 231        | 2.83      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149G    | 47.02         | 54.00         | -6.98      | 9.03       | 3       | V         | 272        | 1.14      | -        |
| AV   | 5.2672G   | 105.21        | Inf           | -Inf       | 9.29       | 3       | V         | 272        | 1.14      | -        |
| AV   | 5.350005G | 50.66         | 54.00         | -3.34      | 9.44       | 3       | V         | 272        | 1.14      | -        |
| PK   | 5.1364G   | 60.17         | 74.00         | -13.83     | 9.00       | 3       | V         | 272        | 1.14      | -        |
| PK   | 5.2672G   | 115.33        | Inf           | -Inf       | 9.29       | 3       | V         | 272        | 1.14      | -        |
| PK   | 5.356G    | 68.84         | 74.00         | -5.16      | 9.45       | 3       | V         | 272        | 1.14      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.143G    | 47.53         | 54.00         | -6.47      | 9.02       | 3       | H         | 73         | 1.77      | -        |
| AV   | 5.2636G   | 106.44        | Inf           | -Inf       | 9.28       | 3       | H         | 73         | 1.77      | -        |
| AV   | 5.350005G | 50.80         | 54.00         | -3.20      | 9.44       | 3       | H         | 73         | 1.77      | -        |
| PK   | 5.131G    | 63.02         | 74.00         | -10.98     | 8.99       | 3       | H         | 73         | 1.77      | -        |
| PK   | 5.2654G   | 117.91        | Inf           | -Inf       | 9.28       | 3       | H         | 73         | 1.77      | -        |
| PK   | 5.3542G   | 63.70         | 74.00         | -10.30     | 9.44       | 3       | H         | 73         | 1.77      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 28  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3012G  | 100.86        | Inf           | -Inf       | 9.35       | 3       | V         | 280        | 1.50      | -        |
| AV   | 5.3512G  | 52.00         | 54.00         | -2.00      | 9.44       | 3       | V         | 280        | 1.50      | -        |
| PK   | 5.3024G  | 112.02        | Inf           | -Inf       | 9.35       | 3       | V         | 280        | 1.50      | -        |
| PK   | 5.3508G  | 64.76         | 74.00         | -9.24      | 9.44       | 3       | V         | 280        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 28  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2932G   | 106.94        | Inf           | -Inf       | 9.34       | 3       | H         | 280        | 2.00      | -        |
| AV   | 5.350005G | 53.74         | 54.00         | -0.26      | 9.44       | 3       | H         | 280        | 2.00      | -        |
| PK   | 5.294G    | 117.23        | Inf           | -Inf       | 9.34       | 3       | H         | 280        | 2.00      | -        |
| PK   | 5.3504G   | 67.71         | 74.00         | -6.29      | 9.44       | 3       | H         | 280        | 2.00      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26(升0.5 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.322G   | 102.68        | Inf           | -Inf       | 9.39       | 3       | V         | 121        | 1.01      | -        |
| AV   | 5.3502G  | 50.52         | 54.00         | -3.48      | 9.44       | 3       | V         | 121        | 1.01      | -        |
| PK   | 5.322G   | 113.76        | Inf           | -Inf       | 9.39       | 3       | V         | 121        | 1.01      | -        |
| PK   | 5.352G   | 63.21         | 74.00         | -10.79     | 9.44       | 3       | V         | 121        | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26(升0.5 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3268G  | 104.70        | Inf           | -Inf       | 9.40       | 3       | H         | 223        | 1.50      | -        |
| AV   | 5.3502G  | 50.59         | 54.00         | -3.41      | 9.44       | 3       | H         | 223        | 1.50      | -        |
| PK   | 5.3242G  | 115.36        | Inf           | -Inf       | 9.39       | 3       | H         | 223        | 1.50      | -        |
| PK   | 5.3526G  | 64.40         | 74.00         | -9.60      | 9.44       | 3       | H         | 223        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170719  
EUT X\_4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45998G | 48.89         | 54.00         | -5.11      | 9.68       | 3       | V         | 114        | 1.01      | -        |
| AV   | 5.5068G  | 103.28        | Inf           | -Inf       | 9.80       | 3       | V         | 114        | 1.01      | -        |
| PK   | 5.4556G  | 61.01         | 74.00         | -12.99     | 9.67       | 3       | V         | 114        | 1.01      | -        |
| PK   | 5.4692G  | 65.32         | 68.20         | -2.88      | 9.71       | 3       | V         | 114        | 1.01      | -        |
| PK   | 5.4952G  | 113.93        | Inf           | -Inf       | 9.78       | 3       | V         | 114        | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45998G | 49.71         | 54.00         | -4.29      | 9.68       | 3       | H         | 274        | 1.29      | -        |
| AV   | 5.5024G  | 107.27        | Inf           | -Inf       | 9.79       | 3       | H         | 274        | 1.29      | -        |
| PK   | 5.46G    | 61.94         | 74.00         | -12.06     | 9.68       | 3       | H         | 274        | 1.29      | -        |
| PK   | 5.4696G  | 67.94         | 68.20         | -0.26      | 9.71       | 3       | H         | 274        | 1.29      | -        |
| PK   | 5.502G   | 117.35        | Inf           | -Inf       | 9.79       | 3       | H         | 274        | 1.29      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4344G  | 46.95         | 54.00         | -7.05      | 9.61       | 3       | V         | 117        | 2.89      | -        |
| AV   | 5.5848G  | 103.42        | Inf           | -Inf       | 9.87       | 3       | V         | 117        | 2.89      | -        |
| PK   | 5.4568G  | 59.84         | 74.00         | -14.16     | 9.67       | 3       | V         | 117        | 2.89      | -        |
| PK   | 5.4632G  | 58.28         | 68.20         | -9.92      | 9.69       | 3       | V         | 117        | 2.89      | -        |
| PK   | 5.584G   | 114.51        | Inf           | -Inf       | 9.87       | 3       | V         | 117        | 2.89      | -        |
| PK   | 5.7288G  | 59.84         | 68.20         | -8.36      | 9.91       | 3       | V         | 117        | 2.89      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5580MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4568G  | 47.84         | 54.00         | -6.16      | 9.67       | 3       | H         | 273        | 2.93      | -        |
| AV   | 5.5864G  | 111.92        | Inf           | -Inf       | 9.87       | 3       | H         | 273        | 2.93      | -        |
| PK   | 5.4312G  | 59.62         | 74.00         | -14.38     | 9.60       | 3       | H         | 273        | 2.93      | -        |
| PK   | 5.468G   | 60.17         | 68.20         | -8.03      | 9.70       | 3       | H         | 273        | 2.93      | -        |
| PK   | 5.5856G  | 120.89        | Inf           | -Inf       | 9.87       | 3       | H         | 273        | 2.93      | -        |
| PK   | 5.752G   | 59.62         | 68.20         | -8.58      | 9.91       | 3       | H         | 273        | 2.93      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7028G  | 102.84        | Inf           | -Inf       | 9.90       | 3       | V         | 230        | 2.83      | -        |
| PK   | 5.703G   | 114.25        | Inf           | -Inf       | 9.90       | 3       | V         | 230        | 2.83      | -        |
| PK   | 5.7252G  | 61.78         | 68.20         | -6.42      | 9.91       | 3       | V         | 230        | 2.83      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.704G   | 107.00        | Inf           | -Inf       | 9.90       | 3       | H         | 269        | 2.85      | -        |
| PK   | 5.7034G  | 117.90        | Inf           | -Inf       | 9.90       | 3       | H         | 269        | 2.85      | -        |
| PK   | 5.7266G  | 68.05         | 68.20         | -0.15      | 9.91       | 3       | H         | 269        | 2.85      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4464G   | 47.05         | 54.00         | -6.95      | 9.65       | 3       | V         | 357        | 2.62      | -        |
| AV   | 5.7128G   | 103.74        | Inf           | -Inf       | 9.90       | 3       | V         | 357        | 2.62      | -        |
| PK   | 5.4464G   | 58.90         | 74.00         | -15.10     | 9.65       | 3       | V         | 357        | 2.62      | -        |
| PK   | 5.460005G | 57.77         | 68.20         | -10.43     | 9.68       | 3       | V         | 357        | 2.62      | -        |
| PK   | 5.7176G   | 113.88        | Inf           | -Inf       | 9.90       | 3       | V         | 357        | 2.62      | -        |
| PK   | 5.9876G   | 60.35         | 68.20         | -7.85      | 10.18      | 3       | V         | 357        | 2.62      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G   | 47.05         | 54.00         | -6.95      | 9.67       | 3       | H         | 55         | 2.22      | -        |
| AV   | 5.7188G  | 110.12        | Inf           | -Inf       | 9.90       | 3       | H         | 55         | 2.22      | -        |
| PK   | 5.4332G  | 60.20         | 74.00         | -13.80     | 9.61       | 3       | H         | 55         | 2.22      | -        |
| PK   | 5.4644G  | 58.68         | 68.20         | -9.52      | 9.69       | 3       | H         | 55         | 2.22      | -        |
| PK   | 5.7164G  | 121.29        | Inf           | -Inf       | 9.90       | 3       | H         | 55         | 2.22      | -        |
| PK   | 5.9816G  | 60.41         | 68.20         | -7.79      | 10.17      | 3       | H         | 55         | 2.22      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.753G   | 106.59        | Inf           | -Inf       | 9.91       | 3       | V         | 216        | 2.92      | -        |
| PK   | 5.576G   | 59.75         | 68.20         | -8.45      | 9.86       | 3       | V         | 216        | 2.92      | -        |
| PK   | 5.742G   | 118.74        | Inf           | -Inf       | 9.91       | 3       | V         | 216        | 2.92      | -        |
| PK   | 5.946G   | 60.48         | 68.20         | -7.72      | 10.12      | 3       | V         | 216        | 2.92      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.742G   | 109.68        | Inf           | -Inf       | 9.91       | 3       | H         | 52         | 2.23      | -        |
| PK   | 5.65G    | 60.29         | 68.20         | -7.91      | 9.89       | 3       | H         | 52         | 2.23      | -        |
| PK   | 5.741G   | 121.18        | Inf           | -Inf       | 9.91       | 3       | H         | 52         | 2.23      | -        |
| PK   | 5.938G   | 60.48         | 68.20         | -7.72      | 10.11      | 3       | H         | 52         | 2.23      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/10)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.783G   | 104.63        | Inf           | -Inf       | 9.92       | 3       | V         | 210        | 1.01      | -        |
| PK   | 5.619G   | 59.94         | 68.20         | -8.26      | 9.88       | 3       | V         | 210        | 1.01      | -        |
| PK   | 5.78G    | 115.19        | Inf           | -Inf       | 9.92       | 3       | V         | 210        | 1.01      | -        |
| PK   | 5.933G   | 59.85         | 68.20         | -8.35      | 10.11      | 3       | V         | 210        | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.784G   | 108.73        | Inf           | -Inf       | 9.92       | 3       | H         | 202        | 2.19      | -        |
| PK   | 5.608G   | 60.58         | 68.20         | -7.62      | 9.88       | 3       | H         | 202        | 2.19      | -        |
| PK   | 5.782G   | 119.92        | Inf           | -Inf       | 9.92       | 3       | H         | 202        | 2.19      | -        |
| PK   | 5.965G   | 59.91         | 68.20         | -8.29      | 10.15      | 3       | H         | 202        | 2.19      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/10)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.821G   | 104.94        | Inf           | -Inf       | 9.95       | 3       | V         | 208        | 2.87      | -        |
| PK   | 5.588G   | 60.32         | 68.20         | -7.88      | 9.87       | 3       | V         | 208        | 2.87      | -        |
| PK   | 5.82G    | 116.80        | Inf           | -Inf       | 9.95       | 3       | V         | 208        | 2.87      | -        |
| PK   | 5.96G    | 59.97         | 68.20         | -8.23      | 10.14      | 3       | V         | 208        | 2.87      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.827G   | 110.86        | Inf           | -Inf       | 9.96       | 3       | H         | 101        | 2.86      | -        |
| PK   | 5.598G   | 60.49         | 68.20         | -7.71      | 9.88       | 3       | H         | 101        | 2.86      | -        |
| PK   | 5.823G   | 121.38        | Inf           | -Inf       | 9.95       | 3       | H         | 101        | 2.86      | -        |
| PK   | 5.957G   | 59.99         | 68.20         | -8.21      | 10.14      | 3       | H         | 101        | 2.86      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170719  
EUT X\_4TX  
Setting 25 (↑0.5 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 50.25         | 54.00         | -3.75      | 9.03       | 3       | V         | 54         | 2.64      | -        |
| AV   | 5.1936G  | 100.98        | Inf           | -Inf       | 9.14       | 3       | V         | 54         | 2.64      | -        |
| PK   | 5.1492G  | 69.81         | 74.00         | -4.19      | 9.03       | 3       | V         | 54         | 2.64      | -        |
| PK   | 5.2028G  | 113.06        | Inf           | -Inf       | 9.17       | 3       | V         | 54         | 2.64      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25 (升0.5 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.49         | 54.00         | -2.51      | 9.03       | 3       | H         | 194        | 1.36      | -        |
| AV   | 5.1944G   | 100.59        | Inf           | -Inf       | 9.15       | 3       | H         | 194        | 1.36      | -        |
| PK   | 5.1456G   | 72.30         | 74.00         | -1.70      | 9.02       | 3       | H         | 194        | 1.36      | -        |
| PK   | 5.1844G   | 113.44        | Inf           | -Inf       | 9.12       | 3       | H         | 194        | 1.36      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 28  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/10)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1492G  | 51.52         | 54.00         | -2.48      | 9.03       | 3       | V         | 236        | 2.94      | -        |
| AV   | 5.2336G  | 102.09        | Inf           | -Inf       | 9.22       | 3       | V         | 236        | 2.94      | -        |
| PK   | 5.146G   | 68.00         | 74.00         | -6.00      | 9.02       | 3       | V         | 236        | 2.94      | -        |
| PK   | 5.2336G  | 111.91        | Inf           | -Inf       | 9.22       | 3       | V         | 236        | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 28  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 52.34         | 54.00         | -1.66      | 9.03       | 3       | H         | 39         | 1.00      | -        |
| AV   | 5.2336G   | 102.95        | Inf           | -Inf       | 9.22       | 3       | H         | 39         | 1.00      | -        |
| PK   | 5.1448G   | 68.02         | 74.00         | -5.98      | 9.02       | 3       | H         | 39         | 1.00      | -        |
| PK   | 5.2336G   | 114.02        | Inf           | -Inf       | 9.22       | 3       | H         | 39         | 1.00      | -        |

# **802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX**

## **5270MHz\_TX**




20170719  
 EUT X\_4TX  
 Setting 26  
 02-Z-1-10  
 FSU  
 ANT Skynet-DTO(Omni)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.262G   | 103.28        | Inf           | -Inf       | 9.28       | 3       | V         | 195        | 2.49      | -        |
| AV   | 5.3504G  | 52.68         | 54.00         | -1.32      | 9.44       | 3       | V         | 195        | 2.49      | -        |
| PK   | 5.262G   | 113.41        | Inf           | -Inf       | 9.28       | 3       | V         | 195        | 2.49      | -        |
| PK   | 5.3516G  | 69.96         | 74.00         | -4.04      | 9.44       | 3       | V         | 195        | 2.49      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2788G   | 99.59         | Inf           | -Inf       | 9.31       | 3       | H         | 42         | 2.10      | -        |
| AV   | 5.350005G | 50.46         | 54.00         | -3.54      | 9.44       | 3       | H         | 42         | 2.10      | -        |
| PK   | 5.2676G   | 112.10        | Inf           | -Inf       | 9.29       | 3       | H         | 42         | 2.10      | -        |
| PK   | 5.350005G | 73.86         | 74.00         | -0.14      | 9.44       | 3       | H         | 42         | 2.10      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3028G  | 100.48        | Inf           | -Inf       | 9.35       | 3       | V         | 197        | 2.69      | -        |
| AV   | 5.3544G  | 51.51         | 54.00         | -2.49      | 9.44       | 3       | V         | 197        | 2.69      | -        |
| PK   | 5.3028G  | 110.50        | Inf           | -Inf       | 9.35       | 3       | V         | 197        | 2.69      | -        |
| PK   | 5.352G   | 73.77         | 74.00         | -0.23      | 9.44       | 3       | V         | 197        | 2.69      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3178G  | 100.72        | Inf           | -Inf       | 9.38       | 3       | H         | 190        | 1.50      | -        |
| AV   | 5.3502G  | 50.46         | 54.00         | -3.54      | 9.44       | 3       | H         | 190        | 1.50      | -        |
| PK   | 5.3154G  | 110.96        | Inf           | -Inf       | 9.38       | 3       | H         | 190        | 1.50      | -        |
| PK   | 5.367G   | 73.87         | 74.00         | -0.13      | 9.46       | 3       | H         | 190        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 23  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4588G  | 47.72         | 54.00         | -6.28      | 9.68       | 3       | V         | 41         | 2.92      | -        |
| AV   | 5.502G   | 99.72         | Inf           | -Inf       | 9.79       | 3       | V         | 41         | 2.92      | -        |
| PK   | 5.458G   | 62.16         | 74.00         | -11.84     | 9.68       | 3       | V         | 41         | 2.92      | -        |
| PK   | 5.4664G  | 62.50         | 68.20         | -5.70      | 9.70       | 3       | V         | 41         | 2.92      | -        |
| PK   | 5.5024G  | 110.55        | Inf           | -Inf       | 9.79       | 3       | V         | 41         | 2.92      | -        |

# **802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX**

## **5510MHz\_TX**




20170719  
 EUT\_X\_4TX  
 Setting 23  
 02-Z-1-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.458G   | 48.17         | 54.00         | -5.83      | 9.68       | 3       | H         | 245        | 1.02      | -        |
| AV   | 5.5136G  | 101.14        | Inf           | -Inf       | 9.80       | 3       | H         | 245        | 1.02      | -        |
| PK   | 5.458G   | 68.77         | 74.00         | -5.23      | 9.68       | 3       | H         | 245        | 1.02      | -        |
| PK   | 5.466G   | 66.85         | 68.20         | -1.35      | 9.70       | 3       | H         | 245        | 1.02      | -        |
| PK   | 5.4944G  | 113.93        | Inf           | -Inf       | 9.77       | 3       | H         | 245        | 1.02      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170719  
EUT X\_4TX  
Setting 27 (升1 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.451G   | 47.68         | 54.00         | -6.32      | 9.66       | 3       | V         | 42         | 2.92      | -        |
| AV   | 5.5476G  | 104.78        | Inf           | -Inf       | 9.83       | 3       | V         | 42         | 2.92      | -        |
| PK   | 5.4522G  | 61.25         | 74.00         | -12.75     | 9.66       | 3       | V         | 42         | 2.92      | -        |
| PK   | 5.4678G  | 60.26         | 68.20         | -7.94      | 9.70       | 3       | V         | 42         | 2.92      | -        |
| PK   | 5.5554G  | 111.76        | Inf           | -Inf       | 9.84       | 3       | V         | 42         | 2.92      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170719  
EUT X\_4TX  
Setting 27 (升1 OVER)  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4594G  | 48.35         | 54.00         | -5.65      | 9.68       | 3       | H         | 189        | 1.24      | -        |
| AV   | 5.5536G  | 103.06        | Inf           | -Inf       | 9.84       | 3       | H         | 189        | 1.24      | -        |
| PK   | 5.4534G  | 62.66         | 74.00         | -11.34     | 9.66       | 3       | H         | 189        | 1.24      | -        |
| PK   | 5.4648G  | 65.61         | 68.20         | -2.59      | 9.69       | 3       | H         | 189        | 1.24      | -        |
| PK   | 5.562G   | 113.96        | Inf           | -Inf       | 9.85       | 3       | H         | 189        | 1.24      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.678G   | 98.41         | Inf           | -Inf       | 9.90       | 3       | V         | 42         | 2.92      | -        |
| PK   | 5.654G   | 112.65        | Inf           | -Inf       | 9.89       | 3       | V         | 42         | 2.92      | -        |
| PK   | 5.7324G  | 66.42         | 68.20         | -1.78      | 9.91       | 3       | V         | 42         | 2.92      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.662G   | 99.35         | Inf           | -Inf       | 9.89       | 3       | H         | 90         | 1.50      | -        |
| PK   | 5.6576G  | 110.21        | Inf           | -Inf       | 9.89       | 3       | H         | 90         | 1.50      | -        |
| PK   | 5.726G   | 67.85         | 68.20         | -0.35      | 9.91       | 3       | H         | 90         | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4184G  | 47.23         | 54.00         | -6.77      | 9.57       | 3       | V         | 202        | 2.94      | -        |
| AV   | 5.7136G  | 104.97        | Inf           | -Inf       | 9.90       | 3       | V         | 202        | 2.94      | -        |
| PK   | 5.4268G  | 59.50         | 74.00         | -14.50     | 9.59       | 3       | V         | 202        | 2.94      | -        |
| PK   | 5.4688G  | 60.17         | 68.20         | -8.03      | 9.71       | 3       | V         | 202        | 2.94      | -        |
| PK   | 5.7064G  | 115.59        | Inf           | -Inf       | 9.90       | 3       | V         | 202        | 2.94      | -        |
| PK   | 5.9428G  | 60.24         | 68.20         | -7.96      | 10.12      | 3       | V         | 202        | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.416G   | 47.19         | 54.00         | -6.81      | 9.56       | 3       | H         | 335        | 2.18      | -        |
| AV   | 5.7136G  | 106.33        | Inf           | -Inf       | 9.90       | 3       | H         | 335        | 2.18      | -        |
| PK   | 5.4316G  | 59.39         | 74.00         | -14.61     | 9.61       | 3       | H         | 335        | 2.18      | -        |
| PK   | 5.464G   | 58.29         | 68.20         | -9.91      | 9.69       | 3       | H         | 335        | 2.18      | -        |
| PK   | 5.7208G  | 115.87        | Inf           | -Inf       | 9.90       | 3       | H         | 335        | 2.18      | -        |
| PK   | 5.974G   | 62.89         | 68.20         | -5.31      | 10.16      | 3       | H         | 335        | 2.18      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.738G   | 102.10        | Inf           | -Inf       | 9.91       | 3       | V         | 227        | 2.90      | -        |
| PK   | 5.637G   | 65.11         | 68.20         | -3.09      | 9.89       | 3       | V         | 227        | 2.90      | -        |
| PK   | 5.745G   | 115.20        | Inf           | -Inf       | 9.91       | 3       | V         | 227        | 2.90      | -        |
| PK   | 5.926G   | 59.99         | 68.20         | -8.21      | 10.10      | 3       | V         | 227        | 2.90      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.766G   | 105.92        | Inf           | -Inf       | 9.91       | 3       | H         | 188        | 1.94      | -        |
| PK   | 5.648G   | 68.12         | 68.20         | -0.08      | 9.89       | 3       | H         | 188        | 1.94      | -        |
| PK   | 5.752G   | 116.69        | Inf           | -Inf       | 9.91       | 3       | H         | 188        | 1.94      | -        |
| PK   | 5.964G   | 59.66         | 68.20         | -8.54      | 10.15      | 3       | H         | 188        | 1.94      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.791G   | 101.17        | Inf           | -Inf       | 9.92       | 3       | V         | 348        | 2.02      | -        |
| PK   | 5.636G   | 61.26         | 68.20         | -6.94      | 9.89       | 3       | V         | 348        | 2.02      | -        |
| PK   | 5.791G   | 110.89        | Inf           | -Inf       | 9.92       | 3       | V         | 348        | 2.02      | -        |
| PK   | 5.966G   | 60.64         | 68.20         | -7.56      | 10.15      | 3       | V         | 348        | 2.02      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.784G   | 107.29        | Inf           | -Inf       | 9.92       | 3       | H         | 31         | 2.04      | -        |
| PK   | 5.631G   | 64.34         | 68.20         | -3.86      | 9.89       | 3       | H         | 31         | 2.04      | -        |
| PK   | 5.784G   | 118.58        | Inf           | -Inf       | 9.92       | 3       | H         | 31         | 2.04      | -        |
| PK   | 5.927G   | 66.11         | 68.20         | -2.09      | 10.10      | 3       | H         | 31         | 2.04      | -        |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.148G   | 52.61         | 54.00         | -1.39      | 9.03       | 3       | V         | 343        | 2.94      | -        |
| AV   | 5.197G   | 96.01         | Inf           | -Inf       | 9.15       | 3       | V         | 343        | 2.94      | -        |
| AV   | 5.356G   | 48.23         | 54.00         | -5.77      | 9.45       | 3       | V         | 343        | 2.94      | -        |
| PK   | 5.148G   | 67.90         | 74.00         | -6.10      | 9.03       | 3       | V         | 343        | 2.94      | -        |
| PK   | 5.204G   | 106.80        | Inf           | -Inf       | 9.17       | 3       | V         | 343        | 2.94      | -        |
| PK   | 5.356G   | 60.90         | 74.00         | -13.10     | 9.45       | 3       | V         | 343        | 2.94      | -        |

# **802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

## **5210MHz\_TX**




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.147G   | 53.96         | 54.00         | -0.04      | 9.03       | 3       | H         | 335        | 1.50      | -        |
| AV   | 5.206G   | 96.53         | Inf           | -Inf       | 9.17       | 3       | H         | 335        | 1.50      | -        |
| AV   | 5.351G   | 48.21         | 54.00         | -5.79      | 9.44       | 3       | H         | 335        | 1.50      | -        |
| PK   | 5.148G   | 72.70         | 74.00         | -1.30      | 9.03       | 3       | H         | 335        | 1.50      | -        |
| PK   | 5.227G   | 107.27        | Inf           | -Inf       | 9.21       | 3       | H         | 335        | 1.50      | -        |
| PK   | 5.447G   | 59.86         | 74.00         | -14.14     | 9.65       | 3       | H         | 335        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.084G   | 47.16         | 54.00         | -6.84      | 8.87       | 3       | V         | 42         | 2.62      | -        |
| AV   | 5.275G   | 85.60         | Inf           | -Inf       | 9.30       | 3       | V         | 42         | 2.62      | -        |
| AV   | 5.378G   | 48.39         | 54.00         | -5.61      | 9.48       | 3       | V         | 42         | 2.62      | -        |
| PK   | 5.113G   | 58.69         | 74.00         | -15.31     | 8.94       | 3       | V         | 42         | 2.62      | -        |
| PK   | 5.274G   | 95.58         | Inf           | -Inf       | 9.30       | 3       | V         | 42         | 2.62      | -        |
| PK   | 5.377G   | 58.88         | 74.00         | -15.12     | 9.48       | 3       | V         | 42         | 2.62      | -        |

# **802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

## **5290MHz\_TX**




20170719  
 EUT X\_4TX  
 Setting 25  
 02-Z-1-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.072G   | 47.18         | 54.00         | -6.82      | 8.83       | 3       | H         | 31         | 1.50      | -        |
| AV   | 5.315G   | 86.53         | Inf           | -Inf       | 9.38       | 3       | H         | 31         | 1.50      | -        |
| AV   | 5.437G   | 47.62         | 54.00         | -6.38      | 9.62       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.1G     | 58.63         | 74.00         | -15.37     | 8.91       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.305G   | 97.57         | Inf           | -Inf       | 9.36       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.385G   | 59.22         | 74.00         | -14.78     | 9.49       | 3       | H         | 31         | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45998G | 51.98         | 54.00         | -2.02      | 9.68       | 3       | V         | 42         | 1.01      | -        |
| AV   | 5.506G   | 97.70         | Inf           | -Inf       | 9.80       | 3       | V         | 42         | 1.01      | -        |
| PK   | 5.446G   | 65.61         | 74.00         | -8.39      | 9.64       | 3       | V         | 42         | 1.01      | -        |
| PK   | 5.467G   | 66.74         | 68.20         | -1.46      | 9.70       | 3       | V         | 42         | 1.01      | -        |
| PK   | 5.513G   | 104.83        | Inf           | -Inf       | 9.80       | 3       | V         | 42         | 1.01      | -        |
| PK   | 5.765G   | 59.62         | 68.20         | -8.58      | 9.91       | 3       | V         | 42         | 1.01      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.453G   | 52.33         | 54.00         | -1.67      | 9.66       | 3       | H         | 183        | 2.78      | -        |
| AV   | 5.527G   | 99.31         | Inf           | -Inf       | 9.81       | 3       | H         | 183        | 2.78      | -        |
| PK   | 5.432G   | 69.92         | 74.00         | -4.08      | 9.61       | 3       | H         | 183        | 2.78      | -        |
| PK   | 5.462G   | 66.04         | 68.20         | -2.16      | 9.69       | 3       | H         | 183        | 2.78      | -        |
| PK   | 5.528G   | 108.06        | Inf           | -Inf       | 9.82       | 3       | H         | 183        | 2.78      | -        |
| PK   | 5.77G    | 59.74         | 68.20         | -8.46      | 9.91       | 3       | H         | 183        | 2.78      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170719  
EUT X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.457G   | 49.38         | 54.00         | -4.62      | 9.67       | 3       | V         | 231        | 1.50      | -        |
| AV   | 5.618G   | 93.88         | Inf           | -Inf       | 9.88       | 3       | V         | 231        | 1.50      | -        |
| PK   | 5.455G   | 62.83         | 74.00         | -11.17     | 9.67       | 3       | V         | 231        | 1.50      | -        |
| PK   | 5.469G   | 62.04         | 68.20         | -6.16      | 9.71       | 3       | V         | 231        | 1.50      | -        |
| PK   | 5.601G   | 104.86        | Inf           | -Inf       | 9.88       | 3       | V         | 231        | 1.50      | -        |
| PK   | 5.73G    | 64.10         | 68.20         | -4.10      | 9.91       | 3       | V         | 231        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.451G   | 49.24         | 54.00         | -4.76      | 9.66       | 3       | H         | 185        | 1.19      | -        |
| AV   | 5.598G   | 98.17         | Inf           | -Inf       | 9.88       | 3       | H         | 185        | 1.19      | -        |
| PK   | 5.458G   | 62.62         | 74.00         | -11.38     | 9.68       | 3       | H         | 185        | 1.19      | -        |
| PK   | 5.466G   | 62.95         | 68.20         | -5.25      | 9.70       | 3       | H         | 185        | 1.19      | -        |
| PK   | 5.624G   | 107.73        | Inf           | -Inf       | 9.88       | 3       | H         | 185        | 1.19      | -        |
| PK   | 5.746G   | 68.15         | 68.20         | -0.05      | 9.91       | 3       | H         | 185        | 1.19      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4356G  | 50.32         | 54.00         | -3.68      | 9.62       | 3       | V         | 232        | 1.50      | -        |
| AV   | 5.678G   | 93.11         | Inf           | -Inf       | 9.90       | 3       | V         | 232        | 1.50      | -        |
| PK   | 5.4404G  | 64.93         | 74.00         | -9.07      | 9.63       | 3       | V         | 232        | 1.50      | -        |
| PK   | 5.468G   | 66.46         | 68.20         | -1.74      | 9.70       | 3       | V         | 232        | 1.50      | -        |
| PK   | 5.7068G  | 104.58        | Inf           | -Inf       | 9.90       | 3       | V         | 232        | 1.50      | -        |
| PK   | 5.9276G  | 62.02         | 68.20         | -6.18      | 10.10      | 3       | V         | 232        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G    | 53.96         | 54.00         | -0.04      | 9.67       | 3       | H         | 335        | 2.43      | -        |
| AV   | 5.6672G   | 102.80        | Inf           | -Inf       | 9.89       | 3       | H         | 335        | 2.43      | -        |
| PK   | 5.459995G | 67.01         | 74.00         | -6.99      | 9.68       | 3       | H         | 335        | 2.43      | -        |
| PK   | 5.4692G   | 68.14         | 68.20         | -0.06      | 9.71       | 3       | H         | 335        | 2.43      | -        |
| PK   | 5.6876G   | 112.54        | Inf           | -Inf       | 9.90       | 3       | H         | 335        | 2.43      | -        |
| PK   | 5.93G     | 67.99         | 68.20         | -0.21      | 10.10      | 3       | H         | 335        | 2.43      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.765G   | 99.05         | Inf           | -Inf       | 9.91       | 3       | V         | 43         | 2.92      | -        |
| PK   | 5.628G   | 68.17         | 68.20         | -0.03      | 9.89       | 3       | V         | 43         | 2.92      | -        |
| PK   | 5.771G   | 110.03        | Inf           | -Inf       | 9.91       | 3       | V         | 43         | 2.92      | -        |
| PK   | 5.935G   | 60.98         | 68.20         | -7.22      | 10.11      | 3       | V         | 43         | 2.92      | -        |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-Z-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.751G   | 103.90        | Inf           | -Inf       | 9.91       | 3       | H         | 335        | 1.04      | -        |
| PK   | 5.647G   | 67.99         | 68.20         | -0.21      | 9.89       | 3       | H         | 335        | 1.04      | -        |
| PK   | 5.78G    | 110.30        | Inf           | -Inf       | 9.92       | 3       | H         | 335        | 1.04      | -        |
| PK   | 5.95G    | 64.20         | 68.20         | -4.00      | 10.13      | 3       | H         | 335        | 1.04      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 52.24         | 54.00         | -1.76      | 9.03       | 3       | V         | 207        | 1.01      | -        |
| AV   | 5.1828G   | 103.05        | Inf           | -Inf       | 9.12       | 3       | V         | 207        | 1.01      | -        |
| PK   | 5.149995G | 66.65         | 74.00         | -7.35      | 9.03       | 3       | V         | 207        | 1.01      | -        |
| PK   | 5.1826G   | 114.70        | Inf           | -Inf       | 9.12       | 3       | V         | 207        | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170719  
EUT X\_4TX  
Setting 27  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1486G   | 53.69         | 54.00         | -0.31      | 9.03       | 3       | H         | 66         | 1.50      | -        |
| AV   | 5.1826G   | 105.43        | Inf           | -Inf       | 9.12       | 3       | H         | 66         | 1.50      | -        |
| PK   | 5.149995G | 66.29         | 74.00         | -7.71      | 9.03       | 3       | H         | 66         | 1.50      | -        |
| PK   | 5.183G    | 116.59        | Inf           | -Inf       | 9.12       | 3       | H         | 66         | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1472G  | 48.35         | 54.00         | -5.65      | 9.03       | 3       | V         | 53         | 1.22      | -        |
| AV   | 5.2044G  | 104.49        | Inf           | -Inf       | 9.17       | 3       | V         | 53         | 1.22      | -        |
| PK   | 5.1488G  | 64.40         | 74.00         | -9.60      | 9.03       | 3       | V         | 53         | 1.22      | -        |
| PK   | 5.2048G  | 116.45        | Inf           | -Inf       | 9.17       | 3       | V         | 53         | 1.22      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 50.43         | 54.00         | -3.57      | 9.03       | 3       | H         | 218        | 2.05      | -        |
| AV   | 5.2064G  | 109.45        | Inf           | -Inf       | 9.17       | 3       | H         | 218        | 2.05      | -        |
| PK   | 5.1492G  | 61.57         | 74.00         | -12.43     | 9.03       | 3       | H         | 218        | 2.05      | -        |
| PK   | 5.2068G  | 119.09        | Inf           | -Inf       | 9.17       | 3       | H         | 218        | 2.05      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1248G  | 46.72         | 54.00         | -7.28      | 8.97       | 3       | V         | 45         | 1.01      | -        |
| AV   | 5.2334G  | 105.79        | Inf           | -Inf       | 9.22       | 3       | V         | 45         | 1.01      | -        |
| AV   | 5.3738G  | 47.01         | 54.00         | -6.99      | 9.48       | 3       | V         | 45         | 1.01      | -        |
| PK   | 5.1182G  | 58.69         | 74.00         | -15.31     | 8.96       | 3       | V         | 45         | 1.01      | -        |
| PK   | 5.2334G  | 115.51        | Inf           | -Inf       | 9.22       | 3       | V         | 45         | 1.01      | -        |
| PK   | 5.3888G  | 59.26         | 74.00         | -14.74     | 9.50       | 3       | V         | 45         | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 46.76         | 54.00         | -7.24      | 9.03       | 3       | H         | 307        | 2.89      | -        |
| AV   | 5.2316G   | 108.82        | Inf           | -Inf       | 9.22       | 3       | H         | 307        | 2.89      | -        |
| AV   | 5.381G    | 47.06         | 54.00         | -6.94      | 9.49       | 3       | H         | 307        | 2.89      | -        |
| PK   | 5.0906G   | 59.01         | 74.00         | -14.99     | 8.88       | 3       | H         | 307        | 2.89      | -        |
| PK   | 5.2328G   | 119.22        | Inf           | -Inf       | 9.22       | 3       | H         | 307        | 2.89      | -        |
| PK   | 5.3642G   | 59.12         | 74.00         | -14.88     | 9.46       | 3       | H         | 307        | 2.89      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 47.09         | 54.00         | -6.91      | 9.03       | 3       | V         | 340        | 1.13      | -        |
| AV   | 5.2666G  | 104.74        | Inf           | -Inf       | 9.29       | 3       | V         | 340        | 1.13      | -        |
| AV   | 5.3506G  | 50.14         | 54.00         | -3.86      | 9.44       | 3       | V         | 340        | 1.13      | -        |
| PK   | 5.1358G  | 59.71         | 74.00         | -14.29     | 9.00       | 3       | V         | 340        | 1.13      | -        |
| PK   | 5.266G   | 116.66        | Inf           | -Inf       | 9.29       | 3       | V         | 340        | 1.13      | -        |
| PK   | 5.3518G  | 62.46         | 74.00         | -11.54     | 9.44       | 3       | V         | 340        | 1.13      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149G    | 47.44         | 54.00         | -6.56      | 9.03       | 3       | H         | 220        | 1.11      | -        |
| AV   | 5.2582G   | 107.91        | Inf           | -Inf       | 9.27       | 3       | H         | 220        | 1.11      | -        |
| AV   | 5.350005G | 51.16         | 54.00         | -2.84      | 9.44       | 3       | H         | 220        | 1.11      | -        |
| PK   | 5.149995G | 60.63         | 74.00         | -13.37     | 9.03       | 3       | H         | 220        | 1.11      | -        |
| PK   | 5.2576G   | 117.86        | Inf           | -Inf       | 9.27       | 3       | H         | 220        | 1.11      | -        |
| PK   | 5.350005G | 63.72         | 74.00         | -10.28     | 9.44       | 3       | H         | 220        | 1.11      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170719  
EUT X\_4TX  
Setting 27(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.302G    | 104.89        | Inf           | -Inf       | 9.35       | 3       | V         | 34         | 1.00      | -        |
| AV   | 5.350005G | 50.94         | 54.00         | -3.06      | 9.44       | 3       | V         | 34         | 1.00      | -        |
| PK   | 5.2944G   | 115.37        | Inf           | -Inf       | 9.34       | 3       | V         | 34         | 1.00      | -        |
| PK   | 5.352G    | 65.09         | 74.00         | -8.91      | 9.44       | 3       | V         | 34         | 1.00      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170719  
EUT X\_4TX  
Setting 27(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2936G   | 107.78        | Inf           | -Inf       | 9.34       | 3       | H         | 348        | 2.12      | -        |
| AV   | 5.350005G | 51.56         | 54.00         | -2.44      | 9.44       | 3       | H         | 348        | 2.12      | -        |
| PK   | 5.2936G   | 116.81        | Inf           | -Inf       | 9.34       | 3       | H         | 348        | 2.12      | -        |
| PK   | 5.3508G   | 65.04         | 74.00         | -8.96      | 9.44       | 3       | H         | 348        | 2.12      | -        |

# 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5320MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3224G   | 105.71        | Inf           | -Inf       | 9.39       | 3       | V         | 151        | 2.67      | -        |
| AV   | 5.350005G | 53.73         | 54.00         | -0.27      | 9.44       | 3       | V         | 151        | 2.67      | -        |
| PK   | 5.3224G   | 116.40        | Inf           | -Inf       | 9.39       | 3       | V         | 151        | 2.67      | -        |
| PK   | 5.3504G   | 66.01         | 74.00         | -7.99      | 9.44       | 3       | V         | 151        | 2.67      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 27  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3176G   | 105.89        | Inf           | -Inf       | 9.38       | 3       | H         | 139        | 2.85      | -        |
| AV   | 5.350005G | 52.98         | 54.00         | -1.02      | 9.44       | 3       | H         | 139        | 2.85      | -        |
| PK   | 5.3188G   | 116.43        | Inf           | -Inf       | 9.38       | 3       | H         | 139        | 2.85      | -        |
| PK   | 5.3504G   | 66.39         | 74.00         | -7.61      | 9.44       | 3       | H         | 139        | 2.85      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170719  
EUT X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4598G  | 48.89         | 54.00         | -5.11      | 9.68       | 3       | V         | 303        | 2.61      | -        |
| AV   | 5.502G   | 105.31        | Inf           | -Inf       | 9.79       | 3       | V         | 303        | 2.61      | -        |
| PK   | 5.4596G  | 61.38         | 74.00         | -12.62     | 9.68       | 3       | V         | 303        | 2.61      | -        |
| PK   | 5.4668G  | 63.22         | 68.20         | -4.98      | 9.70       | 3       | V         | 303        | 2.61      | -        |
| PK   | 5.502G   | 115.46        | Inf           | -Inf       | 9.79       | 3       | V         | 303        | 2.61      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170719  
EUT X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4568G  | 49.05         | 54.00         | -4.95      | 9.67       | 3       | H         | 221        | 2.17      | -        |
| AV   | 5.4928G  | 105.55        | Inf           | -Inf       | 9.77       | 3       | H         | 221        | 2.17      | -        |
| PK   | 5.4104G  | 60.80         | 74.00         | -13.20     | 9.55       | 3       | H         | 221        | 2.17      | -        |
| PK   | 5.468G   | 65.12         | 68.20         | -3.08      | 9.70       | 3       | H         | 221        | 2.17      | -        |
| PK   | 5.506G   | 116.10        | Inf           | -Inf       | 9.80       | 3       | H         | 221        | 2.17      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4224G   | 47.24         | 54.00         | -6.76      | 9.58       | 3       | V         | 175        | 2.82      | -        |
| AV   | 5.460005G | 47.33         | 54.00         | -6.67      | 9.68       | 3       | V         | 175        | 2.82      | -        |
| AV   | 5.5824G   | 107.93        | Inf           | -Inf       | 9.86       | 3       | V         | 175        | 2.82      | -        |
| AV   | 5.7304G   | 47.61         | 54.00         | -6.39      | 9.91       | 3       | V         | 175        | 2.82      | -        |
| PK   | 5.4128G   | 59.80         | 74.00         | -14.20     | 9.55       | 3       | V         | 175        | 2.82      | -        |
| PK   | 5.460005G | 58.82         | 74.00         | -15.18     | 9.68       | 3       | V         | 175        | 2.82      | -        |
| PK   | 5.5816G   | 118.59        | Inf           | -Inf       | 9.86       | 3       | V         | 175        | 2.82      | -        |
| PK   | 5.728G    | 60.11         | 74.00         | -13.89     | 9.91       | 3       | V         | 175        | 2.82      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4408G  | 47.60         | 54.00         | -6.40      | 9.63       | 3       | H         | 157        | 2.87      | -        |
| AV   | 5.4688G  | 47.92         | 54.00         | -6.08      | 9.71       | 3       | H         | 157        | 2.87      | -        |
| AV   | 5.5776G  | 109.84        | Inf           | -Inf       | 9.86       | 3       | H         | 157        | 2.87      | -        |
| AV   | 5.7336G  | 47.78         | 54.00         | -6.22      | 9.91       | 3       | H         | 157        | 2.87      | -        |
| PK   | 5.4224G  | 59.87         | 74.00         | -14.13     | 9.58       | 3       | H         | 157        | 2.87      | -        |
| PK   | 5.4656G  | 59.75         | 74.00         | -14.25     | 9.70       | 3       | H         | 157        | 2.87      | -        |
| PK   | 5.5784G  | 119.80        | Inf           | -Inf       | 9.86       | 3       | H         | 157        | 2.87      | -        |
| PK   | 5.732G   | 59.82         | 74.00         | -14.18     | 9.91       | 3       | H         | 157        | 2.87      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7076G  | 104.33        | Inf           | -Inf       | 9.90       | 3       | V         | 18         | 2.74      | -        |
| AV   | 5.7252G  | 52.23         | 54.00         | -1.77      | 9.91       | 3       | V         | 18         | 2.74      | -        |
| PK   | 5.6944G  | 114.44        | Inf           | -Inf       | 9.90       | 3       | V         | 18         | 2.74      | -        |
| PK   | 5.7252G  | 64.06         | 74.00         | -9.94      | 9.91       | 3       | V         | 18         | 2.74      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.698G   | 106.84        | Inf           | -Inf       | 9.90       | 3       | H         | 66         | 2.94      | -        |
| AV   | 5.7256G  | 53.76         | 54.00         | -0.24      | 9.91       | 3       | H         | 66         | 2.94      | -        |
| PK   | 5.7024G  | 116.20        | Inf           | -Inf       | 9.90       | 3       | H         | 66         | 2.94      | -        |
| PK   | 5.726G   | 65.84         | 74.00         | -8.16      | 9.91       | 3       | H         | 66         | 2.94      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4308G   | 47.19         | 54.00         | -6.81      | 9.60       | 3       | V         | 322        | 2.84      | -        |
| AV   | 5.460005G | 47.10         | 54.00         | -6.90      | 9.68       | 3       | V         | 322        | 2.84      | -        |
| AV   | 5.7224G   | 106.95        | Inf           | -Inf       | 9.90       | 3       | V         | 322        | 2.84      | -        |
| PK   | 5.4488G   | 58.68         | 74.00         | -15.32     | 9.65       | 3       | V         | 322        | 2.84      | -        |
| PK   | 5.4644G   | 57.93         | 74.00         | -16.07     | 9.69       | 3       | V         | 322        | 2.84      | -        |
| PK   | 5.7224G   | 117.01        | Inf           | -Inf       | 9.90       | 3       | V         | 322        | 2.84      | -        |
| PK   | 5.9384G   | 60.08         | 68.20         | -8.12      | 10.11      | 3       | V         | 322        | 2.84      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4332G  | 47.07         | 54.00         | -6.93      | 9.61       | 3       | H         | 162        | 2.86      | -        |
| AV   | 5.4632G  | 47.11         | 54.00         | -6.89      | 9.69       | 3       | H         | 162        | 2.86      | -        |
| AV   | 5.714G   | 109.46        | Inf           | -Inf       | 9.90       | 3       | H         | 162        | 2.86      | -        |
| PK   | 5.4464G  | 59.31         | 74.00         | -14.69     | 9.65       | 3       | H         | 162        | 2.86      | -        |
| PK   | 5.462G   | 60.24         | 74.00         | -13.76     | 9.69       | 3       | H         | 162        | 2.86      | -        |
| PK   | 5.7128G  | 119.93        | Inf           | -Inf       | 9.90       | 3       | H         | 162        | 2.86      | -        |
| PK   | 5.9588G  | 60.77         | 68.20         | -7.43      | 10.14      | 3       | H         | 162        | 2.86      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.741G   | 103.62        | Inf           | -Inf       | 9.91       | 3       | V         | 210        | 1.50      | -        |
| PK   | 5.504G   | 59.68         | 68.20         | -8.52      | 9.79       | 3       | V         | 210        | 1.50      | -        |
| PK   | 5.741G   | 114.23        | Inf           | -Inf       | 9.91       | 3       | V         | 210        | 1.50      | -        |
| PK   | 5.963G   | 60.00         | 68.20         | -8.20      | 10.15      | 3       | V         | 210        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5745MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.743G   | 110.57        | Inf           | -Inf       | 9.91       | 3       | H         | 165        | 2.84      | -        |
| PK   | 5.63G    | 60.37         | 68.20         | -7.83      | 9.89       | 3       | H         | 165        | 2.84      | -        |
| PK   | 5.743G   | 119.80        | Inf           | -Inf       | 9.91       | 3       | H         | 165        | 2.84      | -        |
| PK   | 5.971G   | 60.57         | 68.20         | -7.63      | 10.16      | 3       | H         | 165        | 2.84      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/10)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 107.42        | Inf           | -Inf       | 9.92       | 3       | V         | 187        | 2.96      | -        |
| PK   | 5.604G   | 59.45         | 68.20         | -8.75      | 9.88       | 3       | V         | 187        | 2.96      | -        |
| PK   | 5.791G   | 116.95        | Inf           | -Inf       | 9.92       | 3       | V         | 187        | 2.96      | -        |
| PK   | 5.99G    | 60.20         | 68.20         | -8.00      | 10.19      | 3       | V         | 187        | 2.96      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5785MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 109.44        | Inf           | -Inf       | 9.92       | 3       | H         | 158        | 1.46      | -        |
| PK   | 5.613G   | 59.83         | 68.20         | -8.37      | 9.88       | 3       | H         | 158        | 1.46      | -        |
| PK   | 5.79G    | 118.82        | Inf           | -Inf       | 9.92       | 3       | H         | 158        | 1.46      | -        |
| PK   | 5.963G   | 61.25         | 68.20         | -6.95      | 10.15      | 3       | H         | 158        | 1.46      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.818G   | 105.72        | Inf           | -Inf       | 9.95       | 3       | V         | 178        | 2.75      | -        |
| PK   | 5.645G   | 60.17         | 68.20         | -8.03      | 9.89       | 3       | V         | 178        | 2.75      | -        |
| PK   | 5.818G   | 115.04        | Inf           | -Inf       | 9.95       | 3       | V         | 178        | 2.75      | -        |
| PK   | 5.971G   | 60.53         | 68.20         | -7.67      | 10.16      | 3       | V         | 178        | 2.75      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.823G   | 109.16        | Inf           | -Inf       | 9.95       | 3       | H         | 142        | 2.38      | -        |
| PK   | 5.602G   | 60.33         | 68.20         | -7.87      | 9.88       | 3       | H         | 142        | 2.38      | -        |
| PK   | 5.827G   | 119.88        | Inf           | -Inf       | 9.96       | 3       | H         | 142        | 2.38      | -        |
| PK   | 5.964G   | 60.85         | 68.20         | -7.35      | 10.15      | 3       | H         | 142        | 2.38      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/1/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1472G  | 49.18         | 54.00         | -4.82      | 9.03       | 3       | V         | 41         | 2.94      | -        |
| AV   | 5.192G   | 96.16         | Inf           | -Inf       | 9.14       | 3       | V         | 41         | 2.94      | -        |
| PK   | 5.1472G  | 67.96         | 74.00         | -6.04      | 9.03       | 3       | V         | 41         | 2.94      | -        |
| PK   | 5.2048G  | 107.53        | Inf           | -Inf       | 9.17       | 3       | V         | 41         | 2.94      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G  | 53.91         | 54.00         | -0.09      | 9.03       | 3       | H         | 47         | 2.17      | -        |
| AV   | 5.2016G  | 102.51        | Inf           | -Inf       | 9.16       | 3       | H         | 47         | 2.17      | -        |
| PK   | 5.1344G  | 72.42         | 74.00         | -1.58      | 9.00       | 3       | H         | 47         | 2.17      | -        |
| PK   | 5.1732G  | 114.24        | Inf           | -Inf       | 9.09       | 3       | H         | 47         | 2.17      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170719  
EUT X\_4TX  
Setting 28(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1492G  | 49.10         | 54.00         | -4.90      | 9.03       | 3       | V         | 300        | 2.87      | -        |
| AV   | 5.2376G  | 103.25        | Inf           | -Inf       | 9.23       | 3       | V         | 300        | 2.87      | -        |
| PK   | 5.138G   | 65.28         | 74.00         | -8.72      | 9.00       | 3       | V         | 300        | 2.87      | -        |
| PK   | 5.2416G  | 115.80        | Inf           | -Inf       | 9.24       | 3       | V         | 300        | 2.87      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170719  
EUT X\_4TX  
Setting 28(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 51.93         | 54.00         | -2.07      | 9.03       | 3       | H         | 337        | 1.02      | -        |
| AV   | 5.2348G   | 102.58        | Inf           | -Inf       | 9.23       | 3       | H         | 337        | 1.02      | -        |
| PK   | 5.1448G   | 71.09         | 74.00         | -2.91      | 9.02       | 3       | H         | 337        | 1.02      | -        |
| PK   | 5.2436G   | 114.81        | Inf           | -Inf       | 9.24       | 3       | H         | 337        | 1.02      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2688G  | 97.85         | Inf           | -Inf       | 9.29       | 3       | V         | 67         | 2.92      | -        |
| AV   | 5.3544G  | 48.14         | 54.00         | -5.86      | 9.44       | 3       | V         | 67         | 2.92      | -        |
| PK   | 5.2624G  | 108.67        | Inf           | -Inf       | 9.28       | 3       | V         | 67         | 2.92      | -        |
| PK   | 5.354G   | 65.77         | 74.00         | -8.23      | 9.44       | 3       | V         | 67         | 2.92      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170719  
EUT X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小图)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2736G  | 103.72        | Inf           | -Inf       | 9.30       | 3       | H         | 285        | 1.94      | -        |
| AV   | 5.3636G  | 50.37         | 54.00         | -3.63      | 9.46       | 3       | H         | 285        | 1.94      | -        |
| PK   | 5.2756G  | 113.30        | Inf           | -Inf       | 9.30       | 3       | H         | 285        | 1.94      | -        |
| PK   | 5.3636G  | 70.96         | 74.00         | -3.04      | 9.46       | 3       | H         | 285        | 1.94      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5310MHz\_TX**




20170719  
 EUT\_X\_4TX  
 Setting 24  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3024G   | 100.16        | Inf           | -Inf       | 9.35       | 3       | V         | 321        | 2.70      | -        |
| AV   | 5.350005G | 48.69         | 54.00         | -5.31      | 9.44       | 3       | V         | 321        | 2.70      | -        |
| PK   | 5.318G    | 110.29        | Inf           | -Inf       | 9.38       | 3       | V         | 321        | 2.70      | -        |
| PK   | 5.362G    | 64.59         | 74.00         | -9.41      | 9.46       | 3       | V         | 321        | 2.70      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3176G   | 101.44        | Inf           | -Inf       | 9.38       | 3       | H         | 312        | 1.92      | -        |
| AV   | 5.350005G | 50.93         | 54.00         | -3.07      | 9.44       | 3       | H         | 312        | 1.92      | -        |
| PK   | 5.3196G   | 111.60        | Inf           | -Inf       | 9.38       | 3       | H         | 312        | 1.92      | -        |
| PK   | 5.3664G   | 73.73         | 74.00         | -0.27      | 9.46       | 3       | H         | 312        | 1.92      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170719  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4584G   | 50.26         | 54.00         | -3.74      | 9.68       | 3       | V         | 24         | 2.86      | -        |
| AV   | 5.4698G   | 50.30         | 54.00         | -3.70      | 9.71       | 3       | V         | 24         | 2.86      | -        |
| AV   | 5.5124G   | 100.69        | Inf           | -Inf       | 9.80       | 3       | V         | 24         | 2.86      | -        |
| PK   | 5.459995G | 73.91         | 74.00         | -0.09      | 9.68       | 3       | V         | 24         | 2.86      | -        |
| PK   | 5.4602G   | 73.83         | 74.00         | -0.17      | 9.68       | 3       | V         | 24         | 2.86      | -        |
| PK   | 5.522G    | 114.28        | Inf           | -Inf       | 9.81       | 3       | V         | 24         | 2.86      | -        |

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170719  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 52.33         | 54.00         | -1.67      | 9.68       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.4626G   | 53.00         | 54.00         | -1.00      | 9.69       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.5142G   | 100.99        | Inf           | -Inf       | 9.80       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.4536G   | 72.94         | 74.00         | -1.06      | 9.66       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.4638G   | 73.98         | 74.00         | -0.02      | 9.69       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.5124G   | 111.71        | Inf           | -Inf       | 9.80       | 3       | H         | 8          | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170719  
EUT X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4594G   | 48.51         | 54.00         | -5.49      | 9.68       | 3       | V         | 177        | 2.86      | -        |
| AV   | 5.4672G   | 49.69         | 54.00         | -4.31      | 9.70       | 3       | V         | 177        | 2.86      | -        |
| AV   | 5.5524G   | 101.59        | Inf           | -Inf       | 9.84       | 3       | V         | 177        | 2.86      | -        |
| PK   | 5.4594G   | 66.89         | 74.00         | -7.11      | 9.68       | 3       | V         | 177        | 2.86      | -        |
| PK   | 5.460005G | 66.61         | 74.00         | -7.39      | 9.68       | 3       | V         | 177        | 2.86      | -        |
| PK   | 5.5428G   | 113.16        | Inf           | -Inf       | 9.83       | 3       | V         | 177        | 2.86      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170719  
EUT X\_4TX  
Setting 26(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4546G  | 49.48         | 54.00         | -4.52      | 9.67       | 3       | H         | 222        | 1.98      | -        |
| AV   | 5.4696G  | 50.91         | 54.00         | -3.09      | 9.71       | 3       | H         | 222        | 1.98      | -        |
| AV   | 5.5596G  | 103.68        | Inf           | -Inf       | 9.84       | 3       | H         | 222        | 1.98      | -        |
| PK   | 5.4504G  | 66.26         | 74.00         | -7.74      | 9.66       | 3       | H         | 222        | 1.98      | -        |
| PK   | 5.4696G  | 68.03         | 74.00         | -5.97      | 9.71       | 3       | H         | 222        | 1.98      | -        |
| PK   | 5.5596G  | 114.38        | Inf           | -Inf       | 9.84       | 3       | H         | 222        | 1.98      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5670MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6628G  | 100.65        | Inf           | -Inf       | 9.89       | 3       | V         | 321        | 2.91      | -        |
| AV   | 5.7252G  | 48.43         | 54.00         | -5.57      | 9.91       | 3       | V         | 321        | 2.91      | -        |
| PK   | 5.6648G  | 110.94        | Inf           | -Inf       | 9.89       | 3       | V         | 321        | 2.91      | -        |
| PK   | 5.7348G  | 65.66         | 74.00         | -8.34      | 9.91       | 3       | V         | 321        | 2.91      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6708G  | 100.35        | Inf           | -Inf       | 9.89       | 3       | H         | 66         | 2.92      | -        |
| AV   | 5.7272G  | 51.98         | 54.00         | -2.02      | 9.91       | 3       | H         | 66         | 2.92      | -        |
| PK   | 5.658G   | 111.20        | Inf           | -Inf       | 9.89       | 3       | H         | 66         | 2.92      | -        |
| PK   | 5.7376G  | 73.54         | 74.00         | -0.46      | 9.91       | 3       | H         | 66         | 2.92      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170719  
EUT X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4112G  | 47.10         | 54.00         | -6.90      | 9.55       | 3       | V         | 308        | 2.72      | -        |
| AV   | 5.4688G  | 46.86         | 54.00         | -7.14      | 9.71       | 3       | V         | 308        | 2.72      | -        |
| AV   | 5.7136G  | 103.68        | Inf           | -Inf       | 9.90       | 3       | V         | 308        | 2.72      | -        |
| PK   | 5.4316G  | 59.84         | 74.00         | -14.16     | 9.61       | 3       | V         | 308        | 2.72      | -        |
| PK   | 5.464G   | 59.58         | 74.00         | -14.42     | 9.69       | 3       | V         | 308        | 2.72      | -        |
| PK   | 5.7148G  | 113.56        | Inf           | -Inf       | 9.90       | 3       | V         | 308        | 2.72      | -        |
| PK   | 5.9656G  | 60.95         | 68.20         | -7.25      | 10.15      | 3       | V         | 308        | 2.72      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4448G  | 47.30         | 54.00         | -6.70      | 9.64       | 3       | H         | 346        | 1.08      | -        |
| AV   | 5.4664G  | 47.56         | 54.00         | -6.44      | 9.70       | 3       | H         | 346        | 1.08      | -        |
| AV   | 5.7016G  | 105.71        | Inf           | -Inf       | 9.90       | 3       | H         | 346        | 1.08      | -        |
| PK   | 5.4448G  | 59.13         | 74.00         | -14.87     | 9.64       | 3       | H         | 346        | 1.08      | -        |
| PK   | 5.464G   | 59.09         | 74.00         | -14.91     | 9.69       | 3       | H         | 346        | 1.08      | -        |
| PK   | 5.6992G  | 116.37        | Inf           | -Inf       | 9.90       | 3       | H         | 346        | 1.08      | -        |
| PK   | 5.9248G  | 62.57         | 68.35         | -5.78      | 10.09      | 3       | H         | 346        | 1.08      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.765G   | 103.93        | Inf           | -Inf       | 9.91       | 3       | V         | 24         | 2.79      | -        |
| PK   | 5.641G   | 68.18         | 68.20         | -0.02      | 9.89       | 3       | V         | 24         | 2.79      | -        |
| PK   | 5.764G   | 113.23        | Inf           | -Inf       | 9.91       | 3       | V         | 24         | 2.79      | -        |
| PK   | 5.926G   | 60.20         | 68.20         | -8.00      | 10.10      | 3       | V         | 24         | 2.79      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 105.39        | Inf           | -Inf       | 9.91       | 3       | H         | 130        | 2.87      | -        |
| PK   | 5.648G   | 67.89         | 68.20         | -0.31      | 9.89       | 3       | H         | 130        | 2.87      | -        |
| PK   | 5.745G   | 118.53        | Inf           | -Inf       | 9.91       | 3       | H         | 130        | 2.87      | -        |
| PK   | 5.942G   | 60.37         | 68.20         | -7.83      | 10.12      | 3       | H         | 130        | 2.87      | -        |

# **802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX**

## **5795MHz\_TX**




20170719  
 EUT\_X\_4TX  
 Setting 29  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/1)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.803G   | 102.41        | Inf           | -Inf       | 9.92       | 3       | V         | 191        | 2.16      | -        |
| PK   | 5.621G   | 59.83         | 68.20         | -8.37      | 9.88       | 3       | V         | 191        | 2.16      | -        |
| PK   | 5.81G    | 112.60        | Inf           | -Inf       | 9.93       | 3       | V         | 191        | 2.16      | -        |
| PK   | 5.929G   | 63.60         | 68.20         | -4.60      | 10.10      | 3       | V         | 191        | 2.16      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 29  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 107.20        | Inf           | -Inf       | 9.92       | 3       | H         | 312        | 2.32      | -        |
| PK   | 5.65G    | 63.97         | 68.20         | -4.23      | 9.89       | 3       | H         | 312        | 2.32      | -        |
| PK   | 5.784G   | 119.12        | Inf           | -Inf       | 9.92       | 3       | H         | 312        | 2.32      | -        |
| PK   | 5.93G    | 66.53         | 68.20         | -1.67      | 10.10      | 3       | H         | 312        | 2.32      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170719  
EUT X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G  | 53.43         | 54.00         | -0.57      | 9.03       | 3       | V         | 147        | 2.44      | -        |
| AV   | 5.1884G  | 96.46         | Inf           | -Inf       | 9.13       | 3       | V         | 147        | 2.44      | -        |
| AV   | 5.3524G  | 48.37         | 54.00         | -5.63      | 9.44       | 3       | V         | 147        | 2.44      | -        |
| PK   | 5.1476G  | 69.30         | 74.00         | -4.70      | 9.03       | 3       | V         | 147        | 2.44      | -        |
| PK   | 5.186G   | 105.42        | Inf           | -Inf       | 9.12       | 3       | V         | 147        | 2.44      | -        |
| PK   | 5.358G   | 59.86         | 74.00         | -14.14     | 9.45       | 3       | V         | 147        | 2.44      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1436G   | 53.98         | 54.00         | -0.02      | 9.02       | 3       | H         | 191        | 2.36      | -        |
| AV   | 5.2068G   | 96.74         | Inf           | -Inf       | 9.17       | 3       | H         | 191        | 2.36      | -        |
| AV   | 5.3532G   | 48.47         | 54.00         | -5.53      | 9.44       | 3       | H         | 191        | 2.36      | -        |
| PK   | 5.1444G   | 71.87         | 74.00         | -2.13      | 9.02       | 3       | H         | 191        | 2.36      | -        |
| PK   | 5.2036G   | 108.77        | Inf           | -Inf       | 9.17       | 3       | H         | 191        | 2.36      | -        |
| PK   | 5.350005G | 59.81         | 74.00         | -14.19     | 9.44       | 3       | H         | 191        | 2.36      | -        |

# 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

## 5290MHz\_TX




20170719  
EUT X\_4TX  
Setting 24(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小圖)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G  | 47.59         | 54.00         | -6.41      | 9.03       | 3       | V         | 31         | 1.03      | -        |
| AV   | 5.278G   | 95.20         | Inf           | -Inf       | 9.31       | 3       | V         | 31         | 1.03      | -        |
| AV   | 5.3652G  | 51.12         | 54.00         | -2.88      | 9.46       | 3       | V         | 31         | 1.03      | -        |
| PK   | 5.11G    | 59.20         | 74.00         | -14.80     | 8.93       | 3       | V         | 31         | 1.03      | -        |
| PK   | 5.258G   | 105.77        | Inf           | -Inf       | 9.27       | 3       | V         | 31         | 1.03      | -        |
| PK   | 5.3756G  | 62.82         | 74.00         | -11.18     | 9.48       | 3       | V         | 31         | 1.03      | -        |

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170719  
EUT X\_4TX  
Setting 24(升1 OVER)  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1468G  | 48.05         | 54.00         | -5.95      | 9.03       | 3       | H         | 291        | 1.50      | -        |
| AV   | 5.262G   | 97.45         | Inf           | -Inf       | 9.28       | 3       | H         | 291        | 1.50      | -        |
| AV   | 5.3828G  | 52.43         | 54.00         | -1.57      | 9.49       | 3       | H         | 291        | 1.50      | -        |
| PK   | 5.122G   | 62.70         | 74.00         | -11.30     | 8.96       | 3       | H         | 291        | 1.50      | -        |
| PK   | 5.2652G  | 105.81        | Inf           | -Inf       | 9.28       | 3       | H         | 291        | 1.50      | -        |
| PK   | 5.3844G  | 69.93         | 74.00         | -4.07      | 9.49       | 3       | H         | 291        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 24  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.454G   | 52.39         | 54.00         | -1.61      | 9.67       | 3       | V         | 203        | 1.29      | -        |
| AV   | 5.468G   | 51.16         | 54.00         | -2.84      | 9.70       | 3       | V         | 203        | 1.29      | -        |
| AV   | 5.559G   | 93.80         | Inf           | -Inf       | 9.84       | 3       | V         | 203        | 1.29      | -        |
| AV   | 5.774G   | 48.11         | 54.00         | -5.89      | 9.91       | 3       | V         | 203        | 1.29      | -        |
| PK   | 5.456G   | 66.15         | 74.00         | -7.85      | 9.67       | 3       | V         | 203        | 1.29      | -        |
| PK   | 5.462G   | 67.30         | 74.00         | -6.70      | 9.69       | 3       | V         | 203        | 1.29      | -        |
| PK   | 5.559G   | 104.08        | Inf           | -Inf       | 9.84       | 3       | V         | 203        | 1.29      | -        |
| PK   | 5.774G   | 59.55         | 74.00         | -14.45     | 9.91       | 3       | V         | 203        | 1.29      | -        |

# **802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX**

## **5530MHz\_TX**




20170719  
 EUT X\_4TX  
 Setting 24  
 02-J-6-10  
 FSU  
 ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.455G   | 53.94         | 54.00         | -0.06      | 9.67       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.464G   | 53.77         | 54.00         | -0.23      | 9.69       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.492G   | 98.18         | Inf           | -Inf       | 9.77       | 3       | H         | 8          | 1.50      | -        |
| AV   | 5.759G   | 48.10         | 54.00         | -5.90      | 9.91       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.432G   | 70.71         | 74.00         | -3.29      | 9.61       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.462G   | 69.32         | 74.00         | -4.68      | 9.69       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.506G   | 106.85        | Inf           | -Inf       | 9.80       | 3       | H         | 8          | 1.50      | -        |
| PK   | 5.766G   | 59.60         | 74.00         | -14.40     | 9.91       | 3       | H         | 8          | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.451G   | 49.69         | 54.00         | -4.31      | 9.66       | 3       | V         | 325        | 2.85      | -        |
| AV   | 5.467G   | 50.25         | 54.00         | -3.75      | 9.70       | 3       | V         | 325        | 2.85      | -        |
| AV   | 5.578G   | 97.59         | Inf           | -Inf       | 9.86       | 3       | V         | 325        | 2.85      | -        |
| AV   | 5.735G   | 53.76         | 54.00         | -0.24      | 9.91       | 3       | V         | 325        | 2.85      | -        |
| PK   | 5.441G   | 60.70         | 74.00         | -13.30     | 9.63       | 3       | V         | 325        | 2.85      | -        |
| PK   | 5.463G   | 63.49         | 74.00         | -10.51     | 9.69       | 3       | V         | 325        | 2.85      | -        |
| PK   | 5.584G   | 107.95        | Inf           | -Inf       | 9.87       | 3       | V         | 325        | 2.85      | -        |
| PK   | 5.728G   | 69.00         | 74.00         | -5.00      | 9.91       | 3       | V         | 325        | 2.85      | -        |

# 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

## 5610MHz\_TX




20170719  
EUT\_X\_4TX  
Setting 25  
02-J-6-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.447G   | 49.79         | 54.00         | -4.21      | 9.65       | 3       | H         | 13         | 1.50      | -        |
| AV   | 5.462G   | 52.29         | 54.00         | -1.71      | 9.69       | 3       | H         | 13         | 1.50      | -        |
| AV   | 5.585G   | 102.28        | Inf           | -Inf       | 9.87       | 3       | H         | 13         | 1.50      | -        |
| AV   | 5.726G   | 53.99         | 54.00         | -0.01      | 9.91       | 3       | H         | 13         | 1.50      | -        |
| PK   | 5.446G   | 63.97         | 74.00         | -10.03     | 9.64       | 3       | H         | 13         | 1.50      | -        |
| PK   | 5.464G   | 69.17         | 74.00         | -4.83      | 9.69       | 3       | H         | 13         | 1.50      | -        |
| PK   | 5.616G   | 107.84        | Inf           | -Inf       | 9.88       | 3       | H         | 13         | 1.50      | -        |
| PK   | 5.727G   | 70.38         | 74.00         | -3.62      | 9.91       | 3       | H         | 13         | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170720  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4356G   | 51.84         | 54.00         | -2.16      | 9.62       | 3       | V         | 16         | 2.86      | -        |
| AV   | 5.7044G   | 99.99         | Inf           | -Inf       | 9.90       | 3       | V         | 16         | 2.86      | -        |
| PK   | 5.4356G   | 68.15         | 74.00         | -5.85      | 9.62       | 3       | V         | 16         | 2.86      | -        |
| PK   | 5.460005G | 63.78         | 68.20         | -4.42      | 9.68       | 3       | V         | 16         | 2.86      | -        |
| PK   | 5.7044G   | 109.70        | Inf           | -Inf       | 9.90       | 3       | V         | 16         | 2.86      | -        |
| PK   | 5.9624G   | 62.17         | 68.20         | -6.03      | 10.15      | 3       | V         | 16         | 2.86      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170720  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4584G  | 52.35         | 54.00         | -1.65      | 9.68       | 3       | H         | 169        | 1.50      | -        |
| AV   | 5.6744G  | 97.45         | Inf           | -Inf       | 9.89       | 3       | H         | 169        | 1.50      | -        |
| PK   | 5.444G   | 65.95         | 74.00         | -8.05      | 9.64       | 3       | H         | 169        | 1.50      | -        |
| PK   | 5.4692G  | 64.50         | 68.20         | -3.70      | 9.71       | 3       | H         | 169        | 1.50      | -        |
| PK   | 5.7068G  | 108.18        | Inf           | -Inf       | 9.90       | 3       | H         | 169        | 1.50      | -        |
| PK   | 5.948G   | 65.26         | 68.20         | -2.94      | 10.13      | 3       | H         | 169        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170720  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 99.24         | Inf           | -Inf       | 9.92       | 3       | V         | 344        | 2.94      | -        |
| PK   | 5.639G   | 66.94         | 68.20         | -1.26      | 9.89       | 3       | V         | 344        | 2.94      | -        |
| PK   | 5.808G   | 109.71        | Inf           | -Inf       | 9.93       | 3       | V         | 344        | 2.94      | -        |
| PK   | 5.939G   | 64.30         | 68.20         | -3.90      | 10.11      | 3       | V         | 344        | 2.94      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170720  
EUT\_X\_4TX  
Setting 27  
02-R-1-10  
FSU  
ANT Skynet-DTO(Omni/小国)


| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.787G   | 101.66        | Inf           | -Inf       | 9.92       | 3       | H         | 317        | 2.41      | -        |
| PK   | 5.615G   | 68.14         | 68.20         | -0.06      | 9.88       | 3       | H         | 317        | 2.41      | -        |
| PK   | 5.747G   | 112.14        | Inf           | -Inf       | 9.91       | 3       | H         | 317        | 2.41      | -        |
| PK   | 5.938G   | 66.25         | 68.20         | -1.95      | 10.11      | 3       | H         | 317        | 2.41      | -        |

**For Harmonic  
Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Pol.<br>(H/V) | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|---------------|----------------|---------------|----------|
| 802.11ac VHT40_Nss1,(MCS0)_4TX | -      | -    | -            | -                 | -                 | -              | -              | -           | -             | -              | -             | -        |
| 5.25-5.35GHz                   | Pass   | AV   | 15.92154G    | 48.51             | 54.00             | -5.49          | 18.11          | 3           | V             | 224            | 2.38          | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170817  
EUT X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.54912G | 47.48         | 54.00         | -6.52      | 17.80      | 3       | V         | 359        | 1.50      | -        |
| PK   | 15.55086G | 60.91         | 74.00         | -13.09     | 17.81      | 3       | V         | 359        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.5436G  | 47.48         | 54.00         | -6.52      | 17.80      | 3       | H         | 140        | 2.21      | -        |
| PK   | 15.53982G | 60.32         | 74.00         | -13.68     | 17.80      | 3       | H         | 140        | 2.21      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.60072G | 46.75         | 54.00         | -7.25      | 17.85      | 3       | V         | 325        | 2.39      | -        |
| PK   | 15.61356G | 59.90         | 74.00         | -14.10     | 17.86      | 3       | V         | 325        | 2.39      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.60102G | 46.79         | 54.00         | -7.21      | 17.85      | 3       | H         | 224        | 1.79      | -        |
| PK   | 15.60594G | 60.19         | 74.00         | -13.81     | 17.85      | 3       | H         | 224        | 1.79      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.70512G | 46.70         | 54.00         | -7.30      | 17.93      | 3       | V         | 113        | 2.87      | -        |
| PK   | 15.73134G | 60.23         | 74.00         | -13.77     | 17.95      | 3       | V         | 113        | 2.87      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.71766G | 46.55         | 54.00         | -7.45      | 17.94      | 3       | H         | 20         | 2.37      | -        |
| PK   | 15.72042G | 60.61         | 74.00         | -13.39     | 17.94      | 3       | H         | 20         | 2.37      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.7827G  | 46.94         | 54.00         | -7.06      | 17.99      | 3       | V         | 175        | 1.19      | -        |
| PK   | 15.77754G | 60.70         | 74.00         | -13.30     | 17.99      | 3       | V         | 175        | 1.19      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.77802G | 47.13         | 54.00         | -6.87      | 17.99      | 3       | H         | 77         | 2.32      | -        |
| PK   | 15.78522G | 60.15         | 74.00         | -13.85     | 18.00      | 3       | H         | 77         | 2.32      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.91386G | 47.92         | 54.00         | -6.08      | 18.10      | 3       | V         | 346        | 1.15      | -        |
| PK   | 15.9027G  | 61.13         | 74.00         | -12.87     | 18.09      | 3       | V         | 346        | 1.15      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.91392G | 48.00         | 54.00         | -6.00      | 18.10      | 3       | H         | 98         | 2.28      | -        |
| PK   | 15.90972G | 61.90         | 74.00         | -12.10     | 18.10      | 3       | H         | 98         | 2.28      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.9747G  | 48.00         | 54.00         | -6.00      | 18.15      | 3       | V         | 360        | 1.17      | -        |
| PK   | 15.96312G | 62.14         | 74.00         | -11.86     | 18.14      | 3       | V         | 360        | 1.17      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.9735G | 48.02         | 54.00         | -5.98      | 18.15      | 3       | H         | 336        | 1.71      | -        |
| PK   | 15.9738G | 61.86         | 74.00         | -12.14     | 18.15      | 3       | H         | 336        | 1.71      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 10.98842G | 41.44         | 54.00         | -12.56     | 15.78      | 3       | V         | 168        | 1.23      | -        |
| PK   | 11.00756G | 54.37         | 74.00         | -19.63     | 15.80      | 3       | V         | 168        | 1.23      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 10.98566G | 41.43         | 54.00         | -12.57     | 15.78      | 3       | H         | 297        | 1.08      | -        |
| PK   | 10.98752G | 55.06         | 74.00         | -18.94     | 15.78      | 3       | H         | 297        | 1.08      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.1657G  | 43.04         | 54.00         | -10.96     | 15.91      | 3       | V         | 204        | 2.32      | -        |
| PK   | 11.16816G | 56.61         | 74.00         | -17.39     | 15.91      | 3       | V         | 204        | 2.32      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.16324G | 43.08         | 54.00         | -10.92     | 15.91      | 3       | H         | 182        | 2.11      | -        |
| PK   | 11.16336G | 56.70         | 74.00         | -17.30     | 15.91      | 3       | H         | 182        | 2.11      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.38506G | 42.44         | 54.00         | -11.56     | 16.05      | 3       | V         | 151        | 1.50      | -        |
| PK   | 11.4009G  | 56.21         | 74.00         | -17.79     | 16.06      | 3       | V         | 151        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.38512G | 42.41         | 54.00         | -11.59     | 16.05      | 3       | H         | 222        | 1.76      | -        |
| PK   | 11.39424G | 56.26         | 74.00         | -17.74     | 16.06      | 3       | H         | 222        | 1.76      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.42644G | 42.38         | 54.00         | -11.62     | 16.08      | 3       | V         | 307        | 1.50      | -        |
| PK   | 11.44054G | 56.14         | 74.00         | -17.86     | 16.09      | 3       | V         | 307        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.425G   | 42.22         | 54.00         | -11.78     | 16.08      | 3       | H         | 341        | 1.34      | -        |
| PK   | 11.42536G | 55.34         | 74.00         | -18.66     | 16.08      | 3       | H         | 341        | 1.34      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.47644G | 41.82         | 54.00         | -12.18     | 16.11      | 3       | V         | 338        | 1.50      | -        |
| PK   | 11.4927G  | 55.35         | 74.00         | -18.65     | 16.13      | 3       | V         | 338        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.47698G | 41.88         | 54.00         | -12.12     | 16.11      | 3       | H         | 280        | 2.08      | -        |
| PK   | 11.47896G | 55.02         | 74.00         | -18.98     | 16.12      | 3       | H         | 280        | 2.08      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5578G | 41.65         | 54.00         | -12.35     | 16.17      | 3       | V         | 280        | 1.50      | -        |
| PK   | 11.5578G | 54.52         | 74.00         | -19.48     | 16.17      | 3       | V         | 280        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.55512G | 41.69         | 54.00         | -12.31     | 16.17      | 3       | H         | 271        | 1.84      | -        |
| PK   | 11.55512G | 54.72         | 74.00         | -19.28     | 16.17      | 3       | H         | 271        | 1.84      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6632G  | 42.03         | 54.00         | -11.97     | 16.24      | 3       | V         | 57         | 1.50      | -        |
| PK   | 11.65486G | 55.23         | 74.00         | -18.77     | 16.23      | 3       | V         | 57         | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.66278G | 42.11         | 54.00         | -11.89     | 16.24      | 3       | H         | 65         | 1.60      | -        |
| PK   | 11.66422G | 55.44         | 74.00         | -18.56     | 16.24      | 3       | H         | 65         | 1.60      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.57696G | 47.25         | 54.00         | -6.75      | 17.83      | 3       | V         | 186        | 1.50      | -        |
| PK   | 15.56112G | 60.65         | 74.00         | -13.35     | 17.81      | 3       | V         | 186        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.55542G | 47.23         | 54.00         | -6.77      | 17.81      | 3       | H         | 20         | 2.10      | -        |
| PK   | 15.55722G | 60.14         | 74.00         | -13.86     | 17.81      | 3       | H         | 20         | 2.10      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.69444G | 47.11         | 54.00         | -6.89      | 17.92      | 3       | V         | 266        | 1.72      | -        |
| PK   | 15.70272G | 60.27         | 74.00         | -13.73     | 17.93      | 3       | V         | 266        | 1.72      | -        |

# 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.69378G | 47.17         | 54.00         | -6.83      | 17.92      | 3       | H         | 330        | 2.05      | -        |
| PK   | 15.70128G | 60.80         | 74.00         | -13.20     | 17.93      | 3       | H         | 330        | 2.05      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8244G | 47.20         | 54.00         | -6.80      | 18.03      | 3       | V         | 110        | 2.31      | -        |
| PK   | 15.8148G | 60.06         | 74.00         | -13.94     | 18.02      | 3       | V         | 110        | 2.31      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.82488G | 47.06         | 54.00         | -6.94      | 18.03      | 3       | H         | 203        | 2.26      | -        |
| PK   | 15.80454G | 60.05         | 74.00         | -13.95     | 18.01      | 3       | H         | 203        | 2.26      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.92154G | 48.51         | 54.00         | -5.49      | 18.11      | 3       | V         | 224        | 2.38      | -        |
| PK   | 15.93258G | 61.60         | 74.00         | -12.40     | 18.12      | 3       | V         | 224        | 2.38      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.92214G | 48.47         | 54.00         | -5.53      | 18.11      | 3       | H         | 118        | 2.36      | -        |
| PK   | 15.945G   | 61.37         | 74.00         | -12.63     | 18.13      | 3       | H         | 118        | 2.36      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.02948G | 42.11         | 54.00         | -11.89     | 15.82      | 3       | V         | 11         | 1.50      | -        |
| PK   | 11.01982G | 55.19         | 74.00         | -18.81     | 15.81      | 3       | V         | 11         | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0338G  | 42.27         | 54.00         | -11.73     | 15.82      | 3       | H         | 249        | 2.02      | -        |
| PK   | 11.03116G | 54.88         | 74.00         | -19.12     | 15.82      | 3       | H         | 249        | 2.02      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.10834G | 43.13         | 54.00         | -10.87     | 15.87      | 3       | V         | 85         | 1.07      | -        |
| PK   | 11.10792G | 55.98         | 74.00         | -18.02     | 15.87      | 3       | V         | 85         | 1.07      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.1015G  | 43.06         | 54.00         | -10.94     | 15.87      | 3       | H         | 353        | 1.00      | -        |
| PK   | 11.09868G | 56.10         | 74.00         | -17.90     | 15.87      | 3       | H         | 353        | 1.00      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3436G | 43.34         | 54.00         | -10.66     | 16.03      | 3       | V         | 0          | 1.17      | -        |
| PK   | 11.3292G | 56.55         | 74.00         | -17.45     | 16.02      | 3       | V         | 0          | 1.17      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170817  
EUT X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3409G  | 43.55         | 54.00         | -10.45     | 16.02      | 3       | H         | 51         | 2.03      | -        |
| PK   | 11.32626G | 56.60         | 74.00         | -17.40     | 16.02      | 3       | H         | 51         | 2.03      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.40902G | 43.21         | 54.00         | -10.79     | 16.07      | 3       | V         | 289        | 1.50      | -        |
| PK   | 11.40686G | 56.01         | 74.00         | -17.99     | 16.07      | 3       | V         | 289        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.41268G | 43.14         | 54.00         | -10.86     | 16.07      | 3       | H         | 137        | 2.20      | -        |
| PK   | 11.40728G | 56.23         | 74.00         | -17.77     | 16.07      | 3       | H         | 137        | 2.20      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.495G  | 41.82         | 54.00         | -12.18     | 16.13      | 3       | V         | 192        | 2.94      | -        |
| PK   | 11.5082G | 54.71         | 74.00         | -19.29     | 16.14      | 3       | V         | 192        | 2.94      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.495G   | 42.04         | 54.00         | -11.96     | 16.13      | 3       | H         | 3          | 2.28      | -        |
| PK   | 11.50496G | 54.47         | 74.00         | -19.53     | 16.13      | 3       | H         | 3          | 2.28      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.60344G | 42.18         | 54.00         | -11.82     | 16.20      | 3       | V         | 84         | 2.91      | -        |
| PK   | 11.60194G | 54.51         | 74.00         | -19.49     | 16.20      | 3       | V         | 84         | 2.91      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.60494G | 42.24         | 54.00         | -11.76     | 16.20      | 3       | H         | 339        | 1.56      | -        |
| PK   | 11.59384G | 55.45         | 74.00         | -18.55     | 16.19      | 3       | H         | 339        | 1.56      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6216G  | 46.96         | 54.00         | -7.04      | 17.86      | 3       | V         | 0          | 1.51      | -        |
| PK   | 15.62658G | 60.07         | 74.00         | -13.93     | 17.87      | 3       | V         | 0          | 1.51      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.62202G | 47.01         | 54.00         | -6.99      | 17.86      | 3       | H         | 228        | 1.80      | -        |
| PK   | 15.62268G | 59.86         | 74.00         | -14.14     | 17.86      | 3       | H         | 228        | 1.80      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.87036G | 47.45         | 54.00         | -6.55      | 18.06      | 3       | V         | 330        | 1.50      | -        |
| PK   | 15.88242G | 60.50         | 74.00         | -13.50     | 18.07      | 3       | V         | 330        | 1.50      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.85572G | 47.52         | 54.00         | -6.48      | 18.05      | 3       | H         | 299        | 1.06      | -        |
| PK   | 15.86178G | 60.24         | 74.00         | -13.76     | 18.06      | 3       | H         | 299        | 1.06      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0459G  | 42.25         | 54.00         | -11.75     | 15.83      | 3       | V         | 240        | 1.49      | -        |
| PK   | 11.04794G | 55.01         | 74.00         | -18.99     | 15.83      | 3       | V         | 240        | 1.49      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.04812G | 42.05         | 54.00         | -11.95     | 15.83      | 3       | H         | 57         | 1.18      | -        |
| PK   | 11.05256G | 54.97         | 74.00         | -19.03     | 15.83      | 3       | H         | 57         | 1.18      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.2323G  | 44.35         | 54.00         | -9.65      | 15.95      | 3       | V         | 97         | 2.72      | -        |
| PK   | 11.23476G | 57.06         | 74.00         | -16.94     | 15.95      | 3       | V         | 97         | 2.72      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.2281G  | 44.04         | 54.00         | -9.96      | 15.95      | 3       | H         | 116        | 1.38      | -        |
| PK   | 11.23272G | 57.12         | 74.00         | -16.88     | 15.95      | 3       | H         | 116        | 1.38      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX



20170817  
EUT\_X\_4TX  
Setting 25  
04-E-2  
FSP(100080)  
(Omni/日本)Skynet-DTO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.365G   | 43.33         | 54.00         | -10.67     | 16.04      | 3       | V         | 321        | 1.47      | -        |
| PK   | 11.37148G | 56.26         | 74.00         | -17.74     | 16.05      | 3       | V         | 321        | 1.47      | -        |