

n78(3700-3800)	30	50	648334	1@131	CP_QPSK	20.43	1.5	21.93	155.96	1000	PASS
n78(3700-3800)	30	50	648334	133@0	CP_16QAM	18.68	1.5	20.18	104.23	1000	PASS
n78(3700-3800)	30	50	648334	67@33	CP_16QAM	19.69	1.5	21.19	131.52	1000	PASS
n78(3700-3800)	30	50	648334	1@1	CP_16QAM	19.52	1.5	21.02	126.47	1000	PASS
n78(3700-3800)	30	50	648334	1@131	CP_16QAM	19.94	1.5	21.44	139.32	1000	PASS
n78(3700-3800)	30	50	648334	133@0	CP_64QAM	18.19	1.5	19.69	93.11	1000	PASS
n78(3700-3800)	30	50	648334	67@33	CP_64QAM	18.23	1.5	19.73	93.97	1000	PASS
n78(3700-3800)	30	50	648334	1@1	CP_64QAM	17.77	1.5	19.27	84.53	1000	PASS
n78(3700-3800)	30	50	648334	1@131	CP_64QAM	18.2	1.5	19.7	93.33	1000	PASS
n78(3700-3800)	30	50	648334	133@0	CP_256QAM	15.25	1.5	16.75	47.32	1000	PASS
n78(3700-3800)	30	50	648334	67@33	CP_256QAM	15.19	1.5	16.69	46.67	1000	PASS
n78(3700-3800)	30	50	648334	1@1	CP_256QAM	15.11	1.5	16.61	45.81	1000	PASS
n78(3700-3800)	30	50	648334	1@131	CP_256QAM	15.53	1.5	17.03	50.47	1000	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	21.58	1.5	23.08	203.24	1000	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	22.1	1.5	23.6	229.09	1000	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	21.66	1.5	23.16	207.01	1000	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	22.23	1.5	23.73	236.05	1000	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	21.1	1.5	22.6	181.97	1000	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	22.1	1.5	23.6	229.09	1000	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	21.74	1.5	23.24	210.86	1000	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	22.35	1.5	23.85	242.66	1000	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_16QAM	20.1	1.5	21.6	144.54	1000	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_16QAM	21.01	1.5	22.51	178.24	1000	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_16QAM	20.54	1.5	22.04	159.96	1000	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_16QAM	21.1	1.5	22.6	181.97	1000	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_64QAM	19.21	1.5	20.71	117.76	1000	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_64QAM	19.85	1.5	21.35	136.46	1000	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_256QAM	17.61	1.5	19.11	81.47	1000	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_256QAM	17.57	1.5	19.07	80.72	1000	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_256QAM	17.26	1.5	18.76	75.16	1000	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_256QAM	17.86	1.5	19.36	86.3	1000	PASS
n78(3700-3800)	30	50	650000	133@0	CP_QPSK	19.07	1.5	20.57	114.02	1000	PASS
n78(3700-3800)	30	50	650000	67@33	CP_QPSK	20.56	1.5	22.06	160.69	1000	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	20.26	1.5	21.76	149.97	1000	PASS
n78(3700-3800)	30	50	650000	1@131	CP_QPSK	20.83	1.5	22.33	171	1000	PASS
n78(3700-3800)	30	50	650000	133@0	CP_16QAM	19.06	1.5	20.56	113.76	1000	PASS
n78(3700-3800)	30	50	650000	67@33	CP_16QAM	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	50	650000	1@1	CP_16QAM	19.83	1.5	21.33	135.83	1000	PASS
n78(3700-3800)	30	50	650000	1@131	CP_16QAM	20.4	1.5	21.9	154.88	1000	PASS
n78(3700-3800)	30	50	650000	133@0	CP_64QAM	18.56	1.5	20.06	101.39	1000	PASS
n78(3700-3800)	30	50	650000	67@33	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS

n78(3700-3800)	30	50	650000	1@1	CP_64QAM	17.99	1.5	19.49	88.92	1000	PASS
n78(3700-3800)	30	50	650000	1@131	CP_64QAM	18.56	1.5	20.06	101.39	1000	PASS
n78(3700-3800)	30	50	650000	133@0	CP_256QAM	15.61	1.5	17.11	51.4	1000	PASS
n78(3700-3800)	30	50	650000	67@33	CP_256QAM	15.61	1.5	17.11	51.4	1000	PASS
n78(3700-3800)	30	50	650000	1@1	CP_256QAM	15.42	1.5	16.92	49.2	1000	PASS
n78(3700-3800)	30	50	650000	1@131	CP_256QAM	15.95	1.5	17.45	55.59	1000	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	21.6	1.5	23.1	204.17	1000	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	22.12	1.5	23.62	230.14	1000	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	21.71	1.5	23.21	209.41	1000	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	22.23	1.5	23.73	236.05	1000	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	21.12	1.5	22.62	182.81	1000	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	22.11	1.5	23.61	229.61	1000	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	21.82	1.5	23.32	214.78	1000	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	22.32	1.5	23.82	240.99	1000	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_16QAM	20.13	1.5	21.63	145.55	1000	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_16QAM	21.04	1.5	22.54	179.47	1000	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_16QAM	20.6	1.5	22.1	162.18	1000	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_16QAM	21.08	1.5	22.58	181.13	1000	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_64QAM	19.62	1.5	21.12	129.42	1000	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_64QAM	19.27	1.5	20.77	119.4	1000	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_64QAM	19.83	1.5	21.33	135.83	1000	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_256QAM	17.62	1.5	19.12	81.66	1000	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_256QAM	17.58	1.5	19.08	80.91	1000	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_256QAM	17.32	1.5	18.82	76.21	1000	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_256QAM	17.83	1.5	19.33	85.7	1000	PASS
n78(3700-3800)	30	50	651666	133@0	CP_QPSK	19.11	1.5	20.61	115.08	1000	PASS
n78(3700-3800)	30	50	651666	67@33	CP_QPSK	20.58	1.5	22.08	161.44	1000	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	20.32	1.5	21.82	152.05	1000	PASS
n78(3700-3800)	30	50	651666	1@131	CP_QPSK	20.81	1.5	22.31	170.22	1000	PASS
n78(3700-3800)	30	50	651666	133@0	CP_16QAM	19.06	1.5	20.56	113.76	1000	PASS
n78(3700-3800)	30	50	651666	67@33	CP_16QAM	20.03	1.5	21.53	142.23	1000	PASS
n78(3700-3800)	30	50	651666	1@1	CP_16QAM	19.86	1.5	21.36	136.77	1000	PASS
n78(3700-3800)	30	50	651666	1@131	CP_16QAM	20.35	1.5	21.85	153.11	1000	PASS
n78(3700-3800)	30	50	651666	133@0	CP_64QAM	18.55	1.5	20.05	101.16	1000	PASS
n78(3700-3800)	30	50	651666	67@33	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
n78(3700-3800)	30	50	651666	1@1	CP_64QAM	18.06	1.5	19.56	90.36	1000	PASS
n78(3700-3800)	30	50	651666	1@131	CP_64QAM	18.57	1.5	20.07	101.62	1000	PASS
n78(3700-3800)	30	50	651666	133@0	CP_256QAM	15.64	1.5	17.14	51.76	1000	PASS
n78(3700-3800)	30	50	651666	67@33	CP_256QAM	15.6	1.5	17.1	51.29	1000	PASS
n78(3700-3800)	30	50	651666	1@1	CP_256QAM	15.45	1.5	16.95	49.55	1000	PASS
n78(3700-3800)	30	50	651666	1@131	CP_256QAM	15.9	1.5	17.4	54.95	1000	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	21.23	1.5	22.73	187.5	1000	PASS

n78(3700-3800)	30	60	648668	81@40	DFT_BPSK	21.76	1.5	23.26	211.84	1000	PASS
n78(3700-3800)	30	60	648668	1@1	DFT_BPSK	21.4	1.5	22.9	194.98	1000	PASS
n78(3700-3800)	30	60	648668	1@160	DFT_BPSK	21.93	1.5	23.43	220.29	1000	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	20.73	1.5	22.23	167.11	1000	PASS
n78(3700-3800)	30	60	648668	81@40	DFT_QPSK	21.73	1.5	23.23	210.38	1000	PASS
n78(3700-3800)	30	60	648668	1@1	DFT_QPSK	21.46	1.5	22.96	197.7	1000	PASS
n78(3700-3800)	30	60	648668	1@160	DFT_QPSK	21.98	1.5	23.48	222.84	1000	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_16QAM	19.75	1.5	21.25	133.35	1000	PASS
n78(3700-3800)	30	60	648668	81@40	DFT_16QAM	20.75	1.5	22.25	167.88	1000	PASS
n78(3700-3800)	30	60	648668	1@1	DFT_16QAM	20.22	1.5	21.72	148.59	1000	PASS
n78(3700-3800)	30	60	648668	1@160	DFT_16QAM	20.74	1.5	22.24	167.49	1000	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_64QAM	19.26	1.5	20.76	119.12	1000	PASS
n78(3700-3800)	30	60	648668	81@40	DFT_64QAM	19.32	1.5	20.82	120.78	1000	PASS
n78(3700-3800)	30	60	648668	1@1	DFT_64QAM	18.98	1.5	20.48	111.69	1000	PASS
n78(3700-3800)	30	60	648668	1@160	DFT_64QAM	19.52	1.5	21.02	126.47	1000	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_256QAM	17.24	1.5	18.74	74.82	1000	PASS
n78(3700-3800)	30	60	648668	81@40	DFT_256QAM	17.24	1.5	18.74	74.82	1000	PASS
n78(3700-3800)	30	60	648668	1@1	DFT_256QAM	16.93	1.5	18.43	69.66	1000	PASS
n78(3700-3800)	30	60	648668	1@160	DFT_256QAM	17.48	1.5	18.98	79.07	1000	PASS
n78(3700-3800)	30	60	648668	162@0	CP_QPSK	18.73	1.5	20.23	105.44	1000	PASS
n78(3700-3800)	30	60	648668	81@40	CP_QPSK	20.17	1.5	21.67	146.89	1000	PASS
n78(3700-3800)	30	60	648668	1@1	CP_QPSK	19.98	1.5	21.48	140.6	1000	PASS
n78(3700-3800)	30	60	648668	1@160	CP_QPSK	20.5	1.5	22	158.49	1000	PASS
n78(3700-3800)	30	60	648668	162@0	CP_16QAM	18.73	1.5	20.23	105.44	1000	PASS
n78(3700-3800)	30	60	648668	81@40	CP_16QAM	19.71	1.5	21.21	132.13	1000	PASS
n78(3700-3800)	30	60	648668	1@1	CP_16QAM	19.48	1.5	20.98	125.31	1000	PASS
n78(3700-3800)	30	60	648668	1@160	CP_16QAM	19.97	1.5	21.47	140.28	1000	PASS
n78(3700-3800)	30	60	648668	162@0	CP_64QAM	18.22	1.5	19.72	93.76	1000	PASS
n78(3700-3800)	30	60	648668	81@40	CP_64QAM	18.22	1.5	19.72	93.76	1000	PASS
n78(3700-3800)	30	60	648668	1@1	CP_64QAM	17.73	1.5	19.23	83.75	1000	PASS
n78(3700-3800)	30	60	648668	1@160	CP_64QAM	18.23	1.5	19.73	93.97	1000	PASS
n78(3700-3800)	30	60	648668	162@0	CP_256QAM	15.24	1.5	16.74	47.21	1000	PASS
n78(3700-3800)	30	60	648668	81@40	CP_256QAM	15.25	1.5	16.75	47.32	1000	PASS
n78(3700-3800)	30	60	648668	1@1	CP_256QAM	15.06	1.5	16.56	45.29	1000	PASS
n78(3700-3800)	30	60	648668	1@160	CP_256QAM	15.59	1.5	17.09	51.17	1000	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	21.59	1.5	23.09	203.7	1000	PASS
n78(3700-3800)	30	60	650000	81@40	DFT_BPSK	22.07	1.5	23.57	227.51	1000	PASS
n78(3700-3800)	30	60	650000	1@1	DFT_BPSK	21.61	1.5	23.11	204.64	1000	PASS
n78(3700-3800)	30	60	650000	1@160	DFT_BPSK	22.3	1.5	23.8	239.88	1000	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	21.07	1.5	22.57	180.72	1000	PASS
n78(3700-3800)	30	60	650000	81@40	DFT_QPSK	22.03	1.5	23.53	225.42	1000	PASS
n78(3700-3800)	30	60	650000	1@1	DFT_QPSK	21.68	1.5	23.18	207.97	1000	PASS
n78(3700-3800)	30	60	650000	1@160	DFT_QPSK	22.36	1.5	23.86	243.22	1000	PASS

n78(3700-3800)	30	60	650000	162@0	DFT_16QAM	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	60	650000	81@40	DFT_16QAM	21.07	1.5	22.57	180.72	1000	PASS
n78(3700-3800)	30	60	650000	1@1	DFT_16QAM	20.48	1.5	21.98	157.76	1000	PASS
n78(3700-3800)	30	60	650000	1@160	DFT_16QAM	21.11	1.5	22.61	182.39	1000	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
n78(3700-3800)	30	60	650000	81@40	DFT_64QAM	19.58	1.5	21.08	128.23	1000	PASS
n78(3700-3800)	30	60	650000	1@1	DFT_64QAM	19.29	1.5	20.79	119.95	1000	PASS
n78(3700-3800)	30	60	650000	1@160	DFT_64QAM	19.92	1.5	21.42	138.68	1000	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_256QAM	17.59	1.5	19.09	81.1	1000	PASS
n78(3700-3800)	30	60	650000	81@40	DFT_256QAM	17.53	1.5	19.03	79.98	1000	PASS
n78(3700-3800)	30	60	650000	1@1	DFT_256QAM	17.16	1.5	18.66	73.45	1000	PASS
n78(3700-3800)	30	60	650000	1@160	DFT_256QAM	17.85	1.5	19.35	86.1	1000	PASS
n78(3700-3800)	30	60	650000	162@0	CP_QPSK	19.07	1.5	20.57	114.02	1000	PASS
n78(3700-3800)	30	60	650000	81@40	CP_QPSK	20.51	1.5	22.01	158.85	1000	PASS
n78(3700-3800)	30	60	650000	1@1	CP_QPSK	20.2	1.5	21.7	147.91	1000	PASS
n78(3700-3800)	30	60	650000	1@160	CP_QPSK	20.87	1.5	22.37	172.58	1000	PASS
n78(3700-3800)	30	60	650000	162@0	CP_16QAM	19.03	1.5	20.53	112.98	1000	PASS
n78(3700-3800)	30	60	650000	81@40	CP_16QAM	20	1.5	21.5	141.25	1000	PASS
n78(3700-3800)	30	60	650000	1@1	CP_16QAM	19.69	1.5	21.19	131.52	1000	PASS
n78(3700-3800)	30	60	650000	1@160	CP_16QAM	20.35	1.5	21.85	153.11	1000	PASS
n78(3700-3800)	30	60	650000	162@0	CP_64QAM	18.53	1.5	20.03	100.69	1000	PASS
n78(3700-3800)	30	60	650000	81@40	CP_64QAM	18.55	1.5	20.05	101.16	1000	PASS
n78(3700-3800)	30	60	650000	1@1	CP_64QAM	17.95	1.5	19.45	88.1	1000	PASS
n78(3700-3800)	30	60	650000	1@160	CP_64QAM	18.6	1.5	20.1	102.33	1000	PASS
n78(3700-3800)	30	60	650000	162@0	CP_256QAM	15.57	1.5	17.07	50.93	1000	PASS
n78(3700-3800)	30	60	650000	81@40	CP_256QAM	15.5	1.5	17	50.12	1000	PASS
n78(3700-3800)	30	60	650000	1@1	CP_256QAM	15.28	1.5	16.78	47.64	1000	PASS
n78(3700-3800)	30	60	650000	1@160	CP_256QAM	15.97	1.5	17.47	55.85	1000	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	21.59	1.5	23.09	203.7	1000	PASS
n78(3700-3800)	30	60	651332	81@40	DFT_BPSK	22.08	1.5	23.58	228.03	1000	PASS
n78(3700-3800)	30	60	651332	1@1	DFT_BPSK	21.64	1.5	23.14	206.06	1000	PASS
n78(3700-3800)	30	60	651332	1@160	DFT_BPSK	22.3	1.5	23.8	239.88	1000	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	21.1	1.5	22.6	181.97	1000	PASS
n78(3700-3800)	30	60	651332	81@40	DFT_QPSK	22.08	1.5	23.58	228.03	1000	PASS
n78(3700-3800)	30	60	651332	1@1	DFT_QPSK	21.72	1.5	23.22	209.89	1000	PASS
n78(3700-3800)	30	60	651332	1@160	DFT_QPSK	22.38	1.5	23.88	244.34	1000	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_16QAM	20.07	1.5	21.57	143.55	1000	PASS
n78(3700-3800)	30	60	651332	81@40	DFT_16QAM	21.07	1.5	22.57	180.72	1000	PASS
n78(3700-3800)	30	60	651332	1@1	DFT_16QAM	20.5	1.5	22	158.49	1000	PASS
n78(3700-3800)	30	60	651332	1@160	DFT_16QAM	21.12	1.5	22.62	182.81	1000	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
n78(3700-3800)	30	60	651332	81@40	DFT_64QAM	19.67	1.5	21.17	130.92	1000	PASS
n78(3700-3800)	30	60	651332	1@1	DFT_64QAM	19.28	1.5	20.78	119.67	1000	PASS

n78(3700-3800)	30	60	651332	1@160	DFT_64QAM	19.93	1.5	21.43	139	1000	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_256QAM	17.58	1.5	19.08	80.91	1000	PASS
n78(3700-3800)	30	60	651332	81@40	DFT_256QAM	17.62	1.5	19.12	81.66	1000	PASS
n78(3700-3800)	30	60	651332	1@1	DFT_256QAM	17.22	1.5	18.72	74.47	1000	PASS
n78(3700-3800)	30	60	651332	1@160	DFT_256QAM	17.85	1.5	19.35	86.1	1000	PASS
n78(3700-3800)	30	60	651332	162@0	CP_QPSK	19.03	1.5	20.53	112.98	1000	PASS
n78(3700-3800)	30	60	651332	81@40	CP_QPSK	20.54	1.5	22.04	159.96	1000	PASS
n78(3700-3800)	30	60	651332	1@1	CP_QPSK	20.21	1.5	21.71	148.25	1000	PASS
n78(3700-3800)	30	60	651332	1@160	CP_QPSK	20.86	1.5	22.36	172.19	1000	PASS
n78(3700-3800)	30	60	651332	162@0	CP_16QAM	19.03	1.5	20.53	112.98	1000	PASS
n78(3700-3800)	30	60	651332	81@40	CP_16QAM	20.06	1.5	21.56	143.22	1000	PASS
n78(3700-3800)	30	60	651332	1@1	CP_16QAM	19.69	1.5	21.19	131.52	1000	PASS
n78(3700-3800)	30	60	651332	1@160	CP_16QAM	20.34	1.5	21.84	152.76	1000	PASS
n78(3700-3800)	30	60	651332	162@0	CP_64QAM	18.56	1.5	20.06	101.39	1000	PASS
n78(3700-3800)	30	60	651332	81@40	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
n78(3700-3800)	30	60	651332	1@1	CP_64QAM	17.97	1.5	19.47	88.51	1000	PASS
n78(3700-3800)	30	60	651332	1@160	CP_64QAM	18.64	1.5	20.14	103.28	1000	PASS
n78(3700-3800)	30	60	651332	162@0	CP_256QAM	15.58	1.5	17.08	51.05	1000	PASS
n78(3700-3800)	30	60	651332	81@40	CP_256QAM	15.59	1.5	17.09	51.17	1000	PASS
n78(3700-3800)	30	60	651332	1@1	CP_256QAM	15.29	1.5	16.79	47.75	1000	PASS
n78(3700-3800)	30	60	651332	1@160	CP_256QAM	15.95	1.5	17.45	55.59	1000	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	21.42	1.5	22.92	195.88	1000	PASS
n78(3700-3800)	30	70	649000	90@45	DFT_BPSK	21.9	1.5	23.4	218.78	1000	PASS
n78(3700-3800)	30	70	649000	1@1	DFT_BPSK	21.49	1.5	22.99	199.07	1000	PASS
n78(3700-3800)	30	70	649000	1@187	DFT_BPSK	22.13	1.5	23.63	230.67	1000	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	20.93	1.5	22.43	174.98	1000	PASS
n78(3700-3800)	30	70	649000	90@45	DFT_QPSK	21.87	1.5	23.37	217.27	1000	PASS
n78(3700-3800)	30	70	649000	1@1	DFT_QPSK	21.56	1.5	23.06	202.3	1000	PASS
n78(3700-3800)	30	70	649000	1@187	DFT_QPSK	22.19	1.5	23.69	233.88	1000	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_16QAM	19.92	1.5	21.42	138.68	1000	PASS
n78(3700-3800)	30	70	649000	90@45	DFT_16QAM	20.88	1.5	22.38	172.98	1000	PASS
n78(3700-3800)	30	70	649000	1@1	DFT_16QAM	20.28	1.5	21.78	150.66	1000	PASS
n78(3700-3800)	30	70	649000	1@187	DFT_16QAM	20.96	1.5	22.46	176.2	1000	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_64QAM	19.41	1.5	20.91	123.31	1000	PASS
n78(3700-3800)	30	70	649000	90@45	DFT_64QAM	19.4	1.5	20.9	123.03	1000	PASS
n78(3700-3800)	30	70	649000	1@1	DFT_64QAM	19.01	1.5	20.51	112.46	1000	PASS
n78(3700-3800)	30	70	649000	1@187	DFT_64QAM	19.76	1.5	21.26	133.66	1000	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_256QAM	17.43	1.5	18.93	78.16	1000	PASS
n78(3700-3800)	30	70	649000	90@45	DFT_256QAM	17.43	1.5	18.93	78.16	1000	PASS
n78(3700-3800)	30	70	649000	1@1	DFT_256QAM	16.96	1.5	18.46	70.15	1000	PASS
n78(3700-3800)	30	70	649000	1@187	DFT_256QAM	17.63	1.5	19.13	81.85	1000	PASS
n78(3700-3800)	30	70	649000	189@0	CP_QPSK	18.95	1.5	20.45	110.92	1000	PASS
n78(3700-3800)	30	70	649000	95@47	CP_QPSK	20.39	1.5	21.89	154.53	1000	PASS

n78(3700-3800)	30	70	649000	1@1	CP_QPSK	20.07	1.5	21.57	143.55	1000	PASS
n78(3700-3800)	30	70	649000	1@187	CP_QPSK	20.64	1.5	22.14	163.68	1000	PASS
n78(3700-3800)	30	70	649000	189@0	CP_16QAM	18.9	1.5	20.4	109.65	1000	PASS
n78(3700-3800)	30	70	649000	95@47	CP_16QAM	19.88	1.5	21.38	137.4	1000	PASS
n78(3700-3800)	30	70	649000	1@1	CP_16QAM	19.54	1.5	21.04	127.06	1000	PASS
n78(3700-3800)	30	70	649000	1@187	CP_16QAM	20.16	1.5	21.66	146.55	1000	PASS
n78(3700-3800)	30	70	649000	189@0	CP_64QAM	18.39	1.5	19.89	97.5	1000	PASS
n78(3700-3800)	30	70	649000	95@47	CP_64QAM	18.39	1.5	19.89	97.5	1000	PASS
n78(3700-3800)	30	70	649000	1@1	CP_64QAM	17.78	1.5	19.28	84.72	1000	PASS
n78(3700-3800)	30	70	649000	1@187	CP_64QAM	18.43	1.5	19.93	98.4	1000	PASS
n78(3700-3800)	30	70	649000	189@0	CP_256QAM	15.39	1.5	16.89	48.87	1000	PASS
n78(3700-3800)	30	70	649000	95@47	CP_256QAM	15.42	1.5	16.92	49.2	1000	PASS
n78(3700-3800)	30	70	649000	1@1	CP_256QAM	15.05	1.5	16.55	45.19	1000	PASS
n78(3700-3800)	30	70	649000	1@187	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	21.58	1.5	23.08	203.24	1000	PASS
n78(3700-3800)	30	70	650000	90@45	DFT_BPSK	22.12	1.5	23.62	230.14	1000	PASS
n78(3700-3800)	30	70	650000	1@1	DFT_BPSK	21.61	1.5	23.11	204.64	1000	PASS
n78(3700-3800)	30	70	650000	1@187	DFT_BPSK	22.27	1.5	23.77	238.23	1000	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	21.08	1.5	22.58	181.13	1000	PASS
n78(3700-3800)	30	70	650000	90@45	DFT_QPSK	22.08	1.5	23.58	228.03	1000	PASS
n78(3700-3800)	30	70	650000	1@1	DFT_QPSK	21.68	1.5	23.18	207.97	1000	PASS
n78(3700-3800)	30	70	650000	1@187	DFT_QPSK	22.37	1.5	23.87	243.78	1000	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_16QAM	20.1	1.5	21.6	144.54	1000	PASS
n78(3700-3800)	30	70	650000	90@45	DFT_16QAM	21.09	1.5	22.59	181.55	1000	PASS
n78(3700-3800)	30	70	650000	1@1	DFT_16QAM	20.45	1.5	21.95	156.68	1000	PASS
n78(3700-3800)	30	70	650000	1@187	DFT_16QAM	21.15	1.5	22.65	184.08	1000	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_64QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	70	650000	90@45	DFT_64QAM	19.63	1.5	21.13	129.72	1000	PASS
n78(3700-3800)	30	70	650000	1@1	DFT_64QAM	19.12	1.5	20.62	115.35	1000	PASS
n78(3700-3800)	30	70	650000	1@187	DFT_64QAM	19.81	1.5	21.31	135.21	1000	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_256QAM	17.59	1.5	19.09	81.1	1000	PASS
n78(3700-3800)	30	70	650000	90@45	DFT_256QAM	17.66	1.5	19.16	82.41	1000	PASS
n78(3700-3800)	30	70	650000	1@1	DFT_256QAM	17.13	1.5	18.63	72.95	1000	PASS
n78(3700-3800)	30	70	650000	1@187	DFT_256QAM	17.82	1.5	19.32	85.51	1000	PASS
n78(3700-3800)	30	70	650000	189@0	CP_QPSK	19.13	1.5	20.63	115.61	1000	PASS
n78(3700-3800)	30	70	650000	95@47	CP_QPSK	20.58	1.5	22.08	161.44	1000	PASS
n78(3700-3800)	30	70	650000	1@1	CP_QPSK	20.19	1.5	21.69	147.57	1000	PASS
n78(3700-3800)	30	70	650000	1@187	CP_QPSK	20.84	1.5	22.34	171.4	1000	PASS
n78(3700-3800)	30	70	650000	189@0	CP_16QAM	19.11	1.5	20.61	115.08	1000	PASS
n78(3700-3800)	30	70	650000	95@47	CP_16QAM	20.1	1.5	21.6	144.54	1000	PASS
n78(3700-3800)	30	70	650000	1@1	CP_16QAM	19.73	1.5	21.23	132.74	1000	PASS
n78(3700-3800)	30	70	650000	1@187	CP_16QAM	20.38	1.5	21.88	154.17	1000	PASS
n78(3700-3800)	30	70	650000	189@0	CP_64QAM	18.58	1.5	20.08	101.86	1000	PASS

n78(3700-3800)	30	70	650000	95@47	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
n78(3700-3800)	30	70	650000	1@1	CP_64QAM	17.97	1.5	19.47	88.51	1000	PASS
n78(3700-3800)	30	70	650000	1@187	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
n78(3700-3800)	30	70	650000	189@0	CP_256QAM	15.64	1.5	17.14	51.76	1000	PASS
n78(3700-3800)	30	70	650000	95@47	CP_256QAM	15.63	1.5	17.13	51.64	1000	PASS
n78(3700-3800)	30	70	650000	1@1	CP_256QAM	15.26	1.5	16.76	47.42	1000	PASS
n78(3700-3800)	30	70	650000	1@187	CP_256QAM	15.9	1.5	17.4	54.95	1000	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	21.67	1.5	23.17	207.49	1000	PASS
n78(3700-3800)	30	70	651000	90@45	DFT_BPSK	22.17	1.5	23.67	232.81	1000	PASS
n78(3700-3800)	30	70	651000	1@1	DFT_BPSK	21.64	1.5	23.14	206.06	1000	PASS
n78(3700-3800)	30	70	651000	1@187	DFT_BPSK	22.38	1.5	23.88	244.34	1000	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	21.14	1.5	22.64	183.65	1000	PASS
n78(3700-3800)	30	70	651000	90@45	DFT_QPSK	22.18	1.5	23.68	233.35	1000	PASS
n78(3700-3800)	30	70	651000	1@1	DFT_QPSK	21.72	1.5	23.22	209.89	1000	PASS
n78(3700-3800)	30	70	651000	1@187	DFT_QPSK	22.42	1.5	23.92	246.6	1000	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_16QAM	20.18	1.5	21.68	147.23	1000	PASS
n78(3700-3800)	30	70	651000	90@45	DFT_16QAM	21.16	1.5	22.66	184.5	1000	PASS
n78(3700-3800)	30	70	651000	1@1	DFT_16QAM	20.51	1.5	22.01	158.85	1000	PASS
n78(3700-3800)	30	70	651000	1@187	DFT_16QAM	21.24	1.5	22.74	187.93	1000	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_64QAM	19.68	1.5	21.18	131.22	1000	PASS
n78(3700-3800)	30	70	651000	90@45	DFT_64QAM	19.69	1.5	21.19	131.52	1000	PASS
n78(3700-3800)	30	70	651000	1@1	DFT_64QAM	19.24	1.5	20.74	118.58	1000	PASS
n78(3700-3800)	30	70	651000	1@187	DFT_64QAM	19.99	1.5	21.49	140.93	1000	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_256QAM	17.71	1.5	19.21	83.37	1000	PASS
n78(3700-3800)	30	70	651000	90@45	DFT_256QAM	17.68	1.5	19.18	82.79	1000	PASS
n78(3700-3800)	30	70	651000	1@1	DFT_256QAM	17.17	1.5	18.67	73.62	1000	PASS
n78(3700-3800)	30	70	651000	1@187	DFT_256QAM	17.94	1.5	19.44	87.9	1000	PASS
n78(3700-3800)	30	70	651000	189@0	CP_QPSK	19.17	1.5	20.67	116.68	1000	PASS
n78(3700-3800)	30	70	651000	95@47	CP_QPSK	20.64	1.5	22.14	163.68	1000	PASS
n78(3700-3800)	30	70	651000	1@1	CP_QPSK	20.23	1.5	21.73	148.94	1000	PASS
n78(3700-3800)	30	70	651000	1@187	CP_QPSK	20.95	1.5	22.45	175.79	1000	PASS
n78(3700-3800)	30	70	651000	189@0	CP_16QAM	19.14	1.5	20.64	115.88	1000	PASS
n78(3700-3800)	30	70	651000	95@47	CP_16QAM	20.16	1.5	21.66	146.55	1000	PASS
n78(3700-3800)	30	70	651000	1@1	CP_16QAM	19.62	1.5	21.12	129.42	1000	PASS
n78(3700-3800)	30	70	651000	1@187	CP_16QAM	20.4	1.5	21.9	154.88	1000	PASS
n78(3700-3800)	30	70	651000	189@0	CP_64QAM	18.65	1.5	20.15	103.51	1000	PASS
n78(3700-3800)	30	70	651000	95@47	CP_64QAM	18.65	1.5	20.15	103.51	1000	PASS
n78(3700-3800)	30	70	651000	1@1	CP_64QAM	17.97	1.5	19.47	88.51	1000	PASS
n78(3700-3800)	30	70	651000	1@187	CP_64QAM	18.73	1.5	20.23	105.44	1000	PASS
n78(3700-3800)	30	70	651000	189@0	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
n78(3700-3800)	30	70	651000	95@47	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
n78(3700-3800)	30	70	651000	1@1	CP_256QAM	15.25	1.5	16.75	47.32	1000	PASS
n78(3700-3800)	30	70	651000	1@187	CP_256QAM	16.02	1.5	17.52	56.49	1000	PASS

n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	21.41	1.5	22.91	195.43	1000	PASS
n78(3700-3800)	30	80	649334	108@54	DFT_BPSK	21.95	1.5	23.45	221.31	1000	PASS
n78(3700-3800)	30	80	649334	1@1	DFT_BPSK	21.49	1.5	22.99	199.07	1000	PASS
n78(3700-3800)	30	80	649334	1@215	DFT_BPSK	22.16	1.5	23.66	232.27	1000	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	20.91	1.5	22.41	174.18	1000	PASS
n78(3700-3800)	30	80	649334	108@54	DFT_QPSK	21.91	1.5	23.41	219.28	1000	PASS
n78(3700-3800)	30	80	649334	1@1	DFT_QPSK	21.51	1.5	23.01	199.99	1000	PASS
n78(3700-3800)	30	80	649334	1@215	DFT_QPSK	22.23	1.5	23.73	236.05	1000	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_16QAM	19.93	1.5	21.43	139	1000	PASS
n78(3700-3800)	30	80	649334	108@54	DFT_16QAM	20.92	1.5	22.42	174.58	1000	PASS
n78(3700-3800)	30	80	649334	1@1	DFT_16QAM	20.33	1.5	21.83	152.41	1000	PASS
n78(3700-3800)	30	80	649334	1@215	DFT_16QAM	21.05	1.5	22.55	179.89	1000	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_64QAM	19.43	1.5	20.93	123.88	1000	PASS
n78(3700-3800)	30	80	649334	108@54	DFT_64QAM	19.44	1.5	20.94	124.17	1000	PASS
n78(3700-3800)	30	80	649334	1@1	DFT_64QAM	19	1.5	20.5	112.2	1000	PASS
n78(3700-3800)	30	80	649334	1@215	DFT_64QAM	19.72	1.5	21.22	132.43	1000	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_256QAM	17.43	1.5	18.93	78.16	1000	PASS
n78(3700-3800)	30	80	649334	108@54	DFT_256QAM	17.45	1.5	18.95	78.52	1000	PASS
n78(3700-3800)	30	80	649334	1@1	DFT_256QAM	16.96	1.5	18.46	70.15	1000	PASS
n78(3700-3800)	30	80	649334	1@215	DFT_256QAM	17.69	1.5	19.19	82.99	1000	PASS
n78(3700-3800)	30	80	649334	217@0	CP_QPSK	18.93	1.5	20.43	110.41	1000	PASS
n78(3700-3800)	30	80	649334	109@54	CP_QPSK	20.4	1.5	21.9	154.88	1000	PASS
n78(3700-3800)	30	80	649334	1@1	CP_QPSK	20.03	1.5	21.53	142.23	1000	PASS
n78(3700-3800)	30	80	649334	1@215	CP_QPSK	20.72	1.5	22.22	166.72	1000	PASS
n78(3700-3800)	30	80	649334	217@0	CP_16QAM	18.95	1.5	20.45	110.92	1000	PASS
n78(3700-3800)	30	80	649334	109@54	CP_16QAM	19.9	1.5	21.4	138.04	1000	PASS
n78(3700-3800)	30	80	649334	1@1	CP_16QAM	19.53	1.5	21.03	126.77	1000	PASS
n78(3700-3800)	30	80	649334	1@215	CP_16QAM	20.21	1.5	21.71	148.25	1000	PASS
n78(3700-3800)	30	80	649334	217@0	CP_64QAM	18.46	1.5	19.96	99.08	1000	PASS
n78(3700-3800)	30	80	649334	109@54	CP_64QAM	18.41	1.5	19.91	97.95	1000	PASS
n78(3700-3800)	30	80	649334	1@1	CP_64QAM	17.77	1.5	19.27	84.53	1000	PASS
n78(3700-3800)	30	80	649334	1@215	CP_64QAM	18.53	1.5	20.03	100.69	1000	PASS
n78(3700-3800)	30	80	649334	217@0	CP_256QAM	15.46	1.5	16.96	49.66	1000	PASS
n78(3700-3800)	30	80	649334	109@54	CP_256QAM	15.42	1.5	16.92	49.2	1000	PASS
n78(3700-3800)	30	80	649334	1@1	CP_256QAM	15.05	1.5	16.55	45.19	1000	PASS
n78(3700-3800)	30	80	649334	1@215	CP_256QAM	15.8	1.5	17.3	53.7	1000	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	21.62	1.5	23.12	205.12	1000	PASS
n78(3700-3800)	30	80	650000	108@54	DFT_BPSK	22.16	1.5	23.66	232.27	1000	PASS
n78(3700-3800)	30	80	650000	1@1	DFT_BPSK	21.61	1.5	23.11	204.64	1000	PASS
n78(3700-3800)	30	80	650000	1@215	DFT_BPSK	22.39	1.5	23.89	244.91	1000	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	21.1	1.5	22.6	181.97	1000	PASS
n78(3700-3800)	30	80	650000	108@54	DFT_QPSK	22.11	1.5	23.61	229.61	1000	PASS
n78(3700-3800)	30	80	650000	1@1	DFT_QPSK	21.69	1.5	23.19	208.45	1000	PASS

n78(3700-3800)	30	80	650000	1@215	DFT_QPSK	22.4	1.5	23.9	245.47	1000	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_16QAM	20.11	1.5	21.61	144.88	1000	PASS
n78(3700-3800)	30	80	650000	108@54	DFT_16QAM	21.11	1.5	22.61	182.39	1000	PASS
n78(3700-3800)	30	80	650000	1@1	DFT_16QAM	20.48	1.5	21.98	157.76	1000	PASS
n78(3700-3800)	30	80	650000	1@215	DFT_16QAM	21.21	1.5	22.71	186.64	1000	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_64QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	80	650000	108@54	DFT_64QAM	19.67	1.5	21.17	130.92	1000	PASS
n78(3700-3800)	30	80	650000	1@1	DFT_64QAM	19.17	1.5	20.67	116.68	1000	PASS
n78(3700-3800)	30	80	650000	1@215	DFT_64QAM	19.89	1.5	21.39	137.72	1000	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_256QAM	17.64	1.5	19.14	82.04	1000	PASS
n78(3700-3800)	30	80	650000	108@54	DFT_256QAM	17.65	1.5	19.15	82.22	1000	PASS
n78(3700-3800)	30	80	650000	1@1	DFT_256QAM	17.15	1.5	18.65	73.28	1000	PASS
n78(3700-3800)	30	80	650000	1@215	DFT_256QAM	17.86	1.5	19.36	86.3	1000	PASS
n78(3700-3800)	30	80	650000	217@0	CP_QPSK	19.08	1.5	20.58	114.29	1000	PASS
n78(3700-3800)	30	80	650000	109@54	CP_QPSK	20.58	1.5	22.08	161.44	1000	PASS
n78(3700-3800)	30	80	650000	1@1	CP_QPSK	20.26	1.5	21.76	149.97	1000	PASS
n78(3700-3800)	30	80	650000	1@215	CP_QPSK	20.89	1.5	22.39	173.38	1000	PASS
n78(3700-3800)	30	80	650000	217@0	CP_16QAM	19.1	1.5	20.6	114.82	1000	PASS
n78(3700-3800)	30	80	650000	109@54	CP_16QAM	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	80	650000	1@1	CP_16QAM	19.62	1.5	21.12	129.42	1000	PASS
n78(3700-3800)	30	80	650000	1@215	CP_16QAM	20.32	1.5	21.82	152.05	1000	PASS
n78(3700-3800)	30	80	650000	217@0	CP_64QAM	18.62	1.5	20.12	102.8	1000	PASS
n78(3700-3800)	30	80	650000	109@54	CP_64QAM	18.6	1.5	20.1	102.33	1000	PASS
n78(3700-3800)	30	80	650000	1@1	CP_64QAM	18	1.5	19.5	89.13	1000	PASS
n78(3700-3800)	30	80	650000	1@215	CP_64QAM	18.65	1.5	20.15	103.51	1000	PASS
n78(3700-3800)	30	80	650000	217@0	CP_256QAM	15.63	1.5	17.13	51.64	1000	PASS
n78(3700-3800)	30	80	650000	109@54	CP_256QAM	15.6	1.5	17.1	51.29	1000	PASS
n78(3700-3800)	30	80	650000	1@1	CP_256QAM	15.25	1.5	16.75	47.32	1000	PASS
n78(3700-3800)	30	80	650000	1@215	CP_256QAM	15.92	1.5	17.42	55.21	1000	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	21.66	1.5	23.16	207.01	1000	PASS
n78(3700-3800)	30	80	650666	108@54	DFT_BPSK	22.14	1.5	23.64	231.21	1000	PASS
n78(3700-3800)	30	80	650666	1@1	DFT_BPSK	21.62	1.5	23.12	205.12	1000	PASS
n78(3700-3800)	30	80	650666	1@215	DFT_BPSK	22.37	1.5	23.87	243.78	1000	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	21.14	1.5	22.64	183.65	1000	PASS
n78(3700-3800)	30	80	650666	108@54	DFT_QPSK	22.13	1.5	23.63	230.67	1000	PASS
n78(3700-3800)	30	80	650666	1@1	DFT_QPSK	21.64	1.5	23.14	206.06	1000	PASS
n78(3700-3800)	30	80	650666	1@215	DFT_QPSK	22.38	1.5	23.88	244.34	1000	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_16QAM	20.13	1.5	21.63	145.55	1000	PASS
n78(3700-3800)	30	80	650666	108@54	DFT_16QAM	21.1	1.5	22.6	181.97	1000	PASS
n78(3700-3800)	30	80	650666	1@1	DFT_16QAM	20.47	1.5	21.97	157.4	1000	PASS
n78(3700-3800)	30	80	650666	1@215	DFT_16QAM	21.23	1.5	22.73	187.5	1000	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_64QAM	19.63	1.5	21.13	129.72	1000	PASS
n78(3700-3800)	30	80	650666	108@54	DFT_64QAM	19.68	1.5	21.18	131.22	1000	PASS

n78(3700-3800)	30	80	650666	1@1	DFT_64QAM	19.12	1.5	20.62	115.35	1000	PASS
n78(3700-3800)	30	80	650666	1@215	DFT_64QAM	19.87	1.5	21.37	137.09	1000	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_256QAM	17.68	1.5	19.18	82.79	1000	PASS
n78(3700-3800)	30	80	650666	108@54	DFT_256QAM	17.65	1.5	19.15	82.22	1000	PASS
n78(3700-3800)	30	80	650666	1@1	DFT_256QAM	17.08	1.5	18.58	72.11	1000	PASS
n78(3700-3800)	30	80	650666	1@215	DFT_256QAM	17.87	1.5	19.37	86.5	1000	PASS
n78(3700-3800)	30	80	650666	217@0	CP_QPSK	19.11	1.5	20.61	115.08	1000	PASS
n78(3700-3800)	30	80	650666	109@54	CP_QPSK	20.58	1.5	22.08	161.44	1000	PASS
n78(3700-3800)	30	80	650666	1@1	CP_QPSK	20.14	1.5	21.64	145.88	1000	PASS
n78(3700-3800)	30	80	650666	1@215	CP_QPSK	20.9	1.5	22.4	173.78	1000	PASS
n78(3700-3800)	30	80	650666	217@0	CP_16QAM	19.1	1.5	20.6	114.82	1000	PASS
n78(3700-3800)	30	80	650666	109@54	CP_16QAM	20.11	1.5	21.61	144.88	1000	PASS
n78(3700-3800)	30	80	650666	1@1	CP_16QAM	19.69	1.5	21.19	131.52	1000	PASS
n78(3700-3800)	30	80	650666	1@215	CP_16QAM	20.45	1.5	21.95	156.68	1000	PASS
n78(3700-3800)	30	80	650666	217@0	CP_64QAM	18.63	1.5	20.13	103.04	1000	PASS
n78(3700-3800)	30	80	650666	109@54	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
n78(3700-3800)	30	80	650666	1@1	CP_64QAM	17.92	1.5	19.42	87.5	1000	PASS
n78(3700-3800)	30	80	650666	1@215	CP_64QAM	18.69	1.5	20.19	104.47	1000	PASS
n78(3700-3800)	30	80	650666	217@0	CP_256QAM	15.61	1.5	17.11	51.4	1000	PASS
n78(3700-3800)	30	80	650666	109@54	CP_256QAM	15.75	1.5	17.25	53.09	1000	PASS
n78(3700-3800)	30	80	650666	1@1	CP_256QAM	15.19	1.5	16.69	46.67	1000	PASS
n78(3700-3800)	30	80	650666	1@215	CP_256QAM	15.94	1.5	17.44	55.46	1000	PASS
n78(3700-3800)	30	90	649668	243@0	DFT_BPSK	21.48	1.5	22.98	198.61	1000	PASS
n78(3700-3800)	30	90	649668	120@60	DFT_BPSK	22.03	1.5	23.53	225.42	1000	PASS
n78(3700-3800)	30	90	649668	1@1	DFT_BPSK	21.42	1.5	22.92	195.88	1000	PASS
n78(3700-3800)	30	90	649668	1@243	DFT_BPSK	22.25	1.5	23.75	237.14	1000	PASS
n78(3700-3800)	30	90	649668	243@0	DFT_QPSK	20.99	1.5	22.49	177.42	1000	PASS
n78(3700-3800)	30	90	649668	120@60	DFT_QPSK	22.03	1.5	23.53	225.42	1000	PASS
n78(3700-3800)	30	90	649668	1@1	DFT_QPSK	21.49	1.5	22.99	199.07	1000	PASS
n78(3700-3800)	30	90	649668	1@243	DFT_QPSK	22.31	1.5	23.81	240.44	1000	PASS
n78(3700-3800)	30	90	649668	243@0	DFT_16QAM	19.99	1.5	21.49	140.93	1000	PASS
n78(3700-3800)	30	90	649668	120@60	DFT_16QAM	21	1.5	22.5	177.83	1000	PASS
n78(3700-3800)	30	90	649668	1@1	DFT_16QAM	20.3	1.5	21.8	151.36	1000	PASS
n78(3700-3800)	30	90	649668	1@243	DFT_16QAM	21.11	1.5	22.61	182.39	1000	PASS
n78(3700-3800)	30	90	649668	243@0	DFT_64QAM	19.5	1.5	21	125.89	1000	PASS
n78(3700-3800)	30	90	649668	120@60	DFT_64QAM	19.52	1.5	21.02	126.47	1000	PASS
n78(3700-3800)	30	90	649668	1@1	DFT_64QAM	18.93	1.5	20.43	110.41	1000	PASS
n78(3700-3800)	30	90	649668	1@243	DFT_64QAM	19.77	1.5	21.27	133.97	1000	PASS
n78(3700-3800)	30	90	649668	243@0	DFT_256QAM	17.53	1.5	19.03	79.98	1000	PASS
n78(3700-3800)	30	90	649668	120@60	DFT_256QAM	17.56	1.5	19.06	80.54	1000	PASS
n78(3700-3800)	30	90	649668	1@1	DFT_256QAM	16.93	1.5	18.43	69.66	1000	PASS
n78(3700-3800)	30	90	649668	1@243	DFT_256QAM	17.78	1.5	19.28	84.72	1000	PASS
n78(3700-3800)	30	90	649668	245@0	CP_QPSK	19	1.5	20.5	112.2	1000	PASS

n78(3700-3800)	30	90	649668	123@61	CP_QPSK	20.46	1.5	21.96	157.04	1000	PASS
n78(3700-3800)	30	90	649668	1@1	CP_QPSK	19.97	1.5	21.47	140.28	1000	PASS
n78(3700-3800)	30	90	649668	1@243	CP_QPSK	20.77	1.5	22.27	168.66	1000	PASS
n78(3700-3800)	30	90	649668	245@0	CP_16QAM	18.97	1.5	20.47	111.43	1000	PASS
n78(3700-3800)	30	90	649668	123@61	CP_16QAM	19.95	1.5	21.45	139.64	1000	PASS
n78(3700-3800)	30	90	649668	1@1	CP_16QAM	19.44	1.5	20.94	124.17	1000	PASS
n78(3700-3800)	30	90	649668	1@243	CP_16QAM	20.32	1.5	21.82	152.05	1000	PASS
n78(3700-3800)	30	90	649668	245@0	CP_64QAM	18.5	1.5	20	100	1000	PASS
n78(3700-3800)	30	90	649668	123@61	CP_64QAM	18.48	1.5	19.98	99.54	1000	PASS
n78(3700-3800)	30	90	649668	1@1	CP_64QAM	17.69	1.5	19.19	82.99	1000	PASS
n78(3700-3800)	30	90	649668	1@243	CP_64QAM	18.54	1.5	20.04	100.93	1000	PASS
n78(3700-3800)	30	90	649668	245@0	CP_256QAM	15.48	1.5	16.98	49.89	1000	PASS
n78(3700-3800)	30	90	649668	123@61	CP_256QAM	15.53	1.5	17.03	50.47	1000	PASS
n78(3700-3800)	30	90	649668	1@1	CP_256QAM	15.02	1.5	16.52	44.87	1000	PASS
n78(3700-3800)	30	90	649668	1@243	CP_256QAM	15.81	1.5	17.31	53.83	1000	PASS
n78(3700-3800)	30	90	650000	243@0	DFT_BPSK	21.6	1.5	23.1	204.17	1000	PASS
n78(3700-3800)	30	90	650000	120@60	DFT_BPSK	22.16	1.5	23.66	232.27	1000	PASS
n78(3700-3800)	30	90	650000	1@1	DFT_BPSK	21.57	1.5	23.07	202.77	1000	PASS
n78(3700-3800)	30	90	650000	1@243	DFT_BPSK	22.35	1.5	23.85	242.66	1000	PASS
n78(3700-3800)	30	90	650000	243@0	DFT_QPSK	21.12	1.5	22.62	182.81	1000	PASS
n78(3700-3800)	30	90	650000	120@60	DFT_QPSK	22.15	1.5	23.65	231.74	1000	PASS
n78(3700-3800)	30	90	650000	1@1	DFT_QPSK	21.62	1.5	23.12	205.12	1000	PASS
n78(3700-3800)	30	90	650000	1@243	DFT_QPSK	22.37	1.5	23.87	243.78	1000	PASS
n78(3700-3800)	30	90	650000	243@0	DFT_16QAM	20.12	1.5	21.62	145.21	1000	PASS
n78(3700-3800)	30	90	650000	120@60	DFT_16QAM	21.12	1.5	22.62	182.81	1000	PASS
n78(3700-3800)	30	90	650000	1@1	DFT_16QAM	20.44	1.5	21.94	156.31	1000	PASS
n78(3700-3800)	30	90	650000	1@243	DFT_16QAM	21.21	1.5	22.71	186.64	1000	PASS
n78(3700-3800)	30	90	650000	243@0	DFT_64QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	90	650000	120@60	DFT_64QAM	19.62	1.5	21.12	129.42	1000	PASS
n78(3700-3800)	30	90	650000	1@1	DFT_64QAM	19.07	1.5	20.57	114.02	1000	PASS
n78(3700-3800)	30	90	650000	1@243	DFT_64QAM	19.83	1.5	21.33	135.83	1000	PASS
n78(3700-3800)	30	90	650000	243@0	DFT_256QAM	17.65	1.5	19.15	82.22	1000	PASS
n78(3700-3800)	30	90	650000	120@60	DFT_256QAM	17.67	1.5	19.17	82.6	1000	PASS
n78(3700-3800)	30	90	650000	1@1	DFT_256QAM	17.08	1.5	18.58	72.11	1000	PASS
n78(3700-3800)	30	90	650000	1@243	DFT_256QAM	17.87	1.5	19.37	86.5	1000	PASS
n78(3700-3800)	30	90	650000	245@0	CP_QPSK	19.07	1.5	20.57	114.02	1000	PASS
n78(3700-3800)	30	90	650000	123@61	CP_QPSK	20.57	1.5	22.07	161.06	1000	PASS
n78(3700-3800)	30	90	650000	1@1	CP_QPSK	20.13	1.5	21.63	145.55	1000	PASS
n78(3700-3800)	30	90	650000	1@243	CP_QPSK	20.87	1.5	22.37	172.58	1000	PASS
n78(3700-3800)	30	90	650000	245@0	CP_16QAM	19.08	1.5	20.58	114.29	1000	PASS
n78(3700-3800)	30	90	650000	123@61	CP_16QAM	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	90	650000	1@1	CP_16QAM	19.6	1.5	21.1	128.82	1000	PASS
n78(3700-3800)	30	90	650000	1@243	CP_16QAM	20.34	1.5	21.84	152.76	1000	PASS

n78(3700-3800)	30	90	650000	245@0	CP_64QAM	18.6	1.5	20.1	102.33	1000	PASS
n78(3700-3800)	30	90	650000	123@61	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
n78(3700-3800)	30	90	650000	1@1	CP_64QAM	17.86	1.5	19.36	86.3	1000	PASS
n78(3700-3800)	30	90	650000	1@243	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
n78(3700-3800)	30	90	650000	245@0	CP_256QAM	15.63	1.5	17.13	51.64	1000	PASS
n78(3700-3800)	30	90	650000	123@61	CP_256QAM	15.61	1.5	17.11	51.4	1000	PASS
n78(3700-3800)	30	90	650000	1@1	CP_256QAM	15.18	1.5	16.68	46.56	1000	PASS
n78(3700-3800)	30	90	650000	1@243	CP_256QAM	15.92	1.5	17.42	55.21	1000	PASS
n78(3700-3800)	30	90	650332	243@0	DFT_BPSK	21.6	1.5	23.1	204.17	1000	PASS
n78(3700-3800)	30	90	650332	120@60	DFT_BPSK	22.11	1.5	23.61	229.61	1000	PASS
n78(3700-3800)	30	90	650332	1@1	DFT_BPSK	21.53	1.5	23.03	200.91	1000	PASS
n78(3700-3800)	30	90	650332	1@243	DFT_BPSK	22.35	1.5	23.85	242.66	1000	PASS
n78(3700-3800)	30	90	650332	243@0	DFT_QPSK	21.08	1.5	22.58	181.13	1000	PASS
n78(3700-3800)	30	90	650332	120@60	DFT_QPSK	22.11	1.5	23.61	229.61	1000	PASS
n78(3700-3800)	30	90	650332	1@1	DFT_QPSK	21.59	1.5	23.09	203.7	1000	PASS
n78(3700-3800)	30	90	650332	1@243	DFT_QPSK	22.39	1.5	23.89	244.91	1000	PASS
n78(3700-3800)	30	90	650332	243@0	DFT_16QAM	20.1	1.5	21.6	144.54	1000	PASS
n78(3700-3800)	30	90	650332	120@60	DFT_16QAM	21.12	1.5	22.62	182.81	1000	PASS
n78(3700-3800)	30	90	650332	1@1	DFT_16QAM	20.41	1.5	21.91	155.24	1000	PASS
n78(3700-3800)	30	90	650332	1@243	DFT_16QAM	21.21	1.5	22.71	186.64	1000	PASS
n78(3700-3800)	30	90	650332	243@0	DFT_64QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	90	650332	120@60	DFT_64QAM	19.65	1.5	21.15	130.32	1000	PASS
n78(3700-3800)	30	90	650332	1@1	DFT_64QAM	19.06	1.5	20.56	113.76	1000	PASS
n78(3700-3800)	30	90	650332	1@243	DFT_64QAM	19.83	1.5	21.33	135.83	1000	PASS
n78(3700-3800)	30	90	650332	243@0	DFT_256QAM	17.62	1.5	19.12	81.66	1000	PASS
n78(3700-3800)	30	90	650332	120@60	DFT_256QAM	17.66	1.5	19.16	82.41	1000	PASS
n78(3700-3800)	30	90	650332	1@1	DFT_256QAM	17.05	1.5	18.55	71.61	1000	PASS
n78(3700-3800)	30	90	650332	1@243	DFT_256QAM	17.86	1.5	19.36	86.3	1000	PASS
n78(3700-3800)	30	90	650332	245@0	CP_QPSK	19.06	1.5	20.56	113.76	1000	PASS
n78(3700-3800)	30	90	650332	123@61	CP_QPSK	20.56	1.5	22.06	160.69	1000	PASS
n78(3700-3800)	30	90	650332	1@1	CP_QPSK	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	90	650332	1@243	CP_QPSK	20.96	1.5	22.46	176.2	1000	PASS
n78(3700-3800)	30	90	650332	245@0	CP_16QAM	19.04	1.5	20.54	113.24	1000	PASS
n78(3700-3800)	30	90	650332	123@61	CP_16QAM	20.08	1.5	21.58	143.88	1000	PASS
n78(3700-3800)	30	90	650332	1@1	CP_16QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	90	650332	1@243	CP_16QAM	20.5	1.5	22	158.49	1000	PASS
n78(3700-3800)	30	90	650332	245@0	CP_64QAM	18.6	1.5	20.1	102.33	1000	PASS
n78(3700-3800)	30	90	650332	123@61	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
n78(3700-3800)	30	90	650332	1@1	CP_64QAM	17.87	1.5	19.37	86.5	1000	PASS
n78(3700-3800)	30	90	650332	1@243	CP_64QAM	18.76	1.5	20.26	106.17	1000	PASS
n78(3700-3800)	30	90	650332	245@0	CP_256QAM	15.61	1.5	17.11	51.4	1000	PASS
n78(3700-3800)	30	90	650332	123@61	CP_256QAM	15.6	1.5	17.1	51.29	1000	PASS
n78(3700-3800)	30	90	650332	1@1	CP_256QAM	15.13	1.5	16.63	46.03	1000	PASS

n78(3700-3800)	30	90	650332	1@243	CP_256QAM	16.01	1.5	17.51	56.36	1000	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	21.63	1.5	23.13	205.59	1000	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	22.13	1.5	23.63	230.67	1000	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	21.53	1.5	23.03	200.91	1000	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	22.4	1.5	23.9	245.47	1000	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	21.11	1.5	22.61	182.39	1000	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	22.11	1.5	23.61	229.61	1000	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	21.55	1.5	23.05	201.84	1000	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	22.44	1.5	23.94	247.74	1000	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_16QAM	20.13	1.5	21.63	145.55	1000	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_16QAM	21.13	1.5	22.63	183.23	1000	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_16QAM	20.39	1.5	21.89	154.53	1000	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_16QAM	21.23	1.5	22.73	187.5	1000	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_64QAM	19.67	1.5	21.17	130.92	1000	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_64QAM	19.61	1.5	21.11	129.12	1000	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_64QAM	19.05	1.5	20.55	113.5	1000	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_64QAM	19.91	1.5	21.41	138.36	1000	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_256QAM	17.64	1.5	19.14	82.04	1000	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_256QAM	17.69	1.5	19.19	82.99	1000	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_256QAM	17.05	1.5	18.55	71.61	1000	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_256QAM	17.9	1.5	19.4	87.1	1000	PASS
n78(3700-3800)	30	100	650000	273@0	CP_QPSK	19.12	1.5	20.62	115.35	1000	PASS
n78(3700-3800)	30	100	650000	137@68	CP_QPSK	20.56	1.5	22.06	160.69	1000	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	20.07	1.5	21.57	143.55	1000	PASS
n78(3700-3800)	30	100	650000	1@271	CP_QPSK	20.91	1.5	22.41	174.18	1000	PASS
n78(3700-3800)	30	100	650000	273@0	CP_16QAM	19.13	1.5	20.63	115.61	1000	PASS
n78(3700-3800)	30	100	650000	137@68	CP_16QAM	20.07	1.5	21.57	143.55	1000	PASS
n78(3700-3800)	30	100	650000	1@1	CP_16QAM	19.57	1.5	21.07	127.94	1000	PASS
n78(3700-3800)	30	100	650000	1@271	CP_16QAM	20.44	1.5	21.94	156.31	1000	PASS
n78(3700-3800)	30	100	650000	273@0	CP_64QAM	18.6	1.5	20.1	102.33	1000	PASS
n78(3700-3800)	30	100	650000	137@68	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
n78(3700-3800)	30	100	650000	1@1	CP_64QAM	17.81	1.5	19.31	85.31	1000	PASS
n78(3700-3800)	30	100	650000	1@271	CP_64QAM	18.69	1.5	20.19	104.47	1000	PASS
n78(3700-3800)	30	100	650000	273@0	CP_256QAM	15.67	1.5	17.17	52.12	1000	PASS
n78(3700-3800)	30	100	650000	137@68	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
n78(3700-3800)	30	100	650000	1@1	CP_256QAM	15.1	1.5	16.6	45.71	1000	PASS
n78(3700-3800)	30	100	650000	1@271	CP_256QAM	15.99	1.5	17.49	56.1	1000	PASS

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
DC_5A_n78A	30	10	647000	24@0	DFT_BPSK	21.23	1.5	22.73	187.5	1000	PASS
DC_5A_n78A	30	10	647000	12@6	DFT_BPSK	21.55	1.5	23.05	201.84	1000	PASS

DC_5A_n78A	30	10	647000	1@1	DFT_BPSK	21.49	1.5	22.99	199.07	1000	PASS
DC_5A_n78A	30	10	647000	1@22	DFT_BPSK	21.51	1.5	23.01	199.99	1000	PASS
DC_5A_n78A	30	10	647000	24@0	DFT_QPSK	20.54	1.5	22.04	159.96	1000	PASS
DC_5A_n78A	30	10	647000	12@6	DFT_QPSK	21.58	1.5	23.08	203.24	1000	PASS
DC_5A_n78A	30	10	647000	1@1	DFT_QPSK	21.58	1.5	23.08	203.24	1000	PASS
DC_5A_n78A	30	10	647000	1@22	DFT_QPSK	21.59	1.5	23.09	203.7	1000	PASS
DC_5A_n78A	30	10	647000	24@0	DFT_16QAM	19.69	1.5	21.19	131.52	1000	PASS
DC_5A_n78A	30	10	647000	12@6	DFT_16QAM	20.55	1.5	22.05	160.32	1000	PASS
DC_5A_n78A	30	10	647000	1@1	DFT_16QAM	20.33	1.5	21.83	152.41	1000	PASS
DC_5A_n78A	30	10	647000	1@22	DFT_16QAM	20.43	1.5	21.93	155.96	1000	PASS
DC_5A_n78A	30	10	647000	24@0	DFT_64QAM	19.03	1.5	20.53	112.98	1000	PASS
DC_5A_n78A	30	10	647000	12@6	DFT_64QAM	19.11	1.5	20.61	115.08	1000	PASS
DC_5A_n78A	30	10	647000	1@1	DFT_64QAM	18.99	1.5	20.49	111.94	1000	PASS
DC_5A_n78A	30	10	647000	1@22	DFT_64QAM	19.02	1.5	20.52	112.72	1000	PASS
DC_5A_n78A	30	10	647000	24@0	DFT_256QAM	17.12	1.5	18.62	72.78	1000	PASS
DC_5A_n78A	30	10	647000	12@6	DFT_256QAM	17.03	1.5	18.53	71.29	1000	PASS
DC_5A_n78A	30	10	647000	1@1	DFT_256QAM	17.11	1.5	18.61	72.61	1000	PASS
DC_5A_n78A	30	10	647000	1@22	DFT_256QAM	17.26	1.5	18.76	75.16	1000	PASS
DC_5A_n78A	30	10	647000	24@0	CP_QPSK	19.5	1.5	21	125.89	1000	PASS
DC_5A_n78A	30	10	647000	12@6	CP_QPSK	19.8	1.5	21.3	134.9	1000	PASS
DC_5A_n78A	30	10	647000	1@1	CP_QPSK	19.69	1.5	21.19	131.52	1000	PASS
DC_5A_n78A	30	10	647000	1@22	CP_QPSK	19.5	1.5	21	125.89	1000	PASS
DC_5A_n78A	30	10	647000	24@0	CP_16QAM	19.22	1.5	20.72	118.03	1000	PASS
DC_5A_n78A	30	10	647000	12@6	CP_16QAM	19.67	1.5	21.17	130.92	1000	PASS
DC_5A_n78A	30	10	647000	1@1	CP_16QAM	19.66	1.5	21.16	130.62	1000	PASS
DC_5A_n78A	30	10	647000	1@22	CP_16QAM	19.62	1.5	21.12	129.42	1000	PASS
DC_5A_n78A	30	10	647000	24@0	CP_64QAM	18.07	1.5	19.57	90.57	1000	PASS
DC_5A_n78A	30	10	647000	12@6	CP_64QAM	18.05	1.5	19.55	90.16	1000	PASS
DC_5A_n78A	30	10	647000	1@1	CP_64QAM	17.82	1.5	19.32	85.51	1000	PASS
DC_5A_n78A	30	10	647000	1@22	CP_64QAM	17.88	1.5	19.38	86.7	1000	PASS
DC_5A_n78A	30	10	647000	24@0	CP_256QAM	15.02	1.5	16.52	44.87	1000	PASS
DC_5A_n78A	30	10	647000	12@6	CP_256QAM	15.18	1.5	16.68	46.56	1000	PASS
DC_5A_n78A	30	10	647000	1@1	CP_256QAM	15.13	1.5	16.63	46.03	1000	PASS
DC_5A_n78A	30	10	647000	1@22	CP_256QAM	15.1	1.5	16.6	45.71	1000	PASS
DC_5A_n78A	30	10	650000	24@0	DFT_BPSK	21.52	1.5	23.02	200.45	1000	PASS
DC_5A_n78A	30	10	650000	12@6	DFT_BPSK	22.01	1.5	23.51	224.39	1000	PASS
DC_5A_n78A	30	10	650000	1@1	DFT_BPSK	21.92	1.5	23.42	219.79	1000	PASS
DC_5A_n78A	30	10	650000	1@22	DFT_BPSK	22.02	1.5	23.52	224.91	1000	PASS
DC_5A_n78A	30	10	650000	24@0	DFT_QPSK	21.01	1.5	22.51	178.24	1000	PASS
DC_5A_n78A	30	10	650000	12@6	DFT_QPSK	22.08	1.5	23.58	228.03	1000	PASS
DC_5A_n78A	30	10	650000	1@1	DFT_QPSK	22.03	1.5	23.53	225.42	1000	PASS
DC_5A_n78A	30	10	650000	1@22	DFT_QPSK	22.09	1.5	23.59	228.56	1000	PASS
DC_5A_n78A	30	10	650000	24@0	DFT_16QAM	20.04	1.5	21.54	142.56	1000	PASS

DC_5A_n78A	30	10	650000	12@6	DFT_16QAM	21.05	1.5	22.55	179.89	1000	PASS
DC_5A_n78A	30	10	650000	1@1	DFT_16QAM	20.87	1.5	22.37	172.58	1000	PASS
DC_5A_n78A	30	10	650000	1@22	DFT_16QAM	20.95	1.5	22.45	175.79	1000	PASS
DC_5A_n78A	30	10	650000	24@0	DFT_64QAM	19.54	1.5	21.04	127.06	1000	PASS
DC_5A_n78A	30	10	650000	12@6	DFT_64QAM	19.62	1.5	21.12	129.42	1000	PASS
DC_5A_n78A	30	10	650000	1@1	DFT_64QAM	19.5	1.5	21	125.89	1000	PASS
DC_5A_n78A	30	10	650000	1@22	DFT_64QAM	19.57	1.5	21.07	127.94	1000	PASS
DC_5A_n78A	30	10	650000	24@0	DFT_256QAM	17.23	1.5	18.73	74.64	1000	PASS
DC_5A_n78A	30	10	650000	12@6	DFT_256QAM	17.12	1.5	18.62	72.78	1000	PASS
DC_5A_n78A	30	10	650000	1@1	DFT_256QAM	17.26	1.5	18.76	75.16	1000	PASS
DC_5A_n78A	30	10	650000	1@22	DFT_256QAM	17.21	1.5	18.71	74.3	1000	PASS
DC_5A_n78A	30	10	650000	24@0	CP_QPSK	20.19	1.5	21.69	147.57	1000	PASS
DC_5A_n78A	30	10	650000	12@6	CP_QPSK	20.41	1.5	21.91	155.24	1000	PASS
DC_5A_n78A	30	10	650000	1@1	CP_QPSK	20.54	1.5	22.04	159.96	1000	PASS
DC_5A_n78A	30	10	650000	1@22	CP_QPSK	20.67	1.5	22.17	164.82	1000	PASS
DC_5A_n78A	30	10	650000	24@0	CP_16QAM	18.88	1.5	20.38	109.14	1000	PASS
DC_5A_n78A	30	10	650000	12@6	CP_16QAM	20.17	1.5	21.67	146.89	1000	PASS
DC_5A_n78A	30	10	650000	1@1	CP_16QAM	20.03	1.5	21.53	142.23	1000	PASS
DC_5A_n78A	30	10	650000	1@22	CP_16QAM	20.05	1.5	21.55	142.89	1000	PASS
DC_5A_n78A	30	10	650000	24@0	CP_64QAM	18.57	1.5	20.07	101.62	1000	PASS
DC_5A_n78A	30	10	650000	12@6	CP_64QAM	18.66	1.5	20.16	103.75	1000	PASS
DC_5A_n78A	30	10	650000	1@1	CP_64QAM	18.27	1.5	19.77	94.84	1000	PASS
DC_5A_n78A	30	10	650000	1@22	CP_64QAM	18.36	1.5	19.86	96.83	1000	PASS
DC_5A_n78A	30	10	650000	24@0	CP_256QAM	15.46	1.5	16.96	49.66	1000	PASS
DC_5A_n78A	30	10	650000	12@6	CP_256QAM	15.58	1.5	17.08	51.05	1000	PASS
DC_5A_n78A	30	10	650000	1@1	CP_256QAM	15.58	1.5	17.08	51.05	1000	PASS
DC_5A_n78A	30	10	650000	1@22	CP_256QAM	15.68	1.5	17.18	52.24	1000	PASS
DC_5A_n78A	30	10	653000	24@0	DFT_BPSK	21.9	1.5	23.4	218.78	1000	PASS
DC_5A_n78A	30	10	653000	12@6	DFT_BPSK	22.02	1.5	23.52	224.91	1000	PASS
DC_5A_n78A	30	10	653000	1@1	DFT_BPSK	21.95	1.5	23.45	221.31	1000	PASS
DC_5A_n78A	30	10	653000	1@22	DFT_BPSK	22.08	1.5	23.58	228.03	1000	PASS
DC_5A_n78A	30	10	653000	24@0	DFT_QPSK	21.02	1.5	22.52	178.65	1000	PASS
DC_5A_n78A	30	10	653000	12@6	DFT_QPSK	22.06	1.5	23.56	226.99	1000	PASS
DC_5A_n78A	30	10	653000	1@1	DFT_QPSK	22.03	1.5	23.53	225.42	1000	PASS
DC_5A_n78A	30	10	653000	1@22	DFT_QPSK	22.17	1.5	23.67	232.81	1000	PASS
DC_5A_n78A	30	10	653000	24@0	DFT_16QAM	20.04	1.5	21.54	142.56	1000	PASS
DC_5A_n78A	30	10	653000	12@6	DFT_16QAM	21.08	1.5	22.58	181.13	1000	PASS
DC_5A_n78A	30	10	653000	1@1	DFT_16QAM	20.84	1.5	22.34	171.4	1000	PASS
DC_5A_n78A	30	10	653000	1@22	DFT_16QAM	20.84	1.5	22.34	171.4	1000	PASS
DC_5A_n78A	30	10	653000	24@0	DFT_64QAM	19.72	1.5	21.22	132.43	1000	PASS
DC_5A_n78A	30	10	653000	12@6	DFT_64QAM	19.66	1.5	21.16	130.62	1000	PASS
DC_5A_n78A	30	10	653000	1@1	DFT_64QAM	19.44	1.5	20.94	124.17	1000	PASS
DC_5A_n78A	30	10	653000	1@22	DFT_64QAM	19.55	1.5	21.05	127.35	1000	PASS

DC_5A_n78A	30	10	653000	24@0	DFT_256QAM	17.49	1.5	18.99	79.25	1000	PASS
DC_5A_n78A	30	10	653000	12@6	DFT_256QAM	17.78	1.5	19.28	84.72	1000	PASS
DC_5A_n78A	30	10	653000	1@1	DFT_256QAM	17.52	1.5	19.02	79.8	1000	PASS
DC_5A_n78A	30	10	653000	1@22	DFT_256QAM	17.58	1.5	19.08	80.91	1000	PASS
DC_5A_n78A	30	10	653000	24@0	CP_QPSK	19.26	1.5	20.76	119.12	1000	PASS
DC_5A_n78A	30	10	653000	12@6	CP_QPSK	20.11	1.5	21.61	144.88	1000	PASS
DC_5A_n78A	30	10	653000	1@1	CP_QPSK	20.12	1.5	21.62	145.21	1000	PASS
DC_5A_n78A	30	10	653000	1@22	CP_QPSK	19.88	1.5	21.38	137.4	1000	PASS
DC_5A_n78A	30	10	653000	24@0	CP_16QAM	18.97	1.5	20.47	111.43	1000	PASS
DC_5A_n78A	30	10	653000	12@6	CP_16QAM	20.2	1.5	21.7	147.91	1000	PASS
DC_5A_n78A	30	10	653000	1@1	CP_16QAM	20.09	1.5	21.59	144.21	1000	PASS
DC_5A_n78A	30	10	653000	1@22	CP_16QAM	20.12	1.5	21.62	145.21	1000	PASS
DC_5A_n78A	30	10	653000	24@0	CP_64QAM	18.53	1.5	20.03	100.69	1000	PASS
DC_5A_n78A	30	10	653000	12@6	CP_64QAM	18.66	1.5	20.16	103.75	1000	PASS
DC_5A_n78A	30	10	653000	1@1	CP_64QAM	18.28	1.5	19.78	95.06	1000	PASS
DC_5A_n78A	30	10	653000	1@22	CP_64QAM	18.34	1.5	19.84	96.38	1000	PASS
DC_5A_n78A	30	10	653000	24@0	CP_256QAM	15.55	1.5	17.05	50.7	1000	PASS
DC_5A_n78A	30	10	653000	12@6	CP_256QAM	15.6	1.5	17.1	51.29	1000	PASS
DC_5A_n78A	30	10	653000	1@1	CP_256QAM	15.58	1.5	17.08	51.05	1000	PASS
DC_5A_n78A	30	10	653000	1@22	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
DC_5A_n78A	30	15	647168	36@0	DFT_BPSK	21.9	1.5	23.4	218.78	1000	PASS
DC_5A_n78A	30	15	647168	18@9	DFT_BPSK	21.55	1.5	23.05	201.84	1000	PASS
DC_5A_n78A	30	15	647168	1@1	DFT_BPSK	21.69	1.5	23.19	208.45	1000	PASS
DC_5A_n78A	30	15	647168	1@36	DFT_BPSK	21.86	1.5	23.36	216.77	1000	PASS
DC_5A_n78A	30	15	647168	36@0	DFT_QPSK	21.41	1.5	22.91	195.43	1000	PASS
DC_5A_n78A	30	15	647168	18@9	DFT_QPSK	21.81	1.5	23.31	214.29	1000	PASS
DC_5A_n78A	30	15	647168	1@1	DFT_QPSK	21.69	1.5	23.19	208.45	1000	PASS
DC_5A_n78A	30	15	647168	1@36	DFT_QPSK	21.72	1.5	23.22	209.89	1000	PASS
DC_5A_n78A	30	15	647168	36@0	DFT_16QAM	19.79	1.5	21.29	134.59	1000	PASS
DC_5A_n78A	30	15	647168	18@9	DFT_16QAM	20.75	1.5	22.25	167.88	1000	PASS
DC_5A_n78A	30	15	647168	1@1	DFT_16QAM	20.49	1.5	21.99	158.12	1000	PASS
DC_5A_n78A	30	15	647168	1@36	DFT_16QAM	20.48	1.5	21.98	157.76	1000	PASS
DC_5A_n78A	30	15	647168	36@0	DFT_64QAM	19.23	1.5	20.73	118.3	1000	PASS
DC_5A_n78A	30	15	647168	18@9	DFT_64QAM	19.32	1.5	20.82	120.78	1000	PASS
DC_5A_n78A	30	15	647168	1@1	DFT_64QAM	19.08	1.5	20.58	114.29	1000	PASS
DC_5A_n78A	30	15	647168	1@36	DFT_64QAM	19.11	1.5	20.61	115.08	1000	PASS
DC_5A_n78A	30	15	647168	36@0	DFT_256QAM	17.23	1.5	18.73	74.64	1000	PASS
DC_5A_n78A	30	15	647168	18@9	DFT_256QAM	17.15	1.5	18.65	73.28	1000	PASS
DC_5A_n78A	30	15	647168	1@1	DFT_256QAM	17.12	1.5	18.62	72.78	1000	PASS
DC_5A_n78A	30	15	647168	1@36	DFT_256QAM	17.05	1.5	18.55	71.61	1000	PASS
DC_5A_n78A	30	15	647168	38@0	CP_QPSK	19.93	1.5	21.43	139	1000	PASS
DC_5A_n78A	30	15	647168	19@9	CP_QPSK	20.2	1.5	21.7	147.91	1000	PASS
DC_5A_n78A	30	15	647168	1@1	CP_QPSK	20.22	1.5	21.72	148.59	1000	PASS

DC_5A_n78A	30	15	647168	1@36	CP_QPSK	20.27	1.5	21.77	150.31	1000	PASS
DC_5A_n78A	30	15	647168	38@0	CP_16QAM	18.79	1.5	20.29	106.91	1000	PASS
DC_5A_n78A	30	15	647168	19@9	CP_16QAM	19.77	1.5	21.27	133.97	1000	PASS
DC_5A_n78A	30	15	647168	1@1	CP_16QAM	19.71	1.5	21.21	132.13	1000	PASS
DC_5A_n78A	30	15	647168	1@36	CP_16QAM	19.62	1.5	21.12	129.42	1000	PASS
DC_5A_n78A	30	15	647168	38@0	CP_64QAM	18.26	1.5	19.76	94.62	1000	PASS
DC_5A_n78A	30	15	647168	19@9	CP_64QAM	18.25	1.5	19.75	94.41	1000	PASS
DC_5A_n78A	30	15	647168	1@1	CP_64QAM	17.97	1.5	19.47	88.51	1000	PASS
DC_5A_n78A	30	15	647168	1@36	CP_64QAM	18	1.5	19.5	89.13	1000	PASS
DC_5A_n78A	30	15	647168	38@0	CP_256QAM	15.34	1.5	16.84	48.31	1000	PASS
DC_5A_n78A	30	15	647168	19@9	CP_256QAM	15.36	1.5	16.86	48.53	1000	PASS
DC_5A_n78A	30	15	647168	1@1	CP_256QAM	15.29	1.5	16.79	47.75	1000	PASS
DC_5A_n78A	30	15	647168	1@36	CP_256QAM	15.32	1.5	16.82	48.08	1000	PASS
DC_5A_n78A	30	15	650000	36@0	DFT_BPSK	21.92	1.5	23.42	219.79	1000	PASS
DC_5A_n78A	30	15	650000	18@9	DFT_BPSK	22.13	1.5	23.63	230.67	1000	PASS
DC_5A_n78A	30	15	650000	1@1	DFT_BPSK	22.02	1.5	23.52	224.91	1000	PASS
DC_5A_n78A	30	15	650000	1@36	DFT_BPSK	22.06	1.5	23.56	226.99	1000	PASS
DC_5A_n78A	30	15	650000	36@0	DFT_QPSK	21.09	1.5	22.59	181.55	1000	PASS
DC_5A_n78A	30	15	650000	18@9	DFT_QPSK	22.12	1.5	23.62	230.14	1000	PASS
DC_5A_n78A	30	15	650000	1@1	DFT_QPSK	22.04	1.5	23.54	225.94	1000	PASS
DC_5A_n78A	30	15	650000	1@36	DFT_QPSK	22.15	1.5	23.65	231.74	1000	PASS
DC_5A_n78A	30	15	650000	36@0	DFT_16QAM	20.15	1.5	21.65	146.22	1000	PASS
DC_5A_n78A	30	15	650000	18@9	DFT_16QAM	21.1	1.5	22.6	181.97	1000	PASS
DC_5A_n78A	30	15	650000	1@1	DFT_16QAM	20.83	1.5	22.33	171	1000	PASS
DC_5A_n78A	30	15	650000	1@36	DFT_16QAM	20.9	1.5	22.4	173.78	1000	PASS
DC_5A_n78A	30	15	650000	36@0	DFT_64QAM	19.6	1.5	21.1	128.82	1000	PASS
DC_5A_n78A	30	15	650000	18@9	DFT_64QAM	19.66	1.5	21.16	130.62	1000	PASS
DC_5A_n78A	30	15	650000	1@1	DFT_64QAM	19.42	1.5	20.92	123.59	1000	PASS
DC_5A_n78A	30	15	650000	1@36	DFT_64QAM	19.56	1.5	21.06	127.64	1000	PASS
DC_5A_n78A	30	15	650000	36@0	DFT_256QAM	17.53	1.5	19.03	79.98	1000	PASS
DC_5A_n78A	30	15	650000	18@9	DFT_256QAM	17.6	1.5	19.1	81.28	1000	PASS
DC_5A_n78A	30	15	650000	1@1	DFT_256QAM	17.51	1.5	19.01	79.62	1000	PASS
DC_5A_n78A	30	15	650000	1@36	DFT_256QAM	17.64	1.5	19.14	82.04	1000	PASS
DC_5A_n78A	30	15	650000	38@0	CP_QPSK	19.96	1.5	21.46	139.96	1000	PASS
DC_5A_n78A	30	15	650000	19@9	CP_QPSK	19.82	1.5	21.32	135.52	1000	PASS
DC_5A_n78A	30	15	650000	1@1	CP_QPSK	19.87	1.5	21.37	137.09	1000	PASS
DC_5A_n78A	30	15	650000	1@36	CP_QPSK	19.55	1.5	21.05	127.35	1000	PASS
DC_5A_n78A	30	15	650000	38@0	CP_16QAM	19.58	1.5	21.08	128.23	1000	PASS
DC_5A_n78A	30	15	650000	19@9	CP_16QAM	20.06	1.5	21.56	143.22	1000	PASS
DC_5A_n78A	30	15	650000	1@1	CP_16QAM	20.01	1.5	21.51	141.58	1000	PASS
DC_5A_n78A	30	15	650000	1@36	CP_16QAM	20.16	1.5	21.66	146.55	1000	PASS
DC_5A_n78A	30	15	650000	38@0	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
DC_5A_n78A	30	15	650000	19@9	CP_64QAM	18.62	1.5	20.12	102.8	1000	PASS

DC_5A_n78A	30	15	650000	1@1	CP_64QAM	18.29	1.5	19.79	95.28	1000	PASS
DC_5A_n78A	30	15	650000	1@36	CP_64QAM	18.4	1.5	19.9	97.72	1000	PASS
DC_5A_n78A	30	15	650000	38@0	CP_256QAM	15.73	1.5	17.23	52.84	1000	PASS
DC_5A_n78A	30	15	650000	19@9	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
DC_5A_n78A	30	15	650000	1@1	CP_256QAM	15.66	1.5	17.16	52	1000	PASS
DC_5A_n78A	30	15	650000	1@36	CP_256QAM	15.71	1.5	17.21	52.6	1000	PASS
DC_5A_n78A	30	15	652832	36@0	DFT_BPSK	21.94	1.5	23.44	220.8	1000	PASS
DC_5A_n78A	30	15	652832	18@9	DFT_BPSK	22.16	1.5	23.66	232.27	1000	PASS
DC_5A_n78A	30	15	652832	1@1	DFT_BPSK	21.98	1.5	23.48	222.84	1000	PASS
DC_5A_n78A	30	15	652832	1@36	DFT_BPSK	22.2	1.5	23.7	234.42	1000	PASS
DC_5A_n78A	30	15	652832	36@0	DFT_QPSK	21.11	1.5	22.61	182.39	1000	PASS
DC_5A_n78A	30	15	652832	18@9	DFT_QPSK	22.19	1.5	23.69	233.88	1000	PASS
DC_5A_n78A	30	15	652832	1@1	DFT_QPSK	22.08	1.5	23.58	228.03	1000	PASS
DC_5A_n78A	30	15	652832	1@36	DFT_QPSK	22.21	1.5	23.71	234.96	1000	PASS
DC_5A_n78A	30	15	652832	36@0	DFT_16QAM	20.15	1.5	21.65	146.22	1000	PASS
DC_5A_n78A	30	15	652832	18@9	DFT_16QAM	21.11	1.5	22.61	182.39	1000	PASS
DC_5A_n78A	30	15	652832	1@1	DFT_16QAM	20.79	1.5	22.29	169.43	1000	PASS
DC_5A_n78A	30	15	652832	1@36	DFT_16QAM	21.04	1.5	22.54	179.47	1000	PASS
DC_5A_n78A	30	15	652832	36@0	DFT_64QAM	19.63	1.5	21.13	129.72	1000	PASS
DC_5A_n78A	30	15	652832	18@9	DFT_64QAM	19.66	1.5	21.16	130.62	1000	PASS
DC_5A_n78A	30	15	652832	1@1	DFT_64QAM	19.45	1.5	20.95	124.45	1000	PASS
DC_5A_n78A	30	15	652832	1@36	DFT_64QAM	19.6	1.5	21.1	128.82	1000	PASS
DC_5A_n78A	30	15	652832	36@0	DFT_256QAM	17.23	1.5	18.73	74.64	1000	PASS
DC_5A_n78A	30	15	652832	18@9	DFT_256QAM	17.11	1.5	18.61	72.61	1000	PASS
DC_5A_n78A	30	15	652832	1@1	DFT_256QAM	17.25	1.5	18.75	74.99	1000	PASS
DC_5A_n78A	30	15	652832	1@36	DFT_256QAM	17.1	1.5	18.6	72.44	1000	PASS
DC_5A_n78A	30	15	652832	38@0	CP_QPSK	20.23	1.5	21.73	148.94	1000	PASS
DC_5A_n78A	30	15	652832	19@9	CP_QPSK	20.58	1.5	22.08	161.44	1000	PASS
DC_5A_n78A	30	15	652832	1@1	CP_QPSK	20.65	1.5	22.15	164.06	1000	PASS
DC_5A_n78A	30	15	652832	1@36	CP_QPSK	20.74	1.5	22.24	167.49	1000	PASS
DC_5A_n78A	30	15	652832	38@0	CP_16QAM	19.18	1.5	20.68	116.95	1000	PASS
DC_5A_n78A	30	15	652832	19@9	CP_16QAM	20.15	1.5	21.65	146.22	1000	PASS
DC_5A_n78A	30	15	652832	1@1	CP_16QAM	19.99	1.5	21.49	140.93	1000	PASS
DC_5A_n78A	30	15	652832	1@36	CP_16QAM	20.2	1.5	21.7	147.91	1000	PASS
DC_5A_n78A	30	15	652832	38@0	CP_64QAM	18.67	1.5	20.17	103.99	1000	PASS
DC_5A_n78A	30	15	652832	19@9	CP_64QAM	18.59	1.5	20.09	102.09	1000	PASS
DC_5A_n78A	30	15	652832	1@1	CP_64QAM	18.3	1.5	19.8	95.5	1000	PASS
DC_5A_n78A	30	15	652832	1@36	CP_64QAM	18.47	1.5	19.97	99.31	1000	PASS
DC_5A_n78A	30	15	652832	38@0	CP_256QAM	15.72	1.5	17.22	52.72	1000	PASS
DC_5A_n78A	30	15	652832	19@9	CP_256QAM	15.74	1.5	17.24	52.97	1000	PASS
DC_5A_n78A	30	15	652832	1@1	CP_256QAM	15.62	1.5	17.12	51.52	1000	PASS
DC_5A_n78A	30	15	652832	1@36	CP_256QAM	15.79	1.5	17.29	53.58	1000	PASS
DC_5A_n78A	30	20	647334	50@0	DFT_BPSK	21.48	1.5	22.98	198.61	1000	PASS

DC_5A_n78A	30	20	647334	25@12	DFT_BPSK	21.76	1.5	23.26	211.84	1000	PASS
DC_5A_n78A	30	20	647334	1@1	DFT_BPSK	21.64	1.5	23.14	206.06	1000	PASS
DC_5A_n78A	30	20	647334	1@49	DFT_BPSK	21.67	1.5	23.17	207.49	1000	PASS
DC_5A_n78A	30	20	647334	50@0	DFT_QPSK	20.74	1.5	22.24	167.49	1000	PASS
DC_5A_n78A	30	20	647334	25@12	DFT_QPSK	21.77	1.5	23.27	212.32	1000	PASS
DC_5A_n78A	30	20	647334	1@1	DFT_QPSK	21.72	1.5	23.22	209.89	1000	PASS
DC_5A_n78A	30	20	647334	1@49	DFT_QPSK	21.74	1.5	23.24	210.86	1000	PASS
DC_5A_n78A	30	20	647334	50@0	DFT_16QAM	19.68	1.5	21.18	131.22	1000	PASS
DC_5A_n78A	30	20	647334	25@12	DFT_16QAM	20.76	1.5	22.26	168.27	1000	PASS
DC_5A_n78A	30	20	647334	1@1	DFT_16QAM	20.53	1.5	22.03	159.59	1000	PASS
DC_5A_n78A	30	20	647334	1@49	DFT_16QAM	20.57	1.5	22.07	161.06	1000	PASS
DC_5A_n78A	30	20	647334	50@0	DFT_64QAM	19.2	1.5	20.7	117.49	1000	PASS
DC_5A_n78A	30	20	647334	25@12	DFT_64QAM	19.23	1.5	20.73	118.3	1000	PASS
DC_5A_n78A	30	20	647334	1@1	DFT_64QAM	19.05	1.5	20.55	113.5	1000	PASS
DC_5A_n78A	30	20	647334	1@49	DFT_64QAM	19.17	1.5	20.67	116.68	1000	PASS
DC_5A_n78A	30	20	647334	50@0	DFT_256QAM	17.18	1.5	18.68	73.79	1000	PASS
DC_5A_n78A	30	20	647334	25@12	DFT_256QAM	17.24	1.5	18.74	74.82	1000	PASS
DC_5A_n78A	30	20	647334	1@1	DFT_256QAM	17.2	1.5	18.7	74.13	1000	PASS
DC_5A_n78A	30	20	647334	1@49	DFT_256QAM	17.28	1.5	18.78	75.51	1000	PASS
DC_5A_n78A	30	20	647334	51@0	CP_QPSK	19.83	1.5	21.33	135.83	1000	PASS
DC_5A_n78A	30	20	647334	25@12	CP_QPSK	19.81	1.5	21.31	135.21	1000	PASS
DC_5A_n78A	30	20	647334	1@1	CP_QPSK	19.55	1.5	21.05	127.35	1000	PASS
DC_5A_n78A	30	20	647334	1@49	CP_QPSK	19.77	1.5	21.27	133.97	1000	PASS
DC_5A_n78A	30	20	647334	51@0	CP_16QAM	19.36	1.5	20.86	121.9	1000	PASS
DC_5A_n78A	30	20	647334	25@12	CP_16QAM	19.77	1.5	21.27	133.97	1000	PASS
DC_5A_n78A	30	20	647334	1@1	CP_16QAM	19.63	1.5	21.13	129.72	1000	PASS
DC_5A_n78A	30	20	647334	1@49	CP_16QAM	19.69	1.5	21.19	131.52	1000	PASS
DC_5A_n78A	30	20	647334	51@0	CP_64QAM	18.27	1.5	19.77	94.84	1000	PASS
DC_5A_n78A	30	20	647334	25@12	CP_64QAM	18.31	1.5	19.81	95.72	1000	PASS
DC_5A_n78A	30	20	647334	1@1	CP_64QAM	17.89	1.5	19.39	86.9	1000	PASS
DC_5A_n78A	30	20	647334	1@49	CP_64QAM	17.99	1.5	19.49	88.92	1000	PASS
DC_5A_n78A	30	20	647334	51@0	CP_256QAM	15.28	1.5	16.78	47.64	1000	PASS
DC_5A_n78A	30	20	647334	25@12	CP_256QAM	15.3	1.5	16.8	47.86	1000	PASS
DC_5A_n78A	30	20	647334	1@1	CP_256QAM	15.34	1.5	16.84	48.31	1000	PASS
DC_5A_n78A	30	20	647334	1@49	CP_256QAM	15.34	1.5	16.84	48.31	1000	PASS
DC_5A_n78A	30	20	650000	50@0	DFT_BPSK	21.75	1.5	23.25	211.35	1000	PASS
DC_5A_n78A	30	20	650000	25@12	DFT_BPSK	22.07	1.5	23.57	227.51	1000	PASS
DC_5A_n78A	30	20	650000	1@1	DFT_BPSK	21.95	1.5	23.45	221.31	1000	PASS
DC_5A_n78A	30	20	650000	1@49	DFT_BPSK	22.15	1.5	23.65	231.74	1000	PASS
DC_5A_n78A	30	20	650000	50@0	DFT_QPSK	21.14	1.5	22.64	183.65	1000	PASS
DC_5A_n78A	30	20	650000	25@12	DFT_QPSK	22.17	1.5	23.67	232.81	1000	PASS
DC_5A_n78A	30	20	650000	1@1	DFT_QPSK	22	1.5	23.5	223.87	1000	PASS
DC_5A_n78A	30	20	650000	1@49	DFT_QPSK	22.17	1.5	23.67	232.81	1000	PASS

DC_5A_n78A	30	20	650000	50@0	DFT_16QAM	20.12	1.5	21.62	145.21	1000	PASS
DC_5A_n78A	30	20	650000	25@12	DFT_16QAM	21.13	1.5	22.63	183.23	1000	PASS
DC_5A_n78A	30	20	650000	1@1	DFT_16QAM	20.82	1.5	22.32	170.61	1000	PASS
DC_5A_n78A	30	20	650000	1@49	DFT_16QAM	21	1.5	22.5	177.83	1000	PASS
DC_5A_n78A	30	20	650000	50@0	DFT_64QAM	19.55	1.5	21.05	127.35	1000	PASS
DC_5A_n78A	30	20	650000	25@12	DFT_64QAM	19.6	1.5	21.1	128.82	1000	PASS
DC_5A_n78A	30	20	650000	1@1	DFT_64QAM	19.41	1.5	20.91	123.31	1000	PASS
DC_5A_n78A	30	20	650000	1@49	DFT_64QAM	19.59	1.5	21.09	128.53	1000	PASS
DC_5A_n78A	30	20	650000	50@0	DFT_256QAM	17.58	1.5	19.08	80.91	1000	PASS
DC_5A_n78A	30	20	650000	25@12	DFT_256QAM	17.57	1.5	19.07	80.72	1000	PASS
DC_5A_n78A	30	20	650000	1@1	DFT_256QAM	17.53	1.5	19.03	79.98	1000	PASS
DC_5A_n78A	30	20	650000	1@49	DFT_256QAM	17.71	1.5	19.21	83.37	1000	PASS
DC_5A_n78A	30	20	650000	51@0	CP_QPSK	19.26	1.5	20.76	119.12	1000	PASS
DC_5A_n78A	30	20	650000	25@12	CP_QPSK	19.75	1.5	21.25	133.35	1000	PASS
DC_5A_n78A	30	20	650000	1@1	CP_QPSK	19.36	1.5	20.86	121.9	1000	PASS
DC_5A_n78A	30	20	650000	1@49	CP_QPSK	19.77	1.5	21.27	133.97	1000	PASS
DC_5A_n78A	30	20	650000	51@0	CP_16QAM	19.11	1.5	20.61	115.08	1000	PASS
DC_5A_n78A	30	20	650000	25@12	CP_16QAM	20.19	1.5	21.69	147.57	1000	PASS
DC_5A_n78A	30	20	650000	1@1	CP_16QAM	19.95	1.5	21.45	139.64	1000	PASS
DC_5A_n78A	30	20	650000	1@49	CP_16QAM	20.16	1.5	21.66	146.55	1000	PASS
DC_5A_n78A	30	20	650000	51@0	CP_64QAM	18.57	1.5	20.07	101.62	1000	PASS
DC_5A_n78A	30	20	650000	25@12	CP_64QAM	18.7	1.5	20.2	104.71	1000	PASS
DC_5A_n78A	30	20	650000	1@1	CP_64QAM	18.3	1.5	19.8	95.5	1000	PASS
DC_5A_n78A	30	20	650000	1@49	CP_64QAM	18.38	1.5	19.88	97.27	1000	PASS
DC_5A_n78A	30	20	650000	51@0	CP_256QAM	15.71	1.5	17.21	52.6	1000	PASS
DC_5A_n78A	30	20	650000	25@12	CP_256QAM	15.66	1.5	17.16	52	1000	PASS
DC_5A_n78A	30	20	650000	1@1	CP_256QAM	15.65	1.5	17.15	51.88	1000	PASS
DC_5A_n78A	30	20	650000	1@49	CP_256QAM	15.77	1.5	17.27	53.33	1000	PASS
DC_5A_n78A	30	20	652666	50@0	DFT_BPSK	21.99	1.5	23.49	223.36	1000	PASS
DC_5A_n78A	30	20	652666	25@12	DFT_BPSK	22.14	1.5	23.64	231.21	1000	PASS
DC_5A_n78A	30	20	652666	1@1	DFT_BPSK	22.01	1.5	23.51	224.39	1000	PASS
DC_5A_n78A	30	20	652666	1@49	DFT_BPSK	22.19	1.5	23.69	233.88	1000	PASS
DC_5A_n78A	30	20	652666	50@0	DFT_QPSK	21.14	1.5	22.64	183.65	1000	PASS
DC_5A_n78A	30	20	652666	25@12	DFT_QPSK	22.13	1.5	23.63	230.67	1000	PASS
DC_5A_n78A	30	20	652666	1@1	DFT_QPSK	22.01	1.5	23.51	224.39	1000	PASS
DC_5A_n78A	30	20	652666	1@49	DFT_QPSK	22.23	1.5	23.73	236.05	1000	PASS
DC_5A_n78A	30	20	652666	50@0	DFT_16QAM	20.09	1.5	21.59	144.21	1000	PASS
DC_5A_n78A	30	20	652666	25@12	DFT_16QAM	21.16	1.5	22.66	184.5	1000	PASS
DC_5A_n78A	30	20	652666	1@1	DFT_16QAM	20.88	1.5	22.38	172.98	1000	PASS
DC_5A_n78A	30	20	652666	1@49	DFT_16QAM	21.09	1.5	22.59	181.55	1000	PASS
DC_5A_n78A	30	20	652666	50@0	DFT_64QAM	19.55	1.5	21.05	127.35	1000	PASS
DC_5A_n78A	30	20	652666	25@12	DFT_64QAM	19.65	1.5	21.15	130.32	1000	PASS
DC_5A_n78A	30	20	652666	1@1	DFT_64QAM	19.45	1.5	20.95	124.45	1000	PASS

DC_5A_n78A	30	20	652666	1@49	DFT_64QAM	19.62	1.5	21.12	129.42	1000	PASS
DC_5A_n78A	30	20	652666	50@0	DFT_256QAM	17.13	1.5	18.63	72.95	1000	PASS
DC_5A_n78A	30	20	652666	25@12	DFT_256QAM	17.26	1.5	18.76	75.16	1000	PASS
DC_5A_n78A	30	20	652666	1@1	DFT_256QAM	17.45	1.5	18.95	78.52	1000	PASS
DC_5A_n78A	30	20	652666	1@49	DFT_256QAM	17.05	1.5	18.55	71.61	1000	PASS
DC_5A_n78A	30	20	652666	51@0	CP_QPSK	19.15	1.5	20.65	116.14	1000	PASS
DC_5A_n78A	30	20	652666	25@12	CP_QPSK	19.99	1.5	21.49	140.93	1000	PASS
DC_5A_n78A	30	20	652666	1@1	CP_QPSK	20.13	1.5	21.63	145.55	1000	PASS
DC_5A_n78A	30	20	652666	1@49	CP_QPSK	20.11	1.5	21.61	144.88	1000	PASS
DC_5A_n78A	30	20	652666	51@0	CP_16QAM	19.75	1.5	21.25	133.35	1000	PASS
DC_5A_n78A	30	20	652666	25@12	CP_16QAM	20.23	1.5	21.73	148.94	1000	PASS
DC_5A_n78A	30	20	652666	1@1	CP_16QAM	19.98	1.5	21.48	140.6	1000	PASS
DC_5A_n78A	30	20	652666	1@49	CP_16QAM	20.07	1.5	21.57	143.55	1000	PASS
DC_5A_n78A	30	20	652666	51@0	CP_64QAM	18.61	1.5	20.11	102.57	1000	PASS
DC_5A_n78A	30	20	652666	25@12	CP_64QAM	18.68	1.5	20.18	104.23	1000	PASS
DC_5A_n78A	30	20	652666	1@1	CP_64QAM	18.29	1.5	19.79	95.28	1000	PASS
DC_5A_n78A	30	20	652666	1@49	CP_64QAM	18.47	1.5	19.97	99.31	1000	PASS
DC_5A_n78A	30	20	652666	51@0	CP_256QAM	15.69	1.5	17.19	52.36	1000	PASS
DC_5A_n78A	30	20	652666	25@12	CP_256QAM	15.7	1.5	17.2	52.48	1000	PASS
DC_5A_n78A	30	20	652666	1@1	CP_256QAM	15.66	1.5	17.16	52	1000	PASS
DC_5A_n78A	30	20	652666	1@49	CP_256QAM	15.83	1.5	17.33	54.08	1000	PASS
DC_5A_n78A	30	40	648000	100@0	DFT_BPSK	21.23	1.5	22.73	187.5	1000	PASS
DC_5A_n78A	30	40	648000	50@25	DFT_BPSK	21.73	1.5	23.23	210.38	1000	PASS
DC_5A_n78A	30	40	648000	1@1	DFT_BPSK	21.61	1.5	23.11	204.64	1000	PASS
DC_5A_n78A	30	40	648000	1@104	DFT_BPSK	21.85	1.5	23.35	216.27	1000	PASS
DC_5A_n78A	30	40	648000	100@0	DFT_QPSK	20.73	1.5	22.23	167.11	1000	PASS
DC_5A_n78A	30	40	648000	50@25	DFT_QPSK	21.7	1.5	23.2	208.93	1000	PASS
DC_5A_n78A	30	40	648000	1@1	DFT_QPSK	21.67	1.5	23.17	207.49	1000	PASS
DC_5A_n78A	30	40	648000	1@104	DFT_QPSK	21.92	1.5	23.42	219.79	1000	PASS
DC_5A_n78A	30	40	648000	100@0	DFT_16QAM	19.71	1.5	21.21	132.13	1000	PASS
DC_5A_n78A	30	40	648000	50@25	DFT_16QAM	20.66	1.5	22.16	164.44	1000	PASS
DC_5A_n78A	30	40	648000	1@1	DFT_16QAM	20.48	1.5	21.98	157.76	1000	PASS
DC_5A_n78A	30	40	648000	1@104	DFT_16QAM	20.68	1.5	22.18	165.2	1000	PASS
DC_5A_n78A	30	40	648000	100@0	DFT_64QAM	19.2	1.5	20.7	117.49	1000	PASS
DC_5A_n78A	30	40	648000	50@25	DFT_64QAM	19.18	1.5	20.68	116.95	1000	PASS
DC_5A_n78A	30	40	648000	1@1	DFT_64QAM	19.1	1.5	20.6	114.82	1000	PASS
DC_5A_n78A	30	40	648000	1@104	DFT_64QAM	19.37	1.5	20.87	122.18	1000	PASS
DC_5A_n78A	30	40	648000	100@0	DFT_256QAM	17.16	1.5	18.66	73.45	1000	PASS
DC_5A_n78A	30	40	648000	50@25	DFT_256QAM	17.23	1.5	18.73	74.64	1000	PASS
DC_5A_n78A	30	40	648000	1@1	DFT_256QAM	17.29	1.5	18.79	75.68	1000	PASS
DC_5A_n78A	30	40	648000	1@104	DFT_256QAM	17.22	1.5	18.72	74.47	1000	PASS
DC_5A_n78A	30	40	648000	106@0	CP_QPSK	18.71	1.5	20.21	104.95	1000	PASS
DC_5A_n78A	30	40	648000	53@26	CP_QPSK	20.19	1.5	21.69	147.57	1000	PASS