


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 52
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2006G	56.24	83.54	-27.30	50.54	1	Horizontal	336	1.77	-	38.00	18.94	51.24			
AV	19.2182G	44.66	63.54	-18.88	39.02	1	Horizontal	336	1.77	-	37.96	18.94	51.26			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 53
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88322G	58.12	88.20	-30.08	38.87	3	Vertical	6	1.59	-	39.47	11.21	31.43			
RMS	12.8942G	51.49	68.20	-16.71	32.21	3	Vertical	6	1.59	-	39.49	11.22	31.43			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 53
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87896G	58.67	88.20	-29.53	39.43	3	Horizontal	198	2.56	-	39.46	11.21	31.43			
RMS	12.87992G	51.29	68.20	-16.91	32.05	3	Horizontal	198	2.56	-	39.46	11.21	31.43			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 53
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3205G	55.02	83.54	-28.52	49.52	1	Vertical	351	1.92	-	37.92	18.96	51.38			
AV	19.3134G	44.10	63.54	-19.44	38.57	1	Vertical	351	1.92	-	37.95	18.96	51.38			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 53
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3242G	55.50	83.54	-28.04	50.03	1	Horizontal	221	2.03	-	37.90	18.96	51.39			
AV	19.3378G	44.19	63.54	-19.35	38.79	1	Horizontal	221	2.03	-	37.85	18.96	51.41			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 53
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9832G	59.03	88.20	-29.17	39.70	3	Vertical	159	2.42	-	39.50	11.26	31.43			
RMS	12.96394G	52.15	68.20	-16.05	32.83	3	Vertical	159	2.42	-	39.50	11.25	31.43			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 53
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96274G	59.32	88.20	-28.88	40.00	3	Horizontal	147	1.38	-	39.50	11.25	31.43			
RMS	12.96124G	51.67	68.20	-16.53	32.35	3	Horizontal	147	1.38	-	39.50	11.25	31.43			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 53
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4483G	55.50	83.54	-28.04	50.24	1	Vertical	341	2.08	-	37.81	18.99	51.54			
AV	19.4693G	43.85	63.54	-19.69	38.54	1	Vertical	341	2.08	-	37.88	18.99	51.56			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 53
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4605G	56.19	83.54	-27.35	50.91	1	Horizontal	18	1.67	-	37.84	18.99	51.55			
AV	19.4693G	44.84	63.54	-18.70	39.53	1	Horizontal	18	1.67	-	37.88	18.99	51.56			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 50
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04448G	60.29	88.20	-27.91	41.03	3	Vertical	62	1.48	-	39.41	11.29	31.44			
RMS	13.04322G	51.34	68.20	-16.86	32.09	3	Vertical	62	1.48	-	39.41	11.28	31.44			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 50
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05876G	59.17	88.20	-29.03	39.92	3	Horizontal	150	2.13	-	39.40	11.29	31.44			
RMS	13.04142G	51.43	68.20	-16.77	32.17	3	Horizontal	150	2.13	-	39.42	11.28	31.44			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 50
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5939G	55.79	83.54	-27.75	50.61	1	Vertical	256	2.67	-	37.84	19.02	51.68			
AV	19.5536G	43.46	63.54	-20.08	38.01	1	Vertical	256	2.67	-	38.08	19.01	51.64			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 50
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.582G	56.24	83.54	-27.30	50.99	1	Horizontal	310	1.75	-	37.91	19.01	51.67				
AV	19.557G	43.50	63.54	-20.04	38.08	1	Horizontal	310	1.75	-	38.06	19.01	51.65				

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11938G	59.53	88.20	-28.67	40.14	3	Vertical	3	1.80	-	39.52	11.32	31.45			
RMS	13.14434G	51.51	68.20	-16.69	31.96	3	Vertical	3	1.80	-	39.67	11.33	31.45			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11848G	59.94	88.20	-28.26	40.56	3	Horizontal	3	1.80	-	39.51	11.32	31.45			
RMS	13.14032G	51.57	68.20	-16.63	32.05	3	Horizontal	3	1.80	-	39.64	11.33	31.45			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 49
06-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.684G	53.68	83.54	-29.86	48.49	1	Vertical	102	1.65	-	37.90	19.04	51.75			
AV	19.6701G	42.78	63.54	-20.76	37.51	1	Vertical	102	1.65	-	37.98	19.03	51.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX


EUT_Z_1TX
Setting 49
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6766G	54.42	83.54	-29.12	49.19	1	Horizontal	105	1.81	-	37.94	19.03	51.74			
AV	19.7008G	42.69	63.54	-20.85	37.61	1	Horizontal	105	1.81	-	37.80	19.04	51.76			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37456G	58.61	74.00	-15.39	38.46	3	Vertical	78	2.93	-	40.20	11.44	31.49			
AV	13.3841G	51.97	54.00	-2.03	31.78	3	Vertical	78	2.93	-	40.24	11.44	31.49			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35566G	59.32	74.00	-14.68	39.26	3	Horizontal	176	1.69	-	40.12	11.43	31.49			
AV	13.3841G	52.15	54.00	-1.85	31.96	3	Horizontal	176	1.69	-	40.24	11.44	31.49			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 49
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05028G	55.78	83.54	-27.76	50.96	1	Vertical	224	2.66	-	37.70	19.12	52.00			
AV	20.06436G	44.57	63.54	-18.97	39.69	1	Vertical	224	2.66	-	37.76	19.12	52.00			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 49
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0624G	55.24	83.54	-28.30	50.37	1	Horizontal	203	2.83	-	37.75	19.12	52.00			
AV	20.06488G	44.12	63.54	-19.42	39.24	1	Horizontal	203	2.83	-	37.76	19.12	52.00			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77978G	62.73	88.20	-25.47	38.76	3	Vertical	264	1.40	-	40.58	11.62	28.23			
RMS	13.76118G	56.44	68.20	-11.76	32.62	3	Vertical	264	1.40	-	40.66	11.61	28.45			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 49
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76106G	63.74	88.20	-24.46	39.92	3	Horizontal	222	1.99	-	40.66	11.61	28.45			
RMS	13.76088G	56.32	68.20	-11.88	32.50	3	Horizontal	222	1.99	-	40.66	11.61	28.45			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 49
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66208G	56.12	83.54	-27.42	50.94	1	Vertical	325	1.17	-	37.90	19.34	52.06			
AV	20.66096G	45.36	63.54	-18.18	40.18	1	Vertical	325	1.17	-	37.90	19.34	52.06			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 49
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66112G	55.68	83.54	-27.86	50.50	1	Horizontal	33	1.46	-	37.90	19.34	52.06			
AV	20.65384G	44.96	63.54	-18.58	39.78	1	Horizontal	33	1.46	-	37.90	19.34	52.06			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 47
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.86128G	66.64	88.20	-21.56	41.79	3	Vertical	59	2.04	-	40.47	11.66	27.28			
RMS	13.86326G	56.87	68.20	-11.33	31.98	3	Vertical	59	2.04	-	40.48	11.66	27.25			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 47
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8623G	64.29	88.20	-23.91	39.42	3	Horizontal	166	1.33	-	40.47	11.66	27.26			
RMS	13.85786G	56.85	68.20	-11.35	32.06	3	Horizontal	166	1.33	-	40.45	11.66	27.32			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 47
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.78424G	55.78	83.54	-27.76	50.43	1	Vertical	27	1.89	-	38.07	19.39	52.11			
AV	20.78496G	44.85	63.54	-18.69	39.49	1	Vertical	27	1.89	-	38.08	19.39	52.11			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 47
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.76668G	54.71	83.54	-28.83	49.51	1	Horizontal	116	2.35	-	37.93	19.38	52.11			
AV	20.7788G	43.22	63.54	-20.32	37.91	1	Horizontal	116	2.35	-	38.03	19.39	52.11			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 47
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01396G	67.48	88.20	-20.72	40.51	3	Vertical	153	1.31	-	40.90	11.73	25.66			
RMS	14.02146G	59.32	68.20	-8.88	32.35	3	Vertical	153	1.31	-	40.90	11.73	25.66			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX



EUT_Z_1TX
Setting 47
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.02128G	67.60	88.20	-20.60	40.63	3	Horizontal	185	1.33	-	40.90	11.73	25.66			
RMS	14.0226G	60.10	68.20	-8.10	33.13	3	Horizontal	185	1.33	-	40.90	11.73	25.66			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX



EUT_Z_1TX
Setting 47
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01564G	56.45	83.54	-27.09	51.11	1	Vertical	34	1.82	-	38.06	19.48	52.20			
AV	21.01436G	45.32	63.54	-18.22	40.00	1	Vertical	34	1.82	-	38.04	19.48	52.20			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 47
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0076G	56.33	83.54	-27.21	51.08	1	Horizontal	185	1.73	-	37.98	19.47	52.20			
AV	21.02176G	44.97	63.54	-18.57	39.57	1	Horizontal	185	1.73	-	38.12	19.48	52.20			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 48
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0868G	102.62	Inf	-Inf	90.09	3	Vertical	143	1.97	-	35.95	8.23	31.65			
RMS	7.0865G	94.11	Inf	-Inf	81.58	3	Vertical	143	1.97	-	35.95	8.23	31.65			
PK	7.1582G	65.36	88.20	-22.84	52.31	3	Vertical	143	1.97	-	36.32	8.30	31.57			
RMS	7.2299G	55.92	68.20	-12.28	42.48	3	Vertical	143	1.97	-	36.58	8.34	31.48			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 48
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.094G	96.88	Inf	-Inf	84.30	3	Horizontal	32	2.80	-	35.98	8.24	31.64			
RMS	7.0862G	88.18	Inf	-Inf	75.66	3	Horizontal	32	2.80	-	35.94	8.23	31.65			
PK	7.2134G	65.70	88.20	-22.50	52.38	3	Horizontal	32	2.80	-	36.48	8.34	31.50			
RMS	7.2305G	55.86	68.20	-12.34	42.42	3	Horizontal	32	2.80	-	36.58	8.34	31.48			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 48
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0238G	67.55	88.20	-20.65	40.58	3	Vertical	312	1.77	-	40.90	11.73	25.66			
RMS	14.02266G	59.32	68.20	-8.88	32.35	3	Vertical	312	1.77	-	40.90	11.73	25.66			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 48
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0019G	67.20	88.20	-21.00	40.23	3	Horizontal	158	1.04	-	40.90	11.72	25.65			
RMS	14.01282G	59.49	68.20	-8.71	32.52	3	Horizontal	158	1.04	-	40.90	11.73	25.66			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 48
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24848G	55.86	83.54	-27.68	50.50	1	Vertical	243	1.16	-	38.00	19.56	52.20			
AV	21.2574G	45.52	63.54	-18.02	40.09	1	Vertical	243	1.16	-	38.06	19.57	52.20			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 48
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25984G	55.22	83.54	-28.32	49.77	1	Horizontal	150	2.86	-	38.08	19.57	52.20			
AV	21.24668G	44.56	63.54	-18.98	39.20	1	Horizontal	150	2.86	-	38.00	19.56	52.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 63
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	67.04	88.20	-21.16	58.10	3	Vertical	145.1	2.73	-	32.55	7.44	31.05			
RMS	5.925G	55.21	68.20	-12.99	46.27	3	Vertical	145.1	2.73	-	32.55	7.44	31.05			
PK	5.978G	102.06	Inf	-Inf	93.11	3	Vertical	145.1	2.73	-	32.54	7.46	31.05			
RMS	5.9835G	93.81	Inf	-Inf	84.87	3	Vertical	145.1	2.73	-	32.53	7.46	31.05			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 63
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.906G	61.33	88.20	-26.87	52.44	3	Horizontal	49.8	3.00	-	32.51	7.43	31.05			
RMS	5.924G	52.03	68.20	-16.17	43.09	3	Horizontal	49.8	3.00	-	32.55	7.44	31.05			
PK	5.984G	95.39	Inf	-Inf	86.45	3	Horizontal	49.8	3.00	-	32.53	7.46	31.05			
RMS	5.988G	87.56	Inf	-Inf	78.62	3	Horizontal	49.8	3.00	-	32.52	7.47	31.05			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 63
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97582G	52.68	74.00	-21.32	45.74	3	Vertical	1	1.39	-	39.05	11.11	43.22			
AV	11.95536G	43.55	54.00	-10.45	36.67	3	Vertical	1	1.39	-	39.01	11.10	43.23			
PK	17.95938G	65.69	74.00	-8.31	45.20	3	Vertical	185	1.35	-	48.30	13.44	41.25			
AV	17.9691G	52.17	54.00	-1.83	31.36	3	Vertical	185	1.35	-	48.61	13.44	41.24			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 63
01-U-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95674G	53.08	74.00	-20.92	46.20	3	Horizontal	24	2.32	-	39.01	11.10	43.23			
AV	11.9643G	43.07	54.00	-10.93	36.17	3	Horizontal	24	2.32	-	39.03	11.10	43.23			
PK	17.96358G	65.17	74.00	-8.83	44.55	3	Horizontal	173	2.57	-	48.43	13.44	41.25			
AV	17.96442G	52.31	54.00	-1.69	31.66	3	Horizontal	173	2.57	-	48.46	13.44	41.25			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 63
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95302G	54.09	83.54	-29.45	44.53	1	Vertical	220	1.19	-	38.91	21.06	50.41			
AV	23.94204G	45.42	63.54	-18.12	35.90	1	Vertical	220	1.19	-	38.88	21.05	50.41			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 63
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94648G	55.25	83.54	-28.29	45.71	1	Horizontal	153	1.77	-	38.89	21.06	50.41			
AV	23.9487G	44.88	63.54	-18.66	35.33	1	Horizontal	153	1.77	-	38.90	21.06	50.41			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46146G	58.30	74.00	-15.70	40.18	3	Vertical	278	1.80	-	38.58	11.02	31.48			
AV	12.44088G	51.88	54.00	-2.12	33.73	3	Vertical	278	1.80	-	38.65	11.01	31.51			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44352G	57.84	74.00	-16.16	39.69	3	Horizontal	154	2.03	-	38.64	11.01	31.50			
AV	12.44226G	51.38	54.00	-2.62	33.22	3	Horizontal	154	2.03	-	38.65	11.01	31.50			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX


EUT_Z_1TX
Setting 66
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66592G	54.48	83.54	-29.06	48.51	1	Vertical	252	2.84	-	37.74	18.83	50.60			
AV	18.67896G	44.05	63.54	-19.49	38.15	1	Vertical	252	2.84	-	37.68	18.83	50.61			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 66
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.673G	54.09	83.54	-29.45	48.16	1	Horizontal	129	2.86	-	37.71	18.83	50.61			
AV	18.68144G	43.88	63.54	-19.66	38.00	1	Horizontal	129	2.86	-	37.67	18.83	50.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 63
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78212G	58.99	88.20	-29.21	40.06	3	Vertical	215	1.79	-	39.19	11.17	31.43			
RMS	12.77132G	51.75	68.20	-16.45	32.89	3	Vertical	215	1.79	-	39.13	11.16	31.43			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 63
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.782G	58.42	88.20	-29.78	39.49	3	Horizontal	297	1.47	-	39.19	11.17	31.43			
RMS	12.77288G	51.72	68.20	-16.48	32.85	3	Horizontal	297	1.47	-	39.14	11.16	31.43			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 63
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14684G	55.87	83.54	-27.67	50.41	1	Vertical	327	1.77	-	37.71	18.93	51.18			
AV	19.1624G	44.65	63.54	-18.89	39.14	1	Vertical	327	1.77	-	37.77	18.93	51.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 63
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14924G	55.12	83.54	-28.42	49.67	1	Horizontal	151	2.80	-	37.70	18.93	51.18			
AV	19.14828G	44.24	63.54	-19.30	38.78	1	Horizontal	151	2.80	-	37.71	18.93	51.18			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 69
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93666G	59.54	88.20	-28.66	40.23	3	Vertical	11	2.71	-	39.50	11.24	31.43			
RMS	12.93978G	52.43	68.20	-15.77	33.12	3	Vertical	11	2.71	-	39.50	11.24	31.43			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 69
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93312G	57.49	88.20	-30.71	38.19	3	Horizontal	33	1.03	-	39.50	11.23	31.43			
RMS	12.94236G	52.51	68.20	-15.69	33.20	3	Horizontal	33	1.03	-	39.50	11.24	31.43			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TX


EUT_Z_1TX
Setting 69
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38856G	57.18	83.54	-26.36	51.73	1	Vertical	195	2.14	-	37.95	18.97	51.47			
AV	19.39256G	45.68	63.54	-17.86	40.20	1	Vertical	195	2.14	-	37.97	18.98	51.47			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 69
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39392G	56.32	83.54	-27.22	50.83	1	Horizontal	94	2.01	-	37.98	18.98	51.47			
AV	19.38552G	44.79	63.54	-18.75	39.34	1	Horizontal	94	2.01	-	37.94	18.97	51.46			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08544G	58.15	88.20	-30.05	38.89	3	Vertical	67	1.59	-	39.40	11.30	31.44			
RMS	13.09126G	51.90	68.20	-16.30	32.63	3	Vertical	67	1.59	-	39.40	11.31	31.44			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08112G	58.80	88.20	-29.40	39.54	3	Horizontal	64	1.08	-	39.40	11.30	31.44			
RMS	13.07884G	52.20	68.20	-16.00	32.94	3	Horizontal	64	1.08	-	39.40	11.30	31.44			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6414G	55.89	83.54	-27.65	50.52	1	Vertical	56	2.13	-	38.05	19.03	51.71			
AV	19.64252G	44.99	63.54	-18.55	39.61	1	Vertical	56	2.13	-	38.06	19.03	51.71			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 66
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63948G	55.63	83.54	-27.91	50.27	1	Horizontal	328	2.81	-	38.04	19.03	51.71			
AV	19.62576G	44.71	63.54	-18.83	39.44	1	Horizontal	328	2.81	-	37.95	19.02	51.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 65
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25114G	58.56	74.00	-15.44	38.85	3	Vertical	190	2.58	-	39.80	11.38	31.47			
AV	13.25408G	52.84	54.00	-1.16	33.12	3	Vertical	190	2.58	-	39.81	11.38	31.47			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 65
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2547G	58.80	74.00	-15.20	39.08	3	Horizontal	286	1.59	-	39.81	11.38	31.47			
AV	13.2535G	52.81	54.00	-1.19	33.09	3	Horizontal	286	1.59	-	39.81	11.38	31.47			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 65
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87924G	55.12	83.54	-28.42	50.16	1	Vertical	303	2.51	-	37.78	19.08	51.90			
AV	19.88292G	44.52	63.54	-19.02	39.55	1	Vertical	303	2.51	-	37.80	19.08	51.91			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 65
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8796G	54.14	83.54	-29.40	49.18	1	Horizontal	33	2.58	-	37.78	19.08	51.90			
AV	19.87472G	43.25	63.54	-20.29	38.33	1	Horizontal	33	2.58	-	37.75	19.07	51.90			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 68
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40796G	59.43	88.20	-28.77	39.18	3	Vertical	325	1.73	-	40.30	11.45	31.50			
RMS	13.41442G	54.14	68.20	-14.06	33.89	3	Vertical	325	1.73	-	40.30	11.45	31.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 68
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41284G	61.69	88.20	-26.51	41.44	3	Horizontal	120	2.65	-	40.30	11.45	31.50			
RMS	13.41456G	53.55	68.20	-14.65	33.30	3	Horizontal	120	2.65	-	40.30	11.45	31.50			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX


EUT_Z_1TX
Setting 68
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.137G	55.52	83.54	-28.02	50.69	1	Vertical	54	1.55	-	37.68	19.15	52.00			
AV	20.1147G	46.53	63.54	-17.01	41.58	1	Vertical	54	1.55	-	37.81	19.14	52.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 68
01-U-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11468G	57.29	83.54	-26.25	52.34	1	Horizontal	50	1.53	-	37.81	19.14	52.00			
AV	20.11487G	46.82	63.54	-16.72	41.87	1	Horizontal	50	1.53	-	37.81	19.14	52.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 68
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57436G	61.90	88.20	-26.30	40.46	3	Vertical	253	2.91	-	40.55	11.53	30.64			
RMS	13.5726G	55.71	68.20	-12.49	34.29	3	Vertical	253	2.91	-	40.55	11.53	30.66			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 68
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57202G	61.40	88.20	-26.80	39.98	3	Horizontal	277	2.32	-	40.56	11.53	30.67			
RMS	13.57374G	55.08	68.20	-13.12	33.65	3	Horizontal	277	2.32	-	40.55	11.53	30.65			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 68
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3496G	56.98	83.54	-26.56	51.65	1	Vertical	133	1.95	-	38.10	19.23	52.00			
AV	20.34932G	46.89	63.54	-16.65	41.56	1	Vertical	133	1.95	-	38.10	19.23	52.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 68
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36424G	57.52	83.54	-26.02	52.22	1	Horizontal	2	2.34	-	38.07	19.23	52.00			
AV	20.3462G	47.92	63.54	-15.62	42.58	1	Horizontal	2	2.34	-	38.11	19.23	52.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 56
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73276G	66.40	88.20	-21.80	42.98	3	Vertical	16	1.33	-	40.60	11.60	28.78			
RMS	13.72994G	57.05	68.20	-11.15	33.69	3	Vertical	16	1.33	-	40.58	11.60	28.82			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 56
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72964G	65.88	88.20	-22.32	42.52	3	Horizontal	9	1.14	-	40.58	11.60	28.82			
RMS	13.7283G	57.03	68.20	-11.17	33.69	3	Horizontal	9	1.14	-	40.57	11.60	28.83			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 56
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58972G	54.89	83.54	-28.65	49.63	1	Vertical	327	2.42	-	37.98	19.32	52.04			
AV	20.59576G	43.86	63.54	-19.68	38.59	1	Vertical	327	2.42	-	37.99	19.32	52.04			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 56
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59324G	55.11	83.54	-28.43	49.84	1	Horizontal	172	1.46	-	37.99	19.32	52.04			
AV	20.58856G	44.73	63.54	-18.81	39.47	1	Horizontal	172	1.46	-	37.98	19.32	52.04			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 65
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89356G	64.16	88.20	-24.04	38.73	3	Vertical	280	2.90	-	40.66	11.67	26.90			
RMS	13.88972G	58.80	68.20	-9.40	33.43	3	Vertical	280	2.90	-	40.64	11.67	26.94			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 65
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8946G	65.09	88.20	-23.11	39.64	3	Horizontal	305	2.24	-	40.67	11.67	26.89			
RMS	13.88782G	58.77	68.20	-9.43	33.43	3	Horizontal	305	2.24	-	40.63	11.67	26.96			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 65
01-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83956G	55.08	83.54	-28.46	49.61	1	Vertical	185	1.60	-	38.20	19.41	52.14			
AV	20.8416G	44.77	63.54	-18.77	39.30	1	Vertical	185	1.60	-	38.20	19.41	52.14			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 65
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8434G	55.15	83.54	-28.39	49.68	1	Horizontal	230	2.05	-	38.20	19.41	52.14			
AV	20.83756G	45.34	63.54	-18.20	39.87	1	Horizontal	230	2.05	-	38.20	19.41	52.14			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05G	66.50	88.20	-21.70	39.53	3	Vertical	230	1.02	-	40.90	11.74	25.67			
RMS	14.05398G	60.31	68.20	-7.89	33.34	3	Vertical	230	1.02	-	40.90	11.75	25.68			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 66
06-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05196G	67.87	88.20	-20.33	40.91	3	Horizontal	258	2.43	-	40.90	11.74	25.68			
RMS	14.0509G	60.50	68.20	-7.70	33.54	3	Horizontal	258	2.43	-	40.90	11.74	25.68			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 66
01-U-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07328G	54.82	83.54	-28.72	49.26	1	Vertical	262	2.99	-	38.26	19.50	52.20			
AV	21.06704G	46.17	63.54	-17.37	40.58	1	Vertical	262	2.99	-	38.30	19.49	52.20			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX


EUT_Z_1TX
Setting 66
01-U-G-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07264G	55.24	83.54	-28.30	49.68	1	Horizontal	233	1.49	-	38.26	19.50	52.20			
AV	21.08232G	45.50	63.54	-18.04	39.99	1	Horizontal	233	1.49	-	38.21	19.50	52.20			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

15/01/2024



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

15/01/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.115675G	-12.72	7.14575G	-63.11	-52.72	-10.39	1
7.11545G	-12.75	7.145625G	-62.82	-52.75	-10.07	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

15/01/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96395G	-8.23	6.0266G	-61.64	-48.23	-13.41	1
5.96665G	-7.99	6.03065G	-61.34	-47.99	-13.35	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6839G	-6.09	6.6247G	-58.16	-46.09	-12.07	1
6.6844G	-5.96	6.6261G	-57.86	-45.96	-11.90	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz Straddle 6.525-6.875GHz_TX

15/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8864G	-10.80	6.9446G	-60.60	-50.80	-9.80	1
6.8864G	-10.13	6.96125G	-60.39	-50.13	-10.26	2

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

15/01/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9261G	-9.60	6.98695G	-60.17	-49.60	-10.57	1
6.92655G	-9.22	7.0009G	-59.92	-49.22	-10.70	2

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

15/01/2024

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00395G	-11.48	6.94145G	-60.29	-51.48	-8.81	1
7.0068G	-11.01	6.9408G	-60.55	-51.01	-9.54	2

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

15/01/2024



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

15/01/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2238G	-2.11	6.1083G	-50.87	-41.18	-9.69	1
6.2273G	-1.89	6.1059G	-48.29	-41.78	-6.51	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

15/01/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3834G	-6.12	6.2588G	-55.87	-46.12	-9.75	1
6.3867G	-6.02	6.2618G	-55.76	-46.02	-9.74	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6282G	-3.04	6.5056G	-52.53	-43.02	-9.51	1
6.6233G	-3.48	6.5018G	-53.35	-43.48	-9.87	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7031G	-4.33	6.5826G	-54.73	-44.33	-10.40	1
6.7066G	-4.25	6.5838G	-54.97	-44.25	-10.72	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7871G	-4.26	6.6662G	-53.10	-44.16	-8.94	1
6.7838G	-3.99	6.6669G	-52.85	-43.48	-9.37	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867G	-4.25	6.9853G	-54.36	-44.25	-10.11	1
6.8664G	-3.61	6.9908G	-54.34	-43.61	-10.73	2

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

15/01/2024



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

15/01/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95525G	-11.74	5.98605G	-63.42	-51.74	-11.68	1
5.954475G	-11.53	5.98555G	-62.73	-51.17	-11.56	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

15/01/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.195675G	-12.45	6.22825G	-63.61	-52.45	-11.16	1
6.19475G	-12.08	6.2288G	-63.77	-52.08	-11.69	2

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41465G	-14.06	6.457525G	-64.01	-54.06	-9.95	1
6.4146G	-14.12	6.383525G	-63.35	-54.07	-9.28	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

15/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.435475G	-14.42	6.403825G	-63.28	-54.32	-8.96	1
6.434475G	-13.80	6.469575G	-63.29	-53.80	-9.49	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

15/01/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47465G	-11.13	6.4425G	-62.99	-51.13	-11.86	1
6.474475G	-10.31	6.4441G	-62.24	-50.17	-12.07	2

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

15/01/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51535G	-11.09	6.484125G	-63.07	-51.09	-11.98	1
6.51545G	-10.54	6.483G	-62.30	-50.54	-11.76	2

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

15/01/2024



6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

15/01/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.115375G	-15.30	7.15775G	-63.47	-55.30	-8.17	1
7.1154G	-14.78	7.164275G	-63.63	-54.78	-8.85	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

15/01/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96605G	-10.94	6.02875G	-62.37	-50.94	-11.43	1
5.96545G	-10.80	6.0333G	-62.03	-50.80	-11.23	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20555G	-9.81	6.2659G	-61.91	-49.81	-12.10	1
6.20445G	-8.85	6.1393G	-61.19	-48.85	-12.34	2

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

15/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4039G	-11.32	6.49515G	-61.49	-51.32	-10.17	1
6.406G	-10.69	6.34525G	-61.05	-50.69	-10.36	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

15/01/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4464G	-11.99	6.5081G	-61.67	-51.99	-9.68	1
6.44445G	-12.51	6.50415G	-61.79	-52.51	-9.28	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

15/01/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48615G	-10.67	6.42745G	-61.08	-50.44	-10.64	1
6.48625G	-10.98	6.41265G	-61.24	-50.98	-10.26	2

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz Straddle 6.525-6.875GHz_TX

15/01/2024



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

15/01/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92635G	-12.70	6.9899G	-60.29	-52.70	-7.59	1
6.92655G	-12.26	7.0063G	-60.59	-52.26	-8.33	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

15/01/2024

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00415G	-15.02	6.9196G	-60.76	-55.02	-5.74	1
7.0041G	-14.62	6.9427G	-60.69	-54.62	-6.07	2

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4676G	-4.67	6.3449G	-54.73	-44.66	-10.07	1
6.4678G	-4.51	6.3441G	-55.04	-44.51	-10.53	2

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

15/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.548G	-3.20	6.4219G	-53.45	-43.20	-10.25	1
6.548G	-3.63	6.4172G	-54.33	-43.63	-10.70	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

15/01/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6281G	-5.90	6.504G	-57.12	-45.90	-11.22	1
6.6278G	-5.68	6.503G	-55.30	-45.68	-9.62	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

15/01/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7067G	-6.01	6.5843G	-58.64	-46.01	-12.63	1
6.7063G	-7.13	6.9026G	-55.73	-47.13	-8.60	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

15/01/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7829G	-5.59	6.6645G	-58.17	-45.59	-12.58	1
6.7869G	-6.04	6.9122G	-55.11	-46.04	-9.07	2

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

15/01/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8671G	-6.93	6.9948G	-58.34	-46.93	-11.41	1
6.868G	-6.20	6.9906G	-54.73	-46.20	-8.53	2

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

15/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

15/01/2024




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

15/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

15/01/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

15/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9431G	-1.63	6.8237G	-50.91	-41.63	-9.28	1

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

15/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0274G	-1.36	6.9316G	-42.55	-33.58	-8.97	1

Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-65.00	5.00	-70.05	≤ -62
						Minimal	-66.00	5.00	-71.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.00	5.00	-70.08	≤ -62
						Minimal	-66.00	5.00	-71.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-68.00	5.00	-73.02	≤ -62
						Minimal	-69.00	5.00	-74.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.00	5.00	-71.04	≤ -62
						Minimal	-67.00	5.00	-72.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW80										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	55	80	6225	Low edge	6190	OFF	-64.00	5.00	-69.04	≤ -62
						Minimal	-65.00	5.00	-70.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				Center	6225	OFF	-63.00	5.00	-68.05	≤ -62
						Minimal	-64.00	5.00	-69.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				High edge	6260	OFF	-64.00	5.00	-69.05	≤ -62
						Minimal	-65.00	5.00	-70.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
6/7	103	80	6465	Low edge	6430	OFF	-64.00	5.00	-69.04	≤ -62
						Minimal	-65.00	5.00	-70.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				Center	6465	OFF	-60.00	5.00	-65.02	≤ -62
						Minimal	-61.00	5.00	-66.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				High edge	6500	OFF	-62.00	5.00	-67.06	≤ -62
						Minimal	-63.00	5.00	-68.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
7	151	80	6705	Low edge	6670	OFF	-58.00	5.00	-63.02	≤ -62
						Minimal	-59.00	5.00	-64.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				Center	6705	OFF	-57.00	5.00	-62.03	≤ -62
						Minimal	-58.00	5.00	-63.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				High edge	6740	OFF	-59.00	5.00	-64.05	≤ -62
						Minimal	-60.00	5.00	-65.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
8	215	80	7025	Low edge	6990	OFF	-61.00	5.00	-66.03	≤ -62
						Minimal	-62.00	5.00	-67.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				Center	7025	OFF	-60.00	5.00	-65.03	≤ -62
						Minimal	-61.00	5.00	-66.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62
				High edge	7060	OFF	-60.00	5.00	-65.03	≤ -62
						Minimal	-61.00	5.00	-66.00	≤ -62
						ON	-77.00	5.00	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70.05	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-70.08	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-73.02	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.04	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	55	80	6225	Low edge	6190	-69.04	OFF	9	90	90	PASS
				Center	6225	-68.05	OFF	9	90	90	PASS
				High edge	6260	-69.05	OFF	9	90	90	PASS
6	103	80	6465	Low edge	6430	-69.04	OFF	9	90	90	PASS
				Center	6465	-65.02	OFF	9	90	90	PASS
				High edge	6500	-67.06	OFF	9	90	90	PASS
7	151	80	6705	Low edge	6670	-63.02	OFF	9	90	90	PASS
				Center	6705	-62.03	OFF	9	90	90	PASS
				High edge	6740	-64.05	OFF	9	90	90	PASS
8	215	80	7025	Low edge	6990	-66.03	OFF	9	90	90	PASS
				Center	7025	-65.03	OFF	9	90	90	PASS
				High edge	7060	-65.03	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 19.MAR.2024 21:42:53

Frequency (MHz): 6455 MHz




Date: 19.MAR.2024 21:44:49

Frequency (MHz): 6695 MHz



Date: 19.MAR.2024 21:45:38


Frequency (MHz): 7015 MHz



Date: 19.MAR.2024 21:46:48


Bandwidth: 80MHz

Frequency (MHz): 6190 MHz




Date: 19.MAR.2024 21:47:57

Frequency (MHz): 6225 MHz




Date: 19.MAR.2024 21:48:35

Frequency (MHz): 6260 MHz




Date: 19,MAR.2024 21:49:22

Frequency (MHz): 6430 MHz




Date: 19,MAR.2024 21:50:27

Frequency (MHz): 6465 MHz




Date: 19.MAR.2024 21:51:22

Frequency (MHz): 6500 MHz




Date: 19.MAR.2024 21:52:18

Frequency (MHz): 6670 MHz




Date: 19.MAR.2024 21:53:44

Frequency (MHz): 6705 MHz




Date: 19.MAR.2024 21:54:28

Frequency (MHz): 6740 MHz




Date: 19.MAR.2024 21:55:31

Frequency (MHz): 6990 MHz




Date: 19.MAR.2024 21:56:44

Frequency (MHz): 7025 MHz



Date: 19.MAR.2024 21:57:37

Frequency (MHz): 7060 MHz




Date: 19.MAR.2024 21:58:32

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 18.MAR.2024 20:37:33

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 18.MAR.2024 20:44:26

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 18.MAR.2024 21:11:57

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 18.MAR.2024 21:23:02

Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 55 ; Incumbent signal 6190 MHz



Date: 18.MAR.2024 22:18:16

Note : M1 : Inject AWGN signal


Test CH 55 ; Incumbent signal 6225 MHz



Date: 18.MAR.2024 22:56:47

Note : M1 : Inject AWGN signal


Test CH 55 ; Incumbent signal 6260 MHz



Date: 18.MAR.2024 23:35:38

Note : M1 : Inject AWGN signal


Test CH 103 ; Incumbent signal 6430 MHz



Date: 18.MAR.2024 23:47:28


Note : M1 : Inject AWGN signal

Test CH 103 ; Incumbent signal 6465 MHz




Note : M1 : Inject AWGN signal

Test CH 103 ; Incumbent signal 6500 MHz



Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6670 MHz



Date: 19 MAR 2024 19:48:54

Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6705 MHz



Date: 19 MAR 2024 19:59:47

Note : M1 : Inject AWGN signal


Test CH 151 ; Incumbent signal 6740 MHz



Date: 19 MAR 2024 21:18:54

Note : M1 : Inject AWGN signal


Test CH 215 ; Incumbent signal 6990 MHz



Date: 19 MAR 2024 16:23:58

Note : M1 : Inject AWGN signal


Test CH 215 ; Incumbent signal 7025 MHz



Date: 19.MAR.2024 15:56:41

Note : M1 : Inject AWGN signal

Test CH 215 ; Incumbent signal 7060 MHz



Date: 19.MAR.2024 16:20:48

Note : M1 : Inject AWGN signal