

Test Mode	IEEE 802.11ax (HE80)_Ant.1	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.34	0.0272	23.98	0.2500	Pass
5775	21.85	0.1531	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.2	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.16	0.0261	23.98	0.2500	Pass
5775	21.76	0.1500	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.3	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.27	0.0267	23.98	0.2500	Pass
5775	21.84	0.1528	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.4	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.34	0.0272	23.98	0.2500	Pass
5775	21.87	0.1538	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	20.30	0.1072	23.98	0.2500	Pass
5775	27.85	0.6095	30.00	1.0000	Pass

Beamforming

Test Mode	IEEE 802.11n (HT20)_Ant.1	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.86	0.0968	23.98	0.2500	Pass
5200	21.35	0.1365	23.98	0.2500	Pass
5240	21.53	0.1422	23.98	0.2500	Pass
5745	21.70	0.1479	30.00	1.0000	Pass
5785	21.65	0.1462	30.00	1.0000	Pass
5825	21.58	0.1439	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Ant.2	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.71	0.0935	23.98	0.2500	Pass
5200	21.29	0.1346	23.98	0.2500	Pass
5240	21.51	0.1416	23.98	0.2500	Pass
5745	21.73	0.1489	30.00	1.0000	Pass
5785	21.63	0.1455	30.00	1.0000	Pass
5825	21.58	0.1439	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Ant.3	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.74	0.0942	23.98	0.2500	Pass
5200	21.55	0.1429	23.98	0.2500	Pass
5240	21.63	0.1455	23.98	0.2500	Pass
5745	21.81	0.1517	30.00	1.0000	Pass
5785	21.72	0.1486	30.00	1.0000	Pass
5825	21.71	0.1483	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Ant.4	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.93	0.0984	23.98	0.2500	Pass
5200	21.87	0.1538	23.98	0.2500	Pass
5240	21.81	0.1517	23.98	0.2500	Pass
5745	21.76	0.1500	30.00	1.0000	Pass
5785	21.92	0.1556	30.00	1.0000	Pass
5825	21.64	0.1459	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.83	0.3828	23.98	0.2500	Pass
5200	27.54	0.5675	23.98	0.2500	Pass
5240	27.64	0.5808	23.98	0.2500	Pass
5745	27.77	0.5984	30.00	1.0000	Pass
5785	27.75	0.5957	30.00	1.0000	Pass
5825	27.65	0.5821	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Ant.1	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.10	0.0324	23.98	0.2500	Pass
5230	21.85	0.1531	23.98	0.2500	Pass
5755	21.84	0.1528	30.00	1.0000	Pass
5795	21.88	0.1542	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Ant.2	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.90	0.0309	23.98	0.2500	Pass
5230	21.44	0.1393	23.98	0.2500	Pass
5755	21.82	0.1521	30.00	1.0000	Pass
5795	21.73	0.1489	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Ant.3	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.88	0.0308	23.98	0.2500	Pass
5230	21.59	0.1442	23.98	0.2500	Pass
5755	21.82	0.1521	30.00	1.0000	Pass
5795	21.73	0.1489	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Ant.4	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.05	0.0320	23.98	0.2500	Pass
5230	21.63	0.1455	23.98	0.2500	Pass
5755	21.79	0.1510	30.00	1.0000	Pass
5795	21.72	0.1486	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2023/9/11
-----------	---------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.00	0.1259	23.98	0.2500	Pass
5230	27.65	0.5821	23.98	0.2500	Pass
5755	27.84	0.6081	30.00	1.0000	Pass
5795	27.79	0.6012	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant.1	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.98	0.0995	23.98	0.2500	Pass
5200	21.74	0.1493	23.98	0.2500	Pass
5240	21.65	0.1462	23.98	0.2500	Pass
5745	21.76	0.1500	30.00	1.0000	Pass
5785	21.71	0.1483	30.00	1.0000	Pass
5825	21.42	0.1387	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant.2	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.83	0.0962	23.98	0.2500	Pass
5200	21.52	0.1419	23.98	0.2500	Pass
5240	21.62	0.1452	23.98	0.2500	Pass
5745	21.64	0.1459	30.00	1.0000	Pass
5785	21.82	0.1521	30.00	1.0000	Pass
5825	21.59	0.1442	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant.3	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.86	0.0968	23.98	0.2500	Pass
5200	21.59	0.1442	23.98	0.2500	Pass
5240	21.73	0.1489	23.98	0.2500	Pass
5745	21.82	0.1521	30.00	1.0000	Pass
5785	21.90	0.1549	30.00	1.0000	Pass
5825	21.29	0.1346	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant.4	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	20.05	0.1012	23.98	0.2500	Pass
5200	21.79	0.1510	23.98	0.2500	Pass
5240	21.71	0.1483	23.98	0.2500	Pass
5745	21.83	0.1524	30.00	1.0000	Pass
5785	21.95	0.1567	30.00	1.0000	Pass
5825	21.28	0.1343	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.95	0.3936	23.98	0.2500	Pass
5200	27.68	0.5861	23.98	0.2500	Pass
5240	27.70	0.5888	23.98	0.2500	Pass
5745	27.78	0.5998	30.00	1.0000	Pass
5785	27.87	0.6124	30.00	1.0000	Pass
5825	27.42	0.5521	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.1	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.23	0.0333	23.98	0.2500	Pass
5230	21.59	0.1442	23.98	0.2500	Pass
5755	22.02	0.1592	30.00	1.0000	Pass
5795	21.85	0.1531	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.2	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.03	0.0318	23.98	0.2500	Pass
5230	21.38	0.1374	23.98	0.2500	Pass
5755	21.59	0.1442	30.00	1.0000	Pass
5795	21.59	0.1442	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.3	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.01	0.0317	23.98	0.2500	Pass
5230	21.44	0.1393	23.98	0.2500	Pass
5755	21.78	0.1507	30.00	1.0000	Pass
5795	21.72	0.1486	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant.4	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.18	0.0330	23.98	0.2500	Pass
5230	21.68	0.1472	23.98	0.2500	Pass
5755	21.80	0.1514	30.00	1.0000	Pass
5795	21.25	0.1334	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.13	0.1297	23.98	0.2500	Pass
5230	27.54	0.5675	23.98	0.2500	Pass
5755	27.82	0.6053	30.00	1.0000	Pass
5795	27.63	0.5794	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.1	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.89	0.0388	23.98	0.2500	Pass
5775	21.73	0.1489	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.2	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.41	0.0348	23.98	0.2500	Pass
5775	21.58	0.1439	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.3	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.75	0.0376	23.98	0.2500	Pass
5775	21.83	0.1524	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant.4	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.70	0.0372	23.98	0.2500	Pass
5775	21.69	0.1476	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2023/9/11
-----------	-----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	21.71	0.1483	23.98	0.2500	Pass
5775	27.73	0.5929	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.1	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	20.16	0.1038	23.98	0.2500	Pass
5200	21.69	0.1476	23.98	0.2500	Pass
5240	21.65	0.1462	23.98	0.2500	Pass
5745	21.67	0.1469	30.00	1.0000	Pass
5785	21.66	0.1466	30.00	1.0000	Pass
5825	21.72	0.1486	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.2	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.97	0.0993	23.98	0.2500	Pass
5200	21.45	0.1396	23.98	0.2500	Pass
5240	21.42	0.1387	23.98	0.2500	Pass
5745	21.75	0.1496	30.00	1.0000	Pass
5785	21.80	0.1514	30.00	1.0000	Pass
5825	21.72	0.1486	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.3	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	20.09	0.1021	23.98	0.2500	Pass
5200	21.61	0.1449	23.98	0.2500	Pass
5240	21.70	0.1479	23.98	0.2500	Pass
5745	21.75	0.1496	30.00	1.0000	Pass
5785	21.74	0.1493	30.00	1.0000	Pass
5825	21.71	0.1483	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.4	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	20.24	0.1057	23.98	0.2500	Pass
5200	21.73	0.1489	23.98	0.2500	Pass
5240	21.85	0.1531	23.98	0.2500	Pass
5745	21.86	0.1535	30.00	1.0000	Pass
5785	21.83	0.1524	30.00	1.0000	Pass
5825	21.93	0.1560	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	26.14	0.4111	23.98	0.2500	Pass
5200	27.64	0.5808	23.98	0.2500	Pass
5240	27.68	0.5861	23.98	0.2500	Pass
5745	27.78	0.5998	30.00	1.0000	Pass
5785	27.78	0.5998	30.00	1.0000	Pass
5825	27.79	0.6012	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Ant.1	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.13	0.0259	23.98	0.2500	Pass
5230	20.03	0.1007	23.98	0.2500	Pass
5755	21.83	0.1524	30.00	1.0000	Pass
5795	21.69	0.1476	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Ant.2	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.12	0.0258	23.98	0.2500	Pass
5230	19.91	0.0979	23.98	0.2500	Pass
5755	21.86	0.1535	30.00	1.0000	Pass
5795	21.72	0.1486	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Ant.3	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.04	0.0254	23.98	0.2500	Pass
5230	20.08	0.1019	23.98	0.2500	Pass
5755	21.72	0.1486	30.00	1.0000	Pass
5795	21.74	0.1493	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Ant.4	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.28	0.0268	23.98	0.2500	Pass
5230	20.37	0.1089	23.98	0.2500	Pass
5755	21.85	0.1531	30.00	1.0000	Pass
5795	21.62	0.1452	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	20.16	0.1038	23.98	0.2500	Pass
5230	26.12	0.4093	23.98	0.2500	Pass
5755	27.84	0.6081	30.00	1.0000	Pass
5795	27.71	0.5902	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.1	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.28	0.0268	23.98	0.2500	Pass
5775	21.76	0.1500	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.2	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.01	0.0252	23.98	0.2500	Pass
5775	21.71	0.1483	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.3	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.09	0.0256	23.98	0.2500	Pass
5775	21.78	0.1507	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant.4	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.33	0.0271	23.98	0.2500	Pass
5775	21.75	0.1496	30.00	1.0000	Pass


Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2023/9/11
-----------	----------------------------	-------------	-----------

Test Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	20.20	0.1047	23.98	0.2500	Pass
5775	27.77	0.5984	30.00	1.0000	Pass

APPENDIX F POWER SPECTRAL DENSITY


Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	11.53	0.00	11.53	14.98	Pass
5200	11.33	0.00	11.33	14.98	Pass
5240	10.73	0.00	10.73	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.76	15.75	0.00	15.75	27.98	Pass
5785	9.25	16.24	0.00	16.24	27.98	Pass
5825	8.60	15.59	0.00	15.59	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-1.11	0.00	-1.11	14.98	Pass
5200	-0.95	0.00	-0.95	14.98	Pass
5240	-1.89	0.00	-1.89	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-2.67	4.32	0.00	4.32	27.98	Pass
5785	-3.45	3.54	0.00	3.54	27.98	Pass
5825	-3.97	3.02	0.00	3.02	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11a_Ant.3
-----------	--------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-4.25	0.00	-4.25	14.98	Pass
5200	-4.38	0.00	-4.38	14.98	Pass
5240	-3.83	0.00	-3.83	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-6.38	0.61	0.00	0.61	27.98	Pass
5785	-6.22	0.77	0.00	0.77	27.98	Pass
5825	-6.68	0.31	0.00	0.31	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11a_Ant.4

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	11.66	0.00	11.66	14.98	Pass
5200	11.42	0.00	11.42	14.98	Pass
5240	11.49	0.00	11.49	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	9.41	16.40	0.00	16.40	27.98	Pass
5785	8.71	15.70	0.00	15.70	27.98	Pass
5825	8.89	15.88	0.00	15.88	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode IEEE 802.11a_Total

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	14.78	14.98	Pass
5200	14.57	14.98	Pass
5240	14.31	14.98	Pass
5745	19.30	27.98	Pass
5785	19.17	27.98	Pass
5825	18.92	27.98	Pass


Test Mode	IEEE 802.11n (HT20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	10.28	0.00	10.28	14.98	Pass
5200	10.47	0.00	10.47	14.98	Pass
5240	9.76	0.00	9.76	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.75	14.74	0.00	14.74	27.98	Pass
5785	7.86	14.85	0.00	14.85	27.98	Pass
5825	7.63	14.62	0.00	14.62	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-2.41	0.00	-2.41	14.98	Pass
5200	-3.28	0.00	-3.28	14.98	Pass
5240	-2.42	0.00	-2.42	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-4.72	2.27	0.00	2.27	27.98	Pass
5785	-5.56	1.43	0.00	1.43	27.98	Pass
5825	-4.62	2.37	0.00	2.37	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-4.25	0.00	-4.25	14.98	Pass
5200	-4.38	0.00	-4.38	14.98	Pass
5240	-3.83	0.00	-3.83	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-6.38	0.61	0.00	0.61	27.98	Pass
5785	-6.22	0.77	0.00	0.77	27.98	Pass
5825	-6.68	0.31	0.00	0.31	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	9.93	0.00	9.93	14.98	Pass
5200	10.94	0.00	10.94	14.98	Pass
5240	10.95	0.00	10.95	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.50	15.49	0.00	15.49	27.98	Pass
5785	8.36	15.35	0.00	15.35	27.98	Pass
5825	7.85	14.84	0.00	14.84	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11n (HT20)_Total
-----------	---------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	13.32	14.98	Pass
5200	13.87	14.98	Pass
5240	13.60	14.98	Pass
5745	18.33	27.98	Pass
5785	18.29	27.98	Pass
5825	17.94	27.98	Pass


Test Mode	IEEE 802.11n (HT40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.16	0.00	8.16	14.98	Pass
5230	8.30	0.00	8.30	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.86	11.85	0.00	11.85	27.98	Pass
5795	5.22	12.21	0.00	12.21	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11n (HT40)_Ant.2

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-6.26	0.00	-6.26	14.98	Pass
5230	-5.62	0.00	-5.62	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-8.48	-1.49	0.00	-1.49	27.98	Pass
5795	-8.92	-1.93	0.00	-1.93	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$


Test Mode IEEE 802.11n (HT40)_Ant.3

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-6.43	0.00	-6.43	14.98	Pass
5230	-5.36	0.00	-5.36	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-7.18	-0.19	0.00	-0.19	27.98	Pass
5795	-9.52	-2.53	0.00	-2.53	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode IEEE 802.11n (HT40)_Ant.4

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.41	0.00	8.41	14.98	Pass
5230	8.57	0.00	8.57	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.68	11.67	0.00	11.67	27.98	Pass
5795	4.86	11.85	0.00	11.85	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode	IEEE 802.11n (HT40)_Total
-----------	---------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	11.44	14.98	Pass
5230	11.62	14.98	Pass
5755	15.01	27.98	Pass
5795	15.20	27.98	Pass


Test Mode	IEEE 802.11ac (VHT80)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	4.89	0.00	4.89	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.62	8.61	0.00	8.61	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-9.43	0.00	-9.43	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-11.36	-4.37	0.00	-4.37	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-9.05	0.00	-9.05	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.77	8.76	0.00	8.76	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	5.10	0.00	5.10	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.39	8.38	0.00	8.38	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	8.96	14.98	Pass
5775	13.43	27.98	Pass


Test Mode	IEEE 802.11ax (HE20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	11.02	0.00	11.02	14.98	Pass
5200	10.49	0.00	10.49	14.98	Pass
5240	10.22	0.00	10.22	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.46	14.45	0.00	14.45	27.98	Pass
5785	6.75	13.74	0.00	13.74	27.98	Pass
5825	6.92	13.91	0.00	13.91	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-2.68	0.00	-2.68	14.98	Pass
5200	-2.85	0.00	-2.85	14.98	Pass
5240	-3.31	0.00	-3.31	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-4.73	2.26	0.00	2.26	27.98	Pass
5785	-5.26	1.73	0.00	1.73	27.98	Pass
5825	-5.62	1.37	0.00	1.37	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	10.29	0.00	10.29	14.98	Pass
5200	10.18	0.00	10.18	14.98	Pass
5240	9.96	0.00	9.96	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.11	15.10	0.00	15.10	27.98	Pass
5785	5.62	12.61	0.00	12.61	27.98	Pass
5825	6.68	13.67	0.00	13.67	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	11.40	0.00	11.40	14.98	Pass
5200	11.00	0.00	11.00	14.98	Pass
5240	10.83	0.00	10.83	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.06	14.05	0.00	14.05	27.98	Pass
5785	7.26	14.25	0.00	14.25	27.98	Pass
5825	7.28	14.27	0.00	14.27	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	15.76	14.98	Pass
5200	15.41	14.98	Pass
5240	15.19	14.98	Pass
5745	19.41	27.98	Pass
5785	18.45	27.98	Pass
5825	18.81	27.98	Pass

Test Mode IEEE 802.11ax (HE40)_Ant.1

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.51	0.00	8.51	14.98	Pass
5230	8.16	0.00	8.16	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.84	11.83	0.00	11.83	27.98	Pass
5795	4.36	11.35	0.00	11.35	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode IEEE 802.11ax (HE40)_Ant.2

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-5.84	0.00	-5.84	14.98	Pass
5230	-5.59	0.00	-5.59	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-7.66	-0.67	0.00	-0.67	27.98	Pass
5795	-7.47	-0.48	0.00	-0.48	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$


Test Mode IEEE 802.11ax (HE40)_Ant.3

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	7.65	0.00	7.65	14.98	Pass
5230	7.99	0.00	7.99	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	5.75	12.74	0.00	12.74	27.98	Pass
5795	5.01	12.00	0.00	12.00	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode IEEE 802.11ax (HE40)_Ant.4

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.70	0.00	8.70	14.98	Pass
5230	8.76	0.00	8.76	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.53	11.52	0.00	11.52	27.98	Pass
5795	4.41	11.40	0.00	11.40	27.98	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$


Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	13.14	14.98	Pass
5230	13.15	14.98	Pass
5755	16.91	27.98	Pass
5795	16.45	27.98	Pass


Test Mode	IEEE 802.11ax (HE80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	5.68	0.00	5.68	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.59	8.58	0.00	8.58	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-8.83	0.00	-8.83	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-10.61	-3.62	0.00	-3.62	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	4.88	0.00	4.88	14.98	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.46	9.45	0.00	9.45	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	5.42	0.00	5.42	14.98	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.52	8.51	0.00	8.51	27.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	11.96	14.98	Pass
5775	13.72	27.98	Pass

End of Test Report