# 1. Frequency Stability

# 1.1 B2\_1.4MHz

				Band: 2	/ Bandwidth	n: 1.4MHz			
Madulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Vardiet
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-5.963	-0.0032	-2.5 to 2.5	Pass
				20	3.80	-17.079	-0.0092	-2.5 to 2.5	Pass
					4.37	-17.415	-0.0094	-2.5 to 2.5	Pass
				-30	3.80	-15.303	-0.0083	-2.5 to 2.5	Pass
				-20	3.80	-7.573	-0.0041	-2.5 to 2.5	Pass
	1850.7	6	0	-10	3.80	-10.430	-0.0056	-2.5 to 2.5	Pass
				0	3.80	-25.492	-0.0138	-2.5 to 2.5	Pass
				10	3.80	-15.054	-0.0081	-2.5 to 2.5	Pass
				30	3.80	-15.704	-0.0085	-2.5 to 2.5	Pass
				40	3.80	-18.052	-0.0098	-2.5 to 2.5	Pass
				50	3.80	-20.139	-0.0109	-2.5 to 2.5	Pass
					3.23	-23.717	-0.0126	-2.5 to 2.5	Pass
				20	3.80	-21.511	-0.0114	-2.5 to 2.5	Pass
					4.37	-8.749	-0.0047	-2.5 to 2.5	Pass
				-30	3.80	-22.724	-0.0121	-2.5 to 2.5	Pass
				-20	3.80	-10.641	-0.0057	-2.5 to 2.5	Pass
QPSK	1880	6	0	-10	3.80	-9.195	-0.0049	-2.5 to 2.5	Pass
				0	3.80	-26.677	-0.0142	-2.5 to 2.5	Pass
				10	3.80	-12.309	-0.0065	-2.5 to 2.5	Pass
				30	3.80	-14.469	-0.0077	-2.5 to 2.5	Pass
				40	3.80	-15.051	-0.0080	-2.5 to 2.5	Pass
				50	3.80	-14.128	-0.0075	-2.5 to 2.5	Pass
					3.23	-22.321	-0.0117	-2.5 to 2.5	Pass
				20	3.80	-9.422	-0.0049	-2.5 to 2.5	Pass
					4.37	4.261	0.0022	-2.5 to 2.5	Pass
				-30	3.80	-16.475	-0.0086	-2.5 to 2.5	Pass
				-20	3.80	-6.996	-0.0037	-2.5 to 2.5	Pass
	1909.3	6	0	-10	3.80	-23.523	-0.0123	-2.5 to 2.5	Pass
				0	3.80	3.975	0.0021	-2.5 to 2.5	Pass
				10	3.80	-17.066	-0.0089	-2.5 to 2.5	Pass
				30	3.80	-13.256	-0.0069	-2.5 to 2.5	Pass
				40	3.80	-18.465	-0.0097	-2.5 to 2.5	Pass
				50	3.80	-10.623	-0.0056	-2.5 to 2.5	Pass
					3.23	-20.052	-0.0108	-2.5 to 2.5	Pass
				20	3.80	-13.396	-0.0072	-2.5 to 2.5	Pass
					4.37	-17.349	-0.0094	-2.5 to 2.5	Pass
				-30	3.80	-11.606	-0.0063	-2.5 to 2.5	Pass
				-20	3.80	-27.096	-0.0146	-2.5 to 2.5	Pass
	1850.7	6	0	-10	3.80	-7.158	-0.0039	-2.5 to 2.5	Pass
16QAM				0	3.80	-4.889	-0.0026	-2.5 to 2.5	Pass
				10	3.80	-4.319	-0.0023	-2.5 to 2.5	Pass
				30	3.80	-3.077	-0.0017	-2.5 to 2.5	Pass
				40	3.80	-9.184	-0.0050	-2.5 to 2.5	Pass
				50	3.80	-16.173	-0.0087	-2.5 to 2.5	Pass
	4000	C	_		3.23	-3.913	-0.0021	-2.5 to 2.5	Pass
	1880	6	0	20	3.80	5.075	0.0027	-2.5 to 2.5	Pass

				4.37	-4.628	-0.0025	-2.5 to 2.5	Pass
			-30	3.80	6.524	0.0035	-2.5 to 2.5	Pass
			-20	3.80	-10.281	-0.0055	-2.5 to 2.5	Pass
			-10	3.80	1.255	0.0007	-2.5 to 2.5	Pass
			0	3.80	6.052	0.0032	-2.5 to 2.5	Pass
			10	3.80	4.211	0.0022	-2.5 to 2.5	Pass
			30	3.80	-0.205	-0.0001	-2.5 to 2.5	Pass
			40	3.80	0.854	0.0005	-2.5 to 2.5	Pass
			50	3.80	-1.372	-0.0007	-2.5 to 2.5	Pass
				3.23	-5.262	-0.0028	-2.5 to 2.5	Pass
			20	3.80	-4.481	-0.0023	-2.5 to 2.5	Pass
				4.37	0.462	0.0002	-2.5 to 2.5	Pass
			-30	3.80	-5.666	-0.0030	-2.5 to 2.5	Pass
			-20	3.80	-21.653	-0.0113	-2.5 to 2.5	Pass
1909.3	6	0	-10	3.80	-14.818	-0.0078	-2.5 to 2.5	Pass
			0	3.80	-26.504	-0.0139	-2.5 to 2.5	Pass
			10	3.80	-8.198	-0.0043	-2.5 to 2.5	Pass
			30	3.80	-18.502	-0.0097	-2.5 to 2.5	Pass
			40	3.80	5.554	0.0029	-2.5 to 2.5	Pass
			50	3.80	-21.417	-0.0112	-2.5 to 2.5	Pass

# 1.2 B2\_3MHz

				Band:	2 / Bandwid				
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-24.165	-0.0131	-2.5 to 2.5	Pass
				20	3.80	-18.369	-0.0099	-2.5 to 2.5	Pass
					4.37	-6.160	-0.0033	-2.5 to 2.5	Pass
				-30	3.80	-8.506	-0.0046	-2.5 to 2.5	Pass
				-20	3.80	-20.599	-0.0111	-2.5 to 2.5	Pass
	1851.5	15	0	-10	3.80	-12.571	-0.0068	-2.5 to 2.5	Pass
				0	3.80	0.919	0.0005	-2.5 to 2.5	Pass
				10	3.80	2.186	0.0012	-2.5 to 2.5	Pass
				30	3.80	-5.088	-0.0027	-2.5 to 2.5	Pass
				40	3.80	-2.085	-0.0011	-2.5 to 2.5	Pass
				50	3.80	-28.178	-0.0152	-2.5 to 2.5	Pass
					3.23	-7.623	-0.0041	-2.5 to 2.5	Pass
				20	3.80	-4.290	-0.0023	-2.5 to 2.5	Pass
					4.37	0.124	0.0001	-2.5 to 2.5	Pass
				-30	3.80	-29.452	-0.0157	-2.5 to 2.5	Pass
				-20	3.80	-22.611	-0.0120	-2.5 to 2.5	Pass
QPSK	1880	15	0	-10	3.80	-17.204	-0.0092	-2.5 to 2.5	Pass
				0	3.80	-10.116	-0.0054	-2.5 to 2.5	Pass
				10	3.80	-15.609	-0.0083	-2.5 to 2.5	Pass
				30	3.80	-6.582	-0.0035	-2.5 to 2.5	Pass
				40	3.80	-9.694	-0.0052	-2.5 to 2.5	Pass
				50	3.80	-10.325	-0.0055	-2.5 to 2.5	Pass
					3.23	-24.740	-0.0130	-2.5 to 2.5	Pass
				20	3.80	-1.529	-0.0008	-2.5 to 2.5	Pass
					4.37	-21.115	-0.0111	-2.5 to 2.5	Pass
				-30	3.80	-3.237	-0.0017	-2.5 to 2.5	Pass
				-20	3.80	-18.621	-0.0098	-2.5 to 2.5	Pass
	1908.5	15	0	-10	3.80	-18.416	-0.0096	-2.5 to 2.5	Pass
				0	3.80	-3.325	-0.0017	-2.5 to 2.5	Pass
				10	3.80	-23.585	-0.0124	-2.5 to 2.5	Pass
				30	3.80	-5.160	-0.0027	-2.5 to 2.5	Pass
				40	3.80	6.452	0.0034	-2.5 to 2.5	Pass
				50	3.80	-11.661	-0.0061	-2.5 to 2.5	Pass
					3.23	-14.101	-0.0076	-2.5 to 2.5	Pass
				20	3.80	-16.527	-0.0089	-2.5 to 2.5	Pass
					4.37	-15.928	-0.0086	-2.5 to 2.5	Pass
				-30	3.80	-13.696	-0.0074	-2.5 to 2.5	Pass
				-20	3.80	-11.323	-0.0061	-2.5 to 2.5	Pass
	1851.5	15	0	-10	3.80	-5.745	-0.0031	-2.5 to 2.5	Pass
400 ***		-	]	0	3.80	6.929	0.0037	-2.5 to 2.5	Pass
16QAM			]	10	3.80	-9.506	-0.0051	-2.5 to 2.5	Pass
			]	30	3.80	-22.571	-0.0122	-2.5 to 2.5	Pass
				40	3.80	-18.840	-0.0102	-2.5 to 2.5	Pass
			]	50	3.80	-1.349	-0.0007	-2.5 to 2.5	Pass
					3.23	-23.389	-0.0124	-2.5 to 2.5	Pass
	1880	15	0	20	3.80	-25.831	-0.0137	-2.5 to 2.5	Pass
	. 555	. •			4.37	-28.225	-0.0150	-2.5 to 2.5	Pass

			-30	3.80	-19.717	-0.0105	-2.5 to 2.5	Pass	
			-20	3.80	0.103	0.0001	-2.5 to 2.5	Pass	
			-10	3.80	-18.551	-0.0099	-2.5 to 2.5	Pass	
			0	3.80	-22.236	-0.0118	-2.5 to 2.5	Pass	
			10	3.80	-10.706	-0.0057	-2.5 to 2.5	Pass	
			30	3.80	-0.624	-0.0003	-2.5 to 2.5	Pass	
			40	3.80	-4.871	-0.0026	-2.5 to 2.5	Pass	
			50	3.80	-15.578	-0.0083	-2.5 to 2.5	Pass	
				3.23	-19.214	-0.0101	-2.5 to 2.5	Pass	
			20	3.80	-17.311	-0.0091	-2.5 to 2.5	Pass	
				4.37	-16.147	-0.0085	-2.5 to 2.5	Pass	
		0	-30	3.80	6.336	0.0033	-2.5 to 2.5	Pass	
				-20	3.80	-12.787	-0.0067	-2.5 to 2.5	Pass
1908.5	15		-10	3.80	-11.347	-0.0059	-2.5 to 2.5	Pass	
			0	3.80	-24.709	-0.0129	-2.5 to 2.5	Pass	
			10	3.80	-9.330	-0.0049	-2.5 to 2.5	Pass	
			30	3.80	-9.771	-0.0051	-2.5 to 2.5	Pass	
			40	3.80	-23.212	-0.0122	-2.5 to 2.5	Pass	
		-	50	3.80	-24.894	-0.0130	-2.5 to 2.5	Pass	

# 1.3 B2\_5MHz

				Band:	2 / Bandwid	th: 5MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-15.688	-0.0085	-2.5 to 2.5	Pass
				20	3.80	-0.483	-0.0003	-2.5 to 2.5	Pass
					4.37	-13.358	-0.0072	-2.5 to 2.5	Pass
				-30	3.80	-14.168	-0.0076	-2.5 to 2.5	Pass
				-20	3.80	-5.351	-0.0029	-2.5 to 2.5	Pass
	1852.5	25	0	-10	3.80	-21.791	-0.0118	-2.5 to 2.5	Pass
				0	3.80	-13.534	-0.0073	-2.5 to 2.5	Pass
				10	3.80	-21.961	-0.0119	-2.5 to 2.5	Pass
				30	3.80	-14.916	-0.0081	-2.5 to 2.5	Pass
				40	3.80	-16.179	-0.0087	-2.5 to 2.5	Pass
				50	3.80	-21.454	-0.0116	-2.5 to 2.5	Pass
					3.23	-12.810	-0.0068	-2.5 to 2.5	Pass
				20	3.80	-9.387	-0.0050	-2.5 to 2.5	Pass
					4.37	0.740	0.0004	-2.5 to 2.5	Pass
				-30	3.80	-12.909	-0.0069	-2.5 to 2.5	Pass
				-20	3.80	-19.813	-0.0105	-2.5 to 2.5	Pass
QPSK	1880	25	0	-10	3.80	-33.166	-0.0176	-2.5 to 2.5	Pass
				0	3.80	-15.747	-0.0084	-2.5 to 2.5	Pass
				10	3.80	-18.837	-0.0100	-2.5 to 2.5	Pass
				30	3.80	-25.667	-0.0137	-2.5 to 2.5	Pass
				40	3.80	-6.341	-0.0034	-2.5 to 2.5	Pass
				50	3.80	-21.155	-0.0113	-2.5 to 2.5	Pass
					3.23	-23.507	-0.0123	-2.5 to 2.5	Pass
				20	3.80	-31.676	-0.0166	-2.5 to 2.5	Pass
					4.37	-18.968	-0.0099	-2.5 to 2.5	Pass
				-30	3.80	-9.247	-0.0048	-2.5 to 2.5	Pass
				-20	3.80	-8.043	-0.0042	-2.5 to 2.5	Pass
	1907.5	25	0	-10	3.80	-27.543	-0.0144	-2.5 to 2.5	Pass
				0	3.80	-29.153	-0.0153	-2.5 to 2.5	Pass
				10	3.80	-22.856	-0.0120	-2.5 to 2.5	Pass
				30	3.80	-18.761	-0.0098	-2.5 to 2.5	Pass
				40	3.80	5.176	0.0027	-2.5 to 2.5	Pass
				50	3.80	-12.931	-0.0068	-2.5 to 2.5	Pass
					3.23	-2.186	-0.0012	-2.5 to 2.5	Pass
				20	3.80	-7.264	-0.0039	-2.5 to 2.5	Pass
					4.37	-20.306	-0.0110	-2.5 to 2.5	Pass
			]	-30	3.80	-7.820	-0.0042	-2.5 to 2.5	Pass
				-20	3.80	-15.640	-0.0084	-2.5 to 2.5	Pass
	1852.5	25	0	-10	3.80	-28.592	-0.0154	-2.5 to 2.5	Pass
400 ***		-	] -	0	3.80	-23.349	-0.0126	-2.5 to 2.5	Pass
16QAM			]	10	3.80	-16.768	-0.0091	-2.5 to 2.5	Pass
			]	30	3.80	-9.005	-0.0049	-2.5 to 2.5	Pass
				40	3.80	-7.260	-0.0039	-2.5 to 2.5	Pass
			]	50	3.80	-10.747	-0.0058	-2.5 to 2.5	Pass
					3.23	-27.247	-0.0145	-2.5 to 2.5	Pass
	1880	25	0	20	3.80	-1.072	-0.0006	-2.5 to 2.5	Pass
	. 555	0			4.37	-22.182	-0.0118	-2.5 to 2.5	Pass

			-30	3.80	-14.416	-0.0077	-2.5 to 2.5	Pass
			-20	3.80	-29.493	-0.0157	-2.5 to 2.5	Pass
			-10	3.80	4.561	0.0024	-2.5 to 2.5	Pass
			0	3.80	-0.366	-0.0002	-2.5 to 2.5	Pass
			10	3.80	-17.594	-0.0094	-2.5 to 2.5	Pass
			30	3.80	-16.015	-0.0085	-2.5 to 2.5	Pass
			40	3.80	-17.121	-0.0091	-2.5 to 2.5	Pass
			50	3.80	-9.650	-0.0051	-2.5 to 2.5	Pass
				3.23	-20.140	-0.0106	-2.5 to 2.5	Pass
			20	3.80	-7.798	-0.0041	-2.5 to 2.5	Pass
				4.37	2.005	0.0011	-2.5 to 2.5	Pass
			-30	3.80	-16.125	-0.0085	-2.5 to 2.5	Pass
			-20	3.80	-2.890	-0.0015	-2.5 to 2.5	Pass
1907.5	25	0	-10	3.80	-23.996	-0.0126	-2.5 to 2.5	Pass
			0	3.80	-14.571	-0.0076	-2.5 to 2.5	Pass
			10	3.80	6.764	0.0035	-2.5 to 2.5	Pass
			30	3.80	3.979	0.0021	-2.5 to 2.5	Pass
			40	3.80	-8.924	-0.0047	-2.5 to 2.5	Pass
			50	3.80	-20.666	-0.0108	-2.5 to 2.5	Pass

# 1.4 B2\_10MHz

					/ Bandwidt				
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-23.446	-0.0126	-2.5 to 2.5	Pass
				20	3.80	-11.787	-0.0064	-2.5 to 2.5	Pass
					4.37	-8.317	-0.0045	-2.5 to 2.5	Pass
				-30	3.80	-8.955	-0.0048	-2.5 to 2.5	Pass
				-20	3.80	-26.539	-0.0143	-2.5 to 2.5	Pass
	1855	50	0	-10	3.80	-21.362	-0.0115	-2.5 to 2.5	Pass
				0	3.80	-10.845	-0.0058	-2.5 to 2.5	Pass
				10	3.80	-19.919	-0.0107	-2.5 to 2.5	Pass
				30	3.80	-8.624	-0.0046	-2.5 to 2.5	Pass
				40	3.80	-6.714	-0.0036	-2.5 to 2.5	Pass
				50	3.80	3.976	0.0021	-2.5 to 2.5	Pass
					3.23	-19.457	-0.0103	-2.5 to 2.5	Pass
				20	3.80	3.888	0.0021	-2.5 to 2.5	Pass
					4.37	-17.592	-0.0094	-2.5 to 2.5	Pass
				-30	3.80	-22.064	-0.0117	-2.5 to 2.5	Pass
				-20	3.80	-16.107	-0.0086	-2.5 to 2.5	Pass
QPSK	1880	50	0	-10	3.80	-6.350	-0.0034	-2.5 to 2.5	Pass
				0	3.80	-12.274	-0.0065	-2.5 to 2.5	Pass
				10	3.80	-16.844	-0.0090	-2.5 to 2.5	Pass
				30	3.80	-7.035	-0.0037	-2.5 to 2.5	Pass
				40	3.80	-12.679	-0.0067	-2.5 to 2.5	Pass
				50	3.80	-30.128	-0.0160	-2.5 to 2.5	Pass
					3.23	-25.066	-0.0132	-2.5 to 2.5	Pass
				20	3.80	-14.489	-0.0076	-2.5 to 2.5	Pass
					4.37	-17.025	-0.0089	-2.5 to 2.5	Pass
				-30	3.80	-24.500	-0.0129	-2.5 to 2.5	Pass
				-20	3.80	-21.950	-0.0115	-2.5 to 2.5	Pass
	1905	50	0	-10	3.80	-13.800	-0.0072	-2.5 to 2.5	Pass
				0	3.80	-22.711	-0.0119	-2.5 to 2.5	Pass
				10	3.80	2.078	0.0011	-2.5 to 2.5	Pass
				30	3.80	-12.460	-0.0065	-2.5 to 2.5	Pass
				40	3.80	-19.200	-0.0101	-2.5 to 2.5	Pass
				50	3.80	-13.538	-0.0071	-2.5 to 2.5	Pass
					3.23	-15.529	-0.0084	-2.5 to 2.5	Pass
				20	3.80	-16.900	-0.0091	-2.5 to 2.5	Pass
					4.37	-10.570	-0.0057	-2.5 to 2.5	Pass
				-30	3.80	1.067	0.0006	-2.5 to 2.5	Pass
				-20	3.80	-22.796	-0.0123	-2.5 to 2.5	Pass
	1855	50	0	-10	3.80	-14.856	-0.0080	-2.5 to 2.5	Pass
400 414			] -	0	3.80	-12.777	-0.0069	-2.5 to 2.5	Pass
16QAM			]	10	3.80	-24.382	-0.0131	-2.5 to 2.5	Pass
			]	30	3.80	-19.914	-0.0107	-2.5 to 2.5	Pass
				40	3.80	-17.961	-0.0097	-2.5 to 2.5	Pass
				50	3.80	-19.138	-0.0103	-2.5 to 2.5	Pass
					3.23	2.674	0.0014	-2.5 to 2.5	Pass
	1880	50	0	20	3.80	-10.091	-0.0054	-2.5 to 2.5	Pass
					4.37	7.378	0.0039	-2.5 to 2.5	Pass

			-30	3.80	-22.396	-0.0119	-2.5 to 2.5	Pass
			-20	3.80	-36.578	-0.0195	-2.5 to 2.5	Pass
			-10	3.80	-15.672	-0.0083	-2.5 to 2.5	Pass
			0	3.80	-7.234	-0.0038	-2.5 to 2.5	Pass
			10	3.80	5.491	0.0029	-2.5 to 2.5	Pass
			30	3.80	-3.313	-0.0018	-2.5 to 2.5	Pass
			40	3.80	-18.397	-0.0098	-2.5 to 2.5	Pass
			50	3.80	-28.758	-0.0153	-2.5 to 2.5	Pass
				3.23	-10.717	-0.0056	-2.5 to 2.5	Pass
			20	3.80	-10.194	-0.0054	-2.5 to 2.5	Pass
				4.37	-8.698	-0.0046	-2.5 to 2.5	Pass
			-30	3.80	-5.825	-0.0031	-2.5 to 2.5	Pass
			-20	3.80	-13.022	-0.0068	-2.5 to 2.5	Pass
1905	50	0	-10	3.80	-16.256	-0.0085	-2.5 to 2.5	Pass
			0	3.80	-2.855	-0.0015	-2.5 to 2.5	Pass
			10	3.80	-7.132	-0.0037	-2.5 to 2.5	Pass
			30	3.80	-4.998	-0.0026	-2.5 to 2.5	Pass
			40	3.80	-19.128	-0.0100	-2.5 to 2.5	Pass
			50	3.80	-20.903	-0.0110	-2.5 to 2.5	Pass

# 1.5 B2\_15MHz

					/ Bandwidt				
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-25.580	-0.0138	-2.5 to 2.5	Pass
				20	3.80	-12.549	-0.0068	-2.5 to 2.5	Pass
					4.37	-0.639	-0.0003	-2.5 to 2.5	Pass
				-30	3.80	-11.023	-0.0059	-2.5 to 2.5	Pass
				-20	3.80	-26.505	-0.0143	-2.5 to 2.5	Pass
	1857.5	75	0	-10	3.80	-3.209	-0.0017	-2.5 to 2.5	Pass
				0	3.80	-14.934	-0.0080	-2.5 to 2.5	Pass
				10	3.80	-15.233	-0.0082	-2.5 to 2.5	Pass
				30	3.80	-27.182	-0.0146	-2.5 to 2.5	Pass
				40	3.80	-8.664	-0.0047	-2.5 to 2.5	Pass
				50	3.80	-26.133	-0.0141	-2.5 to 2.5	Pass
					3.23	-15.965	-0.0085	-2.5 to 2.5	Pass
				20	3.80	-21.054	-0.0112	-2.5 to 2.5	Pass
					4.37	3.719	0.0020	-2.5 to 2.5	Pass
				-30	3.80	-4.450	-0.0024	-2.5 to 2.5	Pass
				-20	3.80	-6.093	-0.0032	-2.5 to 2.5	Pass
QPSK	1880	75	0	-10	3.80	-29.486	-0.0157	-2.5 to 2.5	Pass
				0	3.80	-4.640	-0.0025	-2.5 to 2.5	Pass
				10	3.80	-19.622	-0.0104	-2.5 to 2.5	Pass
				30	3.80	-9.087	-0.0048	-2.5 to 2.5	Pass
				40	3.80	-20.919	-0.0111	-2.5 to 2.5	Pass
				50	3.80	-7.880	-0.0042	-2.5 to 2.5	Pass
					3.23	-26.973	-0.0142	-2.5 to 2.5	Pass
				20	3.80	-18.034	-0.0095	-2.5 to 2.5	Pass
					4.37	-29.309	-0.0154	-2.5 to 2.5	Pass
				-30	3.80	-18.390	-0.0097	-2.5 to 2.5	Pass
				-20	3.80	-13.920	-0.0073	-2.5 to 2.5	Pass
	1902.5	75	0	-10	3.80	-20.588	-0.0108	-2.5 to 2.5	Pass
				0	3.80	-18.683	-0.0098	-2.5 to 2.5	Pass
				10	3.80	-1.274	-0.0007	-2.5 to 2.5	Pass
				30	3.80	-18.797	-0.0099	-2.5 to 2.5	Pass
				40	3.80	-21.304	-0.0112	-2.5 to 2.5	Pass
				50	3.80	-10.783	-0.0057	-2.5 to 2.5	Pass
					3.23	-7.983	-0.0043	-2.5 to 2.5	Pass
				20	3.80	-0.949	-0.0005	-2.5 to 2.5	Pass
					4.37	-6.519	-0.0035	-2.5 to 2.5	Pass
			]	-30	3.80	-14.720	-0.0079	-2.5 to 2.5	Pass
				-20	3.80	-15.896	-0.0086	-2.5 to 2.5	Pass
	1857.5	75	0	-10	3.80	-25.488	-0.0137	-2.5 to 2.5	Pass
400 444	-	-		0	3.80	-7.462	-0.0040	-2.5 to 2.5	Pass
16QAM			]	10	3.80	-12.682	-0.0068	-2.5 to 2.5	Pass
			]	30	3.80	-13.188	-0.0071	-2.5 to 2.5	Pass
				40	3.80	-8.763	-0.0047	-2.5 to 2.5	Pass
				50	3.80	-15.384	-0.0083	-2.5 to 2.5	Pass
					3.23	-5.895	-0.0031	-2.5 to 2.5	Pass
	1880	75	0	20	3.80	1.362	0.0007	-2.5 to 2.5	Pass
		-	]		4.37	-27.382	-0.0146	-2.5 to 2.5	Pass

			-30	3.80	-9.371	-0.0050	-2.5 to 2.5	Pass
			-20	3.80	-12.284	-0.0065	-2.5 to 2.5	Pass
			-10	3.80	-19.226	-0.0102	-2.5 to 2.5	Pass
			0	3.80	-17.345	-0.0092	-2.5 to 2.5	Pass
			10	3.80	-9.656	-0.0051	-2.5 to 2.5	Pass
			30	3.80	2.445	0.0013	-2.5 to 2.5	Pass
			40	3.80	-14.121	-0.0075	-2.5 to 2.5	Pass
			50	3.80	-5.981	-0.0032	-2.5 to 2.5	Pass
				3.23	-6.283	-0.0033	-2.5 to 2.5	Pass
			20	3.80	-21.584	-0.0113	-2.5 to 2.5	Pass
				4.37	-20.415	-0.0107	-2.5 to 2.5	Pass
			-30	3.80	-2.458	-0.0013	-2.5 to 2.5	Pass
			-20	3.80	-23.625	-0.0124	-2.5 to 2.5	Pass
1902.5	75	0	-10	3.80	-17.423	-0.0092	-2.5 to 2.5	Pass
			0	3.80	-14.178	-0.0075	-2.5 to 2.5	Pass
			10	3.80	-14.149	-0.0074	-2.5 to 2.5	Pass
			30	3.80	4.529	0.0024	-2.5 to 2.5	Pass
			40	3.80	-5.182	-0.0027	-2.5 to 2.5	Pass
			50	3.80	-27.288	-0.0143	-2.5 to 2.5	Pass

# 1.6 B2\_20MHz

				Band: 2	2 / Bandwidt	h: 20MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-12.933	-0.0070	-2.5 to 2.5	Pass
				20	3.80	-21.428	-0.0115	-2.5 to 2.5	Pass
					4.37	-12.127	-0.0065	-2.5 to 2.5	Pass
				-30	3.80	1.694	0.0009	-2.5 to 2.5	Pass
				-20	3.80	-26.102	-0.0140	-2.5 to 2.5	Pass
	1860	100	0	-10	3.80	-28.135	-0.0151	-2.5 to 2.5	Pass
				0	3.80	-23.159	-0.0125	-2.5 to 2.5	Pass
				10	3.80	-12.747	-0.0069	-2.5 to 2.5	Pass
				30	3.80	-16.304	-0.0088	-2.5 to 2.5	Pass
				40	3.80	-21.406	-0.0115	-2.5 to 2.5	Pass
				50	3.80	-21.631	-0.0116	-2.5 to 2.5	Pass
					3.23	-21.012	-0.0112	-2.5 to 2.5	Pass
				20	3.80	-31.043	-0.0165	-2.5 to 2.5	Pass
					4.37	-16.408	-0.0087	-2.5 to 2.5	Pass
				-30	3.80	-10.479	-0.0056	-2.5 to 2.5	Pass
				-20	3.80	-4.096	-0.0022	-2.5 to 2.5	Pass
QPSK	1880	100	0	-10	3.80	-13.164	-0.0070	-2.5 to 2.5	Pass
				0	3.80	-29.172	-0.0155	-2.5 to 2.5	Pass
				10	3.80	5.578	0.0030	-2.5 to 2.5	Pass
				30	3.80	-26.855	-0.0143	-2.5 to 2.5	Pass
				40	3.80	-4.708	-0.0025	-2.5 to 2.5	Pass
				50	3.80	-3.475	-0.0018	-2.5 to 2.5	Pass
					3.23	-28.136	-0.0148	-2.5 to 2.5	Pass
				20	3.80	-8.735	-0.0046	-2.5 to 2.5	Pass
					4.37	-23.033	-0.0121	-2.5 to 2.5	Pass
				-30	3.80	-15.727	-0.0083	-2.5 to 2.5	Pass
				-20	3.80	-19.162	-0.0101	-2.5 to 2.5	Pass
	1900	100	0	-10	3.80	-9.857	-0.0052	-2.5 to 2.5	Pass
	.000			0	3.80	-15.301	-0.0081	-2.5 to 2.5	Pass
				10	3.80	-11.180	-0.0059	-2.5 to 2.5	Pass
				30	3.80	-5.707	-0.0030	-2.5 to 2.5	Pass
				40	3.80	-7.926	-0.0042	-2.5 to 2.5	Pass
				50	3.80	-25.948	-0.0137	-2.5 to 2.5	Pass
					3.23	-6.085	-0.0033	-2.5 to 2.5	Pass
				20	3.80	3.756	0.0020	-2.5 to 2.5	Pass
					4.37	-27.046	-0.0145	-2.5 to 2.5	Pass
				-30	3.80	1.916	0.0010	-2.5 to 2.5	Pass
				-20	3.80	-1.904	-0.0010	-2.5 to 2.5	Pass
	1860	100	0	-10	3.80	3.146	0.0017	-2.5 to 2.5	Pass
	. 555	. 30		0	3.80	-11.997	-0.0065	-2.5 to 2.5	Pass
16QAM				10	3.80	-23.393	-0.0126	-2.5 to 2.5	Pass
				30	3.80	-3.535	-0.0019	-2.5 to 2.5	Pass
				40	3.80	-26.604	-0.0143	-2.5 to 2.5	Pass
				50	3.80	-14.237	-0.0077	-2.5 to 2.5	Pass
					3.23	-21.677	-0.0115	-2.5 to 2.5	Pass
	1880	100	0	20	3.80	-20.188	-0.0107	-2.5 to 2.5	Pass
	. 555	. 50			4.37	-23.592	-0.0125	-2.5 to 2.5	Pass

				-30	3.80	-5.984	-0.0032	-2.5 to 2.5	Pass		
				-20	3.80	-1.750	-0.0009	-2.5 to 2.5	Pass		
				-10	3.80	-28.656	-0.0152	-2.5 to 2.5	Pass		
				0	3.80	1.779	0.0009	-2.5 to 2.5	Pass		
				10	3.80	-9.453	-0.0050	-2.5 to 2.5	Pass		
				30	3.80	-12.055	-0.0064	-2.5 to 2.5	Pass		
				40	3.80	3.250	0.0017	-2.5 to 2.5	Pass		
				50	3.80	-3.248	-0.0017	-2.5 to 2.5	Pass		
					3.23	-14.416	-0.0076	-2.5 to 2.5	Pass		
				20	3.80	-11.531	-0.0061	-2.5 to 2.5	Pass		
					4.37	-7.298	-0.0038	-2.5 to 2.5	Pass		
			0	-30	3.80	-9.080	-0.0048	-2.5 to 2.5	Pass		
					-20	3.80	-25.497	-0.0134	-2.5 to 2.5	Pass	
	1900	100		-10	3.80	-19.896	-0.0105	-2.5 to 2.5	Pass		
	1300				•		0	3.80	-17.912	-0.0094	-2.5 to 2.5
				10	3.80	-12.739	-0.0067	-2.5 to 2.5	Pass		
				30	3.80	-10.805	-0.0057	-2.5 to 2.5	Pass		
				40	3.80	-6.708	-0.0035	-2.5 to 2.5	Pass		
			50	3.80	-14.575	-0.0077	-2.5 to 2.5	Pass			

# 2. Frequency Stability

# 2.1 B4\_1.4MHz

					/ Bandwidtl				
Modulation	Frequency		ocation	Temp.	Voltage	Freq. Error		Rated (ppm)	Verdict
viodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdic
_			_		3.23	-15.894	-0.0093	-2.5 to 2.5	Pass
				20	3.80	-5.032	-0.0029	-2.5 to 2.5	Pass
					4.37	-14.570	-0.0085	-2.5 to 2.5	Pass
				-30	3.80	-1.560	-0.0009	-2.5 to 2.5	Pass
				-20	3.80	-19.743	-0.0115	-2.5 to 2.5	Pass
	1710.7	6	0	-10	3.80	-15.842	-0.0093	-2.5 to 2.5	Pass
				0	3.80	-11.371	-0.0066	-2.5 to 2.5	Pass
				10	3.80	-16.625	-0.0097	-2.5 to 2.5	Pass
				30	3.80	-11.308	-0.0066	-2.5 to 2.5	Pass
				40	3.80	-6.229	-0.0036	-2.5 to 2.5	Pass
				50	3.80	-17.011	-0.0099	-2.5 to 2.5	Pass
					3.23	-7.749	-0.0045	-2.5 to 2.5	Pass
				20	3.80	-23.634	-0.0136	-2.5 to 2.5	Pass
					4.37	-10.272	-0.0059	-2.5 to 2.5	Pass
				-30	3.80	-19.133	-0.0110	-2.5 to 2.5	Pass
				-20	3.80	-15.090	-0.0087	-2.5 to 2.5	Pass
QPSK	1732.5	6	0	-10	3.80	-11.826	-0.0068	-2.5 to 2.5	Pass
				0	3.80	-17.530	-0.0101	-2.5 to 2.5	Pass
				10	3.80	-5.327	-0.0031	-2.5 to 2.5	Pass
				30	3.80	-8.391	-0.0048	-2.5 to 2.5	Pass
				40	3.80	-28.364	-0.0164	-2.5 to 2.5	Pass
				50	3.80	-12.773	-0.0074	-2.5 to 2.5	Pass
					3.23	-23.446	-0.0134	-2.5 to 2.5	Pass
		6	0	20	3.80	0.594	0.0003	-2.5 to 2.5	Pass
					4.37	-13.664	-0.0078	-2.5 to 2.5	Pass
				-30	3.80	-18.988	-0.0108	-2.5 to 2.5	Pass
				-20	3.80	-7.215	-0.0041	-2.5 to 2.5	Pass
	1754.3			-10	3.80	-10.125	-0.0058	-2.5 to 2.5	Pass
				0	3.80	-19.352	-0.0110	-2.5 to 2.5	Pass
				10	3.80	-9.834	-0.0056	-2.5 to 2.5	Pass
				30	3.80	-12.697	-0.0072	-2.5 to 2.5	Pass
				40	3.80	-0.945	-0.0005	-2.5 to 2.5	Pass
				50	3.80	-16.056	-0.0092	-2.5 to 2.5	Pass
					3.23	-11.472	-0.0067	-2.5 to 2.5	Pass
				20	3.80	-14.529	-0.0085	-2.5 to 2.5	Pass
					4.37	-6.243	-0.0036	-2.5 to 2.5	Pass
				-30	3.80	-10.665	-0.0062	-2.5 to 2.5	Pass
				-20	3.80	-14.062	-0.0082	-2.5 to 2.5	Pass
16QAM	1710.7	6	0	-10	3.80	-10.840	-0.0063	-2.5 to 2.5	Pass
				0	3.80	-11.190	-0.0065	-2.5 to 2.5	Pass
				10	3.80	-19.739	-0.0115	-2.5 to 2.5	Pass
				30	3.80	-9.376	-0.0055	-2.5 to 2.5	Pass
				40	3.80	-16.423	-0.0096	-2.5 to 2.5	Pass
				50	3.80	0.813	0.0005	-2.5 to 2.5	Pass

					3.23	-1.247	-0.0007	-2.5 to 2.5	Pass												
				20	3.80	-5.162	-0.0030	-2.5 to 2.5	Pass												
					4.37	-0.659	-0.0004	-2.5 to 2.5	Pass												
				-30	3.80	-6.921	-0.0040	-2.5 to 2.5	Pass												
				-20	3.80	-25.545	-0.0147	-2.5 to 2.5	Pass												
	1732.5	6	0	-10	3.80	-7.846	-0.0045	-2.5 to 2.5	Pass												
				0	3.80	-16.352	-0.0094	-2.5 to 2.5	Pass												
				10	3.80	-7.220	-0.0042	-2.5 to 2.5	Pass												
				30	3.80	-17.092	-0.0099	-2.5 to 2.5	Pass												
	1754.3			40	3.80	1.077	0.0006	-2.5 to 2.5	Pass												
				50	3.80	-4.479	-0.0026	-2.5 to 2.5	Pass												
		6	0		3.23	-13.198	-0.0075	-2.5 to 2.5	Pass												
				20	3.80	-7.687	-0.0044	-2.5 to 2.5	Pass												
					4.37	-14.038	-0.0080	-2.5 to 2.5	Pass												
				-30	3.80	1.246	0.0007	-2.5 to 2.5	Pass												
						•										-20	3.80	-22.994	-0.0131	-2.5 to 2.5	Pass
				-10	3.80	0.470	0.0003	-2.5 to 2.5	Pass												
				0	3.80	-3.756	-0.0021	-2.5 to 2.5	Pass												
				10	3.80	-10.250	-0.0058	-2.5 to 2.5	Pass												
				30	3.80	-9.152	-0.0052	-2.5 to 2.5	Pass												
				40	3.80	-11.507	-0.0066	-2.5 to 2.5	Pass												
				50	3.80	-5.395	-0.0031	-2.5 to 2.5	Pass												

# 2.2 B4\_3MHz

				Band:	4 / Bandwid	th: 3MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-29.526	-0.0173	-2.5 to 2.5	Pass
				20	3.80	-21.797	-0.0127	-2.5 to 2.5	Pass
					4.37	-17.914	-0.0105	-2.5 to 2.5	Pass
				-30	3.80	-19.224	-0.0112	-2.5 to 2.5	Pass
				-20	3.80	0.173	0.0001	-2.5 to 2.5	Pass
	1711.5	15	0	-10	3.80	-12.446	-0.0073	-2.5 to 2.5	Pass
				0	3.80	-21.714	-0.0127	-2.5 to 2.5	Pass
				10	3.80	-3.317	-0.0019	-2.5 to 2.5	Pass
				30	3.80	-21.755	-0.0127	-2.5 to 2.5	Pass
				40	3.80	-12.716	-0.0074	-2.5 to 2.5	Pass
				50	3.80	-21.125	-0.0123	-2.5 to 2.5	Pass
					3.23	-18.252	-0.0105	-2.5 to 2.5	Pass
				20	3.80	-18.639	-0.0108	-2.5 to 2.5	Pass
					4.37	-13.231	-0.0076	-2.5 to 2.5	Pass
				-30	3.80	-22.357	-0.0129	-2.5 to 2.5	Pass
				-20	3.80	-17.092	-0.0099	-2.5 to 2.5	Pass
QPSK	1732.5	15	0	-10	3.80	-19.714	-0.0114	-2.5 to 2.5	Pass
				0	3.80	-20.970	-0.0121	-2.5 to 2.5	Pass
				10	3.80	-9.201	-0.0053	-2.5 to 2.5	Pass
-				30	3.80	1.894	0.0011	-2.5 to 2.5	Pass
				40	3.80	-4.902	-0.0028	-2.5 to 2.5	Pass
				50	3.80	-9.874	-0.0057	-2.5 to 2.5	Pass
					3.23	-4.240	-0.0024	-2.5 to 2.5	Pass
		15		20	3.80	-14.854	-0.0085	-2.5 to 2.5	Pass
			0		4.37	-18.392	-0.0105	-2.5 to 2.5	Pass
				-30	3.80	-3.170	-0.0018	-2.5 to 2.5	Pass
				-20	3.80	-24.589	-0.0140	-2.5 to 2.5	Pass
	1753.5			-10	3.80	-10.840	-0.0062	-2.5 to 2.5	Pass
				0	3.80	-18.656	-0.0106	-2.5 to 2.5	Pass
				10	3.80	-21.986	-0.0125	-2.5 to 2.5	Pass
				30	3.80	-0.861	-0.0005	-2.5 to 2.5	Pass
				40	3.80	-25.170	-0.0144	-2.5 to 2.5	Pass
				50	3.80	-7.247	-0.0041	-2.5 to 2.5	Pass
					3.23	-10.071	-0.0059	-2.5 to 2.5	Pass
				20	3.80	-8.203	-0.0048	-2.5 to 2.5	Pass
					4.37	-12.292	-0.0072	-2.5 to 2.5	Pass
				-30	3.80	-8.024	-0.0047	-2.5 to 2.5	Pass
				-20	3.80	-20.329	-0.0119	-2.5 to 2.5	Pass
	1711.5	15	0	-10	3.80	-4.857	-0.0028	-2.5 to 2.5	Pass
16QAM		-	] -	0	3.80	-18.192	-0.0106	-2.5 to 2.5	Pass
			]	10	3.80	-24.677	-0.0144	-2.5 to 2.5	Pass
			]	30	3.80	2.011	0.0012	-2.5 to 2.5	Pass
				40	3.80	-19.302	-0.0113	-2.5 to 2.5	Pass
				50	3.80	-12.536	-0.0073	-2.5 to 2.5	Pass
					3.23	-19.924	-0.0115	-2.5 to 2.5	Pass
	1732.5	15	0	20	3.80	-17.975	-0.0104	-2.5 to 2.5	Pass
	52.0	. •			4.37	-18.041	-0.0104	-2.5 to 2.5	Pass

				-30	3.80	-4.684	-0.0027	-2.5 to 2.5	Pass
				-20	3.80	-10.176	-0.0059	-2.5 to 2.5	Pass
				-10	3.80	-3.364	-0.0019	-2.5 to 2.5	Pass
				0	3.80	-27.109	-0.0156	-2.5 to 2.5	Pass
				10	3.80	-3.733	-0.0022	-2.5 to 2.5	Pass
				30	3.80	-17.449	-0.0101	-2.5 to 2.5	Pass
				40	3.80	-21.955	-0.0127	-2.5 to 2.5	Pass
				50	3.80	-12.085	-0.0070	-2.5 to 2.5	Pass
					3.23	-19.311	-0.0110	-2.5 to 2.5	Pass
			0	20	3.80	-18.564	-0.0106	-2.5 to 2.5	Pass
					4.37	-14.640	-0.0083	-2.5 to 2.5	Pass
		15		-30	3.80	-4.495	-0.0026	-2.5 to 2.5	Pass
				-20	3.80	-17.911	-0.0102	-2.5 to 2.5	Pass
	1753.5			-10	3.80	-18.053	-0.0103	-2.5 to 2.5	Pass
				0	3.80	-17.181	-0.0098	-2.5 to 2.5	Pass
				10	3.80	-8.265	-0.0047	-2.5 to 2.5	Pass
				30	3.80	-5.460	-0.0031	-2.5 to 2.5	Pass
				40	3.80	-9.689	-0.0055	-2.5 to 2.5	Pass
		_	50	3.80	-12.316	-0.0070	-2.5 to 2.5	Pass	

# 2.3 B4\_5MHz

				Band: 4	4 / Bandwid	th: 5MHz																			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict																
iviodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict																
					3.23	-13.124	-0.0077	-2.5 to 2.5	Pass																
				20	3.80	-4.120	-0.0024	-2.5 to 2.5	Pass																
					4.37	-24.388	-0.0142	-2.5 to 2.5	Pass																
				-30	3.80	-12.596	-0.0074	-2.5 to 2.5	Pass																
				-20	3.80	-20.133	-0.0118	-2.5 to 2.5	Pass																
	1712.5	25	0	-10	3.80	-17.560	-0.0103	-2.5 to 2.5	Pass																
				0	3.80	-18.341	-0.0107	-2.5 to 2.5	Pass																
				10	3.80	-4.441	-0.0026	-2.5 to 2.5	Pass																
				30	3.80	1.142	0.0007	-2.5 to 2.5	Pass																
				40	3.80	-11.937	-0.0070	-2.5 to 2.5	Pass																
QPSK				50	3.80	-26.822	-0.0157	-2.5 to 2.5	Pass																
					3.23	-13.643	-0.0079	-2.5 to 2.5	Pass																
	1732.5			20	3.80	-12.944	-0.0075	-2.5 to 2.5	Pass																
		25	0		4.37	-13.138	-0.0076	-2.5 to 2.5	Pass																
QPSK				-30	3.80	-26.100	-0.0151	-2.5 to 2.5	Pass																
				-20	3.80	-22.623	-0.0131	-2.5 to 2.5	Pass																
				-10	3.80	-22.178	-0.0128	-2.5 to 2.5	Pass																
				0	3.80	-10.509	-0.0061	-2.5 to 2.5	Pass																
				10	3.80	-3.004	-0.0017	-2.5 to 2.5	Pass																
										_		-	,				Į			30	3.80	-10.708	-0.0062	-2.5 to 2.5	Pass
													40	3.80	-15.437	-0.0089	-2.5 to 2.5	Pass							
				50	3.80	-7.778	-0.0045	-2.5 to 2.5	Pass																
					3.23	-4.626	-0.0026	-2.5 to 2.5	Pass																
				20	3.80	-10.629	-0.0061	-2.5 to 2.5	Pass																
	1752.5	25			4.37	-13.670	-0.0078	-2.5 to 2.5	Pass																
	1702.0	20	0	-30	3.80	-14.832	-0.0085	-2.5 to 2.5	Pass																
				-20	3.80	-23.341	-0.0133	-2.5 to 2.5	Pass																
				-10	3.80	-21.028	-0.0120	-2.5 to 2.5	Pass																

				0	3.80	-8.902	-0.0051	-2.5 to 2.5	Pass
				10	3.80	-11.200	-0.0064	-2.5 to 2.5	Pass
				30	3.80	-14.164	-0.0081	-2.5 to 2.5	Pass
				40	3.80	-14.350	-0.0082	-2.5 to 2.5	Pass
				50	3.80	-29.051	-0.0166	-2.5 to 2.5	Pass
					3.23	-8.022	-0.0047	-2.5 to 2.5	Pass
				20	3.80	-7.344	-0.0043	-2.5 to 2.5	Pass
					4.37	0.540	0.0003	-2.5 to 2.5	Pass
				-30	3.80	-11.679	-0.0068	-2.5 to 2.5	Pass
				-20	3.80	-21.257	-0.0124	-2.5 to 2.5	Pass
	1712.5	25	0	-10	3.80	-11.107	-0.0065	-2.5 to 2.5	Pass
				0	3.80	-6.687	-0.0039	-2.5 to 2.5	Pass
				10	3.80	-15.120	-0.0088	-2.5 to 2.5	Pass
				30	3.80	-19.842	-0.0116	-2.5 to 2.5	Pass
				40	3.80	-0.395	-0.0002	-2.5 to 2.5	Pass
				50	3.80	-7.908	-0.0046	-2.5 to 2.5	Pass
					3.23	-16.741	-0.0097	-2.5 to 2.5	Pass
				20	3.80	-11.681	-0.0067	-2.5 to 2.5	Pass
					4.37	-4.715	-0.0027	-2.5 to 2.5	Pass
				-30	3.80	-0.233	-0.0001	-2.5 to 2.5	Pass
				-20	3.80	-5.069	-0.0029	-2.5 to 2.5	Pass
16QAM	1732.5	25	0	-10	3.80	-3.080	-0.0018	-2.5 to 2.5	Pass
				0	3.80	-25.162	-0.0145	-2.5 to 2.5	Pass
				10	3.80	5.609	0.0032	-2.5 to 2.5	Pass
				30	3.80	-16.990	-0.0098	-2.5 to 2.5	Pass
				40	3.80	-9.644	-0.0056	-2.5 to 2.5	Pass
				50	3.80	-12.204	-0.0070	-2.5 to 2.5	Pass
					3.23	6.293	0.0036	-2.5 to 2.5	Pass
				20	3.80	-8.681	-0.0050	-2.5 to 2.5	Pass
					4.37	-13.686	-0.0078	-2.5 to 2.5	Pass
	1752.5 25			-30	3.80	-9.513	-0.0054	-2.5 to 2.5	Pass
				-20	3.80	-23.153	-0.0132	-2.5 to 2.5	Pass
		25	0	-10	3.80	-15.622	-0.0089	-2.5 to 2.5	Pass
				0	3.80	-6.612	-0.0038	-2.5 to 2.5	Pass
				10	3.80	-13.583	-0.0078	-2.5 to 2.5	Pass
				30	3.80	-9.428	-0.0054	-2.5 to 2.5	Pass
				40	3.80	-9.361	-0.0053	-2.5 to 2.5	Pass
				50	3.80	-12.101	-0.0069	-2.5 to 2.5	Pass

# 2.4 B4\_10MHz

			•	Band: 4	/ Bandwidt	h: 10MHz												
Madulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	\/ordigt									
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict									
					3.23	-16.069	-0.0094	-2.5 to 2.5	Pass									
				20	3.80	-25.517	-0.0149	-2.5 to 2.5	Pass									
					4.37	-8.715	-0.0051	-2.5 to 2.5	Pass									
QPSK	1715	15 50 0	0	-30	3.80	-0.338	-0.0002	-2.5 to 2.5	Pass									
				-20	3.80	1.557	0.0009	-2.5 to 2.5	Pass									
											-		-10	3.80	-15.080	-0.0088	-2.5 to 2.5	Pass
				0	3.80	-14.343	-0.0084	-2.5 to 2.5	Pass									
				10	3.80	-6.049	-0.0035	-2.5 to 2.5	Pass									
				30	3.80	-1.541	-0.0009	-2.5 to 2.5	Pass									

40   3.80   -10.894   -0.0064   -2.510   2.5   Pass
1732.5   1
1732.5   20   3.80   -4.331   -0.0025   -2.5 to 2.5   Pass   -3.0   3.80   -6.525   -0.0038   -2.5 to 2.5   Pass   -3.0   3.80   -6.525   -0.0038   -2.5 to 2.5   Pass   -2.0   3.80   -18.749   -0.0108   -2.5 to 2.5   Pass   -2.0   3.80   -18.749   -0.0108   -2.5 to 2.5   Pass   -2.0   3.80   -18.381   -0.0106   -2.5 to 2.5   Pass   -2.0   3.80   -15.453   -0.0089   -2.5 to 2.5   Pass   -2.0   3.80   -15.453   -0.0089   -2.5 to 2.5   Pass   -2.0   -2.5 to 2.5   Pass
1732.5   50   0   3.80   -16.75   -0.0019   -2.5 to 2.5   Pass   -2.0   3.80   -6.525   -0.0038   -2.5 to 2.5   Pass   -2.0   -2.0   3.80   -11.749   -0.0108   -2.5 to 2.5   Pass   -2.0   -1.0   3.80   -18.4381   -0.0106   -2.5 to 2.5   Pass   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.0   -2.5 to 2.5   Pass   -2.5 to
1732.5 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1732.5 50 0
1732.5 50 0 -10 3.80 -15.453 -0.0106 -2.5 to 2.5
1750   1750
10
1750   50   3.80   -8.285   -0.0048   -2.5 to 2.5   Pass
1750   50   3.80   -15.839   -0.0091   -2.5 to 2.5   Pass
S0
1750   50   0   -10   3.80   -14.598   -0.0083   -2.5 to 2.5   Pass   -3.0   3.80   -14.598   -0.0083   -2.5 to 2.5   Pass   -3.0   3.80   -4.714   -0.0027   -2.5 to 2.5   Pass   -2.0   3.80   -4.714   -0.0027   -2.5 to 2.5   Pass   -2.0   3.80   -4.739   -0.0027   -2.5 to 2.5   Pass   -2.0   3.80   -4.0197   -0.0058   -2.5 to 2.5   Pass   -2.0   3.80   -11.501   -0.0066   -2.5 to 2.5   Pass   -2.0   3.80   -11.501   -0.0066   -2.5 to 2.5   Pass   -2.5 to 2.5   Pas
1750   50   0   0   0   0   0   0   0   0
1750   50   0   -30   3.80   -4.714   -0.0027   -2.5 to 2.5   Pass   -20   3.80   -4.739   -0.0027   -2.5 to 2.5   Pass   -20   3.80   -4.739   -0.0027   -2.5 to 2.5   Pass   -20   3.80   -11.501   -0.0066   -2.5 to 2.5   Pass   -2.5 to 2
1750   50   0   -20   3.80   -4.739   -0.0027   -2.5 to 2.5   Pass    -20   3.80   -10.197   -0.0058   -2.5 to 2.5   Pass    -20   3.80   -11.501   -0.0066   -2.5 to 2.5   Pass    -20   3.80   -13.616   -0.0078   -2.5 to 2.5   Pass    -20   3.80   -15.166   -0.0078   -2.5 to 2.5   Pass    -20   3.80   -15.166   -0.0087   -2.5 to 2.5   Pass    -20   3.80   -15.166   -0.0037   -2.5 to 2.5   Pass    -20   3.80   -6.395   -0.0014   -2.5 to 2.5   Pass    -20   3.80   -2.990   -0.0134   -2.5 to 2.5   Pass    -20   3.80   -9.516   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -9.516   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -9.184   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -11.068   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -11.068   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -11.687   -0.0097   -2.5 to 2.5   Pass    -20   3.80   -11.687   -0.0097   -2.5 to 2.5   Pass    -20   3.80   -11.687   -0.0097   -2.5 to 2.5   Pass    -20   3.80   -1.16.679   -0.0097   -2.5 to 2.5   Pass    -20   3.80   -7.269   -0.0040   -2.5 to 2.5   Pass    -20   3.80   -7.269   -0.0040   -2.5 to 2.5   Pass    -20   3.80   -7.269   -0.0040   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0088   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0096   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0096   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0096   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0008   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0006   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0006   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0006   -2.5 to 2.5   Pass    -2
1750 50 0 -10 3.80 -10.197 -0.0058 -2.5 to 2.5 Pass 0 3.80 -11.501 -0.0066 -2.5 to 2.5 Pass 10 3.80 -13.616 -0.0078 -2.5 to 2.5 Pass 30 3.80 -10.783 -0.0062 -2.5 to 2.5 Pass 40 3.80 -15.166 -0.0087 -2.5 to 2.5 Pass 50 3.80 -15.166 -0.0087 -2.5 to 2.5 Pass 50 3.80 -15.166 -0.0087 -2.5 to 2.5 Pass 50 3.80 -15.166 -0.0087 -2.5 to 2.5 Pass 20 3.80 -6.395 -0.0114 -2.5 to 2.5 Pass 20 3.80 -6.395 -0.0037 -2.5 to 2.5 Pass 4.37 -22.373 -0.0130 -2.5 to 2.5 Pass 4.37 -22.373 -0.0130 -2.5 to 2.5 Pass 20 3.80 -9.516 -0.0055 -2.5 to 2.5 Pass 20 3.80 -9.516 -0.0055 -2.5 to 2.5 Pass 20 3.80 -9.184 -0.0054 -2.5 to 2.5 Pass 20 3.80 -9.184 -0.0054 -2.5 to 2.5 Pass 20 3.80 -11.068 -0.0065 -2.5 to 2.5 Pass 20 3.80 -11.068 -0.0065 -2.5 to 2.5 Pass 20 3.80 -11.068 -0.0065 -2.5 to 2.5 Pass 20 3.80 -11.068 -0.0007 -2.5 to 2.5 Pass 20 3.80 -11.069 -0.0007 -2.5 to 2.5 Pass 20 3.80 -11.069 -0.0009 -2.5 to 2.5 Pass 20 3.80 -7.269 -0.0042 -2.5 to 2.5 Pass 20 3.80 -7.269 -0.00067 -2.5 to 2.5 Pass 20
10
10   3.80
1715   50   0   -10
40   3.80   -15.166   -0.0087   -2.5 to 2.5   Pass
1715   50   3.80   -19.995   -0.0114   -2.5 to 2.5   Pass
1715   50   0   3.80   -6.395   -0.0134   -2.5 to 2.5   Pass   Pass   -30   3.80   -6.395   -0.0037   -2.5 to 2.5   Pass   -30   3.80   -2.990   -0.0017   -2.5 to 2.5   Pass   -20   3.80   -9.516   -0.0055   -2.5 to 2.5   Pass   -20   3.80   -9.184   -0.0054   -2.5 to 2.5   Pass   -20   3.80   -9.184   -0.0054   -2.5 to 2.5   Pass   -20   3.80   -9.184   -0.0054   -2.5 to 2.5   Pass   -20   3.80   -11.068   -0.0065   -2.5 to 2.5   Pass   -20   3.80   -11.068   -0.0065   -2.5 to 2.5   Pass   -20   3.80   -3.579   -0.0097   -2.5 to 2.5   Pass   -20   3.80   3.712   0.0022   -2.5 to 2.5   Pass   -20   3.80   -7.269   -0.0042   -2.5 to 2.5   Pass   -30   3.80   -7.269   -0.0042   -2.5 to 2.5   Pass   -30   3.80   -7.269   -0.0042   -2.5 to 2.5   Pass   -20   3.80   -15.255   -0.0088   -2.5 to 2.5   Pass   -20   3.80   -11.524   -0.0067   -2.5 to 2.5   Pass   -20   3.80   -11.524   -0.0067   -2.5 to 2.5   Pass   -20   3.80   -3.806   -0.0022   -2.5 to 2.5   Pass   -20   3.80   -3.806   -3.806   -2.5 to 2.5   Pass   -20   3.80   -3.806   -3.806   -2.5 to 2.5   Pass   -20   -2.5 to 2.5   Pass   -
1715   50   0   3.80   -6.395   -0.0037   -2.5 to 2.5   Pass
1715   50   0
1715   50   0   -30   3.80   -2.990   -0.0017   -2.5 to 2.5   Pass    -20   3.80   -9.516   -0.0055   -2.5 to 2.5   Pass    -20   3.80   -9.184   -0.0054   -2.5 to 2.5   Pass    -20   3.80   -9.184   -0.0065   -2.5 to 2.5   Pass    -20   3.80   -11.068   -0.0065   -2.5 to 2.5   Pass    -20   3.80   -16.579   -0.0097   -2.5 to 2.5   Pass    -20   3.80   3.712   0.0022   -2.5 to 2.5   Pass    -20   3.80   3.712   0.0022   -2.5 to 2.5   Pass    -20   3.80   -7.269   -0.0042   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0088   -2.5 to 2.5   Pass    -20   3.80   -15.255   -0.0088   -2.5 to 2.5   Pass    -20   3.80   -11.524   -0.0066   -2.5 to 2.5   Pass    -20   3.80   -11.524   -0.0067   -2.5 to 2.5   Pass    -20   3.80   -3.304   -0.0135   -2.5 to 2.5   Pass    -20   3.80   -3.806   -0.0022   -2.5 to 2.5   Pass    -20   3.80   -3.806
1715 50 0 0 3.80 -9.516 -0.0055 -2.5 to 2.5 Pass
1715 50 0 -10 3.80 -9.184 -0.0054 -2.5 to 2.5 Pass 0 3.80 -11.068 -0.0065 -2.5 to 2.5 Pass 10 3.80 -8.450 -0.0049 -2.5 to 2.5 Pass 30 3.80 -16.579 -0.0097 -2.5 to 2.5 Pass 40 3.80 1.185 0.0007 -2.5 to 2.5 Pass 50 3.80 3.712 0.0022 -2.5 to 2.5 Pass 20 3.80 -7.269 -0.0042 -2.5 to 2.5 Pass 4.37 -18.025 -0.0044 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0048 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0096 -2.5 to 2.5 Pass -20 3.80 -15.669 -0.0096 -2.5 to 2.5 Pass -20 3.80 -15.677 -0.0125 -2.5 to 2.5 Pass -20 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass -20 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass -20 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass -20 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass -20 3.80 -21.677 -2.5 to 2.5 Pass -20 3.80 -21.677 -2.5 to 2.5 Pass -20 3.80 -21.6
16QAM 1732.5 50 0 3.80 -11.068 -0.0065 -2.5 to 2.5 Pass -
10 3.80 -8.450 -0.0049 -2.5 to 2.5 Pass 30 3.80 -16.579 -0.0097 -2.5 to 2.5 Pass 40 3.80 1.185 0.0007 -2.5 to 2.5 Pass 50 3.80 3.712 0.0022 -2.5 to 2.5 Pass 20 3.80 -7.269 -0.0066 -2.5 to 2.5 Pass 4.37 -18.025 -0.0104 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -16.669 -0.0096 -2.5 to 2.5 Pass -20 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass 50 3.80 -2
16QAM 1732.5 50 3.80 3.80 -16.579 -0.0097 -2.5 to 2.5 Pass      30 3.80
16QAM
16QAM   1732.5   50   3.80   3.712   0.0022   -2.5 to 2.5   Pass
16QAM 1732.5 50 0 1 3.23 -11.492 -0.0066 -2.5 to 2.5 Pass -20 3.80 -7.269 -0.0042 -2.5 to 2.5 Pass -20 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -16.669 -0.0096 -2.5 to 2.5 Pass 0 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 0 3.80 -23.304 -0.0135 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
16QAM 1732.5 50 0 3.80 -7.269 -0.0042 -2.5 to 2.5 Pass -30 3.80 -15.255 -0.0104 -2.5 to 2.5 Pass -20 3.80 -16.669 -0.0096 -2.5 to 2.5 Pass -20 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 0 3.80 -23.304 -0.0135 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
16QAM 1732.5 50 0 4.37 -18.025 -0.0104 -2.5 to 2.5 Pass -30 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -16.669 -0.0096 -2.5 to 2.5 Pass 0 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 0 3.80 -23.304 -0.0135 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
16QAM 1732.5 50 0 0 3.80 -15.255 -0.0088 -2.5 to 2.5 Pass -20 3.80 -16.669 -0.0096 -2.5 to 2.5 Pass 0 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 0 3.80 -23.304 -0.0135 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
16QAM 1732.5 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
16QAM 1732.5 50 0 -10 3.80 -11.524 -0.0067 -2.5 to 2.5 Pass 0 3.80 -23.304 -0.0135 -2.5 to 2.5 Pass 10 3.80 -3.806 -0.0022 -2.5 to 2.5 Pass 30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
0     3.80     -23.304     -0.0135     -2.5 to 2.5     Pass       10     3.80     -3.806     -0.0022     -2.5 to 2.5     Pass       30     3.80     -18.155     -0.0105     -2.5 to 2.5     Pass       40     3.80     1.490     0.0009     -2.5 to 2.5     Pass       50     3.80     -21.677     -0.0125     -2.5 to 2.5     Pass
10     3.80     -3.806     -0.0022     -2.5 to 2.5     Pass       30     3.80     -18.155     -0.0105     -2.5 to 2.5     Pass       40     3.80     1.490     0.0009     -2.5 to 2.5     Pass       50     3.80     -21.677     -0.0125     -2.5 to 2.5     Pass
30 3.80 -18.155 -0.0105 -2.5 to 2.5 Pass 40 3.80 1.490 0.0009 -2.5 to 2.5 Pass 50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
40         3.80         1.490         0.0009         -2.5 to 2.5         Pass           50         3.80         -21.677         -0.0125         -2.5 to 2.5         Pass
50 3.80 -21.677 -0.0125 -2.5 to 2.5 Pass
3.23 -19.728 -0.0113 -2.5 to 2.5 Pass
20 3.80 -23.773 -0.0136 -2.5 to 2.5 Pass
4.37 -9.329 -0.0053 -2.5 to 2.5 Pass
-30 3.80 -19.165 -0.0110 -2.5 to 2.5 Pass
-20 3.80 -21.265 -0.0122 -2.5 to 2.5 Pass
1750 50 0 -10 3.80 -16.391 -0.0094 -2.5 to 2.5 Pass
0 3.80 -19.168 -0.0110 -2.5 to 2.5 Pass
10 3.80 -15.049 -0.0086 -2.5 to 2.5 Pass
1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
30 3.80 -3.018 -0.0017 -2.5 to 2.5 Pass
30 3.80 -3.018 -0.0017 -2.5 to 2.5 Pass 40 3.80 -2.634 -0.0015 -2.5 to 2.5 Pass 50 3.80 -1.781 -0.0010 -2.5 to 2.5 Pass

# 2.5 B4\_15MHz

				Band: 4	/ Bandwidt				
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-12.979	-0.0076	-2.5 to 2.5	Pass
				20	3.80	-7.468	-0.0043	-2.5 to 2.5	Pass
					4.37	-9.352	-0.0054	-2.5 to 2.5	Pass
				-30	3.80	-20.262	-0.0118	-2.5 to 2.5	Pass
				-20	3.80	-16.704	-0.0097	-2.5 to 2.5	Pass
	1717.5	75	0	-10	3.80	-9.681	-0.0056	-2.5 to 2.5	Pass
				0	3.80	-4.792	-0.0028	-2.5 to 2.5	Pass
				10	3.80	-15.702	-0.0091	-2.5 to 2.5	Pass
				30	3.80	-16.453	-0.0096	-2.5 to 2.5	Pass
				40	3.80	-11.835	-0.0069	-2.5 to 2.5	Pass
				50	3.80	-15.960	-0.0093	-2.5 to 2.5	Pass
					3.23	-16.518	-0.0095	-2.5 to 2.5	Pass
				20	3.80	-19.246	-0.0111	-2.5 to 2.5	Pass
					4.37	-7.898	-0.0046	-2.5 to 2.5	Pass
				-30	3.80	-9.908	-0.0057	-2.5 to 2.5	Pass
				-20	3.80	-7.728	-0.0045	-2.5 to 2.5	Pass
QPSK	1732.5	75	0	-10	3.80	-22.517	-0.0130	-2.5 to 2.5	Pass
				0	3.80	-23.808	-0.0138	-2.5 to 2.5	Pass
				10	3.80	-11.421	-0.0066	-2.5 to 2.5	Pass
-				30	3.80	-16.347	-0.0094	-2.5 to 2.5	Pass
				40	3.80	-13.707	-0.0079	-2.5 to 2.5	Pass
				50	3.80	-9.627	-0.0056	-2.5 to 2.5	Pass
					3.23	-13.794	-0.0079	-2.5 to 2.5	Pass
		75		20	3.80	-10.082	-0.0058	-2.5 to 2.5	Pass
			0		4.37	-20.469	-0.0117	-2.5 to 2.5	Pass
				-30	3.80	-16.895	-0.0097	-2.5 to 2.5	Pass
				-20	3.80	-22.162	-0.0127	-2.5 to 2.5	Pass
	1747.5			-10	3.80	-17.016	-0.0097	-2.5 to 2.5	Pass
				0	3.80	2.023	0.0012	-2.5 to 2.5	Pass
				10	3.80	-12.757	-0.0073	-2.5 to 2.5	Pass
				30	3.80	-11.967	-0.0068	-2.5 to 2.5	Pass
				40	3.80	-21.449	-0.0123	-2.5 to 2.5	Pass
				50	3.80	-4.497	-0.0026	-2.5 to 2.5	Pass
					3.23	-4.168	-0.0024	-2.5 to 2.5	Pass
				20	3.80	-8.658	-0.0050	-2.5 to 2.5	Pass
					4.37	-17.766	-0.0103	-2.5 to 2.5	Pass
				-30	3.80	-3.782	-0.0022	-2.5 to 2.5	Pass
				-20	3.80	-13.829	-0.0081	-2.5 to 2.5	Pass
	1717.5	75	0	-10	3.80	-3.690	-0.0021	-2.5 to 2.5	Pass
16QAM		-		0	3.80	-14.955	-0.0087	-2.5 to 2.5	Pass
				10	3.80	-10.091	-0.0059	-2.5 to 2.5	Pass
				30	3.80	-8.838	-0.0051	-2.5 to 2.5	Pass
				40	3.80	-24.542	-0.0143	-2.5 to 2.5	Pass
				50	3.80	-7.949	-0.0046	-2.5 to 2.5	Pass
				-	3.23	-22.404	-0.0129	-2.5 to 2.5	Pass
	1732.5	75	0	20	3.80	-19.699	-0.0114	-2.5 to 2.5	Pass
		-			4.37	-1.836	-0.0011	-2.5 to 2.5	Pass

				-30	3.80	-13.544	-0.0078	-2.5 to 2.5	Pass
				-20	3.80	-9.329	-0.0054	-2.5 to 2.5	Pass
				-10	3.80	-21.852	-0.0126	-2.5 to 2.5	Pass
				0	3.80	-20.130	-0.0116	-2.5 to 2.5	Pass
				10	3.80	-9.630	-0.0056	-2.5 to 2.5	Pass
				30	3.80	-25.810	-0.0149	-2.5 to 2.5	Pass
				40	3.80	-15.480	-0.0089	-2.5 to 2.5	Pass
				50	3.80	-22.124	-0.0128	-2.5 to 2.5	Pass
					3.23	-3.676	-0.0021	-2.5 to 2.5	Pass
				20	3.80	-7.841	-0.0045	-2.5 to 2.5	Pass
					4.37	-15.680	-0.0090	-2.5 to 2.5	Pass
				-30	3.80	-3.736	-0.0021	-2.5 to 2.5	Pass
		75	0	-20	3.80	-20.710	-0.0119	-2.5 to 2.5	Pass
	1747.5			-10	3.80	-7.006	-0.0040	-2.5 to 2.5	Pass
				0	3.80	-21.879	-0.0125	-2.5 to 2.5	Pass
				10	3.80	-11.937	-0.0068	-2.5 to 2.5	Pass
				30	3.80	-16.533	-0.0095	-2.5 to 2.5	Pass
				40	3.80	-14.885	-0.0085	-2.5 to 2.5	Pass
			50	3.80	-11.171	-0.0064	-2.5 to 2.5	Pass	

## 2.6 B4\_20MHz

					/ Bandwidt	h: 20MHz																					
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict																		
iviodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict																		
					3.23	-22.193	-0.0129	-2.5 to 2.5	Pass																		
				20	3.80	-5.656	-0.0033	-2.5 to 2.5	Pass																		
					4.37	-9.650	-0.0056	-2.5 to 2.5	Pass																		
				-30	3.80	-2.356	-0.0014	-2.5 to 2.5	Pass																		
			0	-20	3.80	-4.804	-0.0028	-2.5 to 2.5	Pass																		
	1720	100		-10	3.80	-1.969	-0.0011	-2.5 to 2.5	Pass																		
				0	3.80	-4.161	-0.0024	-2.5 to 2.5	Pass																		
				10	3.80	-24.809	-0.0144	-2.5 to 2.5	Pass																		
				30	3.80	-12.458	-0.0072	-2.5 to 2.5	Pass																		
				40	3.80	-6.876	-0.0040	-2.5 to 2.5	Pass																		
ODGIZ				50	3.80	-16.275	-0.0095	-2.5 to 2.5	Pass																		
					3.23	-17.265	-0.0100	-2.5 to 2.5	Pass																		
	1732.5			20	3.80	-6.086	-0.0035	-2.5 to 2.5	Pass																		
		100	0		4.37	-12.093	-0.0070	-2.5 to 2.5	Pass																		
QPSK				-30	3.80	-15.193	-0.0088	-2.5 to 2.5	Pass																		
				-20	3.80	-15.230	-0.0088	-2.5 to 2.5	Pass																		
				-10	3.80	-11.345	-0.0065	-2.5 to 2.5	Pass																		
				0	3.80	-14.719	-0.0085	-2.5 to 2.5	Pass																		
				10	3.80	-0.206	-0.0001	-2.5 to 2.5	Pass																		
										-	-					<u> </u>						30	3.80	-11.693	-0.0067	-2.5 to 2.5	Pass
												40	3.80	-12.772	-0.0074	-2.5 to 2.5	Pass										
				50	3.80	-22.933	-0.0132	-2.5 to 2.5	Pass																		
					3.23	-9.494	-0.0054	-2.5 to 2.5	Pass																		
				20	3.80	-11.611	-0.0067	-2.5 to 2.5	Pass																		
	1745	100	0		4.37	-9.067	-0.0052	-2.5 to 2.5	Pass																		
	1/45	100	U	-30	3.80	-11.645	-0.0067	-2.5 to 2.5	Pass																		
				-20	3.80	-17.749	-0.0102	-2.5 to 2.5	Pass																		
				-10	3.80	-5.478	-0.0031	-2.5 to 2.5	Pass																		

								1	
				0	3.80	1.335	0.0008	-2.5 to 2.5	Pass
				10	3.80	-22.680	-0.0130	-2.5 to 2.5	Pass
				30	3.80	-22.870	-0.0131	-2.5 to 2.5	Pass
				40	3.80	-20.533	-0.0118	-2.5 to 2.5	Pass
				50	3.80	-11.499	-0.0066	-2.5 to 2.5	Pass
					3.23	-3.804	-0.0022	-2.5 to 2.5	Pass
				20	3.80	-9.793	-0.0057	-2.5 to 2.5	Pass
					4.37	-15.227	-0.0089	-2.5 to 2.5	Pass
				-30	3.80	-1.904	-0.0011	-2.5 to 2.5	Pass
				-20	3.80	-18.300	-0.0106	-2.5 to 2.5	Pass
	1720	100	0	-10	3.80	0.333	0.0002	-2.5 to 2.5	Pass
				0	3.80	-10.350	-0.0060	-2.5 to 2.5	Pass
				10	3.80	-15.775	-0.0092	-2.5 to 2.5	Pass
				30	3.80	-10.971	-0.0064	-2.5 to 2.5	Pass
				40	3.80	-16.363	-0.0095	-2.5 to 2.5	Pass
				50	3.80	-10.984	-0.0064	-2.5 to 2.5	Pass
					3.23	-17.518	-0.0101	-2.5 to 2.5	Pass
				20	3.80	-0.360	-0.0002	-2.5 to 2.5	Pass
		100			4.37	-5.461	-0.0032	-2.5 to 2.5	Pass
				-30	3.80	1.021	0.0006	-2.5 to 2.5	Pass
			0	-20	3.80	-0.046	0.0000	-2.5 to 2.5	Pass
16QAM	1732.5			-10	3.80	-4.324	-0.0025	-2.5 to 2.5	Pass
				0	3.80	-19.112	-0.0110	-2.5 to 2.5	Pass
				10	3.80	-14.506	-0.0084	-2.5 to 2.5	Pass
				30	3.80	-19.375	-0.0112	-2.5 to 2.5	Pass
				40	3.80	-5.361	-0.0031	-2.5 to 2.5	Pass
				50	3.80	-6.030	-0.0035	-2.5 to 2.5	Pass
					3.23	-14.111	-0.0081	-2.5 to 2.5	Pass
				20	3.80	-9.939	-0.0057	-2.5 to 2.5	Pass
					4.37	-10.827	-0.0062	-2.5 to 2.5	Pass
	1745			-30	3.80	-17.784	-0.0102	-2.5 to 2.5	Pass
				-20	3.80	-0.331	-0.0002	-2.5 to 2.5	Pass
		100	0	-10	3.80	-8.772	-0.0050	-2.5 to 2.5	Pass
				0	3.80	-18.244	-0.0105	-2.5 to 2.5	Pass
				10	3.80	-12.617	-0.0072	-2.5 to 2.5	Pass
				30	3.80	-7.918	-0.0045	-2.5 to 2.5	Pass
			-	40	3.80	-10.042	-0.0058	-2.5 to 2.5	Pass
				50	3.80	-2.493	-0.0014	-2.5 to 2.5	Pass

# 3. Frequency Stability

# 3.1 B40a\_5MHz

Band: 40a / Bandwidth: 5MHz													
Modulation	Frequency	RB Allo	ocation	Temp.	Voltage	Freq. Error	Freq. vs. R	Rated (ppm)	Verdict				
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict				
					3.23	-20.595	-0.0089	-2.5 to 2.5	Pass				
				20	3.80	-7.414	-0.0032	-2.5 to 2.5	Pass				
QPSK	2307.5	25	0		4.37	-25.901	-0.0112	-2.5 to 2.5	Pass				
QFSK	2307.5	25	U	-30	3.80	-9.973	-0.0043	-2.5 to 2.5	Pass				
				-20	3.80	-29.185	-0.0126	-2.5 to 2.5	Pass				
				-10	3.80	-6.115	-0.0027	-2.5 to 2.5	Pass				

		Г	ı	0	0.00	10 705	0.0000	0.51.05	
				0	3.80	-19.765	-0.0086	-2.5 to 2.5	Pass
				10	3.80	-8.855	-0.0038	-2.5 to 2.5	Pass
				30	3.80	-16.611	-0.0072	-2.5 to 2.5	Pass
				40	3.80	-23.129	-0.0100	-2.5 to 2.5	Pass
				50	3.80	-4.478	-0.0019	-2.5 to 2.5	Pass
					3.23	-27.199	-0.0118	-2.5 to 2.5	Pass
				20	3.80	-13.239	-0.0057	-2.5 to 2.5	Pass
					4.37	-29.055	-0.0126	-2.5 to 2.5	Pass
				-30	3.80	-7.367	-0.0032	-2.5 to 2.5	Pass
				-20	3.80	-7.651	-0.0033	-2.5 to 2.5	Pass
	2310	25	0	-10	3.80	-7.510	-0.0033	-2.5 to 2.5	Pass
				0	3.80	-17.050	-0.0074	-2.5 to 2.5	Pass
				10	3.80	-7.012	-0.0030	-2.5 to 2.5	Pass
				30	3.80	-6.076	-0.0026	-2.5 to 2.5	Pass
				40	3.80	-9.930	-0.0043	-2.5 to 2.5	Pass
				50	3.80	-24.806	-0.0107	-2.5 to 2.5	Pass
					3.23	-11.966	-0.0052	-2.5 to 2.5	Pass
				20	3.80	-26.720	-0.0116	-2.5 to 2.5	Pass
					4.37	-13.873	-0.0060	-2.5 to 2.5	Pass
				-30	3.80	-24.835	-0.0107	-2.5 to 2.5	Pass
	0040 5	0.5		-20	3.80	1.333	0.0006	-2.5 to 2.5	Pass
	2312.5	25	0	-10	3.80	-15.806	-0.0068	-2.5 to 2.5	Pass
				0	3.80	-26.778	-0.0116	-2.5 to 2.5	Pass
				10	3.80	-28.996	-0.0125	-2.5 to 2.5	Pass
				30	3.80	-3.614	-0.0016	-2.5 to 2.5	Pass
				40	3.80	-11.510	-0.0050	-2.5 to 2.5	Pass
				50	3.80	-21.749	-0.0094	-2.5 to 2.5	Pass
				00	3.23	-11.912	-0.0052	-2.5 to 2.5	Pass
				20	3.80	7.084	0.0031	-2.5 to 2.5	Pass
				20	4.37	-6.793	-0.0029	-2.5 to 2.5	Pass
				-30	3.80	-17.404	-0.0075	-2.5 to 2.5	Pass
	2307.5	25	0	-20 -10	3.80 3.80	-34.160 -11.110	-0.0148	-2.5 to 2.5	Pass Pass
	2307.5	25	U	0	3.80	-28.177	-0.0048 -0.0122	-2.5 to 2.5 -2.5 to 2.5	Pass
				10	3.80	-4.528	-0.0020	-2.5 to 2.5	Pass
				30	3.80	-12.470	-0.0020	-2.5 to 2.5	Pass
				40	3.80	-15.868	-0.0069	-2.5 to 2.5	Pass
				50	3.80	1.216	0.0005	-2.5 to 2.5	Pass
				30	3.23	-22.978	-0.0099	-2.5 to 2.5	Pass
				20	3.80	-20.390	-0.0088	-2.5 to 2.5	Pass
				20	4.37	-9.931	-0.0043	-2.5 to 2.5	Pass
				-30	3.80	-11.125	-0.0048	-2.5 to 2.5	Pass
16QAM				-20	3.80	-27.539	-0.0119	-2.5 to 2.5	Pass
	2310	25	0	-10	3.80	-11.866	-0.0051	-2.5 to 2.5	Pass
	2010			0	3.80	-24.679	-0.0107	-2.5 to 2.5	Pass
				10	3.80	-15.796	-0.0068	-2.5 to 2.5	Pass
				30	3.80	0.484	0.0002	-2.5 to 2.5	Pass
				40	3.80	-21.000	-0.0091	-2.5 to 2.5	Pass
				50	3.80	-18.538	-0.0080	-2.5 to 2.5	Pass
					3.23	-15.910	-0.0069	-2.5 to 2.5	Pass
				20	3.80	-24.249	-0.0105	-2.5 to 2.5	Pass
				•	4.37	-8.867	-0.0038	-2.5 to 2.5	Pass
	0010 =		_	-30	3.80	-3.468	-0.0015	-2.5 to 2.5	Pass
	2312.5	25	0	-20	3.80	-12.158	-0.0053	-2.5 to 2.5	Pass
				-10	3.80	-11.531	-0.0050	-2.5 to 2.5	Pass
				0	3.80	-36.195	-0.0157	-2.5 to 2.5	Pass
				10	3.80	-11.112	-0.0048	-2.5 to 2.5	Pass
		·	·			· · · · · · -			. 5.00

30	3.80	-17.144	-0.0074	-2.5 to 2.5	Pass
40	3.80	-15.683	-0.0068	-2.5 to 2.5	Pass
50	3.80	-16.187	-0.0070	-2.5 to 2.5	Pass

# 3.2 B40a\_10MHz

### 3.2.1 Test Result

				Band: 40	a / Bandwid	th: 10MHz			
Modulation	Frequency	RB Alle	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-7.906	-0.0034	-2.5 to 2.5	Pass
				20	3.80	-15.968	-0.0069	-2.5 to 2.5	Pass
					4.37	0.559	0.0002	-2.5 to 2.5	Pass
				-30	3.80	-13.832	-0.0060	-2.5 to 2.5	Pass
				-20	3.80	-22.696	-0.0098	-2.5 to 2.5	Pass
QPSK	2310	50	0	-10	3.80	-15.520	-0.0067	-2.5 to 2.5	Pass
				0	3.80	-22.585	-0.0098	-2.5 to 2.5	Pass
				10	3.80	-35.607	-0.0154	-2.5 to 2.5	Pass
				30	3.80	-26.575	-0.0115	-2.5 to 2.5	Pass
				40	3.80	-16.743	-0.0072	-2.5 to 2.5	Pass
				50	3.80	-7.417	-0.0032	-2.5 to 2.5	Pass
					3.23	-25.341	-0.0110	-2.5 to 2.5	Pass
				20	3.80	-12.666	-0.0055	-2.5 to 2.5	Pass
					4.37	-13.520	-0.0059	-2.5 to 2.5	Pass
				-30	3.80	-16.316	-0.0071	-2.5 to 2.5	Pass
				-20	3.80	-2.029	-0.0009	-2.5 to 2.5	Pass
16QAM	2310	50	0	-10	3.80	-35.358	-0.0153	-2.5 to 2.5	Pass
				0	3.80	-7.891	-0.0034	-2.5 to 2.5	Pass
				10	3.80	5.670	0.0025	-2.5 to 2.5	Pass
				30	3.80	-19.230	-0.0083	-2.5 to 2.5	Pass
				40	3.80	-9.450	-0.0041	-2.5 to 2.5	Pass
				50	3.80	-14.248	-0.0062	-2.5 to 2.5	Pass

# 4. Frequency Stability

# 4.1 B40b\_5MHz

Band: 40b / Bandwidth: 5MHz													
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict				
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict				
					3.23	-18.922	-0.0080	-2.5 to 2.5	Pass				
				20	3.80	-11.384	-0.0048	-2.5 to 2.5	Pass				
					4.37	-29.926	-0.0127	-2.5 to 2.5	Pass				
				-30	3.80	-33.772	-0.0144	-2.5 to 2.5	Pass				
QPSK	2352.5	25	0	-20	3.80	-32.421	-0.0138	-2.5 to 2.5	Pass				
				-10	3.80	-17.030	-0.0072	-2.5 to 2.5	Pass				
				0	3.80	-11.040	-0.0047	-2.5 to 2.5	Pass				
				10	3.80	-23.310	-0.0099	-2.5 to 2.5	Pass				
				30	3.80	-3.463	-0.0015	-2.5 to 2.5	Pass				

				40	3.80	-19.271	-0.0082	-2.5 to 2.5	Pass
				50	3.80	-19.271	-0.0062	-2.5 to 2.5	Pass
				30	3.23	-14.301	-0.0061	-2.5 to 2.5	Pass
				20	3.80	5.047	0.0021	-2.5 to 2.5	Pass
				20	4.37	-13.147	-0.0056	-2.5 to 2.5	Pass
				-30	3.80	-5.074	-0.0022	-2.5 to 2.5	Pass
				-20	3.80	-29.127	-0.0124	-2.5 to 2.5	Pass
	2355	25	0	-10	3.80	-15.034	-0.0064	-2.5 to 2.5	Pass
				0	3.80	-27.357	-0.0116	-2.5 to 2.5	Pass
				10	3.80	-21.671	-0.0092	-2.5 to 2.5	Pass
				30	3.80	-20.954	-0.0089	-2.5 to 2.5	Pass
				40	3.80	-14.291	-0.0061	-2.5 to 2.5	Pass
				50	3.80	-30.607	-0.0130	-2.5 to 2.5	Pass
					3.23	-27.987	-0.0119	-2.5 to 2.5	Pass
				20	3.80	-14.350	-0.0061	-2.5 to 2.5	Pass
					4.37	-13.141	-0.0056	-2.5 to 2.5	Pass
				-30	3.80	-20.247	-0.0086	-2.5 to 2.5	Pass
				-20	3.80	-27.738	-0.0118	-2.5 to 2.5	Pass
	2357.5	25	0	-10	3.80	-5.923	-0.0025	-2.5 to 2.5	Pass
				0	3.80	-23.325	-0.0099	-2.5 to 2.5	Pass
				10	3.80	-16.355	-0.0069	-2.5 to 2.5	Pass
				30	3.80	-6.602	-0.0028	-2.5 to 2.5	Pass
				40	3.80	-6.803	-0.0029	-2.5 to 2.5	Pass
				50	3.80	-23.535	-0.0100	-2.5 to 2.5	Pass
					3.23	-7.111	-0.0030	-2.5 to 2.5	Pass
				20	3.80	-13.813	-0.0059	-2.5 to 2.5	Pass
					4.37	-6.817	-0.0029	-2.5 to 2.5	Pass
				-30	3.80	-19.173	-0.0082	-2.5 to 2.5	Pass
			_	-20	3.80	-5.556	-0.0024	-2.5 to 2.5	Pass
	2352.5	25	0	-10	3.80	-10.546	-0.0045	-2.5 to 2.5	Pass
				0	3.80	-33.948	-0.0144	-2.5 to 2.5	Pass
				10	3.80	-19.880	-0.0085	-2.5 to 2.5	Pass
				30	3.80	-22.724	-0.0097	-2.5 to 2.5	Pass
				40	3.80	-20.039	-0.0085	-2.5 to 2.5	Pass
				50	3.80	-7.121 -4.245	-0.0030	-2.5 to 2.5	Pass
				20	3.23		-0.0018 -0.0133	-2.5 to 2.5	Pass Pass
				20	3.80 4.37	-31.225 -29.100	-0.0133	-2.5 to 2.5 -2.5 to 2.5	Pass
				-30	3.80	3.784	0.0016	-2.5 to 2.5	Pass
				-20	3.80	-28.962	-0.0123	-2.5 to 2.5	Pass
16QAM	2355	25	0	-10	3.80	-23.984	-0.0123	-2.5 to 2.5	Pass
. 5 🥨		-		0	3.80	-25.613	-0.0109	-2.5 to 2.5	Pass
				10	3.80	-17.959	-0.0076	-2.5 to 2.5	Pass
				30	3.80	-21.898	-0.0093	-2.5 to 2.5	Pass
				40	3.80	-0.695	-0.0003	-2.5 to 2.5	Pass
				50	3.80	-31.463	-0.0134	-2.5 to 2.5	Pass
					3.23	-11.424	-0.0048	-2.5 to 2.5	Pass
				20	3.80	-18.552	-0.0079	-2.5 to 2.5	Pass
					4.37	-24.255	-0.0103	-2.5 to 2.5	Pass
				-30	3.80	-24.070	-0.0102	-2.5 to 2.5	Pass
	2357.5 25			-20	3.80	-1.814	-0.0008	-2.5 to 2.5	Pass
		25	0	-10	3.80	0.157	0.0001	-2.5 to 2.5	Pass
				0	3.80	2.874	0.0012	-2.5 to 2.5	Pass
				10	3.80	-3.381	-0.0014	-2.5 to 2.5	Pass
				30	3.80	-11.668	-0.0049	-2.5 to 2.5	Pass
				40	3.80	-9.447	-0.0040	-2.5 to 2.5	Pass
1		Ī	1	50	3.80	-16.619	-0.0070	-2.5 to 2.5	Pass

# 4.2 B40b\_10MHz

### 4.2.1 Test Result

				Band: 40	b / Bandwid	th: 10MHz			
Modulation	Frequency	RB Alle	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-26.296	-0.0112	-2.5 to 2.5	Pass
				20	3.80	-23.773	-0.0101	-2.5 to 2.5	Pass
					4.37	-14.224	-0.0060	-2.5 to 2.5	Pass
				-30	3.80	-6.648	-0.0028	-2.5 to 2.5	Pass
				-20	3.80	-4.559	-0.0019	-2.5 to 2.5	Pass
QPSK	2355	50	0	-10	3.80	-23.165	-0.0098	-2.5 to 2.5	Pass
				0	3.80	-21.008	-0.0089	-2.5 to 2.5	Pass
				10	3.80	-36.129	-0.0153	-2.5 to 2.5	Pass
				30	3.80	-25.291	-0.0107	-2.5 to 2.5	Pass
				40	3.80	-24.693	-0.0105	-2.5 to 2.5	Pass
				50	3.80	-11.770	-0.0050	-2.5 to 2.5	Pass
					3.23	-17.139	-0.0073	-2.5 to 2.5	Pass
				20	3.80	-12.610	-0.0054	-2.5 to 2.5	Pass
					4.37	-17.759	-0.0075	-2.5 to 2.5	Pass
				-30	3.80	-16.209	-0.0069	-2.5 to 2.5	Pass
				-20	3.80	-5.519	-0.0023	-2.5 to 2.5	Pass
16QAM	2355	50	0	-10	3.80	-16.312	-0.0069	-2.5 to 2.5	Pass
				0	3.80	-13.166	-0.0056	-2.5 to 2.5	Pass
				10	3.80	-12.159	-0.0052	-2.5 to 2.5	Pass
				30	3.80	-18.445	-0.0078	-2.5 to 2.5	Pass
				40	3.80	-7.947	-0.0034	-2.5 to 2.5	Pass
				50	3.80	-14.950	-0.0063	-2.5 to 2.5	Pass

# 5. Frequency Stability

## 5.1 B5\_1.4MHz

				Band: 5	/ Bandwidth	n: 1.4MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-12.022	-0.0146	-2.5 to 2.5	Pass
				20	3.80	-25.007	-0.0303	-2.5 to 2.5	Pass
					4.37	-23.405	-0.0284	-2.5 to 2.5	Pass
				-30	3.80	-21.047	-0.0255	-2.5 to 2.5	Pass
				-20	3.80	-1.806	-0.0022	-2.5 to 2.5	Pass
QPSK	824.7	6	0	-10	3.80	-1.899	-0.0023	-2.5 to 2.5	Pass
QFSK				0	3.80	-16.627	-0.0202	-2.5 to 2.5	Pass
				10	3.80	-16.390	-0.0199	-2.5 to 2.5	Pass
				30	3.80	-8.055	-0.0098	-2.5 to 2.5	Pass
				40	3.80	-10.385	-0.0126	-2.5 to 2.5	Pass
				50	3.80	-11.157	-0.0135	-2.5 to 2.5	Pass
	836.5	6	0	20	3.23	-23.125	-0.0276	-2.5 to 2.5	Pass

		T	T	1				1	_
					3.80	-19.368	-0.0232	-2.5 to 2.5	Pass
					4.37	-29.515	-0.0353	-2.5 to 2.5	Pass
				-30	3.80	-24.105	-0.0288	-2.5 to 2.5	Pass
				-20	3.80	-25.109	-0.0300	-2.5 to 2.5	Pass
				-10	3.80	-31.159	-0.0372	-2.5 to 2.5	Pass
				0	3.80	-37.182	-0.0444	-2.5 to 2.5	Pass
				10	3.80	-30.099	-0.0360	-2.5 to 2.5	Pass
				30	3.80	-22.050	-0.0264	-2.5 to 2.5	Pass
				40	3.80	-33.382	-0.0399	-2.5 to 2.5	Pass
				50	3.80	-28.587	-0.0342	-2.5 to 2.5	Pass
					3.23	-21.033	-0.0248	-2.5 to 2.5	Pass
				20	3.80	-17.771	-0.0209	-2.5 to 2.5	Pass
					4.37	-9.963	-0.0117	-2.5 to 2.5	Pass
				-30	3.80	-9.489	-0.0112	-2.5 to 2.5	Pass
				-20	3.80	-11.868	-0.0140	-2.5 to 2.5	Pass
	848.3	6	0	-10	3.80	-9.155	-0.0108	-2.5 to 2.5	Pass
				0	3.80	-4.955	-0.0058	-2.5 to 2.5	Pass
				10	3.80	-0.732	-0.0009	-2.5 to 2.5	Pass
				30	3.80	-14.388	-0.0170	-2.5 to 2.5	Pass
				40	3.80	-24.781	-0.0292	-2.5 to 2.5	Pass
				50	3.80	-9.732	-0.0115	-2.5 to 2.5	Pass
					3.23	-13.920	-0.0169	-2.5 to 2.5	Pass
				20	3.80	-14.833	-0.0180	-2.5 to 2.5	Pass
					4.37	-13.429	-0.0163	-2.5 to 2.5	Pass
				-30	3.80	1.894	0.0023	-2.5 to 2.5	Pass
				-20	3.80	0.584	0.0007	-2.5 to 2.5	Pass
	824.7	6	0	-10	3.80	3.801	0.0047	-2.5 to 2.5	Pass
	02			0	3.80	-2.824	-0.0034	-2.5 to 2.5	Pass
				10	3.80	-3.615	-0.0044	-2.5 to 2.5	Pass
				30	3.80	-16.648	-0.0202	-2.5 to 2.5	Pass
				40	3.80	-21.047	-0.0255	-2.5 to 2.5	Pass
				50	3.80	-16.289	-0.0198	-2.5 to 2.5	Pass
				- 00	3.23	2.143	0.0026	-2.5 to 2.5	Pass
				20	3.80	-9.824	-0.0117	-2.5 to 2.5	Pass
				20	4.37	1.520	0.0018	-2.5 to 2.5	Pass
				-30	3.80	-19.834	-0.0237	-2.5 to 2.5	Pass
				-20	3.80	-21.814	-0.0261	-2.5 to 2.5	Pass
16QAM	836.5	6	0	-10	3.80	-28.620	-0.0342	-2.5 to 2.5	Pass
IUQAW	000.0			0	3.80	5.688	0.0068	-2.5 to 2.5	Pass
				10	3.80	-19.614	-0.0234	-2.5 to 2.5	Pass
				30	3.80	-1.645	-0.0234	-2.5 to 2.5	Pass
				40		-20.278			
				-	3.80		-0.0242	-2.5 to 2.5	Pass
				50	3.80	-22.032	-0.0263	-2.5 to 2.5	Pass
				20	3.23	-19.905	-0.0235	-2.5 to 2.5	Pass
				20	3.80	-28.804	-0.0340	-2.5 to 2.5	Pass
				- 00	4.37	-12.965	-0.0153	-2.5 to 2.5	Pass
				-30	3.80	-7.268	-0.0086	-2.5 to 2.5	Pass
	0.40.0			-20	3.80	-8.130	-0.0096	-2.5 to 2.5	Pass
	848.3	6	0	-10	3.80	-22.890	-0.0270	-2.5 to 2.5	Pass
				0	3.80	-14.311	-0.0169	-2.5 to 2.5	Pass
				10	3.80	-19.311	-0.0228	-2.5 to 2.5	Pass
				30	3.80	-21.728	-0.0256	-2.5 to 2.5	Pass
				40	3.80	-23.387	-0.0276	-2.5 to 2.5	Pass
				50	3.80	-28.214	-0.0333	-2.5 to 2.5	Pass

## 5.2 B5\_3MHz

				Band:	5 / Bandwid	th: 3MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-33.152	-0.0402	-2.5 to 2.5	Pass
				20	3.80	-22.712	-0.0275	-2.5 to 2.5	Pass
					4.37	-28.824	-0.0349	-2.5 to 2.5	Pass
				-30	3.80	-6.952	-0.0084	-2.5 to 2.5	Pass
				-20	3.80	-16.086	-0.0195	-2.5 to 2.5	Pass
	825.5	15	0	-10	3.80	-6.908	-0.0084	-2.5 to 2.5	Pass
				0	3.80	-13.105	-0.0159	-2.5 to 2.5	Pass
				10	3.80	-16.363	-0.0198	-2.5 to 2.5	Pass
				30	3.80	-20.423	-0.0247	-2.5 to 2.5	Pass
				40	3.80	-29.101	-0.0353	-2.5 to 2.5	Pass
				50	3.80	-17.201	-0.0208	-2.5 to 2.5	Pass
					3.23	-23.347	-0.0279	-2.5 to 2.5	Pass
				20	3.80	-20.002	-0.0239	-2.5 to 2.5	Pass
					4.37	-20.413	-0.0244	-2.5 to 2.5	Pass
				-30	3.80	-24.082	-0.0288	-2.5 to 2.5	Pass
				-20	3.80	-18.729	-0.0224	-2.5 to 2.5	Pass
QPSK	836.5	15	0	-10	3.80	-12.348	-0.0148	-2.5 to 2.5	Pass
				0	3.80	-20.841	-0.0249	-2.5 to 2.5	Pass
				10	3.80	-21.043	-0.0252	-2.5 to 2.5	Pass
				30	3.80	-26.876	-0.0321	-2.5 to 2.5	Pass
				40	3.80	-25.189	-0.0301	-2.5 to 2.5	Pass
				50	3.80	-13.194	-0.0158	-2.5 to 2.5	Pass
					3.23	-25.426	-0.0300	-2.5 to 2.5	Pass
				20	3.80	-15.802	-0.0186	-2.5 to 2.5	Pass
					4.37	-27.845	-0.0329	-2.5 to 2.5	Pass
				-30	3.80	-19.623	-0.0232	-2.5 to 2.5	Pass
				-20	3.80	-11.611	-0.0137	-2.5 to 2.5	Pass
	847.5	15	0	-10	3.80	-32.754	-0.0386	-2.5 to 2.5	Pass
		. •		0	3.80	-12.709	-0.0150	-2.5 to 2.5	Pass
				10	3.80	-24.257	-0.0286	-2.5 to 2.5	Pass
				30	3.80	-1.066	-0.0013	-2.5 to 2.5	Pass
				40	3.80	-18.407	-0.0217	-2.5 to 2.5	Pass
				50	3.80	-21.874	-0.0258	-2.5 to 2.5	Pass
					3.23	-15.677	-0.0190	-2.5 to 2.5	Pass
				20	3.80	-1.319	-0.0016	-2.5 to 2.5	Pass
				_,	4.37	-1.146	-0.0014	-2.5 to 2.5	Pass
				-30	3.80	3.766	0.0046	-2.5 to 2.5	Pass
				-20	3.80	-3.775	-0.0046	-2.5 to 2.5	Pass
	825.5	15	0	-10	3.80	2.081	0.0025	-2.5 to 2.5	Pass
	020.0	.0		0	3.80	1.709	0.0023	-2.5 to 2.5	Pass
				10	3.80	-12.570	-0.0152	-2.5 to 2.5	Pass
16QAM				30	3.80	-4.415	-0.0053	-2.5 to 2.5	Pass
			]	40	3.80	-0.199	-0.0002	-2.5 to 2.5	Pass
				50	3.80	-9.681	-0.0002	-2.5 to 2.5	Pass
				- 50	3.23	-17.273	-0.0206	-2.5 to 2.5	Pass
			]	20	3.80	-4.033	-0.0200	-2.5 to 2.5	Pass
	836.5	15	0	20	4.37	-2.592	-0.0048	-2.5 to 2.5	Pass
	030.5	13		-30	3.80	-22.461	-0.0269	-2.5 to 2.5	Pass
				-20	3.80	-26.708	-0.0209	-2.5 to 2.5	Pass

			-10	3.80	-17.430	-0.0208	-2.5 to 2.5	Pass
			0	3.80	-24.477	-0.0293	-2.5 to 2.5	Pass
			10	3.80	-21.263	-0.0254	-2.5 to 2.5	Pass
			30	3.80	-11.879	-0.0142	-2.5 to 2.5	Pass
			40	3.80	-15.122	-0.0181	-2.5 to 2.5	Pass
			50	3.80	-19.479	-0.0233	-2.5 to 2.5	Pass
				3.23	-14.117	-0.0167	-2.5 to 2.5	Pass
			20	3.80	-8.926	-0.0105	-2.5 to 2.5	Pass
				4.37	-13.713	-0.0162	-2.5 to 2.5	Pass
			-30	3.80	0.364	0.0004	-2.5 to 2.5	Pass
			-20	3.80	-6.750	-0.0080	-2.5 to 2.5	Pass
847.5	15	0	-10	3.80	-6.353	-0.0075	-2.5 to 2.5	Pass
			0	3.80	-9.994	-0.0118	-2.5 to 2.5	Pass
			10	3.80	-16.225	-0.0191	-2.5 to 2.5	Pass
			30	3.80	-21.581	-0.0255	-2.5 to 2.5	Pass
			40	3.80	-17.192	-0.0203	-2.5 to 2.5	Pass
			50	3.80	-19.157	-0.0226	-2.5 to 2.5	Pass

# 5.3 B5\_5MHz

				Band:	5 / Bandwid	th: 5MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
iviodulation	(MHz)	Size	Offset	(°C)	(VDČ)	(Hz)	Result	Limit	verdict
					3.23	-12.515	-0.0151	-2.5 to 2.5	Pass
				20	3.80	-24.473	-0.0296	-2.5 to 2.5	Pass
					4.37	-11.953	-0.0145	-2.5 to 2.5	Pass
				-30	3.80	-10.069	-0.0122	-2.5 to 2.5	Pass
				-20	3.80	-24.623	-0.0298	-2.5 to 2.5	Pass
	826.5	25	0	-10	3.80	-27.096	-0.0328	-2.5 to 2.5	Pass
				0	3.80	-8.989	-0.0109	-2.5 to 2.5	Pass
				10	3.80	-22.623	-0.0274	-2.5 to 2.5	Pass
				30	3.80	-27.399	-0.0332	-2.5 to 2.5	Pass
				40	3.80	-24.899	-0.0301	-2.5 to 2.5	Pass
				50	3.80	-31.721	-0.0384	-2.5 to 2.5	Pass
					3.23	-28.496	-0.0341	-2.5 to 2.5	Pass
				20	3.80	-8.329	-0.0100	-2.5 to 2.5	Pass
					4.37	-20.670	-0.0247	-2.5 to 2.5	Pass
ODCK				-30	3.80	-21.628	-0.0259	-2.5 to 2.5	Pass
QPSK				-20	3.80	-28.157	-0.0337	-2.5 to 2.5	Pass
	836.5	25	0	-10	3.80	-8.476	-0.0101	-2.5 to 2.5	Pass
				0	3.80	-12.426	-0.0149	-2.5 to 2.5	Pass
				10	3.80	5.899	0.0071	-2.5 to 2.5	Pass
				30	3.80	2.617	0.0031	-2.5 to 2.5	Pass
				40	3.80	-5.861	-0.0070	-2.5 to 2.5	Pass
				50	3.80	-15.705	-0.0188	-2.5 to 2.5	Pass
					3.23	-27.766	-0.0328	-2.5 to 2.5	Pass
				20	3.80	-20.201	-0.0239	-2.5 to 2.5	Pass
					4.37	-28.301	-0.0334	-2.5 to 2.5	Pass
	846.5	25	0	-30	3.80	-21.484	-0.0254	-2.5 to 2.5	Pass
	040.5	25		-20	3.80	-33.967	-0.0401	-2.5 to 2.5	Pass
				-10	3.80	-23.218	-0.0274	-2.5 to 2.5	Pass
				0	3.80	-30.268	-0.0358	-2.5 to 2.5	Pass
				10	3.80	-6.998	-0.0083	-2.5 to 2.5	Pass

				30	3.80	-16.007	-0.0189	-2.5 to 2.5	Pass
				40	3.80	-22.603	-0.0267	-2.5 to 2.5	Pass
				50	3.80	-18.254	-0.0216	-2.5 to 2.5	Pass
					3.23	-6.402	-0.0077	-2.5 to 2.5	Pass
				20	3.80	-6.855	-0.0083	-2.5 to 2.5	Pass
					4.37	-3.341	-0.0040	-2.5 to 2.5	Pass
				-30	3.80	5.635	0.0068	-2.5 to 2.5	Pass
				-20	3.80	2.470	0.0030	-2.5 to 2.5	Pass
	826.5	25	0	-10	3.80	-21.561	-0.0261	-2.5 to 2.5	Pass
				0	3.80	-16.433	-0.0199	-2.5 to 2.5	Pass
				10	3.80	-17.204	-0.0208	-2.5 to 2.5	Pass
				30	3.80	-20.210	-0.0245	-2.5 to 2.5	Pass
				40	3.80	-10.163	-0.0123	-2.5 to 2.5	Pass
				50	3.80	-3.976	-0.0048	-2.5 to 2.5	Pass
					3.23	-5.626	-0.0067	-2.5 to 2.5	Pass
				20	3.80	-4.576	-0.0055	-2.5 to 2.5	Pass
					4.37	3.262	0.0039	-2.5 to 2.5	Pass
				-30	3.80	-14.444	-0.0173	-2.5 to 2.5	Pass
				-20	3.80	-7.885	-0.0094	-2.5 to 2.5	Pass
16QAM	836.5	25	0	-10	3.80	4.653	0.0056	-2.5 to 2.5	Pass
				0	3.80	-2.431	-0.0029	-2.5 to 2.5	Pass
				10	3.80	9.937	0.0119	-2.5 to 2.5	Pass
				30	3.80	-22.223	-0.0266	-2.5 to 2.5	Pass
				40	3.80	-23.155	-0.0277	-2.5 to 2.5	Pass
				50	3.80	-16.880	-0.0202	-2.5 to 2.5	Pass
					3.23	-16.700	-0.0197	-2.5 to 2.5	Pass
				20	3.80	-3.729	-0.0044	-2.5 to 2.5	Pass
					4.37	-8.496	-0.0100	-2.5 to 2.5	Pass
				-30	3.80	-9.359	-0.0111	-2.5 to 2.5	Pass
	846.5			-20	3.80	-29.600	-0.0350	-2.5 to 2.5	Pass
		25	0	-10	3.80	-11.664	-0.0138	-2.5 to 2.5	Pass
				0	3.80	-20.052	-0.0237	-2.5 to 2.5	Pass
				10	3.80	-20.022	-0.0237	-2.5 to 2.5	Pass
				30	3.80	-8.122	-0.0096	-2.5 to 2.5	Pass
			40	3.80	-7.339	-0.0087	-2.5 to 2.5	Pass	
				50	3.80	-23.342	-0.0276	-2.5 to 2.5	Pass

# 5.4 B5\_10MHz

				Band: 5	/ Bandwidt	h: 10MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. R	Rated (ppm)	Verdict
iviodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	Verdict
					3.23	-28.414	-0.0343	-2.5 to 2.5	Pass
				20	3.80	-27.876	-0.0336	-2.5 to 2.5	Pass
					4.37	-21.354	-0.0258	-2.5 to 2.5	Pass
				-30	3.80	-32.972	-0.0398	-2.5 to 2.5	Pass
				-20	3.80	-6.714	-0.0081	-2.5 to 2.5	Pass
QPSK	829	50	0	-10	3.80	-15.661	-0.0189	-2.5 to 2.5	Pass
				0	3.80	-14.825	-0.0179	-2.5 to 2.5	Pass
				10	3.80	-29.060	-0.0351	-2.5 to 2.5	Pass
				30	3.80	-23.551	-0.0284	-2.5 to 2.5	Pass
				40	3.80	-7.613	-0.0092	-2.5 to 2.5	Pass
				50	3.80	-14.905	-0.0180	-2.5 to 2.5	Pass

			1	T	2.22	44.070	0.0440	254225	Doos
				20	3.23	-11.878	-0.0142	-2.5 to 2.5	Pass
				20	3.80	-26.110	-0.0312	-2.5 to 2.5	Pass
				20	4.37	-27.393	-0.0327	-2.5 to 2.5	Pass
				-30	3.80	-12.692	-0.0152	-2.5 to 2.5	Pass
	000 5	F0	_	-20	3.80	7.287	0.0087	-2.5 to 2.5	Pass
	836.5	50	0	-10	3.80	-15.778	-0.0189	-2.5 to 2.5	Pass
				0	3.80	-4.928	-0.0059	-2.5 to 2.5	Pass
				10	3.80	-7.706	-0.0092	-2.5 to 2.5	Pass
				30	3.80	-16.404	-0.0196	-2.5 to 2.5	Pass
				40	3.80	-12.550	-0.0150	-2.5 to 2.5	Pass
				50	3.80	-10.909	-0.0130	-2.5 to 2.5	Pass
				00	3.23	-29.870	-0.0354	-2.5 to 2.5	Pass
				20	3.80	-24.400	-0.0289	-2.5 to 2.5	Pass
				- 00	4.37	-3.819	-0.0045	-2.5 to 2.5	Pass
				-30	3.80	-11.876	-0.0141	-2.5 to 2.5	Pass
	0.4.4	=0	_	-20	3.80	-18.101	-0.0214	-2.5 to 2.5	Pass
	844	50	0	-10	3.80	-6.692	-0.0079	-2.5 to 2.5	Pass
				0	3.80	-4.965	-0.0059	-2.5 to 2.5	Pass
				10	3.80	-17.980	-0.0213	-2.5 to 2.5	Pass
				30	3.80	-23.528	-0.0279	-2.5 to 2.5	Pass
				40	3.80	-2.004	-0.0024	-2.5 to 2.5	Pass
				50	3.80	-8.113	-0.0096	-2.5 to 2.5	Pass
					3.23	3.824	0.0046	-2.5 to 2.5	Pass
				20	3.80	-22.958	-0.0277	-2.5 to 2.5	Pass
					4.37	-2.263	-0.0027	-2.5 to 2.5	Pass
				-30	3.80	-17.952	-0.0217	-2.5 to 2.5	Pass
				-20	3.80	-3.301	-0.0040	-2.5 to 2.5	Pass
	829	50	0	-10	3.80	-18.515	-0.0223	-2.5 to 2.5	Pass
				0	3.80	-4.519	-0.0055	-2.5 to 2.5	Pass
				10	3.80	0.981	0.0012	-2.5 to 2.5	Pass
				30	3.80	0.714	0.0009	-2.5 to 2.5	Pass
				40	3.80	-0.931	-0.0011	-2.5 to 2.5	Pass
				50	3.80	-3.967	-0.0048	-2.5 to 2.5	Pass
					3.23	-11.238	-0.0134	-2.5 to 2.5	Pass
				20	3.80	-0.874	-0.0010	-2.5 to 2.5	Pass
					4.37	-12.272	-0.0147	-2.5 to 2.5	Pass
				-30	3.80	-5.236	-0.0063	-2.5 to 2.5	Pass
				-20	3.80	-1.989	-0.0024	-2.5 to 2.5	Pass
16QAM	836.5	50	0	-10	3.80	3.793	0.0045	-2.5 to 2.5	Pass
				0	3.80	-26.498	-0.0317	-2.5 to 2.5	Pass
				10	3.80	8.589	0.0103	-2.5 to 2.5	Pass
				30	3.80	-3.232	-0.0039	-2.5 to 2.5	Pass
				40	3.80	-6.252	-0.0075	-2.5 to 2.5	Pass
				50	3.80	2.774	0.0033	-2.5 to 2.5	Pass
					3.23	-22.202	-0.0263	-2.5 to 2.5	Pass
				20	3.80	-5.844	-0.0069	-2.5 to 2.5	Pass
					4.37	-2.488	-0.0029	-2.5 to 2.5	Pass
				-30	3.80	-5.054	-0.0060	-2.5 to 2.5	Pass
	844 50		-20	3.80	-2.082	-0.0025	-2.5 to 2.5	Pass	
		0	-10	3.80	-31.360	-0.0372	-2.5 to 2.5	Pass	
				0	3.80	-21.432	-0.0254	-2.5 to 2.5	Pass
				10	3.80	-30.117	-0.0357	-2.5 to 2.5	Pass
				30	3.80	-15.013	-0.0178	-2.5 to 2.5	Pass
				40	3.80	-26.198	-0.0310	-2.5 to 2.5	Pass
			]	50	3.80	-26.108	-0.0309	-2.5 to 2.5	Pass

# 6. Frequency Stability

# 6.1 B66\_1.4MHz

1	Fraguesas	ווא מם	oostic:		6 / Bandwidt			oted (pers)	
Modulation	Frequency	Size	ocation Offset	Temp. (°C)	Voltage (VDC)	Freq. Error	Result	Rated (ppm)	Verdict
	(MHz)	Size	Oliset	(30)	3.23	(Hz) -4.389		Limit	Door
				20			-0.0026	-2.5 to 2.5	Pass
				20	3.80	-11.687	-0.0068	-2.5 to 2.5	Pass
				20	4.37	-19.133	-0.0112	-2.5 to 2.5	Pass
				-30	3.80	-9.675	-0.0057	-2.5 to 2.5	Pass
	4740.7	0		-20	3.80	-3.052	-0.0018	-2.5 to 2.5	Pass
	1710.7	6	0	-10	3.80	-15.006	-0.0088	-2.5 to 2.5	Pass
				0	3.80	-8.589	-0.0050	-2.5 to 2.5	Pass
				10	3.80	-0.898	-0.0005	-2.5 to 2.5	Pass
				30	3.80	-8.512	-0.0050	-2.5 to 2.5	Pass
				40	3.80	-0.442	-0.0003	-2.5 to 2.5	Pass
				50	3.80	-6.118	-0.0036	-2.5 to 2.5	Pass
					3.23	-18.121	-0.0104	-2.5 to 2.5	Pass
				20	3.80	-17.168	-0.0098	-2.5 to 2.5	Pass
					4.37	-12.542	-0.0072	-2.5 to 2.5	Pass
				-30	3.80	-16.253	-0.0093	-2.5 to 2.5	Pass
				-20	3.80	-16.634	-0.0095	-2.5 to 2.5	Pass
QPSK	1745	6	0	-10	3.80	-16.195	-0.0093	-2.5 to 2.5	Pass
				0	3.80	-13.713	-0.0079	-2.5 to 2.5	Pass
				10	3.80	-5.748	-0.0033	-2.5 to 2.5	Pass
				30	3.80	-18.506	-0.0106	-2.5 to 2.5	Pass
				40	3.80	-16.903	-0.0097	-2.5 to 2.5	Pass
				50	3.80	-10.070	-0.0058	-2.5 to 2.5	Pass
					3.23	-16.192	-0.0091	-2.5 to 2.5	Pass
				20	3.80	-1.528	-0.0009	-2.5 to 2.5	Pass
					4.37	-4.470	-0.0025	-2.5 to 2.5	Pass
				-30	3.80	-13.731	-0.0077	-2.5 to 2.5	Pass
				-20	3.80	-6.362	-0.0036	-2.5 to 2.5	Pass
	1779.3	6	0	-10	3.80	-18.420	-0.0104	-2.5 to 2.5	Pass
				0	3.80	-3.512	-0.0020	-2.5 to 2.5	Pass
				10	3.80	-16.004	-0.0090	-2.5 to 2.5	Pass
				30	3.80	-17.146	-0.0096	-2.5 to 2.5	Pass
				40	3.80	-14.337	-0.0081	-2.5 to 2.5	Pass
				50	3.80	-19.970	-0.0112	-2.5 to 2.5	Pass
		· · · · · · · · · · · · · · · · · · ·			3.23	0.491	0.0003	-2.5 to 2.5	Pass
				20	3.80	-14.740	-0.0086	-2.5 to 2.5	Pass
					4.37	-10.963	-0.0064	-2.5 to 2.5	Pass
				-30	3.80	-7.510	-0.0044	-2.5 to 2.5	Pass
				-20	3.80	-5.856	-0.0034	-2.5 to 2.5	Pass
	1710.7	6	0	-10	3.80	-7.481	-0.0044	-2.5 to 2.5	Pass
16QAM				0	3.80	-9.098	-0.0053	-2.5 to 2.5	Pass
				10	3.80	-8.254	-0.0048	-2.5 to 2.5	Pass
				30	3.80	-16.284	-0.0095	-2.5 to 2.5	Pass
				40	3.80	-10.651	-0.0062	-2.5 to 2.5	Pass
				50	3.80	-12.323	-0.0072	-2.5 to 2.5	Pass
	47.5		_		3.23	-27.624	-0.0158	-2.5 to 2.5	Pass
	1745	6	0	20	3.80	-8.482	-0.0049	-2.5 to 2.5	Pass

				4.37	-20.017	-0.0115	-2.5 to 2.5	Pass
			-30	3.80	-7.443	-0.0043	-2.5 to 2.5	Pass
			-20	3.80	-9.628	-0.0055	-2.5 to 2.5	Pass
			-10	3.80	-7.840	-0.0045	-2.5 to 2.5	Pass
			0	3.80	-9.048	-0.0052	-2.5 to 2.5	Pass
			10	3.80	-16.671	-0.0096	-2.5 to 2.5	Pass
			30	3.80	-5.615	-0.0032	-2.5 to 2.5	Pass
			40	3.80	-18.239	-0.0105	-2.5 to 2.5	Pass
			50	3.80	-14.296	-0.0082	-2.5 to 2.5	Pass
				3.23	-9.872	-0.0055	-2.5 to 2.5	Pass
			20	3.80	-14.017	-0.0079	-2.5 to 2.5	Pass
				4.37	-12.778	-0.0072	-2.5 to 2.5	Pass
			-30	3.80	-2.694	-0.0015	-2.5 to 2.5	Pass
			-20	3.80	-3.696	-0.0021	-2.5 to 2.5	Pass
1779.3	6	0	-10	3.80	-9.551	-0.0054	-2.5 to 2.5	Pass
			0	3.80	-10.832	-0.0061	-2.5 to 2.5	Pass
			10	3.80	-15.786	-0.0089	-2.5 to 2.5	Pass
			30	3.80	-3.869	-0.0022	-2.5 to 2.5	Pass
			40	3.80	-16.359	-0.0092	-2.5 to 2.5	Pass
			50	3.80	-11.769	-0.0066	-2.5 to 2.5	Pass

# 6.2 B66\_3MHz

				Band: 6	6 / Bandwid	th: 3MHz																
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. R	ated (ppm)	Verdict													
Modulation	(MHz)	Size	Offset	(°C)	(VDČ)	(Hz)	Result	Limit	verdict													
					3.23	-26.901	-0.0157	-2.5 to 2.5	Pass													
				20	3.80	-18.116	-0.0106	-2.5 to 2.5	Pass													
					4.37	-22.837	-0.0133	-2.5 to 2.5	Pass													
				-30	3.80	-13.566	-0.0079	-2.5 to 2.5	Pass													
				-20	3.80	-1.250	-0.0007	-2.5 to 2.5	Pass													
	1711.5	15	0	-10	3.80	-15.322	-0.0090	-2.5 to 2.5	Pass													
				0	3.80	-14.811	-0.0087	-2.5 to 2.5	Pass													
				10	3.80	-23.869	-0.0139	-2.5 to 2.5	Pass													
				30	3.80	-15.464	-0.0090	-2.5 to 2.5	Pass													
				40	3.80	-23.030	-0.0135	-2.5 to 2.5	Pass													
				50	3.80	-11.015	-0.0064	-2.5 to 2.5	Pass													
					3.23	-16.715	-0.0096	-2.5 to 2.5	Pass													
				20	3.80	-12.857	-0.0074	-2.5 to 2.5	Pass													
QPSK						4.37	-6.335	-0.0036	-2.5 to 2.5	Pass												
				-30	3.80	-8.568	-0.0049	-2.5 to 2.5	Pass													
				-20	3.80	-10.582	-0.0061	-2.5 to 2.5	Pass													
	1745	15	0	-10	3.80	-9.711	-0.0056	-2.5 to 2.5	Pass													
				0	3.80	-10.621	-0.0061	-2.5 to 2.5	Pass													
																	10	3.80	-15.779	-0.0090	-2.5 to 2.5	Pass
																	,		30	3.80	-12.427	-0.0071
				40	3.80	-6.840	-0.0039	-2.5 to 2.5	Pass													
				50	3.80	-5.573	-0.0032	-2.5 to 2.5	Pass													
					3.23	-20.358	-0.0114	-2.5 to 2.5	Pass													
				20	3.80	-6.465	-0.0036	-2.5 to 2.5	Pass													
	1778.5	15	15 0		4.37	-8.410	-0.0047	-2.5 to 2.5	Pass													
				-30	3.80	-21.471	-0.0121	-2.5 to 2.5	Pass													
			-20	3.80	-11.120	-0.0063	-2.5 to 2.5	Pass														

				-10	3.80	-20.641	-0.0116	-2.5 to 2.5	Pass		
				0	3.80	-11.307	-0.0064	-2.5 to 2.5	Pass		
				10	3.80	-16.063	-0.0090	-2.5 to 2.5	Pass		
				30	3.80	-8.123	-0.0046	-2.5 to 2.5	Pass		
				40	3.80	-17.167	-0.0097	-2.5 to 2.5	Pass		
				50	3.80	-17.910	-0.0101	-2.5 to 2.5	Pass		
					3.23	-17.153	-0.0100	-2.5 to 2.5	Pass		
				20	3.80	-16.220	-0.0095	-2.5 to 2.5	Pass		
					4.37	-31.671	-0.0185	-2.5 to 2.5	Pass		
				-30	3.80	-10.718	-0.0063	-2.5 to 2.5	Pass		
				-20	3.80	-15.807	-0.0092	-2.5 to 2.5	Pass		
	1711.5	15	0	-10	3.80	-11.724	-0.0069	-2.5 to 2.5	Pass		
				0	3.80	-15.435	-0.0090	-2.5 to 2.5	Pass		
				10	3.80	-10.047	-0.0059	-2.5 to 2.5	Pass		
				30	3.80	-6.719	-0.0039	-2.5 to 2.5	Pass		
				40	3.80	-7.266	-0.0042	-2.5 to 2.5	Pass		
				50	3.80	-11.432	-0.0067	-2.5 to 2.5	Pass		
					3.23	-27.059	-0.0155	-2.5 to 2.5	Pass		
				20	3.80	2.954	0.0017	-2.5 to 2.5	Pass		
					4.37	-24.375	-0.0140	-2.5 to 2.5	Pass		
					-30	3.80	-5.311	-0.0030	-2.5 to 2.5	Pass	
				-20	3.80	-19.439	-0.0111	-2.5 to 2.5	Pass		
16QAM	1745	15	0	-10	3.80	-7.439	-0.0043	-2.5 to 2.5	Pass		
				0	3.80	-16.229	-0.0093	-2.5 to 2.5	Pass		
				10	3.80	-19.091	-0.0109	-2.5 to 2.5	Pass		
				30	3.80	2.144	0.0012	-2.5 to 2.5	Pass		
					40	3.80	-9.739	-0.0056	-2.5 to 2.5	Pass	
				50	3.80	-14.688	-0.0084	-2.5 to 2.5	Pass		
					3.23	-26.839	-0.0151	-2.5 to 2.5	Pass		
				20	3.80	-17.913	-0.0101	-2.5 to 2.5	Pass		
					4.37	-23.131	-0.0130	-2.5 to 2.5	Pass		
					•	-30	3.80	-0.954	-0.0005	-2.5 to 2.5	Pass
				-20	3.80	-2.652	-0.0015	-2.5 to 2.5	Pass		
	1778.5	15	0	-10	3.80	-20.106	-0.0113	-2.5 to 2.5	Pass		
	1776.5		0	3.80	-21.247	-0.0119	-2.5 to 2.5	Pass			
			10	3.80	-19.781	-0.0111	-2.5 to 2.5	Pass			
			30	3.80	-15.758	-0.0089	-2.5 to 2.5	Pass			
				40	3.80	-24.980	-0.0140	-2.5 to 2.5	Pass		
				50	3.80	-3.908	-0.0022	-2.5 to 2.5	Pass		

# 6.3 B66\_5MHz

				Band: 6	6 / Bandwic	lth: 5MHz			
Modulation	Frequency	RB Alle	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-5.537	-0.0032	-2.5 to 2.5	Pass
				20	3.80	3.838	0.0022	-2.5 to 2.5	Pass
					4.37	1.172	0.0007	-2.5 to 2.5	Pass
QPSK	1712.5	25	0	-30	3.80	-6.949	-0.0041	-2.5 to 2.5	Pass
QFSK	17 12.5	23	U	-20	3.80	-11.392	-0.0067	-2.5 to 2.5	Pass
				-10	3.80	-13.847	-0.0081	-2.5 to 2.5	Pass
				0	3.80	-12.846	-0.0075	-2.5 to 2.5	Pass
				10	3.80	-14.464	-0.0084	-2.5 to 2.5	Pass

			l	20	2.00	22.042	0.0440	254225	Daga
				30	3.80	-23.912	-0.0140	-2.5 to 2.5	Pass
				40 50	3.80	-8.891	-0.0052	-2.5 to 2.5	Pass
				50	3.80 3.23	-22.998 -12.151	-0.0134 -0.0070	-2.5 to 2.5 -2.5 to 2.5	Pass Pass
				20	3.80	-0.266	-0.0070	-2.5 to 2.5	Pass
				20	4.37	-5.631	-0.0032	-2.5 to 2.5	Pass
				-30	3.80	-10.507	-0.0060	-2.5 to 2.5	Pass
				-20	3.80	-19.999	-0.0115	-2.5 to 2.5	Pass
	1745	25	0	-10	3.80	-0.339	-0.0002	-2.5 to 2.5	Pass
				0	3.80	-21.338	-0.0122	-2.5 to 2.5	Pass
				10	3.80	-4.532	-0.0026	-2.5 to 2.5	Pass
				30	3.80	-20.035	-0.0115	-2.5 to 2.5	Pass
				40	3.80	-3.880	-0.0022	-2.5 to 2.5	Pass
				50	3.80	-8.313	-0.0048	-2.5 to 2.5	Pass
					3.23	-13.968	-0.0079	-2.5 to 2.5	Pass
				20	3.80	-10.130	-0.0057	-2.5 to 2.5	Pass
					4.37	-5.105	-0.0029	-2.5 to 2.5	Pass
				-30	3.80	-10.506	-0.0059	-2.5 to 2.5	Pass
				-20	3.80	-12.157	-0.0068	-2.5 to 2.5	Pass
	1777.5	25	0	-10	3.80	-3.026	-0.0017	-2.5 to 2.5	Pass
				0	3.80	-11.893	-0.0067	-2.5 to 2.5	Pass
				10	3.80	-0.624	-0.0004	-2.5 to 2.5	Pass
				30	3.80	-18.098	-0.0102	-2.5 to 2.5	Pass
				40	3.80	-14.884	-0.0084	-2.5 to 2.5	Pass
				50	3.80	-7.720	-0.0043	-2.5 to 2.5	Pass
					3.23	-19.931	-0.0116	-2.5 to 2.5	Pass
				20	3.80	1.024	0.0006	-2.5 to 2.5	Pass
					4.37	-22.419	-0.0131	-2.5 to 2.5	Pass
	1712.5	25		-30	3.80	-10.089	-0.0059	-2.5 to 2.5	Pass
				-20	3.80	-4.799	-0.0028	-2.5 to 2.5	Pass
	1712.5	25	0	-10	3.80	-9.791	-0.0057	-2.5 to 2.5	Pass
				0	3.80	-2.562	-0.0015	-2.5 to 2.5	Pass
				10	3.80	-20.836	-0.0122	-2.5 to 2.5	Pass
				30	3.80	-11.648	-0.0068	-2.5 to 2.5	Pass
				40	3.80	-4.726	-0.0028	-2.5 to 2.5	Pass
				50	3.80	-8.741	-0.0051	-2.5 to 2.5	Pass
				20	3.23	-27.169 5.864	-0.0156	-2.5 to 2.5	Pass
				20	3.80 4.37	-5.864 -19.452	-0.0034 -0.0111	-2.5 to 2.5 -2.5 to 2.5	Pass Pass
				-30	3.80	-10.114	-0.0058	-2.5 to 2.5	Pass
				-20	3.80	-10.114	-0.0058	-2.5 to 2.5	Pass
16QAM	1745	25	0	-10	3.80	-9.690	-0.0056	-2.5 to 2.5	Pass
	1770			0	3.80	-11.907	-0.0068	-2.5 to 2.5	Pass
				10	3.80	-1.023	-0.0006	-2.5 to 2.5	Pass
				30	3.80	-14.965	-0.0086	-2.5 to 2.5	Pass
				40	3.80	-20.380	-0.0117	-2.5 to 2.5	Pass
				50	3.80	-9.068	-0.0052	-2.5 to 2.5	Pass
					3.23	-22.883	-0.0129	-2.5 to 2.5	Pass
	1777.5 25			20	3.80	-12.571	-0.0071	-2.5 to 2.5	Pass
					4.37	-22.949	-0.0129	-2.5 to 2.5	Pass
				-30	3.80	0.215	0.0001	-2.5 to 2.5	Pass
		0.5		-20	3.80	-6.576	-0.0037	-2.5 to 2.5	Pass
		25	0	-10	3.80	-2.014	-0.0011	-2.5 to 2.5	Pass
				0	3.80	-8.762	-0.0049	-2.5 to 2.5	Pass
				10	3.80	-7.068	-0.0040	-2.5 to 2.5	Pass
				30	3.80	1.464	0.0008	-2.5 to 2.5	Pass
		<u> </u>		40	3.80	-9.228	-0.0052	-2.5 to 2.5	Pass

Ī			50	3.80	-10.644	-0.0060	-2.5 to 2.5	Pass
- 1								

# 6.4 B66\_10MHz

					6 / Bandwid				
Modulation	Frequency		ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-20.140	-0.0117	-2.5 to 2.5	Pass
				20	3.80	-8.231	-0.0048	-2.5 to 2.5	Pass
					4.37	-16.696	-0.0097	-2.5 to 2.5	Pass
				-30	3.80	-16.711	-0.0097	-2.5 to 2.5	Pass
				-20	3.80	-18.333	-0.0107	-2.5 to 2.5	Pass
	1715	50	0	-10	3.80	-11.918	-0.0069	-2.5 to 2.5	Pass
				0	3.80	-16.367	-0.0095	-2.5 to 2.5	Pass
				10	3.80	-12.281	-0.0072	-2.5 to 2.5	Pass
				30	3.80	-1.973	-0.0012	-2.5 to 2.5	Pass
				40	3.80	-9.014	-0.0053	-2.5 to 2.5	Pass
				50	3.80	-6.455	-0.0038	-2.5 to 2.5	Pass
					3.23	-16.304	-0.0093	-2.5 to 2.5	Pass
				20	3.80	-19.214	-0.0110	-2.5 to 2.5	Pass
					4.37	-15.417	-0.0088	-2.5 to 2.5	Pass
				-30	3.80	-13.373	-0.0077	-2.5 to 2.5	Pass
				-20	3.80	-8.937	-0.0051	-2.5 to 2.5	Pass
QPSK	1745	50	0	-10	3.80	-9.754	-0.0056	-2.5 to 2.5	Pass
	-			0	3.80	-1.710	-0.0010	-2.5 to 2.5	Pass
				10	3.80	-21.194	-0.0121	-2.5 to 2.5	Pass
				30	3.80	-18.552	-0.0106	-2.5 to 2.5	Pass
				40	3.80	-14.967	-0.0086	-2.5 to 2.5	Pass
				50	3.80	-5.138	-0.0029	-2.5 to 2.5	Pass
				- 00	3.23	0.672	0.0004	-2.5 to 2.5	Pass
				20	3.80	-6.836	-0.0039	-2.5 to 2.5	Pass
				20	4.37	-4.199	-0.0024	-2.5 to 2.5	Pass
				-30	3.80	-12.607	-0.0071	-2.5 to 2.5	Pass
				-20	3.80	-9.919	-0.0056	-2.5 to 2.5	Pass
	1775	50	0	-10	3.80	-16.005	-0.0090	-2.5 to 2.5	Pass
	1775	30		0	3.80	-2.264	-0.0030	-2.5 to 2.5	Pass
				10	3.80	-5.146	-0.0029	-2.5 to 2.5	Pass
				30	3.80	-15.918	-0.0090	-2.5 to 2.5	Pass
				40	3.80	-3.978	-0.0030	-2.5 to 2.5	Pass
				50	3.80	-15.911	-0.0022	-2.5 to 2.5	Pass
				30	3.23	-1.746	-0.0030	-2.5 to 2.5	Pass
				20	3.80	-6.018	-0.0010	-2.5 to 2.5	Pass
				20	4.37	3.075	0.0033	-2.5 to 2.5	Pass
				20		-2.971	-0.0017	-2.5 to 2.5	Pass
				-30 -20	3.80				
	1715	50	0		3.80	-18.062	-0.0105	-2.5 to 2.5	Pass
160 4 14	1715	50	U	-10	3.80	-2.349	-0.0014	-2.5 to 2.5	Pass
16QAM				0	3.80	-9.627	-0.0056	-2.5 to 2.5	Pass
				10	3.80	-9.746 16.201	-0.0057	-2.5 to 2.5	Pass
				30	3.80	-16.291	-0.0095	-2.5 to 2.5	Pass
				40	3.80	-11.165	-0.0065	-2.5 to 2.5	Pass
				50	3.80	-5.969	-0.0035	-2.5 to 2.5	Pass
	1745	50	0	20	3.23	-4.337	-0.0025	-2.5 to 2.5	Pass
			<u> </u>		3.80	-0.592	-0.0003	-2.5 to 2.5	Pass

				4.37	-17.477	-0.0100	-2.5 to 2.5	Pass
			-30	3.80	-20.574	-0.0118	-2.5 to 2.5	Pass
			-20	3.80	-19.050	-0.0109	-2.5 to 2.5	Pass
			-10	3.80	-5.726	-0.0033	-2.5 to 2.5	Pass
			0	3.80	-17.555	-0.0101	-2.5 to 2.5	Pass
			10	3.80	-7.516	-0.0043	-2.5 to 2.5	Pass
			30	3.80	-9.650	-0.0055	-2.5 to 2.5	Pass
			40	3.80	-12.906	-0.0074	-2.5 to 2.5	Pass
			50	3.80	1.449	0.0008	-2.5 to 2.5	Pass
				3.23	-10.263	-0.0058	-2.5 to 2.5	Pass
			20	3.80	-7.765	-0.0044	-2.5 to 2.5	Pass
				4.37	-4.090	-0.0023	-2.5 to 2.5	Pass
			-30	3.80	-6.603	-0.0037	-2.5 to 2.5	Pass
			-20	3.80	-8.948	-0.0050	-2.5 to 2.5	Pass
1775	50	0	-10	3.80	-1.495	-0.0008	-2.5 to 2.5	Pass
			0	3.80	-14.597	-0.0082	-2.5 to 2.5	Pass
			10	3.80	-17.256	-0.0097	-2.5 to 2.5	Pass
			30	3.80	-0.487	-0.0003	-2.5 to 2.5	Pass
			40	3.80	-17.871	-0.0101	-2.5 to 2.5	Pass
			50	3.80	-11.437	-0.0064	-2.5 to 2.5	Pass

# 6.5 B66\_15MHz

				Band: 66	6 / Bandwid	th: 15MHz			
Modulation	Frequency	RB Alle	ocation	Temp.	Voltage	Freq. Error	Freq. vs. R	Rated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-19.188	-0.0112	-2.5 to 2.5	Pass
				20	3.80	-3.290	-0.0019	-2.5 to 2.5	Pass
					4.37	1.834	0.0011	-2.5 to 2.5	Pass
				-30	3.80	-11.681	-0.0068	-2.5 to 2.5	Pass
				-20	3.80	-16.080	-0.0094	-2.5 to 2.5	Pass
	1717.5	75	0	-10	3.80	-14.734	-0.0086	-2.5 to 2.5	Pass
				0	3.80	-4.560	-0.0027	-2.5 to 2.5	Pass
				10	3.80	-26.441	-0.0154	-2.5 to 2.5	Pass
				30	3.80	-15.210	-0.0089	-2.5 to 2.5	Pass
				40	3.80	-18.054	-0.0105	-2.5 to 2.5	Pass
				50	3.80	-15.198	-0.0088	-2.5 to 2.5	Pass
					3.23	-17.930	-0.0103	-2.5 to 2.5	Pass
				20	3.80	0.514	0.0003	-2.5 to 2.5	Pass
QPSK					4.37	-7.697	-0.0044	-2.5 to 2.5	Pass
				-30	3.80	-10.657	-0.0061	-2.5 to 2.5	Pass
				-20	3.80	-10.370	-0.0059	-2.5 to 2.5	Pass
	1745	75	0	-10	3.80	-22.962	-0.0132	-2.5 to 2.5	Pass
				0	3.80	-15.199	-0.0087	-2.5 to 2.5	Pass
				10	3.80	-17.914	-0.0103	-2.5 to 2.5	Pass
				30	3.80	-8.779	-0.0050	-2.5 to 2.5	Pass
				40	3.80	-17.128	-0.0098	-2.5 to 2.5	Pass
				50	3.80	-5.075	-0.0029	-2.5 to 2.5	Pass
					3.23	-13.241	-0.0075	-2.5 to 2.5	Pass
				20	3.80	-18.302	-0.0103	-2.5 to 2.5	Pass
	1772.5	75	0		4.37	-4.621	-0.0026	-2.5 to 2.5	Pass
				-30	3.80	-19.524	-0.0110	-2.5 to 2.5	Pass
				-20	3.80	-12.525	-0.0071	-2.5 to 2.5	Pass

					.3 80	-16 ///	_// //////// -	-フトtoフト	Pass
				-10 0	3.80 3.80	-16.440 -10.065	-0.0093 -0.0057	-2.5 to 2.5	Pass
				10	3.80	-12.972	-0.0037	-2.5 to 2.5 -2.5 to 2.5	
				30	3.80	-12.972	-0.0073	-2.5 to 2.5	Pass Pass
				40					
				50	3.80	-21.034	-0.0119	-2.5 to 2.5	Pass
				50	3.80	-12.891	-0.0073	-2.5 to 2.5	Pass
				00	3.23	-14.754	-0.0086	-2.5 to 2.5	Pass
				20	3.80	1.849	0.0011	-2.5 to 2.5	Pass
					4.37	-9.866	-0.0057	-2.5 to 2.5	Pass
				-30	3.80	-3.918	-0.0023	-2.5 to 2.5	Pass
			_	-20	3.80	-3.944	-0.0023	-2.5 to 2.5	Pass
	1717.5	75	0	-10	3.80	-1.249	-0.0007	-2.5 to 2.5	Pass
				0	3.80	-5.546	-0.0032	-2.5 to 2.5	Pass
				10	3.80	-1.266	-0.0007	-2.5 to 2.5	Pass
				30	3.80	-15.142	-0.0088	-2.5 to 2.5	Pass
				40	3.80	-2.922	-0.0017	-2.5 to 2.5	Pass
				50	3.80	-27.020	-0.0157	-2.5 to 2.5	Pass
					3.23	-1.157	-0.0007	-2.5 to 2.5	Pass
				20	3.80	-19.110	-0.0110	-2.5 to 2.5	Pass
					4.37	-11.220	-0.0064	-2.5 to 2.5	Pass
				-30	3.80	-10.430	-0.0060	-2.5 to 2.5	Pass
				-20	3.80	-19.350	-0.0111	-2.5 to 2.5	Pass
16QAM	1745	75	0	-10	3.80	-16.603	-0.0095	-2.5 to 2.5	Pass
				0	3.80	-17.003	-0.0097	-2.5 to 2.5	Pass
				10	3.80	-5.285	-0.0030	-2.5 to 2.5	Pass
				30	3.80	-10.807	-0.0062	-2.5 to 2.5	Pass
				40	3.80	-2.857	-0.0016	-2.5 to 2.5	Pass
				50	3.80	-9.642	-0.0055	-2.5 to 2.5	Pass
					3.23	-10.331	-0.0058	-2.5 to 2.5	Pass
				20	3.80	-2.600	-0.0015	-2.5 to 2.5	Pass
					4.37	-23.076	-0.0130	-2.5 to 2.5	Pass
				-30	3.80	-9.866	-0.0056	-2.5 to 2.5	Pass
				-20	3.80	-17.983	-0.0101	-2.5 to 2.5	Pass
	1772.5	75	0	-10	3.80	-17.163	-0.0097	-2.5 to 2.5	Pass
	-	-	-	0	3.80	0.142	0.0001	-2.5 to 2.5	Pass
				10	3.80	-25.388	-0.0143	-2.5 to 2.5	Pass
				30	3.80	-9.374	-0.0053	-2.5 to 2.5	Pass
				40	3.80	-7.797	-0.0044	-2.5 to 2.5	Pass
				50	3.80	-5.794	-0.0033	-2.5 to 2.5	Pass

## 6.6 B66\_20MHz

				Band: 66	6 / Bandwid	th: 20MHz			
Modulation	Frequency	RB Alle	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
iviodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-18.262	-0.0106	-2.5 to 2.5	Pass
				20	3.80	-23.155	-0.0135	-2.5 to 2.5	Pass
					4.37	-7.832	-0.0046	-2.5 to 2.5	Pass
QPSK	1720	100	0	-30	3.80	-16.281	-0.0095	-2.5 to 2.5	Pass
QFSN	1720	100	U	-20	3.80	-17.794	-0.0103	-2.5 to 2.5	Pass
				-10	3.80	-20.396	-0.0119	-2.5 to 2.5	Pass
				0	3.80	-16.920	-0.0098	-2.5 to 2.5	Pass
				10	3.80	-15.003	-0.0087	-2.5 to 2.5	Pass

		<u> </u>		20	2.00	E 026	0.0024	2.E to 2.E	Doos
				30	3.80	-5.836	-0.0034	-2.5 to 2.5	Pass
				40 50	3.80	-8.095	-0.0047	-2.5 to 2.5	Pass
				50	3.80 3.23	-17.606 -0.742	-0.0102 -0.0004	-2.5 to 2.5 -2.5 to 2.5	Pass Pass
				20	3.80	-6.453	-0.0037	-2.5 to 2.5	Pass
				20	4.37	-1.235	-0.0007	-2.5 to 2.5	Pass
				-30	3.80	-9.331	-0.0053	-2.5 to 2.5	Pass
				-20	3.80	-6.072	-0.0035	-2.5 to 2.5	Pass
	1745	100	0	-10	3.80	-3.913	-0.0022	-2.5 to 2.5	Pass
		100	Ŭ	0	3.80	-25.971	-0.0149	-2.5 to 2.5	Pass
				10	3.80	-9.899	-0.0057	-2.5 to 2.5	Pass
				30	3.80	-8.985	-0.0051	-2.5 to 2.5	Pass
				40	3.80	-10.799	-0.0062	-2.5 to 2.5	Pass
				50	3.80	-12.731	-0.0073	-2.5 to 2.5	Pass
					3.23	-9.904	-0.0056	-2.5 to 2.5	Pass
				20	3.80	-14.930	-0.0084	-2.5 to 2.5	Pass
					4.37	-8.192	-0.0046	-2.5 to 2.5	Pass
				-30	3.80	-7.783	-0.0044	-2.5 to 2.5	Pass
				-20	3.80	-13.808	-0.0078	-2.5 to 2.5	Pass
	1770	100	0	-10	3.80	-27.280	-0.0154	-2.5 to 2.5	Pass
				0	3.80	-17.412	-0.0098	-2.5 to 2.5	Pass
				10	3.80	-16.181	-0.0091	-2.5 to 2.5	Pass
				30	3.80	4.130	0.0023	-2.5 to 2.5	Pass
				40	3.80	3.638	0.0021	-2.5 to 2.5	Pass
				50	3.80	-15.344	-0.0087	-2.5 to 2.5	Pass
					3.23	-7.395	-0.0043	-2.5 to 2.5	Pass
				20	3.80	-5.210	-0.0030	-2.5 to 2.5	Pass
					4.37	-4.945	-0.0029	-2.5 to 2.5	Pass
				-30	3.80	-17.383	-0.0101	-2.5 to 2.5	Pass
				-20	3.80	-6.980	-0.0041	-2.5 to 2.5	Pass
	1720	100	0	-10	3.80	-17.045	-0.0099	-2.5 to 2.5	Pass
				0	3.80	-17.862	-0.0104	-2.5 to 2.5	Pass
				10	3.80	-14.077	-0.0082	-2.5 to 2.5	Pass
				30	3.80	5.382	0.0031	-2.5 to 2.5	Pass
				40	3.80	-21.943	-0.0128	-2.5 to 2.5	Pass
				50	3.80	-13.089	-0.0076	-2.5 to 2.5	Pass
				20	3.23	-16.948	-0.0097	-2.5 to 2.5	Pass
				20	3.80	-10.928	-0.0063	-2.5 to 2.5	Pass
				20	4.37	-10.495	-0.0060 0.0000	-2.5 to 2.5	Pass
				-30 -20	3.80 3.80	-0.061		-2.5 to 2.5	Pass Pass
16QAM	1745	100	0	-10	3.80	-3.023 -23.742	-0.0017 -0.0136	-2.5 to 2.5 -2.5 to 2.5	Pass
	1740	100	U	0	3.80	-14.811	-0.0136	-2.5 to 2.5	Pass
				10	3.80	-1.502	-0.0009	-2.5 to 2.5	Pass
				30	3.80	-27.379	-0.0009	-2.5 to 2.5	Pass
				40	3.80	-8.678	-0.0050	-2.5 to 2.5	Pass
				50	3.80	-4.004	-0.0030	-2.5 to 2.5	Pass
				30	3.23	-17.956	-0.0023	-2.5 to 2.5	Pass
				20	3.80	2.292	0.0013	-2.5 to 2.5	Pass
					4.37	-18.252	-0.0103	-2.5 to 2.5	Pass
				-30	3.80	-9.482	-0.0054	-2.5 to 2.5	Pass
			_	-20	3.80	-18.758	-0.0106	-2.5 to 2.5	Pass
	1770	100	0	-10	3.80	-16.356	-0.0092	-2.5 to 2.5	Pass
				0	3.80	-3.236	-0.0018	-2.5 to 2.5	Pass
				10	3.80	-19.602	-0.0111	-2.5 to 2.5	Pass
				30	3.80	-19.113	-0.0108	-2.5 to 2.5	Pass
				40	3.80	-1.487	-0.0008	-2.5 to 2.5	Pass
		•		•					

		50	3.80	-5.579	-0.0032	-2.5 to 2.5	Pass

# 7. Frequency Stability

# 7.1 B7\_5MHz

				Band:	7 / Bandwid	th: 5MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	Rated (ppm)	Verdict
iviodulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-13.935	-0.0056	-2.5 to 2.5	Pass
				20	3.80	1.834	0.0007	-2.5 to 2.5	Pass
					4.37	1.151	0.0005	-2.5 to 2.5	Pass
				-30	3.80	-5.137	-0.0021	-2.5 to 2.5	Pass
				-20	3.80	-7.064	-0.0028	-2.5 to 2.5	Pass
	2502.5	25	0	-10	3.80	0.888	0.0004	-2.5 to 2.5	Pass
				0	3.80	-11.645	-0.0047	-2.5 to 2.5	Pass
				10	3.80	1.921	0.0008	-2.5 to 2.5	Pass
				30	3.80	-0.792	-0.0003	-2.5 to 2.5	Pass
				40	3.80	-1.448	-0.0006	-2.5 to 2.5	Pass
				50	3.80	-8.361	-0.0033	-2.5 to 2.5	Pass
					3.23	-18.194	-0.0072		Pass
				20	3.80	-6.984	-0.0028		Pass
					4.37	-2.302	-0.0009		Pass
				-30	3.80	-28.397	-0.0112		Pass
				-20	3.80	-16.911	-0.0067		Pass
QPSK	2535	25	0	-10	3.80	-22.242	-0.0088		Pass
				0	3.80	-19.411	-0.0077		Pass
				10	3.80	-17.182	-0.0068		Pass
				30	3.80	-26.992	-0.0106		Pass
				40	3.80	1.187	0.0005		Pass
				50	3.80	-19.093	-0.0075		Pass
					3.23	-7.073	-0.0028		Pass
				20	3.80	2.221	0.0009		Pass
					4.37	-6.162	-0.0024		Pass
				-30	3.80	-12.344	-0.0048		Pass
				-20	3.80	-14.970	-0.0058		Pass
	2567.5	25	0	-10	3.80	-2.396	-0.0009		Pass
				0	3.80	-16.868	-0.0066		Pass
				10	3.80	-21.012	-0.0082		Pass
				30	3.80	-19.857	-0.0077		Pass
				40	3.80	-5.920	-0.0023		Pass
				50	3.80	-8.237	-0.0032		Pass
					3.23	-12.668	-0.0051		Pass
				20	3.80	-14.721	-0.0059		Pass
					4.37	-15.183	-0.0061		Pass
				-30	3.80	-10.327	-0.0041		Pass
			_	-20	3.80	-26.977	-0.0108		Pass
16QAM	2502.5	25	0	-10	3.80	-17.647	-0.0071		Pass
				0	3.80	-4.287	-0.0017		Pass
				10	3.80	0.870	0.0003		Pass
									Pass
									Pass
				30 40	3.80 3.80 3.80	-11.755 -19.306	-0.0047 -0.0077	-2.5 to 2.5	

			50	3.80	-9.487	-0.0038	-2.5 to 2.5	Pass
				3.23	-20.684	-0.0082	-2.5 to 2.5	Pass
			20	3.80	-3.181	-0.0013	-2.5 to 2.5	Pass
				4.37	-25.133	-0.0099	-2.5 to 2.5	Pass
			-30	3.80	-12.662	-0.0050	-2.5 to 2.5	Pass
			-20	3.80	-6.010	-0.0024	-2.5 to 2.5	Pass
2535	25	0	-10	3.80	-24.460	-0.0096	-2.5 to 2.5	Pass
			0	3.80	-15.358	-0.0061	-2.5 to 2.5	Pass
			10	3.80	-8.556	-0.0034	-2.5 to 2.5	Pass
			30	3.80	-17.289	-0.0068	-2.5 to 2.5	Pass
			40	3.80	-5.541	-0.0022	-2.5 to 2.5	Pass
			50	3.80	-14.693	-0.0058	-2.5 to 2.5	Pass
				3.23	-11.450	-0.0045	-2.5 to 2.5	Pass
			20	3.80	-26.359	-0.0103	-2.5 to 2.5	Pass
				4.37	-5.024	-0.0020	-2.5 to 2.5	Pass
			-30	3.80	-18.384	-0.0072	-2.5 to 2.5	Pass
			-20	3.80	-9.309	-0.0036	-2.5 to 2.5	Pass
2567.5	25	0	-10	3.80	-0.785	-0.0003	-2.5 to 2.5	Pass
			0	3.80	-7.158	-0.0028	-2.5 to 2.5	Pass
			10	3.80	-13.198	-0.0051	-2.5 to 2.5	Pass
			30	3.80	-16.430	-0.0064	-2.5 to 2.5	Pass
			40	3.80	-8.373	-0.0033	-2.5 to 2.5	Pass
			50	3.80	-1.886	-0.0007	-2.5 to 2.5	Pass

## 7.2 B7\_10MHz

				Band: 7	/ Bandwidt	h: 10MHz			
Modulation	Frequency	RB All	ocation	Temp.	Voltage	Freq. Error	Freq. vs. F	ated (ppm)	Verdict
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict
					3.23	-16.161	-0.0065	-2.5 to 2.5	Pass
				20	3.80	-8.642	-0.0034	-2.5 to 2.5	Pass
					4.37	-27.706	-0.0111	-2.5 to 2.5	Pass
				-30	3.80	-1.446	-0.0006	-2.5 to 2.5	Pass
				-20	3.80	5.718	0.0023	-2.5 to 2.5	Pass
	2505	50	0	-10	3.80	-2.204	-0.0009	-2.5 to 2.5	Pass
				0	3.80	-21.878	-0.0087	-2.5 to 2.5	Pass
				10	3.80	-8.866	-0.0035	-2.5 to 2.5	Pass
				30	3.80	-19.975	-0.0080	-2.5 to 2.5	Pass
				40	3.80	-27.242	-0.0109	-2.5 to 2.5	Pass
				50	3.80	-17.305	-0.0069	-2.5 to 2.5	Pass
QPSK					3.23	-8.938	-0.0035	-2.5 to 2.5	Pass
QFSK				20	3.80	-5.935	-0.0023	-2.5 to 2.5	Pass
					4.37	-4.197	-0.0017	-2.5 to 2.5	Pass
				-30	3.80	-30.298	-0.0120	-2.5 to 2.5	Pass
				-20	3.80	-2.322	-0.0009	-2.5 to 2.5	Pass
	2535	50	0	-10	3.80	-17.138	-0.0068	-2.5 to 2.5	Pass
				0	3.80	-19.008	-0.0075	-2.5 to 2.5	Pass
				10	3.80	-11.456	-0.0045	-2.5 to 2.5	Pass
				30	3.80	0.268	0.0001	-2.5 to 2.5	Pass
				40	3.80	-17.452	-0.0069	-2.5 to 2.5	Pass
			50	3.80	-23.632	-0.0093	-2.5 to 2.5	Pass	
	2565	50	50 0	20	3.23	-7.747	-0.0030	-2.5 to 2.5	Pass
	2000	50		20	3.80	6.674	0.0026	-2.5 to 2.5	Pass

				1	4.37	0.123	0.0000	-2.5 to 2.5	Pass
				-30	3.80	-16.489	-0.0064	-2.5 to 2.5	Pass
				-20	3.80	-16.477	-0.0064	-2.5 to 2.5	Pass
				-10	3.80	-11.518	-0.0045	-2.5 to 2.5	Pass
				0	3.80	-16.496	-0.0064	-2.5 to 2.5	Pass
				10	3.80	-8.484	-0.0033	-2.5 to 2.5	Pass
				30	3.80	-17.205	-0.0067	-2.5 to 2.5	Pass
				40	3.80	-24.483	-0.0095	-2.5 to 2.5	Pass
				50	3.80	-2.780	-0.0011	-2.5 to 2.5	Pass
				- 00	3.23	-10.546	-0.0042	-2.5 to 2.5	Pass
				20	3.80	5.145	0.0021	-2.5 to 2.5	Pass
				20	4.37	-14.573	-0.0058	-2.5 to 2.5	Pass
				-30	3.80	-27.981	-0.0112	-2.5 to 2.5	Pass
				-20	3.80	-9.343	-0.0037	-2.5 to 2.5	Pass
	2505	50	0	-10	3.80	-5.654	-0.0023	-2.5 to 2.5	Pass
				0	3.80	1.507	0.0006	-2.5 to 2.5	Pass
				10	3.80	-21.600	-0.0086	-2.5 to 2.5	Pass
				30	3.80	-21.937	-0.0088	-2.5 to 2.5	Pass
				40	3.80	-9.469	-0.0038	-2.5 to 2.5	Pass
				50	3.80	-0.879	-0.0004	-2.5 to 2.5	Pass
					3.23	-17.124	-0.0068	-2.5 to 2.5	Pass
				20	3.80	-28.315	-0.0112	-2.5 to 2.5	Pass
					4.37	-14.211	-0.0056	-2.5 to 2.5	Pass
				-30	3.80	-22.037	-0.0087	-2.5 to 2.5	Pass
				-20	3.80	-28.578	-0.0113	-2.5 to 2.5	Pass
16QAM	2535	50	0	-10	3.80	-24.443	-0.0096	-2.5 to 2.5	Pass
				0	3.80	-18.420	-0.0073	-2.5 to 2.5	Pass
				10	3.80	-7.719	-0.0030	-2.5 to 2.5	Pass
				30	3.80	-6.354	-0.0025	-2.5 to 2.5	Pass
				40	3.80	-27.804	-0.0110	-2.5 to 2.5	Pass
				50	3.80	-8.516	-0.0034	-2.5 to 2.5	Pass
					3.23	-13.482	-0.0053	-2.5 to 2.5	Pass
		]		20	3.80	-5.539	-0.0022	-2.5 to 2.5	Pass
					4.37	1.116	0.0004	-2.5 to 2.5	Pass
				-30	3.80	-10.276	-0.0040	-2.5 to 2.5	Pass
				-20	3.80	-19.568	-0.0076	-2.5 to 2.5	Pass
	2565	50	0	-10	3.80	-17.020	-0.0066	-2.5 to 2.5	Pass
		]		0	3.80	-22.822	-0.0089	-2.5 to 2.5	Pass
				10	3.80	-24.038	-0.0094	-2.5 to 2.5	Pass
				30	3.80	-9.835	-0.0038	-2.5 to 2.5	Pass
				40	3.80	-22.199	-0.0087	-2.5 to 2.5	Pass
				50	3.80	-7.169	-0.0028	-2.5 to 2.5	Pass

# 7.3 B7\_15MHz

	Band: 7 / Bandwidth: 15MHz													
Modulation	Frequency	RB Allocation		Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict					
Modulation	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	verdict					
					3.23	-13.809	-0.0055	-2.5 to 2.5	Pass					
				20	3.80	-17.081	-0.0068	-2.5 to 2.5	Pass					
QPSK	2507.5	75	0		4.37	-14.678	-0.0059	-2.5 to 2.5	Pass					
				-30	3.80	-17.076	-0.0068	-2.5 to 2.5	Pass					
				-20	3.80	1.267	0.0005	-2.5 to 2.5	Pass					

		ı	I	4.0	0.00	00.400	0.0400	05.05	_
				-10	3.80	-30.128	-0.0120	-2.5 to 2.5	Pass
				0	3.80	-5.491	-0.0022	-2.5 to 2.5	Pass
				10	3.80	-5.680	-0.0023	-2.5 to 2.5	Pass
				30	3.80	-8.140	-0.0032	-2.5 to 2.5	Pass
				40	3.80	-23.006	-0.0092	-2.5 to 2.5	Pass
				50	3.80	-10.225	-0.0041	-2.5 to 2.5	Pass
					3.23	-28.801	-0.0114	-2.5 to 2.5	Pass
				20	3.80	6.307	0.0025	-2.5 to 2.5	Pass
					4.37	-22.074	-0.0087	-2.5 to 2.5	Pass
				-30	3.80	-3.483	-0.0014	-2.5 to 2.5	Pass
				-20	3.80	-9.547	-0.0038	-2.5 to 2.5	Pass
	2535	75	0	-10	3.80	-9.125	-0.0036	-2.5 to 2.5	Pass
				0	3.80	-17.208	-0.0068	-2.5 to 2.5	Pass
				10	3.80	-28.616	-0.0113	-2.5 to 2.5	Pass
				30	3.80	-25.934	-0.0102	-2.5 to 2.5	Pass
				40	3.80	-26.722	-0.0105	-2.5 to 2.5	Pass
				50	3.80	-26.909	-0.0106	-2.5 to 2.5	Pass
					3.23	-14.999	-0.0059	-2.5 to 2.5	Pass
				20	3.80	-23.686	-0.0092	-2.5 to 2.5	Pass
					4.37	-26.139	-0.0102	-2.5 to 2.5	Pass
				-30	3.80	-12.402	-0.0048	-2.5 to 2.5	Pass
				-20	3.80	-23.716	-0.0093	-2.5 to 2.5	Pass
	2562.5	75	0	-10	3.80	-13.958	-0.0054	-2.5 to 2.5	Pass
				0	3.80	-32.520	-0.0127	-2.5 to 2.5	Pass
				10	3.80	-6.595	-0.0026	-2.5 to 2.5	Pass
				30	3.80	-20.958	-0.0082	-2.5 to 2.5	Pass
				40	3.80	-11.847	-0.0046	-2.5 to 2.5	Pass
				50	3.80	-24.825	-0.0097	-2.5 to 2.5	Pass
					3.23	-13.794	-0.0055	-2.5 to 2.5	Pass
				20	3.80	-17.679	-0.0071	-2.5 to 2.5	Pass
					4.37	-17.507	-0.0070	-2.5 to 2.5	Pass
				-30	3.80	-21.254	-0.0085	-2.5 to 2.5	Pass
			_	-20	3.80	-19.904	-0.0079	-2.5 to 2.5	Pass
	2507.5	75	0	-10	3.80	-8.413	-0.0034	-2.5 to 2.5	Pass
				0	3.80	-16.942	-0.0068	-2.5 to 2.5	Pass
				10	3.80	-8.716	-0.0035	-2.5 to 2.5	Pass
				30	3.80	-18.426	-0.0073	-2.5 to 2.5	Pass
				40	3.80	-3.862	-0.0015	-2.5 to 2.5	Pass
				50	3.80	-10.398	-0.0041	-2.5 to 2.5	Pass
				00	3.23	-19.717	-0.0078	-2.5 to 2.5	Pass
				20	3.80	-15.989	-0.0063	-2.5 to 2.5	Pass
400 414				00	4.37	-24.483	-0.0097	-2.5 to 2.5	Pass
16QAM				-30	3.80	-18.698	-0.0074	-2.5 to 2.5	Pass
	0505	7-	_	-20	3.80	-19.471	-0.0077	-2.5 to 2.5	Pass
	2535	75	0	-10	3.80	-19.382	-0.0076	-2.5 to 2.5	Pass
				0	3.80	-23.938	-0.0094	-2.5 to 2.5	Pass
				10	3.80	-13.777	-0.0054	-2.5 to 2.5	Pass
				30	3.80	-23.335	-0.0092	-2.5 to 2.5	Pass
				40	3.80	-21.605	-0.0085	-2.5 to 2.5	Pass
				50	3.80	-16.481	-0.0065	-2.5 to 2.5	Pass
				00	3.23	-23.396	-0.0091	-2.5 to 2.5	Pass
				20	3.80	-6.428	-0.0025	-2.5 to 2.5	Pass
	0500 5	7-	_	00	4.37	-3.471	-0.0014	-2.5 to 2.5	Pass
	2562.5	75	0	-30	3.80	-11.601	-0.0045	-2.5 to 2.5	Pass
				-20	3.80	-5.225	-0.0020	-2.5 to 2.5	Pass
				-10	3.80	-19.057	-0.0074	-2.5 to 2.5	Pass
				0	3.80	-17.060	-0.0067	-2.5 to 2.5	Pass

10	3.80	-14.509	-0.0057	-2.5 to 2.5	Pass
30	3.80	-14.548	-0.0057	-2.5 to 2.5	Pass
40	3.80	1.344	0.0005	-2.5 to 2.5	Pass
50	3.80	-26.585	-0.0104	-2.5 to 2.5	Pass

# 7.4 B7\_20MHz

Band: 7 / Bandwidth: 20MHz										
Modulation	Frequency	RB Allocation		Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict	
	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit		
			0	20	3.23	-2.477	-0.0010	-2.5 to 2.5	Pass	
	2510	100			3.80	-18.903	-0.0075	-2.5 to 2.5	Pass	
					4.37	-12.691	-0.0051	-2.5 to 2.5	Pass	
				-30	3.80	-9.786	-0.0039	-2.5 to 2.5	Pass	
				-20	3.80	7.438	0.0030	-2.5 to 2.5	Pass	
				-10	3.80	-6.759	-0.0027	-2.5 to 2.5	Pass	
				0	3.80	-6.232	-0.0025	-2.5 to 2.5	Pass	
				10	3.80	-5.095	-0.0020	-2.5 to 2.5	Pass	
				30	3.80	-11.564	-0.0046	-2.5 to 2.5	Pass	
				40	3.80	-0.458	-0.0002	-2.5 to 2.5	Pass	
				50	3.80	-16.423	-0.0065	-2.5 to 2.5	Pass	
			0	20	3.23	-7.317	-0.0029	-2.5 to 2.5	Pass	
					3.80	-16.862	-0.0067	-2.5 to 2.5	Pass	
ı					4.37	-19.864	-0.0078	-2.5 to 2.5	Pass	
				-30	3.80	-12.470	-0.0049	-2.5 to 2.5	Pass	
				-20	3.80	-19.953	-0.0079	-2.5 to 2.5	Pass	
QPSK	2535	100		-10	3.80	-10.132	-0.0040	-2.5 to 2.5	Pass	
				0	3.80	-5.938	-0.0023	-2.5 to 2.5	Pass	
				10	3.80	-5.270	-0.0021	-2.5 to 2.5	Pass	
				30	3.80	-11.134	-0.0044	-2.5 to 2.5	Pass	
				40	3.80	-20.263	-0.0080	-2.5 to 2.5	Pass	
				50	3.80	-3.013	-0.0012	-2.5 to 2.5	Pass	
	2560	100	0	20	3.23	-7.613	-0.0030	-2.5 to 2.5	Pass	
					3.80	-12.144	-0.0047	-2.5 to 2.5	Pass	
					4.37	-21.832	-0.0085	-2.5 to 2.5	Pass	
				-30	3.80	-15.639	-0.0061	-2.5 to 2.5	Pass	
				-20	3.80	-7.465	-0.0029	-2.5 to 2.5	Pass	
				-10	3.80	-1.226	-0.0005	-2.5 to 2.5	Pass	
				0	3.80	3.113	0.0012	-2.5 to 2.5	Pass	
				10	3.80	-6.470	-0.0025	-2.5 to 2.5	Pass	
				30	3.80	-17.634	-0.0069	-2.5 to 2.5	Pass	
				40	3.80	-16.753	-0.0065	-2.5 to 2.5	Pass	
				50	3.80	-26.076	-0.0102	-2.5 to 2.5	Pass	
16QAM	2510	100	0	20	3.23	-16.275	-0.0065	-2.5 to 2.5	Pass	
					3.80	-23.245	-0.0093	-2.5 to 2.5	Pass	
					4.37	0.244	0.0001	-2.5 to 2.5	Pass	
				-30	3.80	-13.347	-0.0053	-2.5 to 2.5	Pass	
				-20	3.80	-25.262	-0.0101	-2.5 to 2.5	Pass	
				-10	3.80	-13.951	-0.0056	-2.5 to 2.5	Pass	
				0	3.80	-7.459	-0.0030	-2.5 to 2.5	Pass	
				10	3.80	-6.753	-0.0027	-2.5 to 2.5	Pass	
				30	3.80	2.983	0.0012	-2.5 to 2.5	Pass	
				40	3.80	-12.055	-0.0048	-2.5 to 2.5	Pass	

		1	1	ΕO	2.00	10.070	0.0070	2 5 to 2 5	Doos
				50	3.80	-19.870	-0.0079	-2.5 to 2.5	Pass
	2535	100	0	20	3.23	-19.653	-0.0078	-2.5 to 2.5	Pass
					3.80	-11.480	-0.0045	-2.5 to 2.5	Pass
					4.37	-17.288	-0.0068	-2.5 to 2.5	Pass
				-30	3.80	-2.859	-0.0011	-2.5 to 2.5	Pass
				-20	3.80	-24.971	-0.0099	-2.5 to 2.5	Pass
				-10	3.80	-17.704	-0.0070	-2.5 to 2.5	Pass
				0	3.80	3.547	0.0014	-2.5 to 2.5	Pass
				10	3.80	-12.992	-0.0051	-2.5 to 2.5	Pass
				30	3.80	-10.680	-0.0042	-2.5 to 2.5	Pass
				40	3.80	-19.330	-0.0076	-2.5 to 2.5	Pass
				50	3.80	-4.022	-0.0016	-2.5 to 2.5	Pass
			0	20	3.23	-7.483	-0.0029	-2.5 to 2.5	Pass
					3.80	-0.615	-0.0002	-2.5 to 2.5	Pass
		100			4.37	-12.881	-0.0050	-2.5 to 2.5	Pass
				-30	3.80	-4.381	-0.0017	-2.5 to 2.5	Pass
	2560			-20	3.80	-20.727	-0.0081	-2.5 to 2.5	Pass
				-10	3.80	-7.861	-0.0031	-2.5 to 2.5	Pass
				0	3.80	-0.124	0.0000	-2.5 to 2.5	Pass
				10	3.80	3.351	0.0013	-2.5 to 2.5	Pass
				30	3.80	4.456	0.0017	-2.5 to 2.5	Pass
				40	3.80	-5.252	-0.0021	-2.5 to 2.5	Pass
				50	3.80	-4.053	-0.0016	-2.5 to 2.5	Pass