



SANYO Electric Co., Ltd.
Multimedia Company

Tel: +81-720-70-6288
Fax: +81-720-70-6084

October 27, 2003

Federal Communications Commission
Authorization and Evaluation Division
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MD 21046 U.S.A.

To whom it may concern:

We, the undersigned, hereby authorize PCTEST Engineering Laboratory Inc., to act on our behalf in all matters relating to applications for equipment authorization, including the signing of all documents relating to these matters. Any and all acts carried out by PCTEST Engineering Laboratory, Inc. on our behalf shall have the same effect as acts of our own.

We also hereby certify that no party to this application is subject to a denial of benefits, including FCC benefits, pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S. C. 853(a).

Sincerely,

T. Ukari
Takenori Ukari
Telecom company President/Officer
SANYO Electric Co., Ltd.

Applicant: SANYO Electric Co., Ltd.



SANYO Electric Co., Ltd.

Multimedia Company

Personal Telecommunication Div.

1-1 Sanyo-Cho, Daito City, Osaka, Japan

TEL: (81) 720-70-6288

FAX: (81) 720-70-6084

AFFIDAVIT

I hereby certify that transceiver FCC ID: AEZSCP-73H manufactured by SANYO Electric Co., Ltd.. complies with all requirements of Part 22 Subpart H of the FCC Rules.

SANYO Electric Co., Ltd.

Multimedia Company

1-1 Sanyo-Cho Daito City, Osaka, Japan

Date: October 27, 2003

A handwritten signature in cursive script, appearing to read 'T. Ukari', is written over a horizontal line.

Takenori Ukari

Telecom company President/Officer

SANYO Electric Co., Ltd.



SANYO Electric Co., Ltd.
Multimedia Company

Tel: +81-72-870-6288
Fax: +81-72-870-6084

AFFIDAVIT FOR ESN PROTECTION OF CELLULAR MOBILE TELEPHONES

We hereby certify that the Handheld Portable Cellular Telephone, **FCC ID: AEZSCP-73H** is so designed that it complies with all the requirements for ESN protection specified in Section 22.919.

- a) The transmitter in service has a unique ESN.
- b) The ESN host component is permanently attached to a main circuit board of the mobile transmitter and the integrity of the unit operating software cannot be altered. The ESN is plated from fraudulent contact and tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the memory with other information.
- c) The ESN is factory-set and cannot be altered, transferred, removed or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacturer will render the mobile transmitter inoperative.

Sincerely,

Date: October 27, 2003

T. Ukari

Takenori Ukari
Telecom company President/officer
SANYO Electric Co., Ltd.



October 27, 2003

Federal Communications Commission
Equipment Approval Services
7435 Oakland Mills Road
Columbia, MD 21046
Attn: Frank Coperich / Kwok Chan

**SUBJECT: Sanyo Electric Co., Ltd.
FCC ID: AEZSCP-73H
Users Manual RF Exposure Warning Statement**

Dear Frank / Kwok:

Sanyo Electric Co., Ltd. hereby confirms that the attached RF exposure warning page will be readily visible to the user, and will be placed at a prominent location in the front section of the users manual.

If you have any further questions regarding this matter, please do not hesitate to contact PCTEST Lab at (301) 596-2120.

Sincerely,

T. Ukari

Takenori Ukari

Telecom company President/Officer
SANYO Electric Co., Ltd.

cc: Randy Ortanez
President, PCTEST Lab



SANYO Electric Co., Ltd.

Multimedia Company

TEL: (81) 72-870-6288

FAX: (81) 72-870-6084

1-1 Sanyo-Cho, Daito City, Osaka, Japan

October 27, 2003

Federal Communications Commission
Equipment Approval Services
7435 Oakland Mills Road
Columbia, MD 21046

**SUBJECT: SANYO ELECTRIC CO., LTD.
FCC ID: AEZSCP-73H
FCC E911 Requirements Per §22.921**

Gentlemen:

Sanyo Electric Co., Ltd. hereby certifies that the cellular telephone (FCC ID: AEZSCP-47H), using the Automatic A/B Roaming - Intelligent Retry method, meets the E911 requirements specified in Section 22.921 of the FCC Rules. This procedure recognizes when a "9-1-1" call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call and permit the call to be handled by other analog carriers.

Should you have any questions or comments concerning the above, please contact the undersigned.

T. Ukari
Takenori Ukari
Telecom company President/officer
SANYO Electric Co., Ltd.