

Report No.: SEWA2204000008RG02

Rev.: 01

Page: 133 of 146

Field Strength of Spurious Radiation

Test Band = SA Band 41_ TM1
Test Channel = Low Channel

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	5002.2	50.56	-107.58	-57.02	-25.00	32.02	263	135	Horizontal			
2	7503.3	48.54	-100.34	-51.80	-25.00	26.80	254	359	Horizontal			
3	9831.4286	55.88	-94.16	-38.28	-25.00	13.28	178	330	Horizontal			
4	12505.5	43.61	-91.38	-47.77	-25.00	22.77	265	360	Horizontal			
5	15006.6	42.17	-90.07	-47.90	-25.00	22.90	241	3	Horizontal			
6	17695.7143	47.27	-84.88	-37.61	-25.00	12.61	188	144	Horizontal			

Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	5002.2	50.55	-107.58	-57.03	-25.00	32.03	263	256	Vertical			
2	7503.3	48.44	-100.34	-51.90	-25.00	26.90	254	359	Vertical			
3	9829.2857	59.51	-94.17	-34.66	-25.00	9.66	178	310	Vertical			
4	12505.5	44.02	-91.38	-47.36	-25.00	22.36	265	256	Vertical			
5	15006.6	42.83	-90.07	-47.24	-25.00	22.24	241	310	Vertical			
6	17507.7	40.38	-86.50	-46.12	-25.00	21.12	145	3	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2204000008RG02

Rev.: 01

Page: 134 of 146

Test Band = SA Band 41_ TM1 Test Channel = Mid Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5096.16	49.48	-106.96	-57.48	-25.00	32.48	263	3	Horizontal				
2	7644.24	49.43	-99.76	-50.33	-25.00	25.33	254	230	Horizontal				
3	10192.32	43.68	-93.11	-49.43	-25.00	24.43	142	152	Horizontal				
4	12740.4	43.91	-91.03	-47.12	-25.00	22.12	262	221	Horizontal				
5	15288.48	43.30	-90.16	-46.86	-25.00	21.86	254	257	Horizontal				
6	17695.7143	46.33	-84.88	-38.55	-25.00	13.55	188	356	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5096.16	50.82	-106.96	-56.14	-25.00	31.14	241	149	Vertical				
2	7644.24	49.60	-99.76	-50.16	-25.00	25.16	175	235	Vertical				
3	10192.32	44.28	-93.11	-48.83	-25.00	23.83	263	360	Vertical				
4	12740.4	45.36	-91.03	-45.67	-25.00	20.67	284	280	Vertical				
5	15288.48	42.97	-90.16	-47.19	-25.00	22.19	186	174	Vertical				
6	17836.56	40.16	-84.21	-44.05	-25.00	19.05	294	218	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 135 of 146

Test Band = SA Band 41_ TM1 **Test Channel = High Channel**

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5190.18	49.66	-106.82	-57.16	-25.00	32.16	241	211	Horizontal				
2	7785.27	49.98	-98.90	-48.92	-25.00	23.92	186	152	Horizontal				
3	10380.36	43.61	-92.87	-49.26	-25.00	24.26	254	360	Horizontal				
4	12975.45	44.02	-90.59	-46.57	-25.00	21.57	175	20	Horizontal				
5	15570.54	42.43	-90.76	-48.33	-25.00	23.33	265	143	Horizontal				
6	17695.7143	47.70	-84.88	-37.18	-25.00	12.18	241	3	Horizontal				

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5190.18	50.37	-106.82	-56.45	-25.00	31.45	263	91	Vertical				
2	7785.27	48.37	-98.90	-50.53	-25.00	25.53	284	239	Vertical				
3	10380.36	43.70	-92.87	-49.17	-25.00	24.17	175	359	Vertical				
4	12975.45	42.74	-90.59	-47.85	-25.00	22.85	265	205	Vertical				
5	15570.54	42.44	-90.76	-48.32	-25.00	23.32	241	100	Vertical				
6	17892.8571	42.77	-84.13	-41.36	-25.00	16.36	178	57	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 136 of 146

Test Band = SA UL MIMO Band 41_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5002.2	50.54	-107.58	-57.04	-25.00	32.04	142	295	Horizontal				
2	7503.3	49.17	-100.34	-51.17	-25.00	26.17	263	269	Horizontal				
3	9831.4286	57.97	-94.16	-36.19	-25.00	11.19	284	352	Horizontal				
4	12505.5	45.43	-91.38	-45.95	-25.00	20.95	176	286	Horizontal				
5	15006.6	42.45	-90.07	-47.62	-25.00	22.62	241	81	Horizontal				
6	17507.7	40.46	-86.50	-46.04	-25.00	21.04	187	20	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily				
1	5002.2	49.41	-107.58	-58.17	-25.00	33.17	146	360	Vertical				
2	7503.3	49.82	-100.34	-50.52	-25.00	25.52	262	149	Vertical				
3	9831.4286	59.29	-94.16	-34.87	-25.00	9.87	241	325	Vertical				
4	12505.5	43.96	-91.38	-47.42	-25.00	22.42	176	218	Vertical				
5	14745	49.24	-89.53	-40.29	-25.00	15.29	244	265	Vertical				
6	17507.7	38.85	-86.50	-47.65	-25.00	22.65	187	106	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 137 of 146

Test Band = SA UL MIMO Band 41_ TM1 Test Channel = Mid Channel

Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	5087.1429	53.92	-107.03	-53.11	-25.00	28.11	265	266	Horizontal			
2	7644.24	49.56	-99.76	-50.20	-25.00	25.20	241	62	Horizontal			
3	10192.32	44.01	-93.11	-49.10	-25.00	24.10	176	62	Horizontal			
4	12740.4	43.15	-91.03	-47.88	-25.00	22.88	284	317	Horizontal			
5	15288.48	43.12	-90.16	-47.04	-25.00	22.04	144	151	Horizontal			
6	17695.7143	46.65	-84.88	-38.23	-25.00	13.23	265	359	Horizontal			

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5087.1429	58.08	-107.03	-48.95	-25.00	23.95	263	182	Vertical				
2	7644.24	48.97	-99.76	-50.79	-25.00	25.79	241	286	Vertical				
3	10192.32	44.65	-93.11	-48.46	-25.00	23.46	178	347	Vertical				
4	12740.4	43.82	-91.03	-47.21	-25.00	22.21	265	66	Vertical				
5	15288.48	42.19	-90.16	-47.97	-25.00	22.97	241	182	Vertical				
6	17695.7143	43.67	-84.88	-41.21	-25.00	16.21	188	353	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 138 of 146

Test Band = SA UL MIMO Band 41_ TM1 **Test Channel = High Channel**

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily				
1	5190.18	50.25	-106.82	-56.57	-25.00	31.57	163	232	Horizontal				
2	7785.27	48.45	-98.90	-50.45	-25.00	25.45	241	232	Horizontal				
3	10380.36	44.41	-92.87	-48.46	-25.00	23.46	178	179	Horizontal				
4	12975.45	43.64	-90.59	-46.95	-25.00	21.95	263	355	Horizontal				
5	15570.54	41.57	-90.76	-49.19	-25.00	24.19	241	309	Horizontal				
6	17787.8571	41.25	-84.34	-43.09	-25.00	18.09	144	291	Horizontal				

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5190.18	51.25	-106.82	-55.57	-25.00	30.57	142	142	Vertical				
2	7785.27	49.23	-98.90	-49.67	-25.00	24.67	263	142	Vertical				
3	10380.36	42.19	-92.87	-50.68	-25.00	25.68	254	203	Vertical				
4	12975.45	42.45	-90.59	-48.14	-25.00	23.14	174	55	Vertical				
5	15570.54	42.30	-90.76	-48.46	-25.00	23.46	152	27	Vertical				
6	17695.7143	42.69	-84.88	-42.19	-25.00	17.19	263	360	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 139 of 146

Test Band = DC_5A-n41A_ TM1 Test Channel = Low Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5002.2	49.88	-107.58	-57.70	-25.00	32.70	263	11	Horizontal
2	7503.3	48.65	-100.34	-51.69	-25.00	26.69	241	322	Horizontal
3	10004.4	45.27	-93.89	-48.62	-25.00	23.62	178	0	Horizontal
4	12505.5	43.81	-91.38	-47.57	-25.00	22.57	263	296	Horizontal
5	15006.6	43.44	-90.07	-46.63	-25.00	21.63	254	331	Horizontal
6	17507.7	39.88	-86.50	-46.62	-25.00	21.62	188	26	Horizontal

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5002.2	50.71	-107.58	-56.87	-25.00	31.87	263	331	Vertical
2	7503.3	48.33	-100.34	-52.01	-25.00	27.01	284	357	Vertical
3	10004.4	45.08	-93.89	-48.81	-25.00	23.81	176	315	Vertical
4	12505.5	43.40	-91.38	-47.98	-25.00	22.98	251	176	Vertical
5	15006.6	42.65	-90.07	-47.42	-25.00	22.42	144	324	Vertical
6	17507.7	39.83	-86.50	-46.67	-25.00	21.67	196	219	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contact of the content of the superhead of the content of the content of the superhead of the content of the



Report No.: SEWA2204000008RG02

Rev.: 01

Page: 140 of 146

Test Band = DC_5A-n41A_ TM1 Test Channel = Mid Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5096.16	49.69	-106.96	-57.27	-25.00	32.27	263	324	Horizontal
2	7644.24	48.93	-99.76	-50.83	-25.00	25.83	254	349	Horizontal
3	10192.32	44.16	-93.11	-48.95	-25.00	23.95	186	332	Horizontal
4	12740.4	44.89	-91.03	-46.14	-25.00	21.14	284	106	Horizontal
5	15288.48	42.35	-90.16	-47.81	-25.00	22.81	175	228	Horizontal
6	17836.56	40.26	-84.21	-43.95	-25.00	18.95	266	158	Horizontal

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5096.16	49.31	-106.96	-57.65	-25.00	32.65	142	202	Vertical
2	7644.24	49.88	-99.76	-49.88	-25.00	24.88	263	218	Vertical
3	10192.32	44.69	-93.11	-48.42	-25.00	23.42	287	253	Vertical
4	12740.4	43.41	-91.03	-47.62	-25.00	22.62	174	229	Vertical
5	15288.48	43.43	-90.16	-46.73	-25.00	21.73	265	333	Vertical
6	17836.56	41.67	-84.21	-42.54	-25.00	17.54	241	288	Vertical





Report No.: SEWA2204000008RG02

Rev.: 01

141 of 146 Page:

Test Band = DC_5A-n41A_ TM1 **Test Channel = High Channel**

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5190.18	50.11	-106.82	-56.71	-25.00	31.71	400	11	Horizontal
2	7785.27	49.17	-98.90	-49.73	-25.00	24.73	284	315	Horizontal
3	10380.36	43.44	-92.87	-49.43	-25.00	24.43	176	105	Horizontal
4	12975.45	43.12	-90.59	-47.47	-25.00	22.47	241	253	Horizontal
5	15570.54	43.19	-90.76	-47.57	-25.00	22.57	144	122	Horizontal
6	17695.7143	46.05	-84.88	-38.83	-25.00	13.83	266	217	Horizontal

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5190.18	49.60	-106.82	-57.22	-25.00	32.22	142	58	Vertical
2	7785.27	49.08	-98.90	-49.82	-25.00	24.82	263	31	Vertical
3	10380.36	43.18	-92.87	-49.69	-25.00	24.69	285	356	Vertical
4	12975.45	43.51	-90.59	-47.08	-25.00	22.08	155	340	Vertical
5	15570.54	41.76	-90.76	-49.00	-25.00	24.00	265	24	Vertical
6	17832.8571	41.95	-84.22	-42.27	-25.00	17.27	241	304	Vertical





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 142 of 146

Test Band = NR UL CA n25A-n41A_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority.				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3702.18	48.91	-111.07	-62.16	-25.00	37.16	163	11	Horizontal				
2	5002.2	49.97	-107.58	-57.61	-25.00	32.61	251	82	Horizontal				
3	5553.27	50.27	-106.36	-56.09	-25.00	31.09	174	273	Horizontal				
4	7404.36	49.94	-100.77	-50.83	-25.00	25.83	156	143	Horizontal				
5	7503.3	49.53	-100.34	-50.81	-25.00	25.81	265	82	Horizontal				
6	10004.4	46.44	-93.89	-47.45	-25.00	22.45	241	221	Horizontal				

Final	Data List								
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702.18	49.31	-111.07	-61.76	-25.00	36.76	263	80	Vertical
2	5002.2	50.26	-107.58	-57.32	-25.00	32.32	254	88	Vertical
3	5553.27	50.47	-106.36	-55.89	-25.00	30.89	174	37	Vertical
4	7404.36	48.16	-100.77	-52.61	-25.00	27.61	185	211	Vertical
5	7503.3	49.09	-100.34	-51.25	-25.00	26.25	265	334	Vertical
6	10004.4	45.04	-93.89	-48.85	-25.00	23.85	235	114	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contact United Company Advised Pages Advised Advi



Report No.: SEWA2204000008RG02

Rev.: 01

Page: 143 of 146

Test Band = NR UL CA n25A-n41A_ TM1 Test Channel = Mid Channel

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	3742.18	49.29	-110.86	-61.57	-25.00	36.57	163	359	Horizontal					
2	5096.16	50.69	-106.96	-56.27	-25.00	31.27	251	133	Horizontal					
3	5613.27	50.72	-106.14	-55.42	-25.00	30.42	142	281	Horizontal					
4	7484.36	48.22	-100.43	-52.21	-25.00	27.21	263	211	Horizontal					
5	7644.24	50.77	-99.76	-48.99	-25.00	23.99	254	256	Horizontal					
6	10192.32	43.64	-93.11	-49.47	-25.00	24.47	188	359	Horizontal					

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3742.18	48.86	-110.86	-62.00	-25.00	37.00	142	162	Vertical				
2	5096.16	49.31	-106.96	-57.65	-25.00	32.65	263	360	Vertical				
3	5613.27	50.19	-106.14	-55.95	-25.00	30.95	254	110	Vertical				
4	7484.36	48.56	-100.43	-51.87	-25.00	26.87	184	180	Vertical				
5	7644.24	49.32	-99.76	-50.44	-25.00	25.44	163	329	Vertical				
6	10192.32	43.39	-93.11	-49.72	-25.00	24.72	244	359	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest setuent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上区苏州 工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000008RG02

Rev.: 01

Page: 144 of 146

Test Band = NR UL CA n25A-n41A_ TM1 Test Channel = High Channel

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3792.18	49.71	-110.61	-60.90	-25.00	35.90	263	154	Horizontal				
2	5190.18	50.36	-106.82	-56.46	-25.00	31.46	241	343	Horizontal				
3	5688.27	49.83	-105.81	-55.98	-25.00	30.98	175	11	Horizontal				
4	7584.36	49.43	-99.90	-50.47	-25.00	25.47	263	54	Horizontal				
5	7785.27	48.23	-98.90	-50.67	-25.00	25.67	284	360	Horizontal				
6	10380.36	42.78	-92.87	-50.09	-25.00	25.09	144	154	Horizontal				

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	3792.18	49.39	-110.61	-61.22	-25.00	36.22	263	11	Vertical				
2	5190.18	49.85	-106.82	-56.97	-25.00	31.97	241	169	Vertical				
3	5688.27	49.44	-105.81	-56.37	-25.00	31.37	175	358	Vertical				
4	7584.36	49.01	-99.90	-50.89	-25.00	25.89	263	135	Vertical				
5	7785.27	49.01	-98.90	-49.89	-25.00	24.89	241	256	Vertical				
6	10380.36	43.56	-92.87	-49.31	-25.00	24.31	196	350	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 145 of 146

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t
N41	30	100	DFT- PI2BPSK	М	Outer_Full	VH	NT	0.200000	0.000077	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	VN	NT	-4.400000	-0.001697	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	VL	NT	-0.800000	-0.000309	PASS
N41	30	100	CP-QPSK	М	Outer_Full	VH	NT	0.200000	0.000077	PASS
N41	30	100	CP-QPSK	М	Outer_Full	VN	NT	4.400000	0.001697	PASS
N41	30	100	CP-QPSK	М	Outer_Full	VL	NT	-4.600000	-0.001774	PASS





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 146 of 146

Frequency Error VS. Temperature

Voltage										
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	-30	-3.200000	-0.001234	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	-20	-1.000000	-0.000386	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	-10	-3.900000	-0.001504	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	0	-2.700000	-0.001041	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	10	-3.000000	-0.001157	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	20	-2.100000	-0.000810	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	30	-2.500000	-0.000964	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	40	-1.600000	-0.000617	PASS
N41	30	100	DFT- PI2BPSK	М	Outer_Full	NV	50	-1.800000	-0.000694	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-30	2.400000	0.000926	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-20	-5.400000	-0.002083	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	-10	-1.300000	-0.000501	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	0	-1.600000	-0.000617	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	10	-2.400000	-0.000926	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	20	-2.100000	-0.000810	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	30	1.600000	0.000617	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	40	0.300000	0.000116	PASS
N41	30	100	CP-QPSK	М	Outer_Full	NV	50	-1.800000	-0.000694	PASS

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest setuent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com