



SISO

Profile: 20A0241R	Page No.: 167
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.510	41.649	-31.490	74.000	0.860	PK
2	*	15540.000	46.537	39.899	-27.463	74.000	6.637	PK

Profile: 20A0241R	Page No.: 168
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.790	41.929	-31.210	74.000	0.860	PK
2	*	15540.000	45.033	38.395	-28.967	74.000	6.637	PK

Profile: 20A0241R	Page No.: 169
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.840	40.614	-32.160	74.000	1.226	PK
2	*	15660.000	46.992	39.018	-27.008	74.000	7.974	PK

Profile: 20A0241R	Page No.: 170
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.527	40.301	-32.473	74.000	1.226	PK
2	*	15660.000	47.369	39.395	-26.631	74.000	7.974	PK

Profile: 20A0241R	Page No.: 171
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5240MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.100	40.987	-31.900	74.000	1.114	PK
2	*	15720.000	47.132	38.572	-26.868	74.000	8.561	PK

Profile: 20A0241R	Page No.: 172
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5240MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.366	41.253	-31.634	74.000	1.114	PK
2	*	15720.000	46.454	37.894	-27.546	74.000	8.561	PK

Profile: 20A0241R	Page No.: 173
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.207	41.473	-30.793	74.000	1.735	PK
2	*	15780.000	46.743	37.903	-27.257	74.000	8.840	PK

Profile: 20A0241R	Page No.: 174
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.677	42.943	-29.323	74.000	1.735	PK
2	*	15780.000	47.027	38.187	-26.973	74.000	8.840	PK

Profile: 20A0241R	Page No.: 175
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.944	41.296	-31.056	74.000	1.648	PK
2	*	15900.000	47.876	39.022	-26.124	74.000	8.853	PK

Profile: 20A0241R	Page No.: 176
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.317	39.669	-32.683	74.000	1.648	PK
2	*	15900.000	47.104	38.250	-26.896	74.000	8.853	PK

Profile: 20A0241R	Page No.: 177
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5320MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.403	41.755	-30.597	74.000	1.648	PK
2	*	15900.000	47.811	38.957	-26.189	74.000	8.853	PK

Profile: 20A0241R	Page No.: 178
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.496	41.848	-30.504	74.000	1.648	PK
2	*	15900.000	48.896	40.042	-25.104	74.000	8.853	PK

Profile: 20A0241R	Page No.: 179
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.507	41.473	-30.493	74.000	2.033	PK
2	*	16500.000	47.904	39.165	-26.096	74.000	8.739	PK

Profile: 20A0241R	Page No.: 180
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.956	40.922	-31.044	74.000	2.033	PK
2	*	16500.000	47.398	38.659	-26.602	74.000	8.739	PK

Profile: 20A0241R	Page No.: 181
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.577	40.361	-31.423	74.000	2.216	PK
2	*	16740.000	46.838	38.482	-27.162	74.000	8.356	PK

Profile: 20A0241R	Page No.: 182
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.118	40.902	-30.882	74.000	2.216	PK
2	*	16740.000	45.625	37.269	-28.375	74.000	8.356	PK

Profile: 20A0241R	Page No.: 183
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5700MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.249	40.065	-30.751	74.000	3.184	PK
2	*	17100.000	46.461	39.371	-27.539	74.000	7.090	PK

Profile: 20A0241R	Page No.: 184
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.236	41.052	-29.764	74.000	3.184	PK
2	*	17100.000	47.326	40.236	-26.674	74.000	7.090	PK

Profile: 20A0241R	Page No.: 185
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.542	40.717	-30.458	74.000	2.825	PK
2	*	17235.000	45.916	38.086	-28.084	74.000	7.830	PK

Profile: 20A0241R	Page No.: 186
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.677	40.852	-30.323	74.000	2.825	PK
2	*	17235.000	47.762	39.932	-26.238	74.000	7.830	PK

Profile: 20A0241R	Page No.: 187
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5785MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.940	40.623	-30.060	74.000	3.317	PK
2	*	17355.000	46.654	38.630	-27.346	74.000	8.023	PK

Profile: 20A0241R	Page No.: 188
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.465	41.148	-29.535	74.000	3.317	PK
2	*	17355.000	45.906	37.882	-28.094	74.000	8.023	PK

Profile: 20A0241R	Page No.: 189
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.720	40.406	-30.280	74.000	3.314	PK
2	*	17475.000	46.635	38.549	-27.365	74.000	8.086	PK

Profile: 20A0241R	Page No.: 190
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.115	41.801	-28.885	74.000	3.314	PK
2	*	17475.000	48.079	39.993	-25.921	74.000	8.086	PK

Profile: 20A0241R	Page No.: 191
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5180MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.058	41.197	-31.942	74.000	0.860	PK
2	*	15540.000	46.771	40.133	-27.229	74.000	6.637	PK

Profile: 20A0241R	Page No.: 192
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.226	41.365	-31.774	74.000	0.860	PK
2	*	15540.000	45.578	38.940	-28.422	74.000	6.637	PK

Profile: 20A0241R	Page No.: 193
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.674	41.448	-31.326	74.000	1.226	PK
2	*	15660.000	47.133	39.159	-26.867	74.000	7.974	PK

Profile: 20A0241R	Page No.: 194
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.200	40.974	-31.800	74.000	1.226	PK
2	*	15660.000	46.829	38.855	-27.171	74.000	7.974	PK

Profile: 20A0241R	Page No.: 195
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5240MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.431	41.318	-31.569	74.000	1.114	PK
2	*	15720.000	47.652	39.092	-26.348	74.000	8.561	PK

Profile: 20A0241R	Page No.: 196
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5240MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.171	41.058	-31.829	74.000	1.114	PK
2	*	15720.000	48.212	39.652	-25.788	74.000	8.561	PK

Profile: 20A0241R	Page No.: 197
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5260MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.457	41.723	-30.543	74.000	1.735	PK
2	*	15780.000	47.321	38.481	-26.679	74.000	8.840	PK

Profile: 20A0241R	Page No.: 198
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.720	40.986	-31.280	74.000	1.735	PK
2	*	15780.000	47.384	38.544	-26.616	74.000	8.840	PK

Profile: 20A0241R	Page No.: 199
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5300MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.815	42.167	-30.185	74.000	1.648	PK
2	*	15900.000	48.004	39.150	-25.996	74.000	8.853	PK

Profile: 20A0241R	Page No.: 200
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5300MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.791	42.143	-30.209	74.000	1.648	PK
2	*	15900.000	47.987	39.133	-26.013	74.000	8.853	PK

Profile: 20A0241R	Page No.: 201
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.224	41.390	-30.776	74.000	1.834	PK
2	*	15960.000	47.746	39.534	-26.254	74.000	8.212	PK

Profile: 20A0241R	Page No.: 202
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.371	41.537	-30.629	74.000	1.834	PK
2	*	15960.000	49.245	41.033	-24.755	74.000	8.212	PK

Profile: 20A0241R	Page No.: 203
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5500MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.957	41.923	-30.043	74.000	2.033	PK
2	*	16500.000	47.597	38.858	-26.403	74.000	8.739	PK

Profile: 20A0241R	Page No.: 204
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5500MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.218	41.184	-30.782	74.000	2.033	PK
2	*	16500.000	47.996	39.257	-26.004	74.000	8.739	PK

Profile: 20A0241R	Page No.: 205
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.957	40.741	-31.043	74.000	2.216	PK
2	*	16740.000	45.904	37.548	-28.096	74.000	8.356	PK

Profile: 20A0241R	Page No.: 206
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.278	40.062	-31.722	74.000	2.216	PK
2	*	16740.000	46.313	37.957	-27.687	74.000	8.356	PK

Profile: 20A0241R	Page No.: 207
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5700MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.141	39.957	-30.859	74.000	3.184	PK
2	*	17100.000	46.407	39.317	-27.593	74.000	7.090	PK

Profile: 20A0241R	Page No.: 208
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5700MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.143	39.959	-30.857	74.000	3.184	PK
2	*	17100.000	45.425	38.335	-28.575	74.000	7.090	PK

Profile: 20A0241R	Page No.: 209
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5745MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.178	41.353	-29.822	74.000	2.825	PK
2	*	17235.000	47.575	39.745	-26.425	74.000	7.830	PK

Profile: 20A0241R	Page No.: 210
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5745MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.852	41.027	-30.148	74.000	2.825	PK
2	*	17235.000	46.351	38.521	-27.649	74.000	7.830	PK

Profile: 20A0241R	Page No.: 211
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.532	41.215	-29.468	74.000	3.317	PK
2	*	17355.000	45.857	37.833	-28.143	74.000	8.023	PK

Profile: 20A0241R	Page No.: 212
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmint at 5785MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.033	40.716	-29.967	74.000	3.317	PK
2	*	17355.000	45.951	37.927	-28.049	74.000	8.023	PK

Profile: 20A0241R	Page No.: 213
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.992	40.678	-30.008	74.000	3.314	PK
2	*	17475.000	47.112	39.026	-26.888	74.000	8.086	PK

Profile: 20A0241R	Page No.: 214
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.273	41.959	-28.727	74.000	3.314	PK
2	*	17475.000	47.392	39.306	-26.608	74.000	8.086	PK

Profile: 20A0241R	Page No.: 215
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.673	43.019	-30.327	74.000	0.654	PK
2	*	15570.000	47.014	39.297	-26.986	74.000	7.716	PK

Profile: 20A0241R	Page No.: 216
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.405	41.751	-31.595	74.000	0.654	PK
2	*	15570.000	46.046	38.329	-27.954	74.000	7.716	PK

Profile: 20A0241R	Page No.: 217
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.148	40.343	-32.852	74.000	0.805	PK
2	*	15960.000	49.316	41.104	-24.684	74.000	8.212	PK

Profile: 20A0241R	Page No.: 218
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.286	41.481	-31.714	74.000	0.805	PK
2	*	15960.000	46.801	38.589	-27.199	74.000	8.212	PK

Profile: 20A0241R	Page No.: 219
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmint at 5270MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.142	41.790	-30.858	74.000	1.351	PK
2	*	15810.000	46.854	37.915	-27.146	74.000	8.939	PK

Profile: 20A0241R	Page No.: 220
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmint at 5270MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.350	41.998	-30.650	74.000	1.351	PK
2	*	15810.000	47.615	38.676	-26.385	74.000	8.939	PK

Profile: 20A0241R	Page No.: 221
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.157	40.938	-31.843	74.000	1.219	PK
2	*	15930.000	48.819	39.891	-25.181	74.000	8.928	PK

Profile: 20A0241R	Page No.: 222
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.856	41.637	-31.144	74.000	1.219	PK
2	*	15930.000	47.435	38.507	-26.565	74.000	8.928	PK

Profile: 20A0241R	Page No.: 223
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.010	40.783	-30.990	74.000	2.226	PK
2	*	16530.000	47.891	39.068	-26.109	74.000	8.823	PK

Profile: 20A0241R	Page No.: 224
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.598	41.371	-30.402	74.000	2.226	PK
2	*	16530.000	48.487	39.664	-25.513	74.000	8.823	PK

Profile: 20A0241R	Page No.: 225
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.675	40.291	-31.325	74.000	2.383	PK
2	*	16770.000	46.967	39.140	-27.033	74.000	7.827	PK

Profile: 20A0241R	Page No.: 226
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5590MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.913	40.529	-31.087	74.000	2.383	PK
2	*	16770.000	47.208	39.381	-26.792	74.000	7.827	PK

Profile: 20A0241R	Page No.: 227
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.315	40.287	-30.685	74.000	3.028	PK
2	*	17010.000	46.530	38.950	-27.470	74.000	7.581	PK

Profile: 20A0241R	Page No.: 228
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.789	40.761	-30.211	74.000	3.028	PK
2	*	17010.000	48.312	40.732	-25.688	74.000	7.581	PK

Profile: 20A0241R	Page No.: 229
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.914	40.230	-30.086	74.000	3.684	PK
2	*	17265.000	47.394	38.410	-26.606	74.000	8.984	PK

Profile: 20A0241R	Page No.: 230
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.739	41.055	-29.261	74.000	3.684	PK
2	*	17265.000	47.581	38.597	-26.419	74.000	8.984	PK

Profile: 20A0241R	Page No.: 231
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.250	41.328	-28.750	74.000	3.922	PK
2	*	17385.000	46.512	38.791	-27.488	74.000	7.721	PK

Profile: 20A0241R	Page No.: 232
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.463	40.541	-29.537	74.000	3.922	PK
2	*	17385.000	46.511	38.790	-27.489	74.000	7.721	PK

Profile: 20A0241R	Page No.: 233
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5180MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.749	41.888	-31.251	74.000	0.860	PK
2	*	15540.000	46.027	39.389	-27.973	74.000	6.637	PK

Profile: 20A0241R	Page No.: 234
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5180MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.426	41.565	-31.574	74.000	0.860	PK
2	*	15540.000	45.619	38.981	-28.381	74.000	6.637	PK

Profile: 20A0241R	Page No.: 235
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5220MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.694	40.468	-32.306	74.000	1.226	PK
2	*	15660.000	46.457	38.483	-27.543	74.000	7.974	PK

Profile: 20A0241R	Page No.: 236
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5220MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.226	41.000	-31.774	74.000	1.226	PK
2	*	15660.000	46.459	38.485	-27.541	74.000	7.974	PK

Profile: 20A0241R	Page No.: 237
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.251	41.138	-31.749	74.000	1.114	PK
2	*	15720.000	48.030	39.470	-25.970	74.000	8.561	PK

Profile: 20A0241R	Page No.: 238
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5240MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.086	41.973	-30.914	74.000	1.114	PK
2	*	15720.000	48.359	39.799	-25.641	74.000	8.561	PK

Profile: 20A0241R	Page No.: 239
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.227	41.493	-30.773	74.000	1.735	PK
2	*	15780.000	47.132	38.292	-26.868	74.000	8.840	PK

Profile: 20A0241R	Page No.: 240
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5260MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.917	42.183	-30.083	74.000	1.735	PK
2	*	15780.000	46.587	37.747	-27.413	74.000	8.840	PK

Profile: 20A0241R	Page No.: 241
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5300MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.049	41.401	-30.951	74.000	1.648	PK
2	*	15900.000	48.207	39.353	-25.793	74.000	8.853	PK

Profile: 20A0241R	Page No.: 242
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5300MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.192	42.544	-29.808	74.000	1.648	PK
2	*	15900.000	48.404	39.550	-25.596	74.000	8.853	PK

Profile: 20A0241R	Page No.: 243
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.314	40.480	-31.686	74.000	1.834	PK
2	*	15960.000	47.050	38.838	-26.950	74.000	8.212	PK

Profile: 20A0241R	Page No.: 244
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.318	40.484	-31.682	74.000	1.834	PK
2	*	15960.000	47.546	39.334	-26.454	74.000	8.212	PK

Profile: 20A0241R	Page No.: 245
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5500MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.235	41.201	-30.765	74.000	2.033	PK
2	*	16500.000	47.581	38.842	-26.419	74.000	8.739	PK

Profile: 20A0241R	Page No.: 246
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5500MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.725	40.691	-31.275	74.000	2.033	PK
2	*	16500.000	47.996	39.257	-26.004	74.000	8.739	PK

Profile: 20A0241R	Page No.: 247
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5580MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.675	40.459	-31.325	74.000	2.216	PK
2	*	16740.000	45.731	37.375	-28.269	74.000	8.356	PK

Profile: 20A0241R	Page No.: 248
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.814	40.598	-31.186	74.000	2.216	PK
2	*	16740.000	47.043	38.687	-26.957	74.000	8.356	PK

Profile: 20A0241R	Page No.: 249
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5700MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.683	40.499	-30.317	74.000	3.184	PK
2	*	17100.000	46.268	39.178	-27.732	74.000	7.090	PK

Profile: 20A0241R	Page No.: 250
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5700MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.494	40.310	-30.506	74.000	3.184	PK
2	*	17100.000	46.327	39.237	-27.673	74.000	7.090	PK

Profile: 20A0241R	Page No.: 251
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.109	40.284	-30.891	74.000	2.825	PK
2	*	17235.000	48.162	40.332	-25.838	74.000	7.830	PK

Profile: 20A0241R	Page No.: 252
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5745MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.784	39.959	-31.216	74.000	2.825	PK
2	*	17235.000	45.805	37.975	-28.195	74.000	7.830	PK

Profile: 20A0241R	Page No.: 253
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5785MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.677	42.360	-28.323	74.000	3.317	PK
2	*	17355.000	47.112	39.088	-26.888	74.000	8.023	PK

Profile: 20A0241R	Page No.: 254
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.097	40.780	-29.903	74.000	3.317	PK
2	*	17355.000	46.452	38.428	-27.548	74.000	8.023	PK

Profile: 20A0241R	Page No.: 255
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.254	40.940	-29.746	74.000	3.314	PK
2	*	17475.000	47.475	39.389	-26.525	74.000	8.086	PK

Profile: 20A0241R	Page No.: 256
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmint at 5825MHz by 802.11ac20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.472	41.158	-29.528	74.000	3.314	PK
2	*	17475.000	46.721	38.635	-27.279	74.000	8.086	PK

Profile: 20A0241R	Page No.: 257
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5190MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.400	41.746	-31.600	74.000	0.654	PK
2	*	15570.000	46.520	38.803	-27.480	74.000	7.716	PK

Profile: 20A0241R	Page No.: 258
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.890	41.236	-32.110	74.000	0.654	PK
2	*	15570.000	45.328	37.611	-28.672	74.000	7.716	PK

Profile: 20A0241R	Page No.: 259
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.263	41.458	-31.737	74.000	0.805	PK
2	*	15690.000	48.014	38.954	-25.986	74.000	9.060	PK

Profile: 20A0241R	Page No.: 260
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5230MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.374	41.569	-31.626	74.000	0.805	PK
2	*	15690.000	47.244	38.184	-26.756	74.000	9.060	PK

Profile: 20A0241R	Page No.: 261
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5270MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.643	42.291	-30.357	74.000	1.351	PK
2	*	15810.000	47.175	38.236	-26.825	74.000	8.939	PK

Profile: 20A0241R	Page No.: 262
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5270MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.544	42.192	-30.456	74.000	1.351	PK
2	*	15810.000	47.793	38.854	-26.207	74.000	8.939	PK

Profile: 20A0241R	Page No.: 263
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.709	42.490	-30.291	74.000	1.219	PK
2	*	15930.000	49.286	40.358	-24.714	74.000	8.928	PK

Profile: 20A0241R	Page No.: 264
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.387	41.168	-31.613	74.000	1.219	PK
2	*	15930.000	48.286	39.358	-25.714	74.000	8.928	PK

Profile: 20A0241R	Page No.: 265
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5510MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.503	41.276	-30.497	74.000	2.226	PK
2	*	16530.000	47.132	38.309	-26.868	74.000	8.823	PK

Profile: 20A0241R	Page No.: 266
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5510MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.666	42.439	-29.334	74.000	2.226	PK
2	*	16530.000	47.598	38.775	-26.402	74.000	8.823	PK

Profile: 20A0241R	Page No.: 267
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	43.035	40.651	-30.965	74.000	2.383	PK
2	*	16770.000	47.350	39.523	-26.650	74.000	7.827	PK

Profile: 20A0241R	Page No.: 268
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5590MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.817	40.433	-31.183	74.000	2.383	PK
2	*	16770.000	46.550	38.723	-27.450	74.000	7.827	PK

Profile: 20A0241R	Page No.: 269
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.268	40.240	-30.732	74.000	3.028	PK
2	*	17010.000	48.851	41.271	-25.149	74.000	7.581	PK

Profile: 20A0241R	Page No.: 270
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5670MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.437	40.409	-30.563	74.000	3.028	PK
2	*	17010.000	47.731	40.151	-26.269	74.000	7.581	PK

Profile: 20A0241R	Page No.: 271
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5755MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.174	41.490	-28.826	74.000	3.684	PK
2	*	17265.000	46.691	37.707	-27.309	74.000	8.984	PK

Profile: 20A0241R	Page No.: 272
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.329	41.645	-28.671	74.000	3.684	PK
2	*	17265.000	48.548	39.564	-25.452	74.000	8.984	PK

Profile: 20A0241R	Page No.: 273
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmint at 5795MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.917	39.995	-30.083	74.000	3.922	PK
2	*	17385.000	46.354	38.633	-27.646	74.000	7.721	PK

Profile: 20A0241R	Page No.: 274
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11590.000	45.942	42.020	-28.058	74.000	3.922	PK
2		17385.000	45.747	38.026	-28.253	74.000	7.721	PK

Profile: 20A0241R	Page No.: 275
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.229	42.375	-30.771	74.000	0.855	PK
2	*	15630.000	48.204	40.175	-25.796	74.000	8.028	PK

Profile: 20A0241R	Page No.: 276
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5210MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.470	42.616	-30.530	74.000	0.855	PK
2	*	15630.000	47.419	39.390	-26.581	74.000	8.028	PK

Profile: 20A0241R	Page No.: 277
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5290MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.038	40.595	-31.962	74.000	1.444	PK
2	*	15870.000	47.741	38.988	-26.259	74.000	8.753	PK

Profile: 20A0241R	Page No.: 278
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5290MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.633	42.190	-30.367	74.000	1.444	PK
2	*	15870.000	47.834	39.081	-26.166	74.000	8.753	PK

Profile: 20A0241R	Page No.: 279
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.778	40.721	-31.222	74.000	2.057	PK
2	*	16590.000	48.285	38.860	-25.715	74.000	9.426	PK

Profile: 20A0241R	Page No.: 280
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.031	39.974	-31.969	74.000	2.057	PK
2	*	16590.000	48.093	38.668	-25.907	74.000	9.426	PK

Profile: 20A0241R	Page No.: 281
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.748	40.456	-30.252	74.000	3.291	PK
2	*	17325.000	46.955	38.722	-27.045	74.000	8.233	PK

Profile: 20A0241R	Page No.: 282
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmint at 5775MHz by 802.11ac80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.395	41.103	-29.605	74.000	3.291	PK
2	*	17325.000	47.736	39.503	-26.264	74.000	8.233	PK

Profile: 20A0241R	Page No.: 283
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.705	41.844	-31.295	74.000	0.860	PK
2	*	15540.000	46.225	39.587	-27.775	74.000	6.637	PK

Profile: 20A0241R	Page No.: 284
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5180MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.401	41.540	-31.599	74.000	0.860	PK
2	*	15540.000	46.209	39.571	-27.791	74.000	6.637	PK

Profile: 20A0241R	Page No.: 285
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.575	42.349	-30.425	74.000	1.226	PK
2	*	15660.000	47.236	39.262	-26.764	74.000	7.974	PK

Profile: 20A0241R	Page No.: 286
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5220MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.446	40.220	-32.554	74.000	1.226	PK
2	*	15660.000	46.819	38.845	-27.181	74.000	7.974	PK

Profile: 20A0241R	Page No.: 287
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5240MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.840	41.727	-31.160	74.000	1.114	PK
2	*	15720.000	47.893	39.333	-26.107	74.000	8.561	PK

Profile: 20A0241R	Page No.: 288
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5240MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.360	41.247	-31.640	74.000	1.114	PK
2	*	15720.000	48.245	39.685	-25.755	74.000	8.561	PK

Profile: 20A0241R	Page No.: 289
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.545	41.811	-30.455	74.000	1.735	PK
2	*	15780.000	47.494	38.654	-26.506	74.000	8.840	PK

Profile: 20A0241R	Page No.: 290
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.284	40.550	-31.716	74.000	1.735	PK
2	*	15780.000	47.475	38.635	-26.525	74.000	8.840	PK

Profile: 20A0241R	Page No.: 291
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5300MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.739	42.091	-30.261	74.000	1.648	PK
2	*	15900.000	47.881	39.027	-26.119	74.000	8.853	PK

Profile: 20A0241R	Page No.: 292
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5300MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.685	41.037	-31.315	74.000	1.648	PK
2	*	15900.000	47.579	38.725	-26.421	74.000	8.853	PK

Profile: 20A0241R	Page No.: 293
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.219	42.385	-29.781	74.000	1.834	PK
2	*	15960.000	47.074	38.862	-26.926	74.000	8.212	PK

Profile: 20A0241R	Page No.: 294
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.856	41.022	-31.144	74.000	1.834	PK
2	*	15960.000	48.025	39.813	-25.975	74.000	8.212	PK

Profile: 20A0241R	Page No.: 295
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5500MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.718	41.684	-30.282	74.000	2.033	PK
2	*	16500.000	46.924	38.185	-27.076	74.000	8.739	PK

Profile: 20A0241R	Page No.: 296
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.924	40.890	-31.076	74.000	2.033	PK
2	*	16500.000	47.134	38.395	-26.866	74.000	8.739	PK

Profile: 20A0241R	Page No.: 297
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.454	42.238	-29.546	74.000	2.216	PK
2	*	16740.000	45.723	37.367	-28.277	74.000	8.356	PK

Profile: 20A0241R	Page No.: 298
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.428	40.212	-31.572	74.000	2.216	PK
2	*	16740.000	45.120	36.764	-28.880	74.000	8.356	PK

Profile: 20A0241R	Page No.: 299
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5700MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.095	39.911	-30.905	74.000	3.184	PK
2	*	17100.000	46.571	39.481	-27.429	74.000	7.090	PK

Profile: 20A0241R	Page No.: 300
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5700MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.989	41.805	-29.011	74.000	3.184	PK
2	*	17100.000	46.249	39.159	-27.751	74.000	7.090	PK

Profile: 20A0241R	Page No.: 301
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5745MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.837	41.012	-30.163	74.000	2.825	PK
2	*	17235.000	45.678	37.848	-28.322	74.000	7.830	PK

Profile: 20A0241R	Page No.: 302
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5745MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.464	40.639	-30.536	74.000	2.825	PK
2	*	17235.000	46.151	38.321	-27.849	74.000	7.830	PK

Profile: 20A0241R	Page No.: 303
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5785MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.458	40.141	-30.542	74.000	3.317	PK
2	*	17355.000	46.738	38.714	-27.262	74.000	8.023	PK

Profile: 20A0241R	Page No.: 304
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmint at 5785MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.383	41.066	-29.617	74.000	3.317	PK
2	*	17355.000	46.211	38.187	-27.789	74.000	8.023	PK

Profile: 20A0241R	Page No.: 305
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.174	39.860	-30.826	74.000	3.314	PK
2	*	17475.000	47.030	38.944	-26.970	74.000	8.086	PK

Profile: 20A0241R	Page No.: 306
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.752	41.438	-29.248	74.000	3.314	PK
2	*	17475.000	47.422	39.336	-26.578	74.000	8.086	PK

Profile: 20A0241R	Page No.: 307
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5190MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.845	42.191	-31.155	74.000	0.654	PK
2	*	15570.000	45.859	38.142	-28.141	74.000	7.716	PK

Profile: 20A0241R	Page No.: 308
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.274	42.620	-30.726	74.000	0.654	PK
2	*	15570.000	47.374	39.657	-26.626	74.000	7.716	PK

Profile: 20A0241R	Page No.: 309
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5230MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.229	42.424	-30.771	74.000	0.805	PK
2	*	15690.000	48.294	39.234	-25.706	74.000	9.060	PK

Profile: 20A0241R	Page No.: 310
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.119	40.314	-32.881	74.000	0.805	PK
2	*	15690.000	48.949	39.889	-25.051	74.000	9.060	PK

Profile: 20A0241R	Page No.: 311
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5270MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.620	41.268	-31.380	74.000	1.351	PK
2	*	15810.000	47.669	38.730	-26.331	74.000	8.939	PK

Profile: 20A0241R	Page No.: 312
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5270MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.475	42.123	-30.525	74.000	1.351	PK
2	*	15810.000	47.648	38.709	-26.352	74.000	8.939	PK

Profile: 20A0241R	Page No.: 313
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.359	41.140	-31.641	74.000	1.219	PK
2	*	15930.000	48.022	39.094	-25.978	74.000	8.928	PK

Profile: 20A0241R	Page No.: 314
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	42.290	41.071	-31.710	74.000	1.219	PK
2	*	15930.000	47.465	38.537	-26.535	74.000	8.928	PK

Profile: 20A0241R	Page No.: 315
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.865	41.638	-30.135	74.000	2.226	PK
2	*	16530.000	47.904	39.081	-26.096	74.000	8.823	PK

Profile: 20A0241R	Page No.: 316
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5510MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.783	41.556	-30.217	74.000	2.226	PK
2	*	16530.000	48.088	39.265	-25.912	74.000	8.823	PK

Profile: 20A0241R	Page No.: 317
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5590MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	43.333	40.949	-30.667	74.000	2.383	PK
2	*	16770.000	47.139	39.312	-26.861	74.000	7.827	PK

Profile: 20A0241R	Page No.: 318
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5590MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	42.460	40.076	-31.540	74.000	2.383	PK
2	*	16770.000	47.108	39.281	-26.892	74.000	7.827	PK

Profile: 20A0241R	Page No.: 319
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5670MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.103	40.075	-30.897	74.000	3.028	PK
2	*	17010.000	47.610	40.030	-26.390	74.000	7.581	PK

Profile: 20A0241R	Page No.: 320
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.080	40.052	-30.920	74.000	3.028	PK
2	*	17010.000	47.512	39.932	-26.488	74.000	7.581	PK

Profile: 20A0241R	Page No.: 321
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.515	41.831	-28.485	74.000	3.684	PK
2	*	17265.000	47.136	38.152	-26.864	74.000	8.984	PK

Profile: 20A0241R	Page No.: 322
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.702	41.018	-29.298	74.000	3.684	PK
2	*	17265.000	48.066	39.082	-25.934	74.000	8.984	PK

Profile: 20A0241R	Page No.: 323
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.563	41.641	-28.437	74.000	3.922	PK
2	*	17385.000	46.634	38.913	-27.366	74.000	7.721	PK

Profile: 20A0241R	Page No.: 324
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmint at 5795MHz by 802.11ax40 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.748	40.826	-29.252	74.000	3.922	PK
2	*	17385.000	46.725	39.004	-27.275	74.000	7.721	PK

Profile: 20A0241R	Page No.: 325
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.228	40.374	-32.772	74.000	0.855	PK
2	*	15630.000	48.178	40.149	-25.822	74.000	8.028	PK

Profile: 20A0241R	Page No.: 326
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.334	41.480	-31.666	74.000	0.855	PK
2	*	15630.000	47.211	39.182	-26.789	74.000	8.028	PK

Profile: 20A0241R	Page No.: 327
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5290MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.330	40.887	-31.670	74.000	1.444	PK
2	*	15870.000	46.887	38.134	-27.113	74.000	8.753	PK

Profile: 20A0241R	Page No.: 328
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5290MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.237	41.794	-30.763	74.000	1.444	PK
2	*	15870.000	47.347	38.594	-26.653	74.000	8.753	PK

Profile: 20A0241R	Page No.: 329
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.977	40.920	-31.023	74.000	2.057	PK
2	*	16590.000	49.544	40.119	-24.456	74.000	9.426	PK

Profile: 20A0241R	Page No.: 330
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax80 ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.142	40.085	-31.858	74.000	2.057	PK
2	*	16590.000	49.616	40.191	-24.384	74.000	9.426	PK

Profile: 20A0241R	Page No.: 331
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5775MHz by 802.11ax80 ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.973	40.681	-30.027	74.000	3.291	PK
2	*	17325.000	46.756	38.523	-27.244	74.000	8.233	PK


Profile: 20A0241R	Page No.: 332
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmint at 5775MHz by 802.11ax80 ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.223	41.931	-28.777	74.000	3.291	PK
2	*	17325.000	47.552	39.319	-26.448	74.000	8.233	PK


CDD

Profile: 20A0241R	Page No.: 167
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.804	38.943	-34.196	74.000	0.860	PK
2	*	15540.000	43.626	36.988	-30.374	74.000	6.637	PK

Profile: 20A0241R	Page No.: 168
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.942	39.081	-34.058	74.000	0.860	PK
2	*	15540.000	43.750	37.112	-30.250	74.000	6.637	PK

Profile: 20A0241R	Page No.: 169
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.666	38.440	-34.334	74.000	1.226	PK
2	*	15660.000	44.917	36.943	-29.083	74.000	7.974	PK

Profile: 20A0241R	Page No.: 170
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.571	38.345	-34.429	74.000	1.226	PK
2	*	15660.000	46.349	38.375	-27.651	74.000	7.974	PK

Profile: 20A0241R	Page No.: 171
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.150	39.037	-33.850	74.000	1.114	PK
2	*	15720.000	45.216	36.656	-28.784	74.000	8.561	PK

Profile: 20A0241R	Page No.: 172
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmint at 5240MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.165	40.052	-32.835	74.000	1.114	PK
2	*	15720.000	45.125	36.565	-28.875	74.000	8.561	PK

Profile: 20A0241R	Page No.: 173
Engineer: Jun	
Site: AC5	Time: 2020/11/28 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.095	38.361	-33.905	74.000	1.735	PK
2	*	15780.000	46.843	38.003	-27.157	74.000	8.840	PK