


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT X_4TX
Setting 110
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54034G	51.38	74.00	-22.62	69.30	3	Vertical	282	2.35	-	39.12	8.84	65.88
AV	11.56284G	39.42	54.00	-14.58	57.24	3	Vertical	282	2.35	-	39.19	8.85	65.86
PK	17.31426G	67.54	68.20	-0.66	79.28	3	Vertical	144	2.68	-	42.59	10.96	65.29

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT X_4TX
Setting 110
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54238G	51.64	74.00	-22.36	69.54	3	Horizontal	83	2.26	-	39.13	8.84	65.87
AV	11.5623G	39.78	54.00	-14.22	57.60	3	Horizontal	83	2.26	-	39.19	8.85	65.86
PK	17.31684G	65.47	68.20	-2.73	77.20	3	Horizontal	146	1.75	-	42.60	10.96	65.29

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 96
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.502G	50.55	68.20	-17.65	69.57	3	Vertical	267	2.26	-	38.60	8.48	66.10
PK	15.7598G	63.43	74.00	-10.57	80.03	3	Vertical	164	2.22	-	37.50	10.40	64.50
AV	15.7433G	53.74	54.00	-0.26	70.34	3	Vertical	164	2.22	-	37.50	10.40	64.50

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT X_4TX
Setting 96
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4924G	50.29	68.20	-17.91	69.33	3	Horizontal	103	2.46	-	38.60	8.47	66.11
PK	15.7602G	60.18	74.00	-13.82	76.78	3	Horizontal	143	2.87	-	37.50	10.40	64.50
AV	15.7649G	50.88	54.00	-3.12	67.47	3	Horizontal	143	2.87	-	37.50	10.41	64.50

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT X_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.157G	49.24	74.00	-24.76	67.75	3	Vertical	206	2.16	-	38.76	8.70	65.97
AV	11.1241G	39.16	54.00	-14.84	57.73	3	Vertical	206	2.16	-	38.72	8.69	65.98
PK	16.6864G	68.05	68.20	-0.15	82.46	3	Vertical	173	2.66	-	39.57	10.74	64.72

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT X_4TX
Setting 108
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1568G	49.39	74.00	-24.61	67.90	3	Horizontal	31	2.87	-	38.76	8.70	65.97
AV	11.1611G	39.67	54.00	-14.33	58.17	3	Horizontal	31	2.87	-	38.76	8.71	65.97
PK	16.7063G	67.48	68.20	-0.72	81.83	3	Horizontal	197	2.14	-	39.65	10.75	64.75




RSE TX above 1GHz <For Radio 2> 4T1S_Radiated Emission Appendix D.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.7211G	53.98	54.00	-0.02	3	Horizontal	161	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
Setting 81
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3355G	49.88	68.20	-18.32	69.03	3	Vertical	97	1.80	-	38.66	8.42	66.23
PK	15.5266G	67.24	74.00	-6.76	83.49	3	Vertical	167	1.64	-	37.94	10.31	64.50
AV	15.5463G	53.94	54.00	-0.06	70.30	3	Vertical	167	1.64	-	37.82	10.32	64.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
Setting 81
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3512G	50.79	68.20	-17.41	69.94	3	Horizontal	323	1.23	-	38.65	8.42	66.22
PK	15.5415G	67.65	74.00	-6.35	83.98	3	Horizontal	181	1.34	-	37.85	10.32	64.50
AV	15.5412G	52.95	54.00	-1.05	69.28	3	Horizontal	181	1.34	-	37.85	10.32	64.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
Setting 76
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3762G	49.58	68.20	-18.62	68.73	3	Vertical	273	1.80	-	38.62	8.43	66.20
PK	15.5994G	67.18	74.00	-6.82	83.84	3	Vertical	175	1.00	-	37.50	10.34	64.50
AV	15.5983G	53.79	54.00	-0.21	70.44	3	Vertical	175	1.00	-	37.51	10.34	64.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
Setting 76
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3783G	49.95	68.20	-18.25	69.10	3	Horizontal	107	1.80	-	38.62	8.43	66.20
PK	15.6013G	66.52	74.00	-7.48	83.18	3	Horizontal	160	1.73	-	37.50	10.34	64.50
AV	15.6002G	51.39	54.00	-2.61	68.05	3	Horizontal	160	1.73	-	37.50	10.34	64.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
Setting 77
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.491G	51.52	68.20	-16.68	70.56	3	Vertical	0	1.80	-	38.60	8.47	66.11
PK	15.7133G	69.07	74.00	-4.93	85.68	3	Vertical	181	2.55	-	37.50	10.39	64.50
AV	15.7143G	53.81	54.00	-0.19	70.42	3	Vertical	181	2.55	-	37.50	10.39	64.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
Setting 77
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4784G	50.00	68.20	-18.20	69.05	3	Horizontal	170	1.80	-	38.60	8.47	66.12
PK	15.7216G	69.29	74.00	-4.71	85.90	3	Horizontal	161	1.80	-	37.50	10.39	64.50
AV	15.7211G	53.98	54.00	-0.02	70.59	3	Horizontal	161	1.80	-	37.50	10.39	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
Setting 69
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5115G	49.61	68.20	-18.59	68.64	3	Vertical	152	2.50	-	38.59	8.48	66.10
PK	15.7743G	67.43	74.00	-6.57	84.02	3	Vertical	182	2.85	-	37.50	10.41	64.50
AV	15.7751G	51.67	54.00	-2.33	68.26	3	Vertical	182	2.85	-	37.50	10.41	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX



EUT Y_4TX
Setting 69
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5152G	50.30	68.20	-17.90	69.34	3	Horizontal	0	1.69	-	38.58	8.48	66.10
PK	15.7763G	69.58	74.00	-4.42	86.17	3	Horizontal	178	1.66	-	37.50	10.41	64.50
AV	15.7764G	53.81	54.00	-0.19	70.40	3	Horizontal	178	1.66	-	37.50	10.41	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
Setting 78
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6197G	48.81	74.00	-25.19	67.87	3	Vertical	139	1.61	-	38.50	8.52	66.08
AV	10.6041G	35.83	54.00	-18.17	54.90	3	Vertical	139	1.61	-	38.50	8.51	66.08
PK	15.9013G	68.65	74.00	-5.35	85.39	3	Vertical	169	1.40	-	37.30	10.46	64.50
AV	15.9002G	53.82	54.00	-0.18	70.56	3	Vertical	169	1.40	-	37.30	10.46	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
Setting 77
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6168G	49.31	74.00	-24.69	68.37	3	Horizontal	35	1.79	-	38.50	8.52	66.08
AV	10.6075G	35.98	54.00	-18.02	55.05	3	Horizontal	35	1.79	-	38.50	8.51	66.08
PK	15.9016G	69.53	74.00	-4.47	86.27	3	Horizontal	157	1.68	-	37.30	10.46	64.50
AV	15.9025G	53.59	54.00	-0.41	70.33	3	Horizontal	157	1.68	-	37.30	10.46	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT Y_4TX
Setting 78
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6343G	48.55	74.00	-25.45	67.60	3	Vertical	112	1.18	-	38.50	8.52	66.07
AV	10.6368G	36.41	54.00	-17.59	55.46	3	Vertical	112	1.18	-	38.50	8.52	66.07
PK	15.9593G	66.10	74.00	-7.90	82.82	3	Vertical	172	1.34	-	37.30	10.48	64.50
AV	15.9601G	52.33	54.00	-1.67	69.05	3	Vertical	172	1.34	-	37.30	10.48	64.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT Y_4TX
Setting 78
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6594G	49.09	74.00	-24.91	68.13	3	Horizontal	296	2.82	-	38.50	8.53	66.07
AV	10.6371G	36.54	54.00	-17.46	55.59	3	Horizontal	296	2.82	-	38.50	8.52	66.07
PK	15.9614G	69.19	74.00	-4.81	85.91	3	Horizontal	157	1.68	-	37.30	10.48	64.50
AV	15.9613G	53.61	54.00	-0.39	70.33	3	Horizontal	157	1.68	-	37.30	10.48	64.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9919G	51.26	74.00	-22.74	70.02	3	Vertical	215	2.17	-	38.59	8.65	66.00
AV	11.0006G	38.28	54.00	-15.72	57.03	3	Vertical	215	2.17	-	38.60	8.65	66.00
PK	16.4994G	66.90	68.20	-1.30	81.63	3	Vertical	206	1.00	-	39.10	10.67	64.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9906G	51.28	74.00	-22.72	70.04	3	Horizontal	118	1.89	-	38.59	8.65	66.00
AV	11.0004G	38.60	54.00	-15.40	57.35	3	Horizontal	118	1.89	-	38.60	8.65	66.00
PK	16.4953G	68.10	68.20	-0.10	82.87	3	Horizontal	149	3.00	-	39.06	10.67	64.50

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1554G	53.48	74.00	-20.52	71.99	3	Vertical	201	1.82	-	38.76	8.70	65.97
AV	11.1557G	40.39	54.00	-13.61	58.90	3	Vertical	201	1.82	-	38.76	8.70	65.97
PK	16.742G	68.14	68.20	-0.06	82.23	3	Vertical	206	1.06	-	39.94	10.76	64.79

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1566G	52.95	74.00	-21.05	71.46	3	Horizontal	232	1.13	-	38.76	8.70	65.97
AV	11.1553G	40.18	54.00	-13.82	58.69	3	Horizontal	232	1.13	-	38.76	8.70	65.97
PK	16.7552G	63.94	68.20	-4.26	77.95	3	Horizontal	150	2.83	-	40.04	10.76	64.81

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4009G	61.04	74.00	-12.96	79.37	3	Vertical	124	1.80	-	38.80	8.79	65.92
AV	11.4007G	48.51	54.00	-5.49	66.84	3	Vertical	124	1.80	-	38.80	8.79	65.92
PK	17.1012G	67.49	68.20	-0.71	80.35	3	Vertical	1	1.01	-	41.41	10.89	65.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.402G	60.17	74.00	-13.83	78.50	3	Horizontal	36	1.90	-	38.80	8.79	65.92
AV	11.4024G	48.00	54.00	-6.00	66.33	3	Horizontal	36	1.90	-	38.80	8.79	65.92
PK	17.1038G	66.42	68.20	-1.78	79.27	3	Horizontal	146	1.78	-	41.42	10.89	65.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 97
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4401G	60.63	74.00	-13.37	78.86	3	Vertical	123	1.80	-	38.88	8.80	65.91
AV	11.4404G	48.18	54.00	-5.82	66.41	3	Vertical	123	1.80	-	38.88	8.80	65.91
PK	17.1641G	67.56	68.20	-0.64	80.07	3	Vertical	215	1.80	-	41.78	10.91	65.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 97
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4409G	60.44	74.00	-13.56	78.67	3	Horizontal	38	1.80	-	38.88	8.80	65.91
AV	11.4417G	47.80	54.00	-6.20	66.03	3	Horizontal	38	1.80	-	38.88	8.80	65.91
PK	17.1589G	67.89	68.20	-0.31	80.43	3	Horizontal	160	1.42	-	41.75	10.91	65.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4905G	59.76	74.00	-14.24	77.86	3	Vertical	201	1.75	-	38.98	8.82	65.90
AV	11.4893G	48.05	54.00	-5.95	66.15	3	Vertical	201	1.75	-	38.98	8.82	65.90
PK	17.2356G	66.47	68.20	-1.73	78.60	3	Vertical	167	1.83	-	42.18	10.93	65.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4909G	62.50	74.00	-11.50	80.60	3	Horizontal	37	1.74	-	38.98	8.82	65.90
AV	11.4905G	49.61	54.00	-4.39	67.71	3	Horizontal	37	1.74	-	38.98	8.82	65.90
PK	17.2388G	67.67	68.20	-0.53	79.79	3	Horizontal	200	1.24	-	42.19	10.93	65.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5711G	62.17	74.00	-11.83	79.97	3	Vertical	202	1.62	-	39.21	8.85	65.86
AV	11.5713G	48.75	54.00	-5.25	66.55	3	Vertical	202	1.62	-	39.21	8.85	65.86
PK	17.3625G	66.54	68.20	-1.66	78.01	3	Vertical	167	1.80	-	42.87	10.98	65.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5658G	61.28	74.00	-12.72	79.09	3	Horizontal	135	1.74	-	39.20	8.85	65.86
AV	11.5659G	48.61	54.00	-5.39	66.42	3	Horizontal	135	1.74	-	39.20	8.85	65.86
PK	17.3588G	66.77	68.20	-1.43	78.26	3	Horizontal	188	1.61	-	42.85	10.98	65.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
Setting 93
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6524G	52.43	74.00	-21.57	69.96	3	Vertical	135	2.33	-	39.40	8.88	65.81
AV	11.6516G	40.34	54.00	-13.66	57.87	3	Vertical	135	2.33	-	39.40	8.88	65.81
PK	17.4745G	67.85	68.20	-0.35	78.51	3	Vertical	213	1.60	-	43.70	11.02	65.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
Setting 93
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.651G	59.25	74.00	-14.75	76.78	3	Horizontal	206	3.00	-	39.40	8.88	65.81
AV	11.6513G	45.46	54.00	-8.54	62.99	3	Horizontal	206	3.00	-	39.40	8.88	65.81
PK	17.4773G	66.53	68.20	-1.67	77.18	3	Horizontal	169	1.00	-	43.72	11.02	65.39

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
Setting 83
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3442G	50.45	68.20	-17.75	69.59	3	Vertical	295	2.85	-	38.66	8.42	66.22
PK	15.533G	67.43	74.00	-6.57	83.72	3	Vertical	167	1.66	-	37.90	10.31	64.50
AV	15.5331G	53.58	54.00	-0.42	69.87	3	Vertical	167	1.66	-	37.90	10.31	64.50

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
Setting 83
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3671G	50.65	68.20	-17.55	69.80	3	Horizontal	141	1.65	-	38.63	8.43	66.21
PK	15.5324G	67.83	74.00	-6.17	84.11	3	Horizontal	138	1.66	-	37.91	10.31	64.50
AV	15.5374G	52.57	54.00	-1.43	68.88	3	Horizontal	138	1.66	-	37.88	10.31	64.50

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 81
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3835G	49.85	68.20	-18.35	68.99	3	Vertical	186	1.03	-	38.62	8.43	66.19
PK	15.6031G	67.34	74.00	-6.66	84.00	3	Vertical	168	1.62	-	37.50	10.34	64.50
AV	15.598G	53.90	54.00	-0.10	70.55	3	Vertical	168	1.62	-	37.51	10.34	64.50

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 81
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3752G	49.61	68.20	-18.59	68.76	3	Horizontal	56	2.08	-	38.62	8.43	66.20
PK	15.6033G	66.66	74.00	-7.34	83.32	3	Horizontal	161	2.59	-	37.50	10.34	64.50
AV	15.5982G	52.74	54.00	-1.26	69.39	3	Horizontal	161	2.59	-	37.51	10.34	64.50

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 76
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4808G	49.56	68.20	-18.64	68.61	3	Vertical	232	1.43	-	38.60	8.47	66.12
PK	15.7216G	68.16	74.00	-5.84	84.77	3	Vertical	180	2.52	-	37.50	10.39	64.50
AV	15.7217G	52.87	54.00	-1.13	69.48	3	Vertical	180	2.52	-	37.50	10.39	64.50

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 76
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4806G	49.99	68.20	-18.21	69.04	3	Horizontal	292	1.44	-	38.60	8.47	66.12
PK	15.7249G	70.01	74.00	-3.99	86.62	3	Horizontal	165	1.43	-	37.50	10.39	64.50
AV	15.7196G	53.89	54.00	-0.11	70.50	3	Horizontal	165	1.43	-	37.50	10.39	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 73
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4988G	49.84	68.20	-18.36	68.87	3	Vertical	108	1.81	-	38.60	8.47	66.10
PK	15.7768G	68.88	74.00	-5.12	85.47	3	Vertical	180	2.90	-	37.50	10.41	64.50
AV	15.7818G	53.27	54.00	-0.73	69.86	3	Vertical	180	2.90	-	37.50	10.41	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 73
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5201G	50.11	68.20	-18.09	69.15	3	Horizontal	197	1.43	-	38.58	8.48	66.10
PK	15.7688G	68.90	74.00	-5.10	85.49	3	Horizontal	167	1.34	-	37.50	10.41	64.50
AV	15.7794G	53.37	54.00	-0.63	69.96	3	Horizontal	167	1.34	-	37.50	10.41	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 80
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60325G	49.80	74.00	-24.20	68.87	3	Vertical	295	2.08	-	38.50	8.51	66.08
AV	10.60625G	35.17	54.00	-18.83	54.24	3	Vertical	295	2.08	-	38.50	8.51	66.08
PK	15.8999G	68.51	74.00	-5.49	85.25	3	Vertical	169	1.40	-	37.30	10.46	64.50
AV	15.9G	53.96	54.00	-0.04	70.70	3	Vertical	169	1.40	-	37.30	10.46	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 80
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6246G	48.45	74.00	-25.55	67.51	3	Horizontal	164	1.86	-	38.50	8.52	66.08
AV	10.60635G	35.18	54.00	-18.82	54.25	3	Horizontal	164	1.86	-	38.50	8.51	66.08
PK	15.9004G	67.81	74.00	-6.19	84.55	3	Horizontal	156	1.63	-	37.30	10.46	64.50
AV	15.9002G	53.57	54.00	-0.43	70.31	3	Horizontal	156	1.63	-	37.30	10.46	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 84
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6169G	49.21	74.00	-24.79	68.27	3	Vertical	81	1.60	-	38.50	8.52	66.08
AV	10.6372G	35.96	54.00	-18.04	55.01	3	Vertical	81	1.60	-	38.50	8.52	66.07
PK	15.96G	67.54	74.00	-6.46	84.26	3	Vertical	172	1.31	-	37.30	10.48	64.50
AV	15.9601G	53.97	54.00	-0.03	70.69	3	Vertical	172	1.31	-	37.30	10.48	64.50

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 84
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6202G	49.08	74.00	-24.92	68.14	3	Horizontal	97	3.00	-	38.50	8.52	66.08
AV	10.6352G	35.84	54.00	-18.16	54.89	3	Horizontal	97	3.00	-	38.50	8.52	66.07
PK	15.9605G	67.13	74.00	-6.87	83.85	3	Horizontal	206	1.70	-	37.30	10.48	64.50
AV	15.9605G	52.62	54.00	-1.38	69.34	3	Horizontal	206	1.70	-	37.30	10.48	64.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 96
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0041G	52.04	74.00	-21.96	70.79	3	Vertical	203	1.80	-	38.60	8.65	66.00
AV	10.9992G	38.10	54.00	-15.90	56.85	3	Vertical	203	1.80	-	38.60	8.65	66.00
PK	16.4917G	67.18	68.20	-1.02	81.98	3	Vertical	202	1.80	-	39.03	10.67	64.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 96
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0095G	51.85	74.00	-22.15	70.59	3	Horizontal	124	1.80	-	38.61	8.65	66.00
AV	10.9994G	38.33	54.00	-15.67	57.08	3	Horizontal	124	1.80	-	38.60	8.65	66.00
PK	16.5105G	68.12	68.20	-0.08	82.82	3	Horizontal	158	1.11	-	39.13	10.68	64.51

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 95
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1569G	50.47	74.00	-23.53	68.98	3	Vertical	346	1.91	-	38.76	8.70	65.97
AV	11.1545G	37.54	54.00	-16.46	56.06	3	Vertical	346	1.91	-	38.75	8.70	65.97
PK	16.7415G	67.88	68.20	-0.32	81.98	3	Vertical	156	1.18	-	39.93	10.76	64.79

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 95
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	50.77	74.00	-23.23	69.29	3	Horizontal	194	2.05	-	38.75	8.70	65.97
AV	11.1549G	37.48	54.00	-16.52	56.00	3	Horizontal	194	2.05	-	38.75	8.70	65.97
PK	16.7507G	67.14	68.20	-1.06	81.17	3	Horizontal	155	2.94	-	40.01	10.76	64.80

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4011G	58.13	74.00	-15.87	76.46	3	Vertical	124	1.80	-	38.80	8.79	65.92
AV	11.4049G	44.79	54.00	-9.21	63.11	3	Vertical	124	1.80	-	38.81	8.79	65.92
PK	17.1052G	66.70	68.20	-1.50	79.54	3	Vertical	-0	1.00	-	41.43	10.89	65.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3992G	57.85	74.00	-16.15	76.18	3	Horizontal	116	1.83	-	38.80	8.79	65.92
AV	11.3991G	45.45	54.00	-8.55	63.78	3	Horizontal	116	1.83	-	38.80	8.79	65.92
PK	17.1105G	63.35	68.20	-4.85	76.17	3	Horizontal	200	1.30	-	41.46	10.89	65.17

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4491G	59.63	74.00	-14.37	77.83	3	Vertical	202	1.80	-	38.90	8.81	65.91
AV	11.4389G	46.66	54.00	-7.34	64.89	3	Vertical	202	1.80	-	38.88	8.80	65.91
PK	17.1624G	66.22	68.20	-1.98	78.74	3	Vertical	210	1.78	-	41.77	10.91	65.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44G	59.38	74.00	-14.62	77.61	3	Horizontal	38	1.80	-	38.88	8.80	65.91
AV	11.44G	46.15	54.00	-7.85	64.38	3	Horizontal	38	1.80	-	38.88	8.80	65.91
PK	17.1653G	64.79	68.20	-3.41	77.29	3	Horizontal	152	2.09	-	41.79	10.91	65.20

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4922G	59.29	74.00	-14.71	77.39	3	Vertical	133	1.35	-	38.98	8.82	65.90
AV	11.4917G	47.26	54.00	-6.74	65.36	3	Vertical	133	1.35	-	38.98	8.82	65.90
PK	17.2365G	66.01	68.20	-2.19	78.14	3	Vertical	209	2.28	-	42.18	10.93	65.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4894G	60.28	74.00	-13.72	78.38	3	Horizontal	37	1.80	-	38.98	8.82	65.90
AV	11.4898G	47.22	54.00	-6.78	65.32	3	Horizontal	37	1.80	-	38.98	8.82	65.90
PK	17.2399G	67.75	68.20	-0.45	79.86	3	Horizontal	161	1.44	-	42.20	10.93	65.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




26/11/2022

EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5667G	58.25	74.00	-15.75	76.06	3	Vertical	134	1.66	-	39.20	8.85	65.86
AV	11.5667G	45.50	54.00	-8.50	63.31	3	Vertical	134	1.66	-	39.20	8.85	65.86
PK	17.3621G	65.20	68.20	-3.00	76.67	3	Vertical	212	1.83	-	42.87	10.98	65.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5651G	58.21	74.00	-15.79	76.02	3	Horizontal	134	1.80	-	39.20	8.85	65.86
AV	11.5669G	44.81	54.00	-9.19	62.62	3	Horizontal	134	1.80	-	39.20	8.85	65.86
PK	17.3651G	65.92	68.20	-2.28	77.37	3	Horizontal	163	1.50	-	42.89	10.98	65.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6522G	55.00	74.00	-19.00	72.53	3	Vertical	295	1.80	-	39.40	8.88	65.81
AV	11.6473G	41.43	54.00	-12.57	58.97	3	Vertical	295	1.80	-	39.39	8.88	65.81
PK	17.4755G	67.67	68.20	-0.53	78.34	3	Vertical	206	1.49	-	43.70	11.02	65.39

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
Setting 90
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6463G	55.63	74.00	-18.37	73.17	3	Horizontal	218	2.26	-	39.39	8.88	65.81
AV	11.651G	42.38	54.00	-11.62	59.91	3	Horizontal	218	2.26	-	39.40	8.88	65.81
PK	17.4753G	66.31	68.20	-1.89	76.98	3	Horizontal	168	1.00	-	43.70	11.02	65.39

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 86
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3947G	49.56	68.20	-18.64	68.69	3	Vertical	340	1.04	-	38.61	8.44	66.18
PK	15.5579G	65.80	74.00	-8.20	82.23	3	Vertical	167	1.66	-	37.75	10.32	64.50
AV	15.5681G	53.96	54.00	-0.04	70.44	3	Vertical	167	1.66	-	37.69	10.33	64.50

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 86
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3663G	50.33	68.20	-17.87	69.48	3	Horizontal	41	2.86	-	38.63	8.43	66.21
PK	15.5832G	64.62	74.00	-9.38	81.19	3	Horizontal	160	2.60	-	37.60	10.33	64.50
AV	15.5682G	52.66	54.00	-1.34	69.14	3	Horizontal	160	2.60	-	37.69	10.33	64.50

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 82
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4564G	49.74	68.20	-18.46	68.81	3	Vertical	72	2.07	-	38.60	8.46	66.13
PK	15.678G	65.51	74.00	-8.49	82.14	3	Vertical	168	1.58	-	37.50	10.37	64.50
AV	15.6881G	53.92	54.00	-0.08	70.54	3	Vertical	168	1.58	-	37.50	10.38	64.50

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 82
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.485G	49.59	68.20	-18.61	68.63	3	Horizontal	75	1.59	-	38.60	8.47	66.11
PK	15.6676G	64.97	74.00	-9.03	81.60	3	Horizontal	144	1.88	-	37.50	10.37	64.50
AV	15.6899G	53.00	54.00	-1.00	69.62	3	Horizontal	144	1.88	-	37.50	10.38	64.50

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 75
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5325G	50.11	68.20	-18.09	69.14	3	Vertical	284	2.66	-	38.57	8.49	66.09
PK	15.8076G	66.44	74.00	-7.56	83.04	3	Vertical	197	1.80	-	37.48	10.42	64.50
AV	15.8094G	52.55	54.00	-1.45	69.15	3	Vertical	197	1.80	-	37.48	10.42	64.50

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 75
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5365G	49.88	68.20	-18.32	68.92	3	Horizontal	288	2.10	-	38.56	8.49	66.09
PK	15.8137G	66.00	74.00	-8.00	82.60	3	Horizontal	145	1.80	-	37.47	10.43	64.50
AV	15.8188G	53.66	54.00	-0.34	70.27	3	Horizontal	145	1.80	-	37.46	10.43	64.50

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 85
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6176G	49.55	74.00	-24.45	68.61	3	Vertical	45	2.58	-	38.50	8.52	66.08
AV	10.6367G	37.19	54.00	-16.81	56.24	3	Vertical	45	2.58	-	38.50	8.52	66.07
PK	15.9077G	65.18	74.00	-8.82	81.92	3	Vertical	170	1.58	-	37.30	10.46	64.50
AV	15.9197G	53.65	54.00	-0.35	70.38	3	Vertical	170	1.58	-	37.30	10.47	64.50

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 85
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6399G	48.48	74.00	-25.52	67.53	3	Horizontal	226	1.72	-	38.50	8.52	66.07
AV	10.6371G	37.23	54.00	-16.77	56.28	3	Horizontal	226	1.72	-	38.50	8.52	66.07
PK	15.9136G	66.91	74.00	-7.09	83.64	3	Horizontal	212	1.00	-	37.30	10.47	64.50
AV	15.9203G	53.87	54.00	-0.13	70.60	3	Horizontal	212	1.00	-	37.30	10.47	64.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0246G	51.00	74.00	-23.00	69.72	3	Vertical	236	2.34	-	38.62	8.66	66.00
AV	11.02G	39.28	54.00	-14.72	58.00	3	Vertical	236	2.34	-	38.62	8.66	66.00
PK	16.5318G	65.73	68.20	-2.47	80.38	3	Vertical	202	1.80	-	39.20	10.69	64.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0067G	50.98	74.00	-23.02	69.72	3	Horizontal	147	2.53	-	38.61	8.65	66.00
AV	11.0409G	39.08	54.00	-14.92	57.77	3	Horizontal	147	2.53	-	38.64	8.66	65.99
PK	16.5259G	67.82	68.20	-0.38	82.49	3	Horizontal	159	1.18	-	39.18	10.68	64.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 106
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1207G	51.30	74.00	-22.70	69.87	3	Vertical	301	2.95	-	38.72	8.69	65.98
AV	11.0929G	38.94	54.00	-15.06	57.55	3	Vertical	301	2.95	-	38.69	8.68	65.98
PK	16.6399G	68.02	68.20	-0.18	82.49	3	Vertical	202	1.05	-	39.48	10.72	64.67

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 106
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1205G	51.04	74.00	-22.96	69.61	3	Horizontal	262	1.03	-	38.72	8.69	65.98
AV	11.0934G	38.99	54.00	-15.01	57.60	3	Horizontal	262	1.03	-	38.69	8.68	65.98
PK	16.6332G	65.42	68.20	-2.78	79.89	3	Horizontal	167	1.83	-	39.47	10.72	64.66

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3309G	52.15	74.00	-21.85	70.51	3	Vertical	168	2.94	-	38.80	8.77	65.93
AV	11.3406G	41.25	54.00	-12.75	59.61	3	Vertical	168	2.94	-	38.80	8.77	65.93
PK	17.0159G	66.89	68.20	-1.31	80.08	3	Vertical	178	1.04	-	41.06	10.86	65.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3342G	52.81	74.00	-21.19	71.17	3	Horizontal	314	1.05	-	38.80	8.77	65.93
AV	11.3341G	42.80	54.00	-11.20	61.16	3	Horizontal	314	1.05	-	38.80	8.77	65.93
PK	17.0204G	64.64	68.20	-3.56	77.81	3	Horizontal	148	1.34	-	41.08	10.86	65.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4199G	51.22	74.00	-22.78	69.50	3	Vertical	230	2.73	-	38.84	8.80	65.92
AV	11.4249G	39.46	54.00	-14.54	57.73	3	Vertical	230	2.73	-	38.85	8.80	65.92
PK	17.1404G	63.97	68.20	-4.23	76.61	3	Vertical	-0	1.00	-	41.64	10.90	65.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.424G	54.16	74.00	-19.84	72.43	3	Horizontal	172	1.87	-	38.85	8.80	65.92
AV	11.4189G	42.91	54.00	-11.09	61.19	3	Horizontal	172	1.87	-	38.84	8.80	65.92
PK	17.1406G	62.89	68.20	-5.31	75.53	3	Horizontal	197	1.32	-	41.64	10.90	65.18

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5016G	57.07	74.00	-16.93	75.14	3	Vertical	133	1.35	-	39.00	8.83	65.90
AV	11.5068G	45.97	54.00	-8.03	64.02	3	Vertical	133	1.35	-	39.02	8.83	65.90
PK	17.2628G	62.50	68.20	-5.70	74.51	3	Vertical	212	1.80	-	42.31	10.94	65.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5095G	57.90	74.00	-16.10	75.93	3	Horizontal	37	1.80	-	39.03	8.83	65.89
AV	11.5096G	46.34	54.00	-7.66	64.37	3	Horizontal	37	1.80	-	39.03	8.83	65.89
PK	17.2753G	64.23	68.20	-3.97	76.17	3	Horizontal	160	1.54	-	42.38	10.95	65.27

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5872G	56.67	74.00	-17.33	74.40	3	Vertical	201	1.62	-	39.26	8.86	65.85
AV	11.5872G	45.34	54.00	-8.66	63.07	3	Vertical	201	1.62	-	39.26	8.86	65.85
PK	17.3955G	65.47	68.20	-2.73	76.75	3	Vertical	207	1.39	-	43.07	10.99	65.34

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5758G	56.53	74.00	-17.47	74.30	3	Horizontal	217	2.24	-	39.23	8.85	65.85
AV	11.5858G	45.09	54.00	-8.91	62.82	3	Horizontal	217	2.24	-	39.26	8.86	65.85
PK	17.3954G	64.14	68.20	-4.06	75.42	3	Horizontal	162	1.52	-	43.07	10.99	65.34

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 95
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4387G	49.83	68.20	-18.37	68.93	3	Vertical	185	1.97	-	38.60	8.45	66.15
PK	15.6183G	65.90	74.00	-8.10	82.55	3	Vertical	168	1.59	-	37.50	10.35	64.50
AV	15.6431G	53.74	54.00	-0.26	70.38	3	Vertical	168	1.59	-	37.50	10.36	64.50

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 95
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3965G	49.50	68.20	-18.70	68.64	3	Horizontal	25	1.58	-	38.60	8.44	66.18
PK	15.6299G	64.98	74.00	-9.02	81.63	3	Horizontal	160	2.71	-	37.50	10.35	64.50
AV	15.6497G	53.18	54.00	-0.82	69.82	3	Horizontal	160	2.71	-	37.50	10.36	64.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 84
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5932G	49.00	68.20	-19.20	68.06	3	Vertical	270	2.85	-	38.51	8.51	66.08
PK	15.85G	65.90	74.00	-8.10	82.56	3	Vertical	171	1.33	-	37.40	10.44	64.50
AV	15.8499G	53.75	54.00	-0.25	70.41	3	Vertical	171	1.33	-	37.40	10.44	64.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 84
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5628G	49.34	68.20	-18.86	68.39	3	Horizontal	141	1.07	-	38.54	8.50	66.09
PK	15.8501G	65.83	74.00	-8.17	82.49	3	Horizontal	155	1.57	-	37.40	10.44	64.50
AV	15.8602G	53.06	54.00	-0.94	69.74	3	Horizontal	155	1.57	-	37.38	10.44	64.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0571G	51.41	74.00	-22.59	70.07	3	Vertical	174	1.65	-	38.66	8.67	65.99
AV	11.0631G	39.15	54.00	-14.85	57.81	3	Vertical	174	1.65	-	38.66	8.67	65.99
PK	16.6049G	65.59	68.20	-2.61	80.10	3	Vertical	203	1.01	-	39.41	10.71	64.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0565G	51.07	74.00	-22.93	69.73	3	Horizontal	52	2.65	-	38.66	8.67	65.99
AV	11.0589G	39.03	54.00	-14.97	57.69	3	Horizontal	52	2.65	-	38.66	8.67	65.99
PK	16.6108G	64.02	68.20	-4.18	78.52	3	Horizontal	159	1.23	-	39.42	10.71	64.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1986G	50.96	74.00	-23.04	69.40	3	Vertical	342	1.23	-	38.80	8.72	65.96
AV	11.2308G	38.56	54.00	-15.44	56.98	3	Vertical	342	1.23	-	38.80	8.73	65.95
PK	16.8417G	63.12	68.20	-5.08	76.71	3	Vertical	158	1.18	-	40.53	10.79	64.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2431G	50.03	74.00	-23.97	68.44	3	Horizontal	4	1.48	-	38.80	8.74	65.95
AV	11.2056G	38.23	54.00	-15.77	56.67	3	Horizontal	4	1.48	-	38.80	8.72	65.96
PK	16.8172G	62.93	68.20	-5.27	76.57	3	Horizontal	162	2.82	-	40.45	10.79	64.88

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3597G	50.09	74.00	-23.91	68.44	3	Vertical	279	2.14	-	38.80	8.78	65.93
AV	11.3877G	38.41	54.00	-15.59	56.74	3	Vertical	279	2.14	-	38.80	8.79	65.92
PK	17.0698G	61.74	68.20	-6.46	74.73	3	Vertical	-0	1.00	-	41.28	10.87	65.14

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3644G	52.11	74.00	-21.89	70.46	3	Horizontal	11	2.83	-	38.80	8.78	65.93
AV	11.3643G	40.14	54.00	-13.86	58.49	3	Horizontal	11	2.83	-	38.80	8.78	65.93
PK	17.0697G	59.10	68.20	-9.10	72.09	3	Horizontal	147	2.42	-	41.28	10.87	65.14

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5636G	51.54	74.00	-22.46	69.36	3	Vertical	133	1.38	-	39.19	8.85	65.86
AV	11.5316G	39.29	54.00	-14.71	57.24	3	Vertical	133	1.38	-	39.09	8.84	65.88
PK	17.3173G	59.63	68.20	-8.57	71.36	3	Vertical	212	1.80	-	42.60	10.96	65.29

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5645G	52.11	74.00	-21.89	69.93	3	Horizontal	61	1.91	-	39.19	8.85	65.86
AV	11.5665G	39.59	54.00	-14.41	57.40	3	Horizontal	61	1.91	-	39.20	8.85	65.86
PK	17.3047G	62.52	68.20	-5.68	74.31	3	Horizontal	161	1.50	-	42.53	10.96	65.28

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 83
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5037G	50.54	68.20	-17.66	69.56	3	Vertical	144	1.15	-	38.60	8.48	66.10
PK	15.7599G	62.94	74.00	-11.06	79.54	3	Vertical	175	1.15	-	37.50	10.40	64.50
AV	15.7397G	52.50	54.00	-1.50	69.10	3	Vertical	175	1.15	-	37.50	10.40	64.50

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 83
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5104G	49.79	68.20	-18.41	68.82	3	Horizontal	331	1.37	-	38.59	8.48	66.10
PK	15.7651G	64.02	74.00	-9.98	80.61	3	Horizontal	166	1.37	-	37.50	10.41	64.50
AV	15.7674G	53.64	54.00	-0.36	70.23	3	Horizontal	166	1.37	-	37.50	10.41	64.50

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1156G	50.47	74.00	-23.53	69.04	3	Vertical	341	2.62	-	38.72	8.69	65.98
AV	11.1522G	40.16	54.00	-13.84	58.68	3	Vertical	341	2.62	-	38.75	8.70	65.97
PK	16.7063G	62.38	68.20	-5.82	76.73	3	Vertical	156	1.20	-	39.65	10.75	64.75

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT Y_4TX
Setting 110
02-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1162G	50.36	74.00	-23.64	68.93	3	Horizontal	112	2.66	-	38.72	8.69	65.98
AV	11.1535G	40.11	54.00	-13.89	58.63	3	Horizontal	112	2.66	-	38.75	8.70	65.97
PK	16.7061G	60.74	68.20	-7.46	75.09	3	Horizontal	151	1.76	-	39.65	10.75	64.75

1. Photographs of Radiated Emissions Test Configuration

Test Configuration: 30MHz~1GHz / Test Mode: Mode 2

FRONT VIEW



REAR VIEW




Test Configuration: Above 1GHz

Test Mode: Mode 1

For Bandedge:

FRONT VIEW




REAR VIEW




For Harmonic:

FRONT VIEW




REAR VIEW




Test Mode: Mode 2

For Bandedge:

FRONT VIEW




REAR VIEW




For Harmonic:

FRONT VIEW



REAR VIEW



————THE END————