

1. Effective (Isotropic) Radiated Power Output Data

1.1 B38_5MHz_EIRP

1.1.1 Test Result

Band: 38 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2572.5	1	0	22.18	3.99	26.17	<=33.01	Pass
			13	22.40	3.99	26.39	<=33.01	Pass
			24	22.43	3.99	26.42	<=33.01	Pass
		12	0	21.06	3.99	25.05	<=33.01	Pass
			6	21.26	3.99	25.25	<=33.01	Pass
			13	21.24	3.99	25.23	<=33.01	Pass
		25	0	21.15	3.99	25.14	<=33.01	Pass
	2595	1	0	22.79	3.99	26.78	<=33.01	Pass
			13	23.07	3.99	27.06	<=33.01	Pass
			24	22.98	3.99	26.97	<=33.01	Pass
		12	0	21.90	3.99	25.89	<=33.01	Pass
			6	22.04	3.99	26.03	<=33.01	Pass
			13	22.02	3.99	26.01	<=33.01	Pass
	25	0	21.99	3.99	25.98	<=33.01	Pass	
	2617.5	1	0	23.91	3.99	27.90	<=33.01	Pass
			13	24.00	3.99	27.99	<=33.01	Pass
			24	23.83	3.99	27.82	<=33.01	Pass
		12	0	22.92	3.99	26.91	<=33.01	Pass
			6	23.01	3.99	27.00	<=33.01	Pass
			13	22.99	3.99	26.98	<=33.01	Pass
		25	0	22.88	3.99	26.87	<=33.01	Pass
16QAM		2572.5	1	0	21.04	3.99	25.03	<=33.01
	13			21.53	3.99	25.52	<=33.01	Pass
	24			21.37	3.99	25.36	<=33.01	Pass
	12		0	20.40	3.99	24.39	<=33.01	Pass
			6	20.53	3.99	24.52	<=33.01	Pass
			13	20.52	3.99	24.51	<=33.01	Pass
	25		0	20.41	3.99	24.40	<=33.01	Pass
	2595	1	0	22.08	3.99	26.07	<=33.01	Pass
			13	21.85	3.99	25.84	<=33.01	Pass
			24	22.08	3.99	26.07	<=33.01	Pass
		12	0	21.23	3.99	25.22	<=33.01	Pass
			6	21.27	3.99	25.26	<=33.01	Pass
			13	21.32	3.99	25.31	<=33.01	Pass
	25	0	21.18	3.99	25.17	<=33.01	Pass	
	2617.5	1	0	22.93	3.99	26.92	<=33.01	Pass
			13	23.12	3.99	27.11	<=33.01	Pass
			24	23.22	3.99	27.21	<=33.01	Pass
		12	0	22.06	3.99	26.05	<=33.01	Pass
			6	22.19	3.99	26.18	<=33.01	Pass
			13	22.17	3.99	26.16	<=33.01	Pass
		25	0	22.22	3.99	26.21	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B38_10MHz_EIRP

1.2.1 Test Result

Band: 38 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	22.30	3.99	26.29	<=33.01	Pass
			25	22.81	3.99	26.80	<=33.01	Pass
			49	22.74	3.99	26.73	<=33.01	Pass
		25	0	21.32	3.99	25.31	<=33.01	Pass
			13	21.72	3.99	25.71	<=33.01	Pass
			25	21.75	3.99	25.74	<=33.01	Pass
		50	0	21.59	3.99	25.58	<=33.01	Pass
	2595	1	0	22.90	3.99	26.89	<=33.01	Pass
			25	23.27	3.99	27.26	<=33.01	Pass
			49	23.05	3.99	27.04	<=33.01	Pass
		25	0	21.95	3.99	25.94	<=33.01	Pass
			13	22.20	3.99	26.19	<=33.01	Pass
			25	22.18	3.99	26.17	<=33.01	Pass
		50	0	22.02	3.99	26.01	<=33.01	Pass
	2615	1	0	23.76	3.99	27.75	<=33.01	Pass
			25	24.13	3.99	28.12	<=33.01	Pass
			49	23.89	3.99	27.88	<=33.01	Pass
		25	0	22.94	3.99	26.93	<=33.01	Pass
			13	23.14	3.99	27.13	<=33.01	Pass
			25	22.95	3.99	26.94	<=33.01	Pass
		50	0	23.00	3.99	26.99	<=33.01	Pass
16QAM	2575	1	0	21.34	3.99	25.33	<=33.01	Pass
			25	21.81	3.99	25.80	<=33.01	Pass
			49	21.76	3.99	25.75	<=33.01	Pass
		25	0	20.58	3.99	24.57	<=33.01	Pass
			13	21.01	3.99	25.00	<=33.01	Pass
			25	21.00	3.99	24.99	<=33.01	Pass
		50	0	20.86	3.99	24.85	<=33.01	Pass
	2595	1	0	21.70	3.99	25.69	<=33.01	Pass
			25	22.14	3.99	26.13	<=33.01	Pass
			49	22.05	3.99	26.04	<=33.01	Pass
		25	0	21.19	3.99	25.18	<=33.01	Pass
			13	21.37	3.99	25.36	<=33.01	Pass
			25	21.34	3.99	25.33	<=33.01	Pass
		50	0	21.23	3.99	25.22	<=33.01	Pass
	2615	1	0	22.60	3.99	26.59	<=33.01	Pass
			25	22.85	3.99	26.84	<=33.01	Pass
			49	22.76	3.99	26.75	<=33.01	Pass
		25	0	22.11	3.99	26.10	<=33.01	Pass
			13	22.31	3.99	26.30	<=33.01	Pass
			25	22.21	3.99	26.20	<=33.01	Pass
		50	0	22.20	3.99	26.19	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B38_15MHz_EIRP

1.3.1 Test Result

Band: 38 / Bandwidth: 15MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2577.5	1	0	22.45	3.99	26.44	<=33.01	Pass	
			38	22.95	3.99	26.94	<=33.01	Pass	
			74	22.87	3.99	26.86	<=33.01	Pass	
		36	0	21.59	3.99	25.58	<=33.01	Pass	
			18	21.89	3.99	25.88	<=33.01	Pass	
			39	21.97	3.99	25.96	<=33.01	Pass	
		75	0	21.77	3.99	25.76	<=33.01	Pass	
		2595	1	0	22.99	3.99	26.98	<=33.01	Pass
				38	23.20	3.99	27.19	<=33.01	Pass
	74			23.24	3.99	27.23	<=33.01	Pass	
	36		0	21.99	3.99	25.98	<=33.01	Pass	
			18	22.19	3.99	26.18	<=33.01	Pass	
			39	22.22	3.99	26.21	<=33.01	Pass	
	75	0	22.12	3.99	26.11	<=33.01	Pass		
	2612.5	1	0	23.51	3.99	27.50	<=33.01	Pass	
			38	23.95	3.99	27.94	<=33.01	Pass	
			74	23.85	3.99	27.84	<=33.01	Pass	
		36	0	22.78	3.99	26.77	<=33.01	Pass	
			18	22.96	3.99	26.95	<=33.01	Pass	
			39	23.08	3.99	27.07	<=33.01	Pass	
		75	0	22.89	3.99	26.88	<=33.01	Pass	
16QAM	2577.5	1	0	21.35	3.99	25.34	<=33.01	Pass	
			38	21.92	3.99	25.91	<=33.01	Pass	
			74	22.05	3.99	26.04	<=33.01	Pass	
		36	0	20.80	3.99	24.79	<=33.01	Pass	
			18	21.11	3.99	25.10	<=33.01	Pass	
			39	21.12	3.99	25.11	<=33.01	Pass	
		75	0	21.04	3.99	25.03	<=33.01	Pass	
	2595	1	0	21.80	3.99	25.79	<=33.01	Pass	
			38	22.15	3.99	26.14	<=33.01	Pass	
			74	22.03	3.99	26.02	<=33.01	Pass	
		36	0	21.16	3.99	25.15	<=33.01	Pass	
			18	21.31	3.99	25.30	<=33.01	Pass	
			39	21.38	3.99	25.37	<=33.01	Pass	
	75	0	21.28	3.99	25.27	<=33.01	Pass		
	2612.5	1	0	22.50	3.99	26.49	<=33.01	Pass	
			38	23.04	3.99	27.03	<=33.01	Pass	
			74	22.76	3.99	26.75	<=33.01	Pass	
		36	0	22.01	3.99	26.00	<=33.01	Pass	
			18	22.25	3.99	26.24	<=33.01	Pass	
			39	22.23	3.99	26.22	<=33.01	Pass	
		75	0	22.15	3.99	26.14	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.4 B38_20MHz_EIRP

1.4.1 Test Result

Band: 38 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2580	1	0	22.29	3.99	26.28	<=33.01	Pass
			50	23.01	3.99	27.00	<=33.01	Pass

			99	22.81	3.99	26.80	<=33.01	Pass	
			50	0	21.59	3.99	25.58	<=33.01	Pass
				25	21.99	3.99	25.98	<=33.01	Pass
				50	21.83	3.99	25.82	<=33.01	Pass
		100	0	21.85	3.99	25.84	<=33.01	Pass	
		2595	1	0	22.81	3.99	26.80	<=33.01	Pass
				50	23.24	3.99	27.23	<=33.01	Pass
				99	23.33	3.99	27.32	<=33.01	Pass
	50		0	21.96	3.99	25.95	<=33.01	Pass	
			25	22.18	3.99	26.17	<=33.01	Pass	
			50	22.22	3.99	26.21	<=33.01	Pass	
	100		0	22.07	3.99	26.06	<=33.01	Pass	
	2610		1	0	23.17	3.99	27.16	<=33.01	Pass
		50		23.91	3.99	27.90	<=33.01	Pass	
		99		23.81	3.99	27.80	<=33.01	Pass	
		50	0	22.58	3.99	26.57	<=33.01	Pass	
			25	22.89	3.99	26.88	<=33.01	Pass	
			50	22.97	3.99	26.96	<=33.01	Pass	
		100	0	22.75	3.99	26.74	<=33.01	Pass	

16QAM	2580	1	0	21.22	3.99	25.21	<=33.01	Pass
			50	22.04	3.99	26.03	<=33.01	Pass
			99	22.08	3.99	26.07	<=33.01	Pass
		50	0	20.81	3.99	24.80	<=33.01	Pass
			25	21.22	3.99	25.21	<=33.01	Pass
			50	21.08	3.99	25.07	<=33.01	Pass
		100	0	21.06	3.99	25.05	<=33.01	Pass
		2595	1	0	21.62	3.99	25.61	<=33.01
	50			22.01	3.99	26.00	<=33.01	Pass
	99			22.03	3.99	26.02	<=33.01	Pass
	50		0	21.18	3.99	25.17	<=33.01	Pass
			25	21.38	3.99	25.37	<=33.01	Pass
			50	21.33	3.99	25.32	<=33.01	Pass
	100		0	21.26	3.99	25.25	<=33.01	Pass
	2610		1	0	22.25	3.99	26.24	<=33.01
		50		22.56	3.99	26.55	<=33.01	Pass
		99		23.07	3.99	27.06	<=33.01	Pass
		50	0	21.72	3.99	25.71	<=33.01	Pass
			25	22.08	3.99	26.07	<=33.01	Pass
			50	22.17	3.99	26.16	<=33.01	Pass
		100	0	21.97	3.99	25.96	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Effective (Isotropic) Radiated Power Output Data

2.1 B41_5MHz_EIRP

2.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2537.5	1	0	23.98	3.99	27.97	<=33.01	Pass
			13	24.01	3.99	28.00	<=33.01	Pass
			24	23.76	3.99	27.75	<=33.01	Pass

		12	0	22.96	3.99	26.95	<=33.01	Pass
			6	22.97	3.99	26.96	<=33.01	Pass
			13	22.85	3.99	26.84	<=33.01	Pass
		25	0	22.82	3.99	26.81	<=33.01	Pass
	2605	1	0	23.59	3.99	27.58	<=33.01	Pass
			13	23.70	3.99	27.69	<=33.01	Pass
			24	23.76	3.99	27.75	<=33.01	Pass
		12	0	22.75	3.99	26.74	<=33.01	Pass
			6	22.90	3.99	26.89	<=33.01	Pass
			13	22.90	3.99	26.89	<=33.01	Pass
		25	0	22.78	3.99	26.77	<=33.01	Pass
	2672.5	1	0	23.01	3.99	27.00	<=33.01	Pass
			13	23.24	3.99	27.23	<=33.01	Pass
			24	23.26	3.99	27.25	<=33.01	Pass
		12	0	22.04	3.99	26.03	<=33.01	Pass
			6	22.24	3.99	26.23	<=33.01	Pass
			13	22.21	3.99	26.20	<=33.01	Pass
	25	0	22.17	3.99	26.16	<=33.01	Pass	
16QAM	2537.5	1	0	22.66	3.99	26.65	<=33.01	Pass
			13	22.67	3.99	26.66	<=33.01	Pass
			24	22.70	3.99	26.69	<=33.01	Pass
		12	0	21.88	3.99	25.87	<=33.01	Pass
			6	21.82	3.99	25.81	<=33.01	Pass
			13	21.75	3.99	25.74	<=33.01	Pass
	25	0	21.79	3.99	25.78	<=33.01	Pass	
	2605	1	0	22.61	3.99	26.60	<=33.01	Pass
			13	22.85	3.99	26.84	<=33.01	Pass
			24	22.71	3.99	26.70	<=33.01	Pass
		12	0	21.75	3.99	25.74	<=33.01	Pass
			6	21.83	3.99	25.82	<=33.01	Pass
			13	21.93	3.99	25.92	<=33.01	Pass
	25	0	21.84	3.99	25.83	<=33.01	Pass	
	2672.5	1	0	22.06	3.99	26.05	<=33.01	Pass
			13	22.24	3.99	26.23	<=33.01	Pass
			24	22.49	3.99	26.48	<=33.01	Pass
		12	0	21.03	3.99	25.02	<=33.01	Pass
			6	21.18	3.99	25.17	<=33.01	Pass
			13	21.25	3.99	25.24	<=33.01	Pass
	25	0	21.19	3.99	25.18	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2.2 B41_10MHz_EIRP

2.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2540	1	0	23.43	3.99	27.42	<=33.01	Pass
			25	23.57	3.99	27.56	<=33.01	Pass
			49	23.11	3.99	27.10	<=33.01	Pass
		25	0	22.49	3.99	26.48	<=33.01	Pass
			13	22.46	3.99	26.45	<=33.01	Pass
			25	22.32	3.99	26.31	<=33.01	Pass
		50	0	22.38	3.99	26.37	<=33.01	Pass

	2605	1	0	23.25	3.99	27.24	<=33.01	Pass	
			25	23.60	3.99	27.59	<=33.01	Pass	
			49	23.60	3.99	27.59	<=33.01	Pass	
		25	0	22.50	3.99	26.49	<=33.01	Pass	
			13	22.69	3.99	26.68	<=33.01	Pass	
			25	22.73	3.99	26.72	<=33.01	Pass	
		50	0	22.57	3.99	26.56	<=33.01	Pass	
		2670	1	0	22.59	3.99	26.58	<=33.01	Pass
				25	23.02	3.99	27.01	<=33.01	Pass
	49			23.11	3.99	27.10	<=33.01	Pass	
	25		0	21.68	3.99	25.67	<=33.01	Pass	
			13	21.97	3.99	25.96	<=33.01	Pass	
			25	21.99	3.99	25.98	<=33.01	Pass	
	50		0	21.93	3.99	25.92	<=33.01	Pass	
16QAM	2540	1	0	22.50	3.99	26.49	<=33.01	Pass	
			25	22.46	3.99	26.45	<=33.01	Pass	
			49	22.25	3.99	26.24	<=33.01	Pass	
		25	0	21.50	3.99	25.49	<=33.01	Pass	
			13	21.46	3.99	25.45	<=33.01	Pass	
			25	21.22	3.99	25.21	<=33.01	Pass	
		50	0	21.32	3.99	25.31	<=33.01	Pass	
	2605	1	0	21.98	3.99	25.97	<=33.01	Pass	
			25	22.48	3.99	26.47	<=33.01	Pass	
			49	22.63	3.99	26.62	<=33.01	Pass	
		25	0	21.55	3.99	25.54	<=33.01	Pass	
			13	21.83	3.99	25.82	<=33.01	Pass	
			25	21.77	3.99	25.76	<=33.01	Pass	
		50	0	21.63	3.99	25.62	<=33.01	Pass	
	2670	1	0	21.69	3.99	25.68	<=33.01	Pass	
			25	21.82	3.99	25.81	<=33.01	Pass	
			49	21.83	3.99	25.82	<=33.01	Pass	
		25	0	20.72	3.99	24.71	<=33.01	Pass	
			13	20.99	3.99	24.98	<=33.01	Pass	
			25	20.98	3.99	24.97	<=33.01	Pass	
		50	0	20.92	3.99	24.91	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2.3 B41_15MHz_EIRP

2.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2542.5	1	0	23.49	3.99	27.48	<=33.01	Pass
			38	23.45	3.99	27.44	<=33.01	Pass
			74	22.95	3.99	26.94	<=33.01	Pass
		36	0	22.44	3.99	26.43	<=33.01	Pass
			18	22.42	3.99	26.41	<=33.01	Pass
			39	22.24	3.99	26.23	<=33.01	Pass
		75	0	22.38	3.99	26.37	<=33.01	Pass
	2605	1	0	23.28	3.99	27.27	<=33.01	Pass
			38	23.70	3.99	27.69	<=33.01	Pass
			74	23.79	3.99	27.78	<=33.01	Pass
		36	0	22.52	3.99	26.51	<=33.01	Pass

		75	18	22.73	3.99	26.72	<=33.01	Pass
			39	22.85	3.99	26.84	<=33.01	Pass
			0	22.74	3.99	26.73	<=33.01	Pass
	2667.5	1	0	22.80	3.99	26.79	<=33.01	Pass
			38	22.98	3.99	26.97	<=33.01	Pass
			74	23.22	3.99	27.21	<=33.01	Pass
		36	0	21.84	3.99	25.83	<=33.01	Pass
			18	21.88	3.99	25.87	<=33.01	Pass
			39	22.16	3.99	26.15	<=33.01	Pass
		75	0	21.89	3.99	25.88	<=33.01	Pass
16QAM	2542.5	1	0	22.64	3.99	26.63	<=33.01	Pass
			38	22.52	3.99	26.51	<=33.01	Pass
			74	21.80	3.99	25.79	<=33.01	Pass
		36	0	21.49	3.99	25.48	<=33.01	Pass
			18	21.48	3.99	25.47	<=33.01	Pass
			39	21.22	3.99	25.21	<=33.01	Pass
		75	0	21.33	3.99	25.32	<=33.01	Pass
	2605	1	0	22.28	3.99	26.27	<=33.01	Pass
			38	22.69	3.99	26.68	<=33.01	Pass
			74	22.80	3.99	26.79	<=33.01	Pass
		36	0	21.62	3.99	25.61	<=33.01	Pass
			18	21.84	3.99	25.83	<=33.01	Pass
			39	21.96	3.99	25.95	<=33.01	Pass
		75	0	21.74	3.99	25.73	<=33.01	Pass
	2667.5	1	0	21.57	3.99	25.56	<=33.01	Pass
			38	22.28	3.99	26.27	<=33.01	Pass
			74	21.95	3.99	25.94	<=33.01	Pass
36		0	20.81	3.99	24.80	<=33.01	Pass	
		18	20.98	3.99	24.97	<=33.01	Pass	
		39	21.13	3.99	25.12	<=33.01	Pass	
75	0	20.96	3.99	24.95	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

2.4 B41_20MHz_EIRP

2.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2545	1	0	23.40	3.99	27.39	<=33.01	Pass
			50	23.23	3.99	27.22	<=33.01	Pass
			99	22.61	3.99	26.60	<=33.01	Pass
		50	0	22.27	3.99	26.26	<=33.01	Pass
			25	22.43	3.99	26.42	<=33.01	Pass
			50	22.04	3.99	26.03	<=33.01	Pass
		100	0	22.29	3.99	26.28	<=33.01	Pass
	2605	1	0	23.22	3.99	27.21	<=33.01	Pass
			50	23.61	3.99	27.60	<=33.01	Pass
			99	23.86	3.99	27.85	<=33.01	Pass
		50	0	22.43	3.99	26.42	<=33.01	Pass
			25	22.79	3.99	26.78	<=33.01	Pass
			50	22.88	3.99	26.87	<=33.01	Pass
		100	0	22.68	3.99	26.67	<=33.01	Pass
	2665	1	0	22.88	3.99	26.87	<=33.01	Pass

16QAM	2545	50	50	22.76	3.99	26.75	<=33.01	Pass
			99	23.08	3.99	27.07	<=33.01	Pass
			0	21.72	3.99	25.71	<=33.01	Pass
		100	25	21.85	3.99	25.84	<=33.01	Pass
			50	21.87	3.99	25.86	<=33.01	Pass
			0	21.67	3.99	25.66	<=33.01	Pass
	2605	1	0	22.39	3.99	26.38	<=33.01	Pass
			50	22.39	3.99	26.38	<=33.01	Pass
			99	21.71	3.99	25.70	<=33.01	Pass
		50	0	21.26	3.99	25.25	<=33.01	Pass
			25	21.39	3.99	25.38	<=33.01	Pass
			50	20.99	3.99	24.98	<=33.01	Pass
		100	0	21.34	3.99	25.33	<=33.01	Pass
		1	0	21.94	3.99	25.93	<=33.01	Pass
			50	22.55	3.99	26.54	<=33.01	Pass
			99	22.61	3.99	26.60	<=33.01	Pass
		50	0	21.45	3.99	25.44	<=33.01	Pass
			25	21.81	3.99	25.80	<=33.01	Pass
			50	21.82	3.99	25.81	<=33.01	Pass
		100	0	21.69	3.99	25.68	<=33.01	Pass
	2665	1	0	21.51	3.99	25.50	<=33.01	Pass
			50	21.83	3.99	25.82	<=33.01	Pass
			99	21.79	3.99	25.78	<=33.01	Pass
		50	0	20.87	3.99	24.86	<=33.01	Pass
			25	20.85	3.99	24.84	<=33.01	Pass
			50	20.78	3.99	24.77	<=33.01	Pass
		100	0	20.85	3.99	24.84	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3. Effective (Isotropic) Radiated Power Output Data

3.1 B5_1.4MHz_ERP

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.37	-2.20	19.02	<=38.45	Pass
			2	23.24	-2.20	18.89	<=38.45	Pass
			5	23.25	-2.20	18.90	<=38.45	Pass
		3	0	23.22	-2.20	18.87	<=38.45	Pass
			2	23.24	-2.20	18.89	<=38.45	Pass
			3	23.21	-2.20	18.86	<=38.45	Pass
	836.5	6	0	22.28	-2.20	17.93	<=38.45	Pass
		1	0	23.93	-2.20	19.58	<=38.45	Pass
			2	23.84	-2.20	19.49	<=38.45	Pass
			5	23.87	-2.20	19.52	<=38.45	Pass
		3	0	23.84	-2.20	19.49	<=38.45	Pass
			2	23.80	-2.20	19.45	<=38.45	Pass
			3	23.82	-2.20	19.47	<=38.45	Pass
		6	0	22.86	-2.20	18.51	<=38.45	Pass
	848.3	1	0	23.53	-2.20	19.18	<=38.45	Pass
			2	23.43	-2.20	19.08	<=38.45	Pass

			5	23.50	-2.20	19.15	<=38.45	Pass	
		3	0	23.37	-2.20	19.02	<=38.45	Pass	
			2	23.39	-2.20	19.04	<=38.45	Pass	
			3	23.35	-2.20	19.00	<=38.45	Pass	
		6	0	22.27	-2.20	17.92	<=38.45	Pass	
16QAM	824.7	1	0	22.45	-2.20	18.10	<=38.45	Pass	
			2	22.30	-2.20	17.95	<=38.45	Pass	
			5	22.36	-2.20	18.01	<=38.45	Pass	
		3	0	22.48	-2.20	18.13	<=38.45	Pass	
			2	22.50	-2.20	18.15	<=38.45	Pass	
			3	22.47	-2.20	18.12	<=38.45	Pass	
		6	0	21.28	-2.20	16.93	<=38.45	Pass	
	836.5	1	0	23.10	-2.20	18.75	<=38.45	Pass	
			2	23.04	-2.20	18.69	<=38.45	Pass	
			5	23.13	-2.20	18.78	<=38.45	Pass	
		3	0	22.91	-2.20	18.56	<=38.45	Pass	
			2	22.92	-2.20	18.57	<=38.45	Pass	
			3	22.90	-2.20	18.55	<=38.45	Pass	
		6	0	21.95	-2.20	17.60	<=38.45	Pass	
	848.3	1	0	22.46	-2.20	18.11	<=38.45	Pass	
			2	22.41	-2.20	18.06	<=38.45	Pass	
			5	22.56	-2.20	18.21	<=38.45	Pass	
		3	0	22.43	-2.20	18.08	<=38.45	Pass	
			2	22.46	-2.20	18.11	<=38.45	Pass	
			3	22.42	-2.20	18.07	<=38.45	Pass	
		6	0	21.28	-2.20	16.93	<=38.45	Pass	
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

3.2 B5_3MHz_ERP

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.41	-2.20	19.06	<=38.45	Pass
			7	23.47	-2.20	19.12	<=38.45	Pass
			14	23.42	-2.20	19.07	<=38.45	Pass
		8	0	22.47	-2.20	18.12	<=38.45	Pass
			4	22.53	-2.20	18.18	<=38.45	Pass
			7	22.52	-2.20	18.17	<=38.45	Pass
		15	0	22.48	-2.20	18.13	<=38.45	Pass
	836.5	1	0	23.95	-2.20	19.60	<=38.45	Pass
			7	23.97	-2.20	19.62	<=38.45	Pass
			14	23.87	-2.20	19.52	<=38.45	Pass
		8	0	23.07	-2.20	18.72	<=38.45	Pass
			4	23.10	-2.20	18.75	<=38.45	Pass
			7	23.04	-2.20	18.69	<=38.45	Pass
		15	0	23.07	-2.20	18.72	<=38.45	Pass
	847.5	1	0	23.60	-2.20	19.25	<=38.45	Pass
			7	23.53	-2.20	19.18	<=38.45	Pass
			14	23.51	-2.20	19.16	<=38.45	Pass
		8	0	22.55	-2.20	18.20	<=38.45	Pass
			4	22.53	-2.20	18.18	<=38.45	Pass
			7	22.55	-2.20	18.20	<=38.45	Pass

		15	0	22.53	-2.20	18.18	<=38.45	Pass
16QAM	825.5	1	0	22.47	-2.20	18.12	<=38.45	Pass
			7	22.54	-2.20	18.19	<=38.45	Pass
			14	22.49	-2.20	18.14	<=38.45	Pass
		8	0	21.49	-2.20	17.14	<=38.45	Pass
			4	21.55	-2.20	17.20	<=38.45	Pass
			7	21.60	-2.20	17.25	<=38.45	Pass
		15	0	21.56	-2.20	17.21	<=38.45	Pass
		836.5	1	0	23.50	-2.20	19.15	<=38.45
	7			23.55	-2.20	19.20	<=38.45	Pass
	14			23.41	-2.20	19.06	<=38.45	Pass
	8		0	22.22	-2.20	17.87	<=38.45	Pass
			4	22.25	-2.20	17.90	<=38.45	Pass
			7	22.20	-2.20	17.85	<=38.45	Pass
	15		0	22.15	-2.20	17.80	<=38.45	Pass
	847.5		1	0	22.73	-2.20	18.38	<=38.45
		7		22.71	-2.20	18.36	<=38.45	Pass
		14		22.61	-2.20	18.26	<=38.45	Pass
		8	0	21.54	-2.20	17.19	<=38.45	Pass
			4	21.58	-2.20	17.23	<=38.45	Pass
			7	21.53	-2.20	17.18	<=38.45	Pass
		15	0	21.58	-2.20	17.23	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

3.3 B5_5MHz_ERP

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.61	-2.20	19.26	<=38.45	Pass
			13	23.79	-2.20	19.44	<=38.45	Pass
			24	23.72	-2.20	19.37	<=38.45	Pass
		12	0	22.56	-2.20	18.21	<=38.45	Pass
			6	22.69	-2.20	18.34	<=38.45	Pass
			13	22.68	-2.20	18.33	<=38.45	Pass
		25	0	22.64	-2.20	18.29	<=38.45	Pass
	836.5	1	0	23.96	-2.20	19.61	<=38.45	Pass
			13	24.16	-2.20	19.81	<=38.45	Pass
			24	23.97	-2.20	19.62	<=38.45	Pass
		12	0	23.07	-2.20	18.72	<=38.45	Pass
			6	23.24	-2.20	18.89	<=38.45	Pass
			13	23.10	-2.20	18.75	<=38.45	Pass
		25	0	23.16	-2.20	18.81	<=38.45	Pass
	846.5	1	0	23.76	-2.20	19.41	<=38.45	Pass
			13	23.67	-2.20	19.32	<=38.45	Pass
			24	23.59	-2.20	19.24	<=38.45	Pass
		12	0	22.71	-2.20	18.36	<=38.45	Pass
			6	22.69	-2.20	18.34	<=38.45	Pass
			13	22.57	-2.20	18.22	<=38.45	Pass
		25	0	22.64	-2.20	18.29	<=38.45	Pass
16QAM	826.5	1	0	22.49	-2.20	18.14	<=38.45	Pass
			13	22.67	-2.20	18.32	<=38.45	Pass
			24	22.62	-2.20	18.27	<=38.45	Pass

		12	0	21.62	-2.20	17.27	<=38.45	Pass
			6	21.77	-2.20	17.42	<=38.45	Pass
			13	21.76	-2.20	17.41	<=38.45	Pass
		25	0	21.75	-2.20	17.40	<=38.45	Pass
	836.5	1	0	23.20	-2.20	18.85	<=38.45	Pass
			13	23.45	-2.20	19.10	<=38.45	Pass
			24	23.26	-2.20	18.91	<=38.45	Pass
		12	0	22.15	-2.20	17.80	<=38.45	Pass
			6	22.27	-2.20	17.92	<=38.45	Pass
			13	22.14	-2.20	17.79	<=38.45	Pass
		25	0	22.15	-2.20	17.80	<=38.45	Pass
		846.5	1	0	22.83	-2.20	18.48	<=38.45
	13			22.79	-2.20	18.44	<=38.45	Pass
	24			22.67	-2.20	18.32	<=38.45	Pass
	12		0	21.68	-2.20	17.33	<=38.45	Pass
			6	21.67	-2.20	17.32	<=38.45	Pass
			13	21.56	-2.20	17.21	<=38.45	Pass
	25		0	21.71	-2.20	17.36	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.4 B5_10MHz_ERP

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.39	-2.20	19.04	<=38.45	Pass
			25	23.85	-2.20	19.50	<=38.45	Pass
			49	23.67	-2.20	19.32	<=38.45	Pass
		25	0	22.53	-2.20	18.18	<=38.45	Pass
			13	22.83	-2.20	18.48	<=38.45	Pass
			25	22.79	-2.20	18.44	<=38.45	Pass
		50	0	22.74	-2.20	18.39	<=38.45	Pass
	836.5	1	0	23.87	-2.20	19.52	<=38.45	Pass
			25	24.11	-2.20	19.76	<=38.45	Pass
			49	23.77	-2.20	19.42	<=38.45	Pass
		25	0	22.86	-2.20	18.51	<=38.45	Pass
			13	23.18	-2.20	18.83	<=38.45	Pass
			25	22.95	-2.20	18.60	<=38.45	Pass
		50	0	23.04	-2.20	18.69	<=38.45	Pass
	844	1	0	23.93	-2.20	19.58	<=38.45	Pass
			25	23.81	-2.20	19.46	<=38.45	Pass
			49	23.44	-2.20	19.09	<=38.45	Pass
		25	0	22.74	-2.20	18.39	<=38.45	Pass
			13	22.77	-2.20	18.42	<=38.45	Pass
			25	22.50	-2.20	18.15	<=38.45	Pass
		50	0	22.61	-2.20	18.26	<=38.45	Pass
16QAM	829	1	0	22.91	-2.20	18.56	<=38.45	Pass
			25	23.43	-2.20	19.08	<=38.45	Pass
			49	23.25	-2.20	18.90	<=38.45	Pass
		25	0	21.66	-2.20	17.31	<=38.45	Pass
			13	21.93	-2.20	17.58	<=38.45	Pass
			25	21.90	-2.20	17.55	<=38.45	Pass
		50	0	21.76	-2.20	17.41	<=38.45	Pass

	836.5	1	0	23.04	-2.20	18.69	<=38.45	Pass
			25	23.34	-2.20	18.99	<=38.45	Pass
			49	22.91	-2.20	18.56	<=38.45	Pass
		25	0	21.97	-2.20	17.62	<=38.45	Pass
			13	22.20	-2.20	17.85	<=38.45	Pass
			25	21.96	-2.20	17.61	<=38.45	Pass
		50	0	22.06	-2.20	17.71	<=38.45	Pass
	844	1	0	22.87	-2.20	18.52	<=38.45	Pass
			25	22.82	-2.20	18.47	<=38.45	Pass
			49	22.40	-2.20	18.05	<=38.45	Pass
		25	0	21.88	-2.20	17.53	<=38.45	Pass
			13	21.86	-2.20	17.51	<=38.45	Pass
			25	21.63	-2.20	17.28	<=38.45	Pass
		50	0	21.65	-2.20	17.30	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

4. Effective (Isotropic) Radiated Power Output Data

4.1 B7_5MHz_EIRP

4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.36	3.98	27.34	<=33.01	Pass
			13	22.98	3.98	26.96	<=33.01	Pass
			24	22.55	3.98	26.53	<=33.01	Pass
		12	0	22.31	3.98	26.29	<=33.01	Pass
			6	22.14	3.98	26.12	<=33.01	Pass
			13	21.82	3.98	25.80	<=33.01	Pass
		25	0	22.06	3.98	26.04	<=33.01	Pass
	2535	1	0	23.85	3.98	27.83	<=33.01	Pass
			13	23.69	3.98	27.67	<=33.01	Pass
			24	23.46	3.98	27.44	<=33.01	Pass
		12	0	22.84	3.98	26.82	<=33.01	Pass
			6	22.81	3.98	26.79	<=33.01	Pass
			13	22.66	3.98	26.64	<=33.01	Pass
		25	0	22.75	3.98	26.73	<=33.01	Pass
	2567.5	1	0	23.41	3.98	27.39	<=33.01	Pass
			13	23.08	3.98	27.06	<=33.01	Pass
			24	22.70	3.98	26.68	<=33.01	Pass
		12	0	22.37	3.98	26.35	<=33.01	Pass
			6	22.27	3.98	26.25	<=33.01	Pass
			13	21.95	3.98	25.93	<=33.01	Pass
		25	0	22.18	3.98	26.16	<=33.01	Pass
16QAM	2502.5	1	0	22.32	3.98	26.30	<=33.01	Pass
			13	22.02	3.98	26.00	<=33.01	Pass
			24	21.55	3.98	25.53	<=33.01	Pass
		12	0	21.48	3.98	25.46	<=33.01	Pass
			6	21.33	3.98	25.31	<=33.01	Pass
			13	20.96	3.98	24.94	<=33.01	Pass
		25	0	21.24	3.98	25.22	<=33.01	Pass
	2535	1	0	23.19	3.98	27.17	<=33.01	Pass

		12	13	23.04	3.98	27.02	<=33.01	Pass
			24	22.82	3.98	26.80	<=33.01	Pass
			0	22.02	3.98	26.00	<=33.01	Pass
		25	6	21.97	3.98	25.95	<=33.01	Pass
			13	21.81	3.98	25.79	<=33.01	Pass
			0	21.86	3.98	25.84	<=33.01	Pass
	2567.5	1	0	22.56	3.98	26.54	<=33.01	Pass
			13	22.30	3.98	26.28	<=33.01	Pass
			24	21.87	3.98	25.85	<=33.01	Pass
		12	0	21.47	3.98	25.45	<=33.01	Pass
			6	21.39	3.98	25.37	<=33.01	Pass
			13	21.08	3.98	25.06	<=33.01	Pass
		25	0	21.35	3.98	25.33	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

4.2 B7_10MHz_EIRP

4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.20	3.98	27.18	<=33.01	Pass
			25	22.47	3.98	26.45	<=33.01	Pass
			49	22.28	3.98	26.26	<=33.01	Pass
		25	0	21.93	3.98	25.91	<=33.01	Pass
			13	21.55	3.98	25.53	<=33.01	Pass
			25	21.42	3.98	25.40	<=33.01	Pass
		50	0	21.47	3.98	25.45	<=33.01	Pass
	2535	1	0	23.99	3.98	27.97	<=33.01	Pass
			25	23.62	3.98	27.60	<=33.01	Pass
			49	23.16	3.98	27.14	<=33.01	Pass
		25	0	22.90	3.98	26.88	<=33.01	Pass
			13	22.74	3.98	26.72	<=33.01	Pass
			25	22.53	3.98	26.51	<=33.01	Pass
		50	0	22.62	3.98	26.60	<=33.01	Pass
	2565	1	0	22.98	3.98	26.96	<=33.01	Pass
			25	23.42	3.98	27.40	<=33.01	Pass
			49	22.62	3.98	26.60	<=33.01	Pass
		25	0	22.26	3.98	26.24	<=33.01	Pass
			13	22.58	3.98	26.56	<=33.01	Pass
			25	22.11	3.98	26.09	<=33.01	Pass
		50	0	22.30	3.98	26.28	<=33.01	Pass
16QAM	2505	1	0	22.28	3.98	26.26	<=33.01	Pass
			25	21.59	3.98	25.57	<=33.01	Pass
			49	21.41	3.98	25.39	<=33.01	Pass
		25	0	21.15	3.98	25.13	<=33.01	Pass
			13	20.81	3.98	24.79	<=33.01	Pass
			25	20.68	3.98	24.66	<=33.01	Pass
		50	0	20.67	3.98	24.65	<=33.01	Pass
	2535	1	0	23.57	3.98	27.55	<=33.01	Pass
			25	23.26	3.98	27.24	<=33.01	Pass
			49	22.83	3.98	26.81	<=33.01	Pass
		25	0	22.10	3.98	26.08	<=33.01	Pass
			13	21.95	3.98	25.93	<=33.01	Pass

			25	21.74	3.98	25.72	<=33.01	Pass
		50	0	21.79	3.98	25.77	<=33.01	Pass
	2565	1	0	22.17	3.98	26.15	<=33.01	Pass
			25	22.78	3.98	26.76	<=33.01	Pass
			49	21.88	3.98	25.86	<=33.01	Pass
		25	0	21.49	3.98	25.47	<=33.01	Pass
			13	21.76	3.98	25.74	<=33.01	Pass
			25	21.30	3.98	25.28	<=33.01	Pass
		50	0	21.52	3.98	25.50	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.3 B7_15MHz_EIRP

4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	23.37	3.98	27.35	<=33.01	Pass
			38	22.44	3.98	26.42	<=33.01	Pass
			74	22.91	3.98	26.89	<=33.01	Pass
		36	0	21.83	3.98	25.81	<=33.01	Pass
			18	21.69	3.98	25.67	<=33.01	Pass
			39	21.72	3.98	25.70	<=33.01	Pass
		75	0	21.68	3.98	25.66	<=33.01	Pass
	2535	1	0	24.28	3.98	28.26	<=33.01	Pass
			38	23.68	3.98	27.66	<=33.01	Pass
			74	23.08	3.98	27.06	<=33.01	Pass
		36	0	23.13	3.98	27.11	<=33.01	Pass
			18	22.86	3.98	26.84	<=33.01	Pass
			39	22.58	3.98	26.56	<=33.01	Pass
		75	0	22.70	3.98	26.68	<=33.01	Pass
	2562.5	1	0	22.87	3.98	26.85	<=33.01	Pass
			38	23.36	3.98	27.34	<=33.01	Pass
			74	22.69	3.98	26.67	<=33.01	Pass
		36	0	22.13	3.98	26.11	<=33.01	Pass
			18	22.40	3.98	26.38	<=33.01	Pass
			39	22.34	3.98	26.32	<=33.01	Pass
		75	0	22.25	3.98	26.23	<=33.01	Pass
16QAM	2507.5	1	0	22.95	3.98	26.93	<=33.01	Pass
			38	22.15	3.98	26.13	<=33.01	Pass
			74	22.55	3.98	26.53	<=33.01	Pass
		36	0	21.02	3.98	25.00	<=33.01	Pass
			18	20.89	3.98	24.87	<=33.01	Pass
			39	20.87	3.98	24.85	<=33.01	Pass
		75	0	20.83	3.98	24.81	<=33.01	Pass
	2535	1	0	23.56	3.98	27.54	<=33.01	Pass
			38	22.97	3.98	26.95	<=33.01	Pass
			74	22.40	3.98	26.38	<=33.01	Pass
		36	0	22.29	3.98	26.27	<=33.01	Pass
			18	22.04	3.98	26.02	<=33.01	Pass
			39	21.72	3.98	25.70	<=33.01	Pass
		75	0	21.88	3.98	25.86	<=33.01	Pass
	2562.5	1	0	22.25	3.98	26.23	<=33.01	Pass
			38	22.78	3.98	26.76	<=33.01	Pass

			74	22.10	3.98	26.08	<=33.01	Pass
		36	0	21.17	3.98	25.15	<=33.01	Pass
			18	21.51	3.98	25.49	<=33.01	Pass
			39	21.48	3.98	25.46	<=33.01	Pass
		75	0	21.38	3.98	25.36	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.4 B7_20MHz_EIRP

4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	23.16	3.98	27.14	<=33.01	Pass
			50	22.53	3.98	26.51	<=33.01	Pass
			99	23.71	3.98	27.69	<=33.01	Pass
		50	0	21.53	3.98	25.51	<=33.01	Pass
			25	21.69	3.98	25.67	<=33.01	Pass
			50	22.11	3.98	26.09	<=33.01	Pass
		100	0	21.71	3.98	25.69	<=33.01	Pass
	2535	1	0	24.35	3.98	28.33	<=33.01	Pass
			50	23.67	3.98	27.65	<=33.01	Pass
			99	22.87	3.98	26.85	<=33.01	Pass
		50	0	23.09	3.98	27.07	<=33.01	Pass
			25	22.77	3.98	26.75	<=33.01	Pass
			50	22.35	3.98	26.33	<=33.01	Pass
		100	0	22.54	3.98	26.52	<=33.01	Pass
	2560	1	0	22.67	3.98	26.65	<=33.01	Pass
			50	23.10	3.98	27.08	<=33.01	Pass
			99	22.70	3.98	26.68	<=33.01	Pass
		50	0	21.86	3.98	25.84	<=33.01	Pass
			25	22.22	3.98	26.20	<=33.01	Pass
			50	22.33	3.98	26.31	<=33.01	Pass
		100	0	22.00	3.98	25.98	<=33.01	Pass
16QAM	2510	1	0	22.45	3.98	26.43	<=33.01	Pass
			50	21.91	3.98	25.89	<=33.01	Pass
			99	22.92	3.98	26.90	<=33.01	Pass
		50	0	20.69	3.98	24.67	<=33.01	Pass
			25	20.77	3.98	24.75	<=33.01	Pass
			50	21.24	3.98	25.22	<=33.01	Pass
		100	0	20.82	3.98	24.80	<=33.01	Pass
	2535	1	0	23.61	3.98	27.59	<=33.01	Pass
			50	22.97	3.98	26.95	<=33.01	Pass
			99	22.17	3.98	26.15	<=33.01	Pass
		50	0	22.24	3.98	26.22	<=33.01	Pass
			25	21.93	3.98	25.91	<=33.01	Pass
			50	21.53	3.98	25.51	<=33.01	Pass
		100	0	21.72	3.98	25.70	<=33.01	Pass
	2560	1	0	22.26	3.98	26.24	<=33.01	Pass
			50	22.75	3.98	26.73	<=33.01	Pass
			99	22.32	3.98	26.30	<=33.01	Pass
		50	0	20.98	3.98	24.96	<=33.01	Pass
			25	21.34	3.98	25.32	<=33.01	Pass
			50	21.48	3.98	25.46	<=33.01	Pass

		100	0	21.16	3.98	25.14	≤ 33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								