


APPENDIX REPORT

Project No.	SHT2106110101EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT21061101002	Model No.	R80
Start test date	2021-07-08	Finish date	2021-07-08
Temperature	25.1°C	Humidity	34%
Test Engineer	Weiyang Xiang	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS


Appendix A: Peak Output Power

Type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
BT-BLE	00	-2.77	-2.79	≤ 30.00	Pass
	19	-1.89	-1.90		
	39	-2.28	-2.30		



Appendix B: Power Spectral Density


Type	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
BT-BLE	00	-18.48	≤8.00	Pass
	19	-17.59		
	39	-18.02		




Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
BT-BLE	00	668.00	≥500	Pass
	19	670.00		
	39	664.00		


CH00



CH19



CH39




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
BT-BLE	00	1.02	-	Pass
	19	1.02		
	39	1.02		


CH00



CH19




CH39






Appendix E: Duty cycle

Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
2440	0.39	0.62	62.9%	2.6




Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge																																										
CH00	Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1Pk Max 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm M1[1] M2[1] D1 -23.130 dBm M5 M3 M2 -3.13 dBm 2.401770 GHz -60.32 dBm 2.400000 GHz Start 2.31 GHz 691 pts Stop 2.405 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.40177 GHz</td><td>-3.13 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-60.32 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-62.32 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-61.65 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.317986 GHz</td><td>-60.80 dBm</td><td></td><td></td></tr></tbody></table> Date: 8 JUL 2021 09:46:46	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40177 GHz	-3.13 dBm			M2	1		2.4 GHz	-60.32 dBm			M3	1		2.39 GHz	-62.32 dBm			M4	1		2.31 GHz	-61.65 dBm			M5	1		2.317986 GHz	-60.80 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																					
M1	1		2.40177 GHz	-3.13 dBm																																							
M2	1		2.4 GHz	-60.32 dBm																																							
M3	1		2.39 GHz	-62.32 dBm																																							
M4	1		2.31 GHz	-61.65 dBm																																							
M5	1		2.317986 GHz	-60.80 dBm																																							
CH39	Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 56.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm M1 M2[1] D1 -22.580 dBm M2 M4 -2.58 dBm 2.4797350 GHz -65.91 dBm 2.4835000 GHz Start 2.478 GHz 691 pts Stop 2.5 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.479735 GHz</td><td>-2.58 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-65.91 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-69.20 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4842812 GHz</td><td>-65.16 dBm</td><td></td><td></td></tr></tbody></table> Date: 8 JUL 2021 09:58:54	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.479735 GHz	-2.58 dBm			M2	1		2.4835 GHz	-65.91 dBm			M3	1		2.5 GHz	-69.20 dBm			M4	1		2.4842812 GHz	-65.16 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																					
M1	1		2.479735 GHz	-2.58 dBm																																							
M2	1		2.4835 GHz	-65.91 dBm																																							
M3	1		2.5 GHz	-69.20 dBm																																							
M4	1		2.4842812 GHz	-65.16 dBm																																							

Test Item:	SE
CH00 Reference level	 Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -3.49 dBm 2.4017400 GHz CF 2.402 GHz 691 pts Span 30.0 MHz Date: 8 JUL 2021 09:49:37
CH00 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -49.65 dBm 375.6160 MHz D1 -23.490 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 8 JUL 2021 09:49:52
CH00 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -42.33 dBm 21.249167 GHz D1 -23.490 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 8 JUL 2021 09:50:08


CH19
Reference level




CH19
30MHz~1000MHz



CH19
1GHz~26GHz





-----End of Report-----