




3.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density


4.1 PSD

4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	-4.05	<=11	Pass
		5200	-4.03	<=11	Pass
		5240	-3.13	<=11	Pass
802.11n (HT20)	SISO	5180	-4.38	<=11	Pass
		5200	-4.46	<=11	Pass
		5240	-3.49	<=11	Pass
802.11n (HT40)	SISO	5190	-6.99	<=11	Pass
		5230	-6.82	<=11	Pass
802.11ac (VHT20)	SISO	5180	-4.54	<=11	Pass
		5200	-4.31	<=11	Pass
		5240	-3.47	<=11	Pass
802.11ac (VHT40)	SISO	5190	-7.50	<=11	Pass
		5230	-6.73	<=11	Pass
802.11ac (VHT80)	SISO	5210	-11.30	<=11	Pass

Note1: Antenna Gain: Ant1: -0.45dBi;


4.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




4.2 PSD-Band3


4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-3.10	<=30	Pass
		5785	-2.48	<=30	Pass
		5825	-2.42	<=30	Pass
802.11n (HT20)	SISO	5745	-4.10	<=30	Pass
		5785	-3.92	<=30	Pass
		5825	-3.14	<=30	Pass
802.11n (HT40)	SISO	5755	-7.23	<=30	Pass
		5795	-6.93	<=30	Pass
802.11ac (VHT20)	SISO	5745	-5.93	<=30	Pass
		5785	-6.06	<=30	Pass
		5825	-5.52	<=30	Pass
802.11ac (VHT40)	SISO	5755	-8.96	<=30	Pass
		5795	-8.43	<=30	Pass
802.11ac (VHT80)	SISO	5775	-11.41	<=30	Pass
Note1: Antenna Gain: Ant1: -0.45dBi;					


4.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




5. Unwanted Emissions In Restricted Frequency Bands

5.1 RSE


5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5785	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5210	1	Refer To Test Graph		Pass
		5775	1	Refer To Test Graph		Pass

5.1.2 Test Graph




802.11a_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21479.9	-40.98	-27.00	14.43	Pass	Peak	7	21479.9	/	-27.00	/	/	AVG
2	22247.45	-43.95	-21.20	23.20	Pass	Peak	8	22247.45	-53.45	-41.20	12.70	Pass	AVG
3	23847.15	-41.80	-21.20	21.05	Pass	Peak	9	23847.15	-52.21	-41.20	11.46	Pass	AVG
4	24845.9	-40.94	-27.00	14.39	Pass	Peak	10	24845.9	/	-27.00	/	/	AVG
5	25636.4	-41.38	-27.00	14.83	Pass	Peak	11	25636.4	/	-27.00	/	/	AVG
6	26406.5	-39.06	-27.00	12.51	Pass	Peak	12	26406.5	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16587.3	-43.65	-27.00	17.10	Pass	Peak	7	16587.3	/	-27.00	/	/	AVG
2	21341.35	-42.00	-21.20	21.25	Pass	Peak	8	21341.35	-52.18	-41.20	11.43	Pass	AVG
3	23086.4	-43.27	-21.20	22.52	Pass	Peak	9	23086.4	-54.11	-41.20	13.36	Pass	AVG
4	23860.75	-41.24	-21.20	20.49	Pass	Peak	10	23860.75	-52.18	-41.20	11.43	Pass	AVG
5	24752.4	-40.57	-27.00	14.02	Pass	Peak	11	24752.4	/	-27.00	/	/	AVG
6	25936.45	-40.20	-27.00	13.64	Pass	Peak	12	25936.45	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5364.480	-48.76	-21.20	28.00	Pass	Peak	3	5364.480	/	-21.20	/	/	AVG
2	5373.360	-48.02	-21.20	27.27	Pass	Peak	4	5373.360	/	-21.20	/	/	AVG

802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-38.05	-27.00	11.50	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	20822	-42.63	-21.20	21.88	Pass	Peak	8	20822	-53.61	-41.20	12.86	Pass	AVG
3	23307.4	-42.76	-27.00	16.21	Pass	Peak	9	23307.4	/	-27.00	/	/	AVG
4	24105.55	-41.23	-27.00	14.68	Pass	Peak	10	24105.55	/	-27.00	/	/	AVG
5	25221.6	-39.84	-27.00	13.29	Pass	Peak	11	25221.6	/	-27.00	/	/	AVG
6	26017.2	-40.39	-27.00	13.84	Pass	Peak	12	26017.2	/	-27.00	/	/	AVG

802.11a_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.150	-38.05	-27.00	11.50	Pass	Peak	7	2461.150.99999999.00	-27.00	0.00	Pass	AVG	
2	20822.000	-42.63	-21.20	21.88	Pass	Peak	8	20822.000.53.61.41.20	12.86	Pass	AVG		
3	23307.400	-42.76	-27.00	16.21	Pass	Peak	9	23307.400.99999999.00	-27.00	0.00	Pass	AVG	
4	24105.550	-41.23	-27.00	14.68	Pass	Peak	10	24105.550.99999999.00	-27.00	0.00	Pass	AVG	
5	25221.600	-39.84	-27.00	13.29	Pass	Peak	11	25221.600.99999999.00	-27.00	0.00	Pass	AVG	
6	26017.200	-40.39	-27.00	13.84	Pass	Peak	12	26017.200.99999999.00	-27.00	0.00	Pass	AVG	

802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19099.05	-43.84	-21.20	23.09	Pass	Peak	7	19099.05	-54.61	-41.20	13.86	Pass	AVG
2	21371.95	-42.00	-21.20	21.25	Pass	Peak	8	21371.95	-52.22	-41.20	11.47	Pass	AVG
3	23730.7	-41.96	-21.20	21.21	Pass	Peak	9	23730.7	-52.78	-41.20	12.03	Pass	AVG
4	24644.45	-41.35	-27.00	14.80	Pass	Peak	10	24644.45	/	-27.00	/	/	AVG
5	25574.35	-41.81	-27.00	15.27	Pass	Peak	11	25574.35	/	-27.00	/	/	AVG
6	26420.1	-40.12	-27.00	13.57	Pass	Peak	12	26420.1	/	-27.00	/	/	AVG

802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-41.14	-27.00	14.59	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	21326.05	-42.00	-21.20	21.25	Pass	Peak	8	21326.05	-52.51	-41.20	11.76	Pass	AVG
3	23220.7	-42.59	-27.00	16.04	Pass	Peak	9	23220.7	/	-27.00	/	/	AVG
4	24219.45	-41.51	-27.00	14.96	Pass	Peak	10	24219.45	/	-27.00	/	/	AVG
5	25332.95	-41.23	-27.00	14.68	Pass	Peak	11	25332.95	/	-27.00	/	/	AVG
6	26423.5	-39.34	-27.00	12.79	Pass	Peak	12	26423.5	/	-27.00	/	/	AVG

802.11a_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.150	-41.14	-27.00	14.59	Pass	Peak	7	2461.150	999999.00	-27.00	0.00	Pass	AVG
2	21326.050	-42.00	-21.20	21.25	Pass	Peak	8	21326.050	-52.51	-41.20	11.76	Pass	AVG
3	23220.700	-42.59	-27.00	16.04	Pass	Peak	9	23220.700	999999.00	-27.00	0.00	Pass	AVG
4	24219.450	-41.51	-27.00	14.96	Pass	Peak	10	24219.450	999999.00	-27.00	0.00	Pass	AVG
5	25332.950	-41.23	-27.00	14.68	Pass	Peak	11	25332.950	999999.00	-27.00	0.00	Pass	AVG
6	26423.500	-39.34	-27.00	12.79	Pass	Peak	12	26423.500	999999.00	-27.00	0.00	Pass	AVG

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	1748	-32.23	-27.00	5.68	Pass	Peak	7	1748	/	-27.00	/	/	AVG
2	21338.8	-42.14	-21.20	21.39	Pass	Peak	8	21338.8	-52.21	-41.20	11.46	Pass	AVG
3	23985.7	-41.27	-21.20	20.52	Pass	Peak	9	23985.7	-52.28	-41.20	11.53	Pass	AVG
4	24828.9	-42.13	-27.00	15.58	Pass	Peak	10	24828.9	/	-27.00	/	/	AVG
5	25615.15	-41.24	-27.00	14.69	Pass	Peak	11	25615.15	/	-27.00	/	/	AVG
6	26459.2	-39.71	-27.00	13.16	Pass	Peak	12	26459.2	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4866.000	-48.27	-21.20	27.52	Pass	Peak	3	4866.000	/	-21.20	/	/	AVG
2	5148.000	-39.73	-21.20	18.98	Pass	Peak	4	5148.000	/	-21.20	/	/	AVG

802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21372.8	-45.89	-21.20	25.14	Pass	Peak	7	21372.8	-55.58	-41.20	14.83	Pass	AVG
2	22262.75	-46.40	-21.20	25.65	Pass	Peak	8	22262.75	-56.93	-41.20	16.18	Pass	AVG
3	23326.1	-45.68	-27.00	19.13	Pass	Peak	9	23326.1	/	-27.00	/	/	AVG
4	24368.2	-45.49	-27.00	18.94	Pass	Peak	10	24368.2	/	-27.00	/	/	AVG
5	25234.35	-43.28	-27.00	16.73	Pass	Peak	11	25234.35	/	-27.00	/	/	AVG
6	26439.65	-43.10	-27.00	16.55	Pass	Peak	12	26439.65	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21451	-42.81	-27.00	16.26	Pass	Peak	7	21451	/	-27.00	/	/	AVG
2	22322.25	-43.10	-21.20	22.35	Pass	Peak	8	22322.25	-53.26	-41.20	12.51	Pass	AVG
3	23726.45	-42.37	-21.20	21.62	Pass	Peak	9	23726.45	-52.60	-41.20	11.85	Pass	AVG
4	24715.85	-41.27	-27.00	14.72	Pass	Peak	10	24715.85	/	-27.00	/	/	AVG
5	25513.15	-41.68	-27.00	15.13	Pass	Peak	11	25513.15	/	-27.00	/	/	AVG
6	26324.9	-39.96	-27.00	13.41	Pass	Peak	12	26324.9	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5364.480	-47.18	-21.20	26.43	Pass	Peak	3	5364.480	/	-21.20	/	/	AVG
2	5387.760	-48.85	-21.20	28.10	Pass	Peak	4	5387.760	/	-21.20	/	/	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21302.25	-41.40	-21.20	20.65	Pass	Peak	7	21302.25	-52.20	-41.20	11.46	Pass	AVG
2	22283.15	-42.94	-21.20	22.19	Pass	Peak	8	22283.15	-52.99	-41.20	12.24	Pass	AVG
3	23859.9	-41.89	-21.20	21.14	Pass	Peak	9	23859.9	-51.70	-41.20	10.95	Pass	AVG
4	24793.2	-40.98	-27.00	14.43	Pass	Peak	10	24793.2	/	-27.00	/	/	AVG
5	25666.15	-39.69	-27.00	13.14	Pass	Peak	11	25666.15	/	-27.00	/	/	AVG
6	26489.8	-39.99	-27.00	13.44	Pass	Peak	12	26489.8	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21302.250	-41.40	-21.20	20.65	Pass	Peak	7	21302.250	-52.20	-41.20	11.46	Pass	AVG
2	22283.150	-42.94	-21.20	22.19	Pass	Peak	8	22283.150	-52.99	-41.20	12.24	Pass	AVG
3	23859.900	-41.89	-21.20	21.14	Pass	Peak	9	23859.900	-51.70	-41.20	10.95	Pass	AVG
4	24793.200	-40.98	-27.00	14.43	Pass	Peak	10	24793.200999999999	0.00	-27.00	0.00	Pass	AVG
5	25666.150	-39.69	-27.00	13.14	Pass	Peak	11	25666.150999999999	0.00	-27.00	0.00	Pass	AVG
6	26489.800	-39.99	-27.00	13.44	Pass	Peak	12	26489.800999999999	0.00	-27.00	0.00	Pass	AVG

802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21388.1	-42.60	-21.20	21.85	Pass	Peak	7	21388.1	-52.20	-41.20	11.45	Pass	AVG
2	22382.6	-43.10	-21.20	22.35	Pass	Peak	8	22382.6	-54.07	-41.20	13.32	Pass	AVG
3	23321.85	-43.28	-27.00	16.73	Pass	Peak	9	23321.85	/	-27.00	/	/	AVG
4	24382.65	-41.55	-27.00	15.00	Pass	Peak	10	24382.65	/	-27.00	/	/	AVG
5	25528.45	-41.26	-27.00	14.71	Pass	Peak	11	25528.45	/	-27.00	/	/	AVG
6	26390.35	-40.66	-27.00	14.11	Pass	Peak	12	26390.35	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16158.9	-43.82	-21.20	23.07	Pass	Peak	7	16158.9	-55.40	-41.20	14.65	Pass	AVG
2	21926.15	-42.15	-27.00	15.60	Pass	Peak	8	21926.15	/	-27.00	/	/	AVG
3	23189.25	-43.25	-27.00	16.70	Pass	Peak	9	23189.25	/	-27.00	/	/	AVG
4	24170.15	-41.06	-27.00	14.51	Pass	Peak	10	24170.15	/	-27.00	/	/	AVG
5	25548.85	-41.40	-27.00	14.85	Pass	Peak	11	25548.85	/	-27.00	/	/	AVG
6	26387.8	-39.31	-27.00	12.77	Pass	Peak	12	26387.8	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16158.900	-43.82	-21.20	23.07	Pass	Peak	7	16158.900	-55.40	-41.20	14.65	Pass	AVG
2	21926.150	-42.15	-27.00	15.60	Pass	Peak	8	21926.1509999999.00	-27.00	-27.00	0.00	Pass	AVG
3	23189.250	-43.25	-27.00	16.70	Pass	Peak	9	23189.2509999999.00	-27.00	-27.00	0.00	Pass	AVG
4	24170.150	-41.06	-27.00	14.51	Pass	Peak	10	24170.1509999999.00	-27.00	-27.00	0.00	Pass	AVG
5	25548.850	-41.40	-27.00	14.85	Pass	Peak	11	25548.8509999999.00	-27.00	-27.00	0.00	Pass	AVG
6	26387.800	-39.31	-27.00	12.77	Pass	Peak	12	26387.8009999999.00	-27.00	-27.00	0.00	Pass	AVG


802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20398.7	-43.68	-21.20	22.93	Pass	Peak	7	20398.7	-54.48	-41.20	13.73	Pass	AVG
2	21275.9	-42.38	-21.20	21.63	Pass	Peak	8	21275.9	-52.34	-41.20	11.59	Pass	AVG
3	22048.55	-43.19	-21.20	22.44	Pass	Peak	9	22048.55	-52.79	-41.20	12.04	Pass	AVG
4	23822.5	-41.86	-21.20	21.11	Pass	Peak	10	23822.5	-52.11	-41.20	11.36	Pass	AVG
5	25117.9	-41.12	-27.00	14.57	Pass	Peak	11	25117.9	/	-27.00	/	/	AVG
6	25973.85	-39.56	-27.00	13.01	Pass	Peak	12	25973.85	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5351.190	-47.97	-21.20	27.22	Pass	Peak	3	5351.190	/	-21.20	/	/	AVG
2	5390.610	-48.12	-21.20	27.37	Pass	Peak	4	5390.610	/	-21.20	/	/	AVG

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16424.1	-44.25	-27.00	17.70	Pass	Peak	7	16424.1	/	-27.00	/	/	AVG
2	21408.5	-42.73	-27.00	16.18	Pass	Peak	8	21408.5	/	-27.00	/	/	AVG
3	22317.15	-43.55	-21.20	22.80	Pass	Peak	9	22317.15	-53.42	-41.20	12.67	Pass	AVG
4	23883.7	-42.85	-21.20	22.10	Pass	Peak	10	23883.7	-52.13	-41.20	11.38	Pass	AVG
5	24765.15	-41.16	-27.00	14.61	Pass	Peak	11	24765.15	/	-27.00	/	/	AVG
6	25989.15	-39.98	-27.00	13.43	Pass	Peak	12	25989.15	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Lit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16424.100	-44.25	-27.00	17.70	Pass	Peak	7	16424.100999999.00	-27.00	0.00	Pass	AVG	
2	21408.500	-42.73	-27.00	16.18	Pass	Peak	8	21408.500999999.00	-27.00	0.00	Pass	AVG	
3	22317.150	-43.55	-21.20	22.80	Pass	Peak	9	22317.150	-53.42	-41.20	12.67	Pass	AVG
4	23883.700	-42.85	-21.20	22.10	Pass	Peak	10	23883.700	-52.13	-41.20	11.38	Pass	AVG
5	24765.150	-41.16	-27.00	14.61	Pass	Peak	11	24765.150999999.00	-27.00	0.00	Pass	AVG	
6	25989.150	-39.98	-27.00	13.43	Pass	Peak	12	25989.150999999.00	-27.00	0.00	Pass	AVG	

802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19446.7	-43.50	-21.20	22.75	Pass	Peak	7	19446.7	-54.99	-41.20	14.24	Pass	AVG
2	21422.1	-42.50	-27.00	15.95	Pass	Peak	8	21422.1	/	-27.00	/	/	AVG
3	23239.4	-42.91	-27.00	16.36	Pass	Peak	9	23239.4	/	-27.00	/	/	AVG
4	24201.6	-41.70	-27.00	15.15	Pass	Peak	10	24201.6	/	-27.00	/	/	AVG
5	25199.5	-41.08	-27.00	14.53	Pass	Peak	11	25199.5	/	-27.00	/	/	AVG
6	26365.7	-39.92	-27.00	13.37	Pass	Peak	12	26365.7	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19446.700	-43.50	-21.20	22.75	Pass	Peak	7	19446.700	-54.99	-41.20	14.24	Pass	AVG
2	21422.100	-42.50	-27.00	15.95	Pass	Peak	8	21422.1009999999.00	-27.00	0.00	0.00	Pass	AVG
3	23239.400	-42.91	-27.00	16.36	Pass	Peak	9	23239.4009999999.00	-27.00	0.00	0.00	Pass	AVG
4	24201.600	-41.70	-27.00	15.15	Pass	Peak	10	24201.6009999999.00	-27.00	0.00	0.00	Pass	AVG
5	25199.500	-41.08	-27.00	14.53	Pass	Peak	11	25199.5009999999.00	-27.00	0.00	0.00	Pass	AVG
6	26365.700	-39.92	-27.00	13.37	Pass	Peak	12	26365.7009999999.00	-27.00	0.00	0.00	Pass	AVG

802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15539.25	-45.22	-21.20	24.47	Pass	Peak	7	15539.25	-58.71	-41.20	17.96	Pass	AVG
2	21377.05	-46.10	-21.20	25.35	Pass	Peak	8	21377.05	-55.32	-41.20	14.57	Pass	AVG
3	23185	-47.29	-27.00	20.74	Pass	Peak	9	23185	/	-27.00	/	/	AVG
4	23954.25	-44.91	-21.20	24.16	Pass	Peak	10	23954.25	-55.70	-41.20	14.96	Pass	AVG
5	25113.65	-44.21	-27.00	17.66	Pass	Peak	11	25113.65	/	-27.00	/	/	AVG
6	26051.2	-43.47	-27.00	16.92	Pass	Peak	12	26051.2	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4890.500	-51.43	-21.20	30.68	Pass	Peak	3	4890.500	/	-21.20	/	/	AVG
2	5145.500	-41.31	-21.20	20.56	Pass	Peak	4	5145.500	/	-21.20	/	/	AVG

802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19861.5	-43.90	-21.20	23.14	Pass	Peak	7	19861.5	-55.37	-41.20	14.62	Pass	AVG
2	21353.25	-42.55	-21.20	21.80	Pass	Peak	8	21353.25	-52.08	-41.20	11.33	Pass	AVG
3	22342.65	-43.89	-21.20	23.14	Pass	Peak	9	22342.65	-53.46	-41.20	12.71	Pass	AVG
4	23884.55	-42.16	-21.20	21.41	Pass	Peak	10	23884.55	-52.29	-41.20	11.54	Pass	AVG
5	24732.85	-40.78	-27.00	14.23	Pass	Peak	11	24732.85	/	-27.00	/	/	AVG
6	26137.9	-40.33	-27.00	13.78	Pass	Peak	12	26137.9	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21431.45	-41.83	-27.00	15.28	Pass	Peak	7	21431.45	/	-27.00	/	/	AVG
2	22352.85	-43.28	-21.20	22.53	Pass	Peak	8	22352.85	-53.37	-41.20	12.62	Pass	AVG
3	23614.25	-42.16	-21.20	21.41	Pass	Peak	9	23614.25	-53.14	-41.20	12.39	Pass	AVG
4	24737.95	-41.47	-27.00	14.92	Pass	Peak	10	24737.95	/	-27.00	/	/	AVG
5	25702.7	-40.88	-27.00	14.33	Pass	Peak	11	25702.7	/	-27.00	/	/	AVG
6	26492.35	-39.70	-27.00	13.15	Pass	Peak	12	26492.35	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5388.240	-48.59	-21.20	27.84	Pass	Peak	3	5388.240	/	-21.20	/	/	AVG
2	5408.400	-48.65	-21.20	27.90	Pass	Peak	4	5408.400	/	-21.20	/	/	AVG

802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2462	-41.56	-27.00	15.01	Pass	Peak	7	2462	/	-27.00	/	/	AVG
2	21356.65	-42.20	-21.20	21.45	Pass	Peak	8	21356.65	-52.23	-41.20	11.48	Pass	AVG
3	23904.1	-41.99	-21.20	21.24	Pass	Peak	9	23904.1	-52.48	-41.20	11.73	Pass	AVG
4	24752.4	-41.69	-27.00	15.14	Pass	Peak	10	24752.4	/	-27.00	/	/	AVG
5	25617.7	-40.76	-27.00	14.21	Pass	Peak	11	25617.7	/	-27.00	/	/	AVG
6	26393.75	-40.05	-27.00	13.50	Pass	Peak	12	26393.75	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Lit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2462.000	-41.56	-27.00	15.01	Pass	Peak	7	2462.0009999999.00	-27.00	0.00	Pass	AVG	
2	21356.650	-42.20	-21.20	21.45	Pass	Peak	8	21356.650	-52.23	-41.20	11.48	Pass	AVG
3	23904.100	-41.99	-21.20	21.24	Pass	Peak	9	23904.100	-52.48	-41.20	11.73	Pass	AVG
4	24752.400	-41.69	-27.00	15.14	Pass	Peak	10	24752.4009999999.00	-27.00	0.00	Pass	AVG	
5	25617.700	-40.76	-27.00	14.21	Pass	Peak	11	25617.7009999999.00	-27.00	0.00	Pass	AVG	
6	26393.750	-40.05	-27.00	13.50	Pass	Peak	12	26393.7509999999.00	-27.00	0.00	Pass	AVG	

802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21455.25	-42.00	-27.00	15.45	Pass	Peak	7	21455.25	/	-27.00	/	/	AVG
2	22803.35	-43.01	-21.20	22.26	Pass	Peak	8	22803.35	-53.90	-41.20	13.15	Pass	AVG
3	23713.7	-42.79	-21.20	22.04	Pass	Peak	9	23713.7	-52.93	-41.20	12.18	Pass	AVG
4	24579	-40.95	-27.00	14.40	Pass	Peak	10	24579	/	-27.00	/	/	AVG
5	25703.55	-40.02	-27.00	13.47	Pass	Peak	11	25703.55	/	-27.00	/	/	AVG
6	26476.2	-41.16	-27.00	14.62	Pass	Peak	12	26476.2	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20808.4	-43.66	-21.20	22.91	Pass	Peak	7	20808.4	-53.61	-41.20	12.86	Pass	AVG
2	21904.9	-41.94	-27.00	15.39	Pass	Peak	8	21904.9	/	-27.00	/	/	AVG
3	23224.95	-42.87	-27.00	16.32	Pass	Peak	9	23224.95	/	-27.00	/	/	AVG
4	24181.2	-41.84	-27.00	15.29	Pass	Peak	10	24181.2	/	-27.00	/	/	AVG
5	25172.3	-40.52	-27.00	13.97	Pass	Peak	11	25172.3	/	-27.00	/	/	AVG
6	26427.75	-40.08	-27.00	13.53	Pass	Peak	12	26427.75	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20808.400	-43.66	-21.20	22.91	Pass	Peak	7	20808.400	-53.61	-41.20	12.86	Pass	AVG
2	21904.900	-41.94	-27.00	15.39	Pass	Peak	8	21904.9009999999.00	-27.00	-27.00	0.00	Pass	AVG
3	23224.950	-42.87	-27.00	16.32	Pass	Peak	9	23224.9509999999.00	-27.00	-27.00	0.00	Pass	AVG
4	24181.200	-41.84	-27.00	15.29	Pass	Peak	10	24181.2009999999.00	-27.00	-27.00	0.00	Pass	AVG
5	25172.300	-40.52	-27.00	13.97	Pass	Peak	11	25172.3009999999.00	-27.00	-27.00	0.00	Pass	AVG
6	26427.750	-40.08	-27.00	13.53	Pass	Peak	12	26427.7509999999.00	-27.00	-27.00	0.00	Pass	AVG

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20422.5	-48.01	-21.20	27.25	Pass	Peak	7	20422.5	-58.09	-41.20	17.34	Pass	AVG
2	21416.15	-45.54	-27.00	18.99	Pass	Peak	8	21416.15	/	-27.00	/	/	AVG
3	22337.55	-47.15	-21.20	26.40	Pass	Peak	9	22337.55	-56.90	-41.20	16.14	Pass	AVG
4	23627	-45.59	-21.20	24.84	Pass	Peak	10	23627	-56.62	-41.20	15.87	Pass	AVG
5	24749.85	-45.24	-27.00	18.69	Pass	Peak	11	24749.85	/	-27.00	/	/	AVG
6	25939	-43.84	-27.00	17.29	Pass	Peak	12	25939	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5126.000	-46.94	-21.20	26.19	Pass	Peak	3	5126.000	/	-21.20	/	/	AVG
2	5146.500	-39.15	-21.20	18.40	Pass	Peak	4	5146.500	/	-21.20	/	/	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20793.95	-43.21	-21.20	22.46	Pass	Peak	7	20793.95	-53.20	-41.20	12.45	Pass	AVG
2	21901.5	-42.31	-27.00	15.76	Pass	Peak	8	21901.5	/	-27.00	/	/	AVG
3	23643.15	-42.04	-21.20	21.29	Pass	Peak	9	23643.15	-52.76	-41.20	12.01	Pass	AVG
4	24470.2	-40.96	-27.00	14.41	Pass	Peak	10	24470.2	/	-27.00	/	/	AVG
5	25526.75	-41.59	-27.00	15.04	Pass	Peak	11	25526.75	/	-27.00	/	/	AVG
6	26479.6	-39.55	-27.00	13.01	Pass	Peak	12	26479.6	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.540	-48.59	-21.20	27.84	Pass	Peak	3	5352.540	/	-21.20	/	/	AVG
2	5361.180	-47.81	-21.20	27.06	Pass	Peak	4	5361.180	/	-21.20	/	/	AVG

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16589	-43.68	-27.00	17.13	Pass	Peak	7	16589	/	-27.00	/	/	AVG
2	21332.85	-42.34	-21.20	21.59	Pass	Peak	8	21332.85	-52.19	-41.20	11.44	Pass	AVG
3	23219.85	-42.73	-27.00	16.18	Pass	Peak	9	23219.85	/	-27.00	/	/	AVG
4	24144.65	-41.57	-27.00	15.02	Pass	Peak	10	24144.65	/	-27.00	/	/	AVG
5	25585.4	-40.03	-27.00	13.48	Pass	Peak	11	25585.4	/	-27.00	/	/	AVG
6	26494.9	-40.27	-27.00	13.71	Pass	Peak	12	26494.9	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Lit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16589.000	-43.68	-27.00	17.13	Pass	Peak	7	16589.000999999.00	-27.00	0.00	Pass	AVG	
2	21332.850	-42.34	-21.20	21.59	Pass	Peak	8	21332.850	-52.19	-41.20	11.44	Pass	AVG
3	23219.850	-42.73	-27.00	16.18	Pass	Peak	9	23219.850999999.00	-27.00	0.00	Pass	AVG	
4	24144.650	-41.57	-27.00	15.02	Pass	Peak	10	24144.650999999.00	-27.00	0.00	Pass	AVG	
5	25585.400	-40.03	-27.00	13.48	Pass	Peak	11	25585.400999999.00	-27.00	0.00	Pass	AVG	
6	26494.900	-40.27	-27.00	13.71	Pass	Peak	12	26494.900999999.00	-27.00	0.00	Pass	AVG	

802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15681.2	-44.14	-21.20	23.39	Pass	Peak	7	15681.2	-56.06	-41.20	15.31	Pass	AVG
2	21422.1	-42.63	-27.00	16.08	Pass	Peak	8	21422.1	/	-27.00	/	/	AVG
3	22758.3	-43.70	-21.20	22.95	Pass	Peak	9	22758.3	-53.69	-41.20	12.94	Pass	AVG
4	23702.65	-42.66	-21.20	21.91	Pass	Peak	10	23702.65	-52.86	-41.20	12.11	Pass	AVG
5	24702.25	-41.37	-27.00	14.81	Pass	Peak	11	24702.25	/	-27.00	/	/	AVG
6	25909.25	-40.43	-27.00	13.88	Pass	Peak	12	25909.25	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	15681.200	-44.14	-21.20	23.39	Pass	Peak	7	15681.200	-56.06	-41.20	15.31	Pass	AVG
2	21422.100	-42.63	-27.00	16.08	Pass	Peak	8	21422.1009999999.00	-27.00	-27.00	0.00	Pass	AVG
3	22758.300	-43.70	-21.20	22.95	Pass	Peak	9	22758.300	-53.69	-41.20	12.94	Pass	AVG
4	23702.650	-42.66	-21.20	21.91	Pass	Peak	10	23702.650	-52.86	-41.20	12.11	Pass	AVG
5	24702.250	-41.37	-27.00	14.81	Pass	Peak	11	24702.2509999999.00	-27.00	-27.00	0.00	Pass	AVG
6	25909.250	-40.43	-27.00	13.88	Pass	Peak	12	25909.2509999999.00	-27.00	-27.00	0.00	Pass	AVG

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2461.15	-51.27	-27.00	24.72	Pass	Peak	7	2461.15	/	-27.00	/	/	AVG
2	5771.05	-31.70	-27.00	5.15	Pass	Peak	8	5771.05	/	-27.00	/	/	AVG
3	21380.45	-52.14	-21.20	31.39	Pass	Peak	9	21380.45	-61.40	-41.20	20.65	Pass	AVG
4	24679.3	-50.60	-27.00	24.05	Pass	Peak	10	24679.3	/	-27.00	/	/	AVG
5	25497.85	-50.34	-27.00	23.79	Pass	Peak	11	25497.85	/	-27.00	/	/	AVG
6	26397.15	-49.32	-27.00	22.77	Pass	Peak	12	26397.15	/	-27.00	/	/	AVG


802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




Frequency (MHz)													
No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21438.25	-44.99	-27.00	18.44	Pass	Peak	7	21438.25	/	-27.00	/	/	AVG
2	23120.4	-46.18	-27.00	19.63	Pass	Peak	8	23120.4	/	-27.00	/	/	AVG
3	23894.75	-44.62	-21.20	23.86	Pass	Peak	9	23894.75	-54.97	-41.20	14.22	Pass	AVG
4	24660.6	-45.84	-27.00	19.29	Pass	Peak	10	24660.6	/	-27.00	/	/	AVG
5	25450.25	-44.40	-27.00	17.85	Pass	Peak	11	25450.25	/	-27.00	/	/	AVG
6	26257.75	-43.79	-27.00	17.24	Pass	Peak	12	26257.75	/	-27.00	/	/	AVG

802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21438.250	-44.99	-27.00	18.44	Pass	Peak	7	21438.250999999.00	-27.00	-27.00	0.00	Pass	AVG
2	23120.400	-46.18	-27.00	19.63	Pass	Peak	8	23120.400999999.00	-27.00	-27.00	0.00	Pass	AVG
3	23894.750	-44.62	-21.20	23.86	Pass	Peak	9	23894.750	-54.97	-41.20	14.22	Pass	AVG
4	24660.600	-45.84	-27.00	19.29	Pass	Peak	10	24660.600999999.00	-27.00	-27.00	0.00	Pass	AVG
5	25450.250	-44.40	-27.00	17.85	Pass	Peak	11	25450.250999999.00	-27.00	-27.00	0.00	Pass	AVG
6	26257.750	-43.79	-27.00	17.24	Pass	Peak	12	26257.750999999.00	-27.00	-27.00	0.00	Pass	AVG

802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



6. Frequency Stability

6.1 Ant1

6.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.000	5150 to 5250	Pass
				120	5179.960	5150 to 5250	Pass
				138	5179.980	5150 to 5250	Pass
			-30	120	5180.040	5150 to 5250	Pass
			-20	120	5180.020	5150 to 5250	Pass
			-10	120	5180.020	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5179.980	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
			40	120	5180.020	5150 to 5250	Pass
			50	120	5179.980	5150 to 5250	Pass
		5200	20	102	5199.960	5150 to 5250	Pass
				120	5200.060	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass
			-30	120	5200.020	5150 to 5250	Pass
			-20	120	5200.020	5150 to 5250	Pass
			-10	120	5199.980	5150 to 5250	Pass
			0	120	5199.980	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
		5240	20	102	5239.980	5150 to 5250	Pass
				120	5239.920	5150 to 5250	Pass
				138	5240.060	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.000	5150 to 5250	Pass
			0	120	5239.960	5150 to 5250	Pass
			10	120	5240.000	5150 to 5250	Pass
			30	120	5240.060	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.060	5150 to 5250	Pass
		5745	20	102	5744.960	5725 to 5850	Pass
				120	5744.940	5725 to 5850	Pass
				138	5745.020	5725 to 5850	Pass
			-30	120	5745.040	5725 to 5850	Pass
			-20	120	5744.980	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5744.960	5725 to 5850	Pass
			10	120	5745.000	5725 to 5850	Pass

			30	120	5745.020	5725 to 5850	Pass
			40	120	5745.040	5725 to 5850	Pass
			50	120	5745.040	5725 to 5850	Pass
		5785	20	102	5785.000	5725 to 5850	Pass
				120	5784.980	5725 to 5850	Pass
				138	5785.000	5725 to 5850	Pass
			-30	120	5784.960	5725 to 5850	Pass
			-20	120	5785.080	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass
			0	120	5784.980	5725 to 5850	Pass
			10	120	5784.960	5725 to 5850	Pass
			30	120	5784.960	5725 to 5850	Pass
			40	120	5784.960	5725 to 5850	Pass
			50	120	5785.080	5725 to 5850	Pass
		5825	20	102	5824.960	5725 to 5850	Pass
				120	5825.080	5725 to 5850	Pass
				138	5825.000	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.040	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5825.000	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5824.940	5725 to 5850	Pass
			50	120	5824.980	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	102	5180.040	5150 to 5250	Pass
				120	5180.020	5150 to 5250	Pass
				138	5180.100	5150 to 5250	Pass
			-30	120	5179.980	5150 to 5250	Pass
			-20	120	5180.000	5150 to 5250	Pass
			-10	120	5180.000	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass
			10	120	5180.000	5150 to 5250	Pass
			30	120	5179.960	5150 to 5250	Pass
			40	120	5180.080	5150 to 5250	Pass
			50	120	5180.040	5150 to 5250	Pass
		5200	20	102	5200.040	5150 to 5250	Pass
				120	5200.020	5150 to 5250	Pass
				138	5200.060	5150 to 5250	Pass
			-30	120	5200.000	5150 to 5250	Pass
			-20	120	5199.920	5150 to 5250	Pass
			-10	120	5200.040	5150 to 5250	Pass
			0	120	5200.040	5150 to 5250	Pass
			10	120	5200.060	5150 to 5250	Pass
			30	120	5199.960	5150 to 5250	Pass
			40	120	5199.980	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
		5240	20	102	5239.980	5150 to 5250	Pass
				120	5239.960	5150 to 5250	Pass
				138	5240.020	5150 to 5250	Pass
			-30	120	5239.960	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.080	5150 to 5250	Pass

			0	120	5240.040	5150 to 5250	Pass
			10	120	5240.040	5150 to 5250	Pass
			30	120	5240.020	5150 to 5250	Pass
			40	120	5240.000	5150 to 5250	Pass
			50	120	5240.060	5150 to 5250	Pass
		5745	20	102	5745.000	5725 to 5850	Pass
				120	5745.040	5725 to 5850	Pass
				138	5744.980	5725 to 5850	Pass
			-30	120	5745.000	5725 to 5850	Pass
			-20	120	5745.080	5725 to 5850	Pass
			-10	120	5745.060	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5745.040	5725 to 5850	Pass
			30	120	5744.940	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
		5785	20	102	5785.060	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
				138	5785.020	5725 to 5850	Pass
			-30	120	5785.040	5725 to 5850	Pass
			-20	120	5784.920	5725 to 5850	Pass
			-10	120	5784.940	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5784.980	5725 to 5850	Pass
			50	120	5784.920	5725 to 5850	Pass
		5825	20	102	5825.040	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5825.080	5725 to 5850	Pass
			-20	120	5824.980	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5825.020	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5825.020	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	102	5190.000	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5190.040	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.000	5150 to 5250	Pass
			-10	120	5190.040	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5190.040	5150 to 5250	Pass
			40	120	5190.000	5150 to 5250	Pass
			50	120	5190.000	5150 to 5250	Pass
		5230	20	102	5230.040	5150 to 5250	Pass
				120	5230.000	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.000	5150 to 5250	Pass

			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.000	5150 to 5250	Pass
			10	120	5230.000	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5230.000	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
		5755	20	102	5754.960	5725 to 5850	Pass
				120	5755.000	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.000	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.040	5725 to 5850	Pass
			30	120	5755.040	5725 to 5850	Pass
			40	120	5755.040	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.040	5725 to 5850	Pass
				138	5795.080	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.000	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.040	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.040	5725 to 5850	Pass
			50	120	5795.000	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	102	5179.980	5150 to 5250	Pass
				120	5179.980	5150 to 5250	Pass
				138	5179.980	5150 to 5250	Pass
			-30	120	5180.040	5150 to 5250	Pass
			-20	120	5179.960	5150 to 5250	Pass
			-10	120	5180.000	5150 to 5250	Pass
			0	120	5180.040	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5179.940	5150 to 5250	Pass
			40	120	5180.020	5150 to 5250	Pass
			50	120	5179.980	5150 to 5250	Pass
		5200	20	102	5200.020	5150 to 5250	Pass
				120	5199.980	5150 to 5250	Pass
				138	5200.040	5150 to 5250	Pass
			-30	120	5200.040	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5200.100	5150 to 5250	Pass
			0	120	5199.940	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.000	5150 to 5250	Pass
			40	120	5199.940	5150 to 5250	Pass
			50	120	5200.080	5150 to 5250	Pass
		5240	20	102	5239.960	5150 to 5250	Pass
				120	5239.940	5150 to 5250	Pass

				138	5240.040	5150 to 5250	Pass
			-30	120	5240.060	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.040	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.000	5150 to 5250	Pass
			30	120	5240.040	5150 to 5250	Pass
			40	120	5240.040	5150 to 5250	Pass
			50	120	5239.980	5150 to 5250	Pass
		5745	20	102	5744.980	5725 to 5850	Pass
				120	5745.020	5725 to 5850	Pass
				138	5745.040	5725 to 5850	Pass
			-30	120	5744.920	5725 to 5850	Pass
			-20	120	5745.020	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5744.940	5725 to 5850	Pass
			10	120	5745.040	5725 to 5850	Pass
			30	120	5745.100	5725 to 5850	Pass
			40	120	5745.000	5725 to 5850	Pass
			50	120	5744.980	5725 to 5850	Pass
		5785	20	102	5785.020	5725 to 5850	Pass
				120	5785.040	5725 to 5850	Pass
				138	5785.040	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5784.940	5725 to 5850	Pass
			-10	120	5784.960	5725 to 5850	Pass
			0	120	5784.980	5725 to 5850	Pass
			10	120	5784.920	5725 to 5850	Pass
			30	120	5785.040	5725 to 5850	Pass
			40	120	5784.980	5725 to 5850	Pass
			50	120	5784.980	5725 to 5850	Pass
		5825	20	102	5825.000	5725 to 5850	Pass
				120	5825.020	5725 to 5850	Pass
				138	5824.960	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5824.980	5725 to 5850	Pass
			10	120	5824.980	5725 to 5850	Pass
			30	120	5824.960	5725 to 5850	Pass
			40	120	5825.040	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	102	5190.040	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5189.960	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.000	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5190.000	5150 to 5250	Pass
			40	120	5190.000	5150 to 5250	Pass
			50	120	5190.000	5150 to 5250	Pass

		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				138	5230.000	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5229.920	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.040	5150 to 5250	Pass
			10	120	5229.960	5150 to 5250	Pass
			30	120	5230.040	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.080	5150 to 5250	Pass
		5755	20	102	5755.040	5725 to 5850	Pass
				120	5755.040	5725 to 5850	Pass
				138	5755.000	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.000	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.000	5725 to 5850	Pass
			30	120	5755.000	5725 to 5850	Pass
			40	120	5755.040	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.080	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.040	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.080	5725 to 5850	Pass
			10	120	5795.040	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.040	5725 to 5850	Pass
			50	120	5795.000	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.150	5150 to 5250	Pass
				138	5210.150	5150 to 5250	Pass
			-30	120	5210.075	5150 to 5250	Pass
			-20	120	5210.075	5150 to 5250	Pass
			-10	120	5210.075	5150 to 5250	Pass
			0	120	5210.075	5150 to 5250	Pass
			10	120	5210.150	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.150	5150 to 5250	Pass
			50	120	5210.150	5150 to 5250	Pass
		5775	20	102	5775.000	5725 to 5850	Pass
				120	5775.000	5725 to 5850	Pass
				138	5775.000	5725 to 5850	Pass
			-30	120	5775.000	5725 to 5850	Pass
			-20	120	5775.000	5725 to 5850	Pass
			-10	120	5775.000	5725 to 5850	Pass
			0	120	5775.000	5725 to 5850	Pass
			10	120	5775.000	5725 to 5850	Pass
			30	120	5775.000	5725 to 5850	Pass

			40	120	5775.000	5725 to 5850	Pass
			50	120	5775.000	5725 to 5850	Pass

7. Form731

7.1 Form731

7.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5745	5825	0.0120	10.80
5755	5795	0.0088	9.45
5180	5240	0.0053	7.26
5190	5230	0.0048	6.83
5775	5775	0.0067	8.26



Test Report Number: BTF230913R00704



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,
Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --