



# 承認書 APPROVAL SHEET



|                    |                    |
|--------------------|--------------------|
| 客 户/Customer:      | 广西博禄德              |
| 品名/Model:          | 电感线圈               |
| 發行號碼/Issue No.:    | AP-ZX2023120701    |
| 规格/Description:    | BT-R5010HU-A11S491 |
| 版本號/Version:       | A01                |
| 客戶料號/Customer P/N: | 305002990275       |
| 製作日期/Issue Date:   | 2024. 1. 9         |

|                                 |
|---------------------------------|
| 承認说明/Approval Remark:           |
| 客戶回簽/Customer Approval Feedback |
|                                 |

尊敬的客戶:請確認好此份規格承認書後並及時簽回一份給我司。若未簽回,後續貴司正式下單,視同承認此承認書。 謝謝! Dear customer: please confirm this specification and signback for us in time.If not sign back, follow-up your company official order shall be regarded as to recognize it. Thank you!

☒ 東莞市有勵電子有限公司  
BTCOIL ELECTRONICS (Dongguan) LIMITED  
No. 225 Shuixin Road, Fumin Industrial Park, Dalang Town,  
Dongguan City, Guangdong Province  
广东省东莞市大朗镇富民工业园水新路225号  
Tel: 86-769-8923 8020 Fax: 86-769-8310 0273  
E-mail: qc-dg@btoil.com

☐ 有勵電子（昆山）有限公司  
BTCOIL ELECTRONICS (Kunshan) LIMITED  
No. 168, Xinji Road, Bacheng Town, Kunshan City, Jiangsu  
Province. PRC 215300  
江蘇省昆山市巴城鎮欣基路168號  
Tel: 86-512-5706 5767 Fax: 86-512-5706 5769  
E-mail: qc-ks@btoil.com

☐ 湖南芷江正向科技有限公司  
BTCOIL ELECTRONICS (Hunan) LIMITED  
Building 1, 3, Luogu Town Industrial Park, Dong Autonomous  
Region, Zhijiang Dong, Huaihua city, Hunan Province.  
湖南省懷化市芷江侗族自治區羅舊鎮工業園1、3棟  
Tel: 0745-6731698  
E-mail: dgcz@btcoil.com

☐ 中山有汇电子有限公司  
YOU HUI ELECTRONIC (ZHONG SHAN) CO., LTD  
3/F building C, Baishawan Industrial Zone, Changjiang North  
Road, East District, Zhongshan City, Guangdong Province. PRC  
528403.  
中山市东区长江北路北段白沙湾工业园C幢二楼  
Tel: 86-760-23889250 Fax: 86-760-23889253

## 業務單位/Sales Dep:

| 核准<br>APPROVED | 審查<br>CHECKED |
|----------------|---------------|
| 黄爱生            | 胡金霞           |

## 工程單位/Engineering Unit

| 核准<br>APPROVED | 審查<br>CHECKED | 製圖<br>DRAWN |
|----------------|---------------|-------------|
| 曾若武            | 胡成国           | 田甜          |

BT-FOR/02-012

BT

COIL

承 認 書

APPROVAL SHEET

|                      |              |                      |                    |                   |                 |
|----------------------|--------------|----------------------|--------------------|-------------------|-----------------|
| 客户<br>Customer       | 广西博禄德        | 规格<br>Description    | BT-R5010HU-A11S491 | 發行號碼<br>Issue No. | AP-ZX2023120701 |
| 客戶料號<br>Customer P/N | 305002990275 | 客戶圖號<br>Customer Doc | N/A                | 版本號<br>Version    | A01             |

1. 尺寸 Dimension(unit: mm):

H尺寸为磁片厚度  
I尺寸为总厚度不含离型纸

D尺寸以磁片外径最大点为测量点

| 重点管控尺寸         |                 |                 |
|----------------|-----------------|-----------------|
| 位置<br>Position | 尺寸<br>Dimension | 公差<br>Tolerance |
| A              | 20.50           | ±1.00           |
| B              | 44.00           | ±1.00           |
| C              | 50.00           | ±1.00           |
| D              | 15.00           | ±3.0            |
| E              | 3.00            | ±1.50           |
| F              | 10.00           | ±1.50           |
| G              | 3.00            | ±1.00           |
| H              | 1.00            | ±0.10           |
| I              | 2.80            | MAX             |

2. 作业要求 Note:

(1) 顺时针绕线，圈数为10TS，单层；

(2) 线圈与磁片贴合紧密，最大间隙不可超过1MM；泡棉与磁片的同心度公差±1；

(3) 两引线相交接，排线整列，紧密；

(4) 电感（LS）为：6.3uH ±10%（100KHZ/1V）；

(5) 直流电阻（DCR）为：45.0mΩ MAX（25℃）；

(6) 材料符合RoHS 及无卤标准要求。

3. 材料清單 Raw material:

| No.       | 材料<br>Material | 规格型号<br>DescriptionPart No. | 供應商1<br>Supplier1 | 供應商2<br>Supplier2  | 供應方式<br>Method of Supply | 備註<br>Note |              |
|-----------|----------------|-----------------------------|-------------------|--------------------|--------------------------|------------|--------------|
| 1         | 丙酮丝包线          | 0.08*105P                   | BTA-354           | BTA-240<br>BTA-001 | 自 購<br>Self-buying       |            |              |
| 2         | 磁片             | 50.0*1.0                    | BTA-261           | BTA-373<br>BTA-366 | 自 購<br>Self-buying       |            |              |
| 3         | 泡棉双面胶          | 48.0*0.50±0.1               | BTA-015           |                    | 自 購<br>Self-buying       |            |              |
| 3         | 胶水             | AS-126T                     | BTA-018           |                    | 自 購<br>Self-buying       |            |              |
| 4         | 锡              | Sn99.3Cu0.7                 | BTA-013           |                    | 自 購<br>Self-buying       |            |              |
| 5         | 泡棉双面胶          | 6*6*1.0MM                   | BTA-015           |                    | 自 購<br>Self-buying       |            |              |
| 6         | 高温胶带           | 8.0*0.05MM                  | BTA-015           |                    | 自 購<br>Self-buying       |            |              |
| (製圖)DRAWN |                | 田甜                          | (審查)CHECKED       | 胡成国                | (核准)APPROVED             | 曾若武        | (客户)Customer |