



REPORT NO.: 4791204966-1-RF-2

Page 108 of 123

Appendix F: Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-33.37	≤-30	Pass
b	2462	Ant1	-49.03	≤-30	Pass
g	2412	Ant1	-34.46	≤-30	Pass
g	2462	Ant1	-45.32	≤-30	Pass
n20	2412	Ant1	-36.06	≤-30	Pass
n20	2462	Ant1	-46.79	≤-30	Pass
n40	2422	Ant1	-32.43	≤-30	Pass
n40	2452	Ant1	-37.38	≤-30	Pass































REPORT NO.: 4791204966-1-RF-2

Page 115 of 123

Appendix G: Conducted RF Spurious Emission

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-51.14	≤-30	Pass
b	2437	Ant1	-52.8	≤-30	Pass
b	2462	Ant1	-53.24	≤-30	Pass
g	2412	Ant1	-48.83	≤-30	Pass
g	2437	Ant1	-47.96	≤-30	Pass
g	2462	Ant1	-48.46	≤-30	Pass
n20	2412	Ant1	-47	≤-30	Pass
n20	2437	Ant1	-47.09	≤-30	Pass
n20	2462	Ant1	-45.99	≤-30	Pass
n40	2422	Ant1	-44.7	≤-30	Pass
n40	2437	Ant1	-45.14	≤-30	Pass
n40	2452	Ant1	-45.5	≤-30	Pass




































END OF REPORT