



Explosion diagram specification



1	FL(CTP+LCM)_6.78HD+h+X682_BLACK_TXD_V1.0	2	F hsg asm CE8 Black
3	Distance Sensor light guide CE7	4	F flash lens CE7
5	REC Deco partasm X682 Black HQ	6	Range sensor rubber CE7 Black
7	Machine screw black	8	PCBA_H693_C1_64GB+4GB_V1.1
9	REC 1206W H20 broadband H:SPL 50mW Goer	10	F CAM frame asm CE7
11	R three CAM frame asm CE7	12	R vice CAM rubber CE7 8W Black
13	R vice CAM rubber CE7 2M Black	14	CAM FF 8W GC6153 B P 1P B 10P XCG V1.0
15	CAM FF 2M GC02M1B A P 3P+IR B SJ V1.0	16	CAM AF 64M OV64B A A 6PBG B 30P ST V1.0

17	CAM FF 2M GC02M1 A P 3P+IR B LHYX V1.0	18	CAM FF 16M S5K3P9 CC7 TS V1.0
19	Mi housing CE7 Onyx Black	20	R CAM Lens CE7j rainbow Glass 0.5 Black
21	R CAM frame CE7 Black PC	22	R flash lens CE7
23	Rear five F Lens CE7	24	Bat cover CE8
25	SPK frame asm CE7	26	USB rubber CE8 Black
27	Earphone rubber CE7 Black	28	FP con Imp steel CE7
29	Side key CE7	30	Card hoder CE7
31	motor FPC 0827 L4.8 H JX Con ads	32	FM(ICNF7332AL) 05 midnight black Sunwin
33	Bat TECNO BL 49HT 4900mAh LW IN	34	PCBA SUB H693 2 A V1.0
35	FPC Side key CE7	36	SPK rubber CE7 Black
37	Machine screw silver	38	FPC SPK CE7
39	Coaxial cable LC6 RoHS		

Know your phone



1. Front camera
2. Volume key
3. Power key

SIM/SD card installation

1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.



Charging the phone

You can charge your device using a charger or by connecting it

to the computer using a USB cable (comes with the phone).

1. Please remind the front and back of the plug.
2. Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



FCC Statement

1.This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2.Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.`

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and

thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model phone when tested for use at the ear is **1.353W/Kg** and when worn on the body, as described in this user guide, is **0.715W/Kg**(Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). The maximum scaled SAR in hotspot mode is **0.715W/Kg**. While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RFexposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on

FCC ID: **2ADYY-CE7J** Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a sub-stantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF

exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved



TECNO

Assistenza e manutenzione di impianti idrici