









Mode	8																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>64.38</td><td>74.00</td><td>-9.62</td><td>51.91</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>135</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	64.38	74.00	-9.62	51.91	31.97	6.73	32.23	6.00	135	0 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.65</td><td>-----</td><td>-----</td><td>94.25</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>135</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.65	-----	-----	94.25	31.92	6.70	32.22	6.00	135	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.51	64.38	74.00	-9.62	51.91	31.97	6.73	32.23	6.00	135	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	106.65	-----	-----	94.25	31.92	6.70	32.22	6.00	135	0 PEAK																																																																																											
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.00</td><td>48.32</td><td>54.00</td><td>-5.68</td><td>35.85</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>135</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	48.32	54.00	-5.68	35.85	31.97	6.73	32.23	6.00	135	0 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>97.59</td><td>-----</td><td>-----</td><td>85.19</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>135</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.59	-----	-----	85.19	31.92	6.70	32.22	6.00	135	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.00	48.32	54.00	-5.68	35.85	31.97	6.73	32.23	6.00	135	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	97.59	-----	-----	85.19	31.92	6.70	32.22	6.00	135	0 AVERAGE																																																																																											





Mode	8																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.83	59.19	74.00	-14.81	46.72	31.97	6.74	32.24	6.00	140	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.06</td><td>-----</td><td>-----</td><td>91.64</td><td>31.93</td><td>6.71</td><td>32.22</td><td>6.00</td><td>140</td><td>116 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.06	-----	-----	91.64	31.93	6.71	32.22	6.00	140	116 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2485.83	59.19	74.00	-14.81	46.72	31.97	6.74	32.24	6.00	140	116 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	104.06	-----	-----	91.64	31.93	6.71	32.22	6.00	140	116 PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>33.09</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>140</td><td>116 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	45.56	54.00	-8.44	33.09	31.97	6.73	32.23	6.00	140	116 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>94.98</td><td>-----</td><td>-----</td><td>82.58</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>140</td><td>116 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.98	-----	-----	82.58	31.92	6.70	32.22	6.00	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.55	45.56	54.00	-8.44	33.09	31.97	6.73	32.23	6.00	140	116 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	94.98	-----	-----	82.58	31.92	6.70	32.22	6.00	140	116 AVERAGE																																																																																





Mode	8																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>59.26</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>57.60</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4924.00	41.89	74.00	-32.11	59.26	34.25	9.57	61.19	0.00	---	PEAK	2	7386.00	44.16	74.00	-29.84	57.60	35.73	11.72	60.89	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>59.78</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>56.86</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4924.00	42.41	74.00	-31.59	59.78	34.25	9.57	61.19	0.00	---	PEAK	2	7386.00	43.42	74.00	-30.58	56.86	35.73	11.72	60.89	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	4924.00	41.89	74.00	-32.11	59.26	34.25	9.57	61.19	0.00	---	PEAK																																																																																													
2	7386.00	44.16	74.00	-29.84	57.60	35.73	11.72	60.89	0.00	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	4924.00	42.41	74.00	-31.59	59.78	34.25	9.57	61.19	0.00	---	PEAK																																																																																													
2	7386.00	43.42	74.00	-30.58	56.86	35.73	11.72	60.89	0.00	---	PEAK																																																																																													
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>59.26</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>57.60</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.89	74.00	-32.11	59.26	34.25	9.57	61.19	0.00	---	PEAK	2	7386.00	44.16	74.00	-29.84	57.60	35.73	11.72	60.89	0.00	---	PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>59.78</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>56.86</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.41	74.00	-31.59	59.78	34.25	9.57	61.19	0.00	---	PEAK	2	7386.00	43.42	74.00	-30.58	56.86	35.73	11.72	60.89	0.00	---	PEAK																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4924.00	41.89	74.00	-32.11	59.26	34.25	9.57	61.19	0.00	---	PEAK																																																																																													
2	7386.00	44.16	74.00	-29.84	57.60	35.73	11.72	60.89	0.00	---	PEAK																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4924.00	42.41	74.00	-31.59	59.78	34.25	9.57	61.19	0.00	---	PEAK																																																																																													
2	7386.00	43.42	74.00	-30.58	56.86	35.73	11.72	60.89	0.00	---	PEAK																																																																																													







Mode	9	
	18G-25G	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	9																																																																																																													
	30-1G																																																																																																													
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal																																																																																																													
QP																																																																																																														
	<table><tr><th></th><th>Freq</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.00</td><td>-20.00</td><td>40.00</td><td>27.74</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>89.17</td><td>18.18</td><td>-25.32</td><td>43.50</td><td>34.65</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>177.44</td><td>23.55</td><td>-19.95</td><td>43.50</td><td>38.50</td><td>2.01</td><td>15.87</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>530.52</td><td>27.80</td><td>-18.20</td><td>46.00</td><td>32.80</td><td>3.52</td><td>24.52</td><td>33.04</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>736.16</td><td>29.05</td><td>-16.95</td><td>46.00</td><td>32.10</td><td>4.15</td><td>25.67</td><td>32.87</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>855.47</td><td>29.11</td><td>-16.89</td><td>46.00</td><td>30.35</td><td>4.47</td><td>26.60</td><td>32.31</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark			MHz	Level	Line	Level	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	20.00	-20.00	40.00	27.74	0.71	24.57	33.02	---	--- Peak	2	89.17	18.18	-25.32	43.50	34.65	1.41	14.97	32.85	---	--- Peak	3	177.44	23.55	-19.95	43.50	38.50	2.01	15.87	32.83	---	--- Peak	4	530.52	27.80	-18.20	46.00	32.80	3.52	24.52	33.04	---	--- Peak	5	736.16	29.05	-16.95	46.00	32.10	4.15	25.67	32.87	---	--- Peak	6	855.47	29.11	-16.89	46.00	30.35	4.47	26.60	32.31	---	--- Peak
		Freq	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																				
		MHz	Level	Line	Level	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																			
	1	30.00	20.00	-20.00	40.00	27.74	0.71	24.57	33.02	---	--- Peak																																																																																																			
	2	89.17	18.18	-25.32	43.50	34.65	1.41	14.97	32.85	---	--- Peak																																																																																																			
	3	177.44	23.55	-19.95	43.50	38.50	2.01	15.87	32.83	---	--- Peak																																																																																																			
	4	530.52	27.80	-18.20	46.00	32.80	3.52	24.52	33.04	---	--- Peak																																																																																																			
	5	736.16	29.05	-16.95	46.00	32.10	4.15	25.67	32.87	---	--- Peak																																																																																																			
6	855.47	29.11	-16.89	46.00	30.35	4.47	26.60	32.31	---	--- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
	<table><tr><th></th><th>Freq</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.48</td><td>-19.52</td><td>40.00</td><td>28.22</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>48.43</td><td>20.00</td><td>-19.20</td><td>40.00</td><td>37.66</td><td>1.03</td><td>15.04</td><td>32.93</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>174.53</td><td>23.08</td><td>-20.42</td><td>43.50</td><td>37.99</td><td>2.00</td><td>15.92</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>552.83</td><td>24.33</td><td>-21.67</td><td>46.00</td><td>28.75</td><td>3.59</td><td>25.10</td><td>33.11</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>764.29</td><td>28.17</td><td>-17.83</td><td>46.00</td><td>30.77</td><td>4.23</td><td>25.95</td><td>32.78</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>925.31</td><td>30.36</td><td>-15.64</td><td>46.00</td><td>30.32</td><td>4.65</td><td>27.12</td><td>31.73</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark			MHz	Level	Line	Level	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	20.48	-19.52	40.00	28.22	0.71	24.57	33.02	---	--- Peak	2	48.43	20.00	-19.20	40.00	37.66	1.03	15.04	32.93	---	--- Peak	3	174.53	23.08	-20.42	43.50	37.99	2.00	15.92	32.83	---	--- Peak	4	552.83	24.33	-21.67	46.00	28.75	3.59	25.10	33.11	---	--- Peak	5	764.29	28.17	-17.83	46.00	30.77	4.23	25.95	32.78	---	--- Peak	6	925.31	30.36	-15.64	46.00	30.32	4.65	27.12	31.73	---	--- Peak
	Freq	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																					
	MHz	Level	Line	Level	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																				
1	30.00	20.48	-19.52	40.00	28.22	0.71	24.57	33.02	---	--- Peak																																																																																																				
2	48.43	20.00	-19.20	40.00	37.66	1.03	15.04	32.93	---	--- Peak																																																																																																				
3	174.53	23.08	-20.42	43.50	37.99	2.00	15.92	32.83	---	--- Peak																																																																																																				
4	552.83	24.33	-21.67	46.00	28.75	3.59	25.10	33.11	---	--- Peak																																																																																																				
5	764.29	28.17	-17.83	46.00	30.77	4.23	25.95	32.78	---	--- Peak																																																																																																				
6	925.31	30.36	-15.64	46.00	30.32	4.65	27.12	31.73	---	--- Peak																																																																																																				





Mode	10																																																																																																				
	Co-location Band Edge																																																																																																				
	802.11b_CH11_2462MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.42</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>43.85</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>53 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	56.96	74.00	-17.04	43.85	32.61	6.73	32.23	6.00	100	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.37</td><td>-----</td><td>-----</td><td>94.42</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100</td><td>53 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.37	-----	-----	94.42	32.47	6.70	32.22	6.00	100	53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.42	56.96	74.00	-17.04	43.85	32.61	6.73	32.23	6.00	100	53 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	107.37	-----	-----	94.42	32.47	6.70	32.22	6.00	100	53 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.32</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>32.33</td><td>32.62</td><td>6.74</td><td>32.24</td><td>6.00</td><td>100</td><td>53 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.32	45.45	54.00	-8.55	32.33	32.62	6.74	32.24	6.00	100	53 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.91</td><td>-----</td><td>-----</td><td>89.96</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.91	-----	-----	89.96	32.47	6.70	32.22	6.00	100	53 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2486.32	45.45	54.00	-8.55	32.33	32.62	6.74	32.24	6.00	100	53 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	102.91	-----	-----	89.96	32.47	6.70	32.22	6.00	100	53 AVERAGE																																																																																										



Mode	10																																																																																																				
	Co-location Band Edge																																																																																																				
	802.11b_CH11_2462MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.40</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>43.61</td><td>32.65</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.40	56.77	74.00	-17.23	43.61	32.65	6.75	32.24	6.00	100	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.14</td><td>-----</td><td>-----</td><td>92.19</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.14	-----	-----	92.19	32.47	6.70	32.22	6.00	100	78 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2492.40	56.77	74.00	-17.23	43.61	32.65	6.75	32.24	6.00	100	78 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	105.14	-----	-----	92.19	32.47	6.70	32.22	6.00	100	78 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.08</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>31.29</td><td>32.62</td><td>6.74</td><td>32.24</td><td>6.00</td><td>100</td><td>78 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.08	44.41	54.00	-9.59	31.29	32.62	6.74	32.24	6.00	100	78 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.71</td><td>-----</td><td>-----</td><td>87.76</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100</td><td>78 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.71	-----	-----	87.76	32.47	6.70	32.22	6.00	100	78 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2487.08	44.41	54.00	-9.59	31.29	32.62	6.74	32.24	6.00	100	78 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	100.71	-----	-----	87.76	32.47	6.70	32.22	6.00	100	78 AVERAGE																																																																																										




Mode	10																																																																																				
	Co-location Harmonic																																																																																				
	802.11b_CH11_2462MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal											Vertical																																																																									
Peak Avg																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>71.03</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>324</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>51.44</td><td>54.00</td><td>-2.56</td><td>69.01</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>324</td><td>330</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>56.91</td><td>35.70</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.46	74.00	-20.54	71.03	34.05	9.57	61.19	0.00	324	330	PEAK	2	4924.00	51.44	54.00	-2.56	69.01	34.05	9.57	61.19	0.00	324	330	AVERAGE	3	7386.00	43.44	74.00	-30.56	56.91	35.70	11.72	60.89	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4924.00	53.46	74.00	-20.54	71.03	34.05	9.57	61.19	0.00	324	330	PEAK																																																																									
2	4924.00	51.44	54.00	-2.56	69.01	34.05	9.57	61.19	0.00	324	330	AVERAGE																																																																									
3	7386.00	43.44	74.00	-30.56	56.91	35.70	11.72	60.89	0.00	---	---	PEAK																																																																									
																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>70.78</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>105</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>68.76</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>105</td><td>344</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>57.38</td><td>35.70</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.21	74.00	-20.79	70.78	34.05	9.57	61.19	0.00	105	344	PEAK	2	4924.00	51.19	54.00	-2.81	68.76	34.05	9.57	61.19	0.00	105	344	AVERAGE	3	7386.00	43.91	74.00	-30.09	57.38	35.70	11.72	60.89	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4924.00	53.21	74.00	-20.79	70.78	34.05	9.57	61.19	0.00	105	344	PEAK																																																																									
2	4924.00	51.19	54.00	-2.81	68.76	34.05	9.57	61.19	0.00	105	344	AVERAGE																																																																									
3	7386.00	43.91	74.00	-30.09	57.38	35.70	11.72	60.89	0.00	---	---	PEAK																																																																									

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.52	-	-	
802.11g	96.88	1.395	0.717	0.75KHz
802.11n HT20	96.65	1.3	0.769	0.82KHz

802.11b





802.11g



802.11n HT20

