

Report No.: HEWM2202000026RG02

Rev.: 01 Page: 1 of 108

TEST REPORT

Application No.: HEWM2202000026RG **Applicant:** Honor Device Co., Ltd.

Address of Applicant: Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road,

Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's

Republic of China

Manufacturer: Honor Device Co., Ltd.

Address of Manufacturer: Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road,

Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's

Republic of China

EUT Description: Smart Phone
Model No.: CMA-LX1
Trade Mark: HONOR

FCC ID: 2AYGCCMA-LX1

Standards: 47 CFR FCC Part 2, Subpart J

47 CFR Part 15, Subpart C

Date of Receipt: 2022/2/11

Date of Test: 2022/2/13 to 2022/2/28 (for original report SUHR/2022/1001002)

2022/3/1 to 2022/3/8 (for new report HEWM2202000026RG02)

Date of Issue: 2022/3/10

Test Result : PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's tindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exencise parties to e transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Any unauthorized alteration. Finger or falsification of the content or appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South ut No. 6 Plant, No. 1, Ruretning Road, Suthou Influstral Park, Suthou Arie, China (Jiangsu) Plot Free Trade Zone 2,15000 中國 - 苏州 - 中國(江苏)自由與馬威斯区苏州片区苏州工业园区列联路1号的6号厂房南部 邮编: 2,15000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 2 of 108

1 Version

Revision Record								
Version Chapter Date Modifier Remark								
01		2022/3/10		Original				

Prepared By	weller lin		
	(Weller Liu) / Engineer		
Checked By	well wei'		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.:

Page: 3 of 108

Test Summary

Test Item	Test Requirement	Test Method	Test Result	Result
Antenna Requirement	15.203/247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Maximum Output Power	15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suchou Anie, China (Jengsu) Pilot Fies Trade Zone 2 1 5 0 0 0. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区沟供路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

4 of 108 Page:

Remark:

This test report (Report No.: HEWM2202000026RG02 issued on 2022-03-10) is based on the original test report (Report No.: SUHR/2022/1001002 issued on 2022-03-04).

Review this report and original report, this report just changing the parts according to the declaration letter

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report radiated spurious emissions and Restricted bands around fundamental frequency were performed based on the worst case of the original report with report number SUHR/2022/1001002 issued on 2022-03-04 and other test data in this report are based on the previous report with report number SUHR/2022/1001002 issued on 2022-03-04.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agp; and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditio



Report No.: HEWM2202000026RG02

Rev.:

Page:

01

5 of 108

Contents

1	Versio	n	2
2	Test S	ummary	3
3	Gener	al Information	6
	3.1	Details of Client	6
	3.2	Test Location	6
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment	9
	3.6	Description of Support Units	9
4	Test re	esults and Measurement Data	10
	4.1	Antenna Requirement	10
	4.2	Other requirements Frequency Hopping Spread Spectrum System	11
	Норрі	ng Sequence	11
	4	.2.1 Test Requirement:	11
	4	.2.2 Conclusion	11
	4.3	AC Power Line Conducted Emissions	13
	4.4	Maximum Output Power	17
	4.5	20dB Emission Bandwidth & 99% Occupied Bandwidth	18
	4.6	Carrier Frequencies Separationy	19
	4.7	Hopping Channel Number	20
	4.8	Dwell Time	21
	4.9	Band-edge for RF Conducted Emissions	22
	4.10	Spurious RF Conducted Emissions	23
	4.11	Radiated Spurious Emissions	24
	4.12	Restricted bands around fundamental frequency	27
5	Measu	rement Uncertainty (95% confidence levels, k=2)	29
6	Equipr	nent List	30
7	Photog	graphs - EUT Constructional Details	32



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Cond

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 6 of 108

3 General Information

3.1 Details of Client

Applicant:	Honor Device Co., Ltd.
Address of Applicant:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
Manufacturer:	Honor Device Co., Ltd.
Address of Manufacturer:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Pa	
Post code:	215000
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.aps.com/en/ferms-and-Conditions.appy and, for electronic Documents at http://www.aps.com/en/ferms-and-Conditions.appy and, for electronic Documents at http://www.aps.com/en/ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-and-Conditions-ferms-fer

Southur/No: 6 Part. No.1. Runcheng Road, Suchou Indiastrial Park. Suchou Arne, China (Jangsa) Plot Fier Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区周蜓路1号约6号厂度南部 邮第: 215000



Report No.: HEWM2202000026RG02

Rev.: 0

Page: 7 of 108

3.4 General Description of EUT

EUT Description:	Smart Phone		
Model No.:	CMA-LX1		
Trade Mark:	HONOR		
Hardware Version:	HL2CMAM		
Software Version:	4.2.0.32(C900E32R1P1)		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.		
Bluetooth version:	Bluetooth V5.0		
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)		
Modulation Type:	GFSK, π/4DQPSK, 8DPSK		
Number of Channel:	79		
Hopping Channel Type:	Adaptive Frequency Hopping systems		
Sample Type:	⊠Portable Device, ☐Module		
Antenna Type:	□External, ⊠Integrated		
Antonno Coin*i	⊠Provided by client		
Antenna Gain*:	-2.2dBi(Ant9);		
DE Cable*:	⊠Provided by client		
RF Cable*:	1dB		

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing. this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic formest documents at http://www.ags.com/en/Tarms-and-Conditions forms-a-blocuments-aspx and conditions for a Celectronic Documents at http://www.ags.com/en/Tarms-and-Conditions forms-a-blocuments-aspx and conditions forms-a-blocuments-aspx and conditions forms-a-blocuments-aspx and conditions for a condition for

Southur/No: 6 Part. No.1. Runcheng Road, Suchou Indiastrial Park. Suchou Arne, China (Jangsa) Plot Fier Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区周蜓路1号约6号厂度南部 邮第: 215000



Report No.: HEWM2202000026RG02

Rev.: 01 Page: 8 of 108

	Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency	
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz	
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz	
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz	
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz	
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz	
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz	
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz	
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz	
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz	
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz	
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz	
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz	
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz	
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz	
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz	
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz	
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz	
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz	
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz	
19	2421MHz	39	2441MHz	59	2461MHz	-		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/Tarme-and-Conditions.aspx.and, for electronic Documents of Hittp://www.gsp.com/en/Terme-and-Conditions/Terms-en-Document.aspx.and.conditions.conditions.and.conditions.

South of No. 6 Plant, No. 1, Runshang Road, Sudhou Industrial Park, Sudhou Ame, China (Jangsu) Pilot Fiee Trade Zone 2 1 5 0 0 0 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区闽铁路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980

1 (86-512) 6299298() www.sqsqroup.com.cn sgs.chlna@sgs.com



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 9 of 108

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(℃) Voltage(V)				
NTNV	22~23	3.87			
LTNV	0	3.87			
HTNV	35	3.87			

Remark:

NV: Normal Voltage NT: Normal Temperature

LT: Low Extreme Test Temperature
HT: High Extreme Test Temperature

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.ags.com/en/Infames-and-Conditions-ags.com/en/Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditi



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 10 of 108

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is -2.2dBi(Ant9).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-an-Document.aspx Attention is drawn to the limitation of lability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate perflet to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results and only the termination of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results also within this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runeheng Road, Sushnu Industrial Park, Sushou Ame, China (Jengsu) Plot Free Trade Zone 2 1 5 0 0 0.

中國・苏州・中國(江苏)自由與易成衛区苏州片区苏州工业國区河鉄商1号約6号「疾南郡 鄉鎮: 215000 1 (86-512) 62992980

1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 11 of 108

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- > Number of shift register stages: 9
- > Length of pseudo-random sequence: 29 -1 = 511 bits
- > Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overtear, available on request or accessible at http://www.ags.com/en/lams-and-Conditions for electronic Documents stubies to Terms and Conditions for Electronic Documents of the Terms and Conditions (Ferms-and-Conditions of Electronic Documents) as the Section of Terms-and-Conditions (Ferms-and-Conditions) Electronic Documents advised that information contained hereon reflects the Company's Indiangs at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excensive perfect to expression of the Company and their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized siteration, forgery or falsification of the company appearance of this document is unleavitul and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southur No. 6 Plant, No.1. Rurretning Road, Southur Industrial Park, Southur Anie, China (Jiangsa) Pilot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅集路1号的6号厂房商器 鄉樂: 215000

215000 1 (86–512) 62992980 215000 1 (86–512) 62992980

1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com


Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02


Rev.:

Page: 12 of 108



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



d in writing, this document is issued by the Company subject to its General Conditions of Service printed quest or accessible at http://www.ags.com/en/Terms-and-Conditions.aspix and, for electronic format documents, producing for Electronic Documents at Pilip.//www.ags.com/en/Terms-and-Conditions/Terms-and-Document.aspix Imitiation of Itability, Indemnification and jurisdiction issues defined therein. Any holder of this document is contained herson reflects the Company's finalings at the time of its intervention only and within the limits of any. The Company's sole responsibility is to its Client and this document does not exponerate perflex to a ting all their rights and obligations under the transaction documents. This document cannot be reproduced right and the provided of the Company. Any unauthorized siteration, forgery or falsification of the content or ment is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.:

Page: 13 of 108

4.3 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10: 2013					
Test Frequency Range:	150kHz to 30MHz					
Limit:	Fraguency range (MHz)	Limit (dl	BuV)			
	Frequency range (MHz)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	The mains terminal droom.	listurbance voltage test was	conducted in a shielded			
	 room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to 					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suchou Anse, China (Jangsu) Plot Free Trade Zone 2 1 5 0 0 0. 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区沟胜路1号的6号厂房南部 单编: 215000

1 (86-512) 62992980


1 (86-512) 62992980 www.sgsgroup.com.cn sgs.chlna@sgs.com



Report No.: HEWM2202000026RG02

Rev.:

Page: 14 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.appy and, for electronic Documents of http://www.ags.com/en/Terms-and-Conditions/Ter

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Anie, China (Jiangsu) Pilot Free Trade Zone 2.15000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区澳美路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980

1 (86-512) 62992980 www.sgsgroup.com.cn sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01


Page: 15 of 108

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2040	10.82	34.69	63.45	28.76	20.48	53.45	32.97	PASS
2	0.2490	10.80	33.82	61.79	27.97	19.11	51.79	32.68	PASS
3	0.2985	10.64	32.31	60.28	27.97	18.68	50.28	31.60	PASS
4	0.7035	10.58	34.32	56.00	21.68	23.31	46.00	22.69	PASS
5	12.3855	10.58	31.97	60.00	28.03	24.06	50.00	25.94	PASS
6	17.4300	10.48	28.10	60.00	31.90	20.38	50.00	29.62	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Unisss otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.asg.com/en/lams-and-Conditions.aspx and, for electronic Documents stubied to Terms and Conditions for Electronic Documents stubied to Terms and Conditions for Electronic Documents. As the stubies of the stream of of the stream

Southur Ho. 6 Part. Nr. / Rurehing Road, Suchou Infustrial Park. Suchou Anie, China (Jiangsu) Plot Free Trade Zone 中國 - 苏州 - 中國(江苏)自由與馬城衛区苏州片区苏州工业最区消養衛1号前6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

980 www.sgsgroup.com.cn 980 sgs.chlna@sgs.com




Report No.: HEWM2202000026RG02

Rev.:

Page: 16 of 108

Neutral Line:



Final	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1995	10.66	36.26	63.63	27.37	20.75	53.63	32.88	PASS
2	0.3030	10.76	34.50	60.16	25.66	19.15	50.16	31.01	PASS
3	0.3480	10.81	30.68	59.01	28.33	16.57	49.01	32.44	PASS
4	0.7305	10.81	31.40	56.00	24.60	15.82	46.00	30.18	PASS
5	13.4205	10.62	34.16	60.00	25.84	24.44	50.00	25.56	PASS
6	18.4875	10.46	32.46	60.00	27.54	20.23	50.00	29.77	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Anie, China (Jiangsu) Pilot Free Trade Zone 2.15000. 中國-苏州-中國(江苏)自由與易威治区苏州片区苏州工业园区澳胜路1号的6号厂房南部 单编: 215000

1 (86-512) 62992980

1 (86-512) 62992980 www.sgsgroup.com.cn sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 17 of 108

4.4 Maximum Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(1)				
Test Method:	ANSI C63.10:2013 Section 7.8.5				
Test Setup:	PC Spectrum Analyzer O O O O O O O O O				
Test Instruments:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 18 of 108

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleef, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpi and, for electronic Documents of http://www.ags.com/en/Terms-and-Conditions/Terms-and-Documents-appeared to the subject to Terms and Conditions/Terms-and-Documents-appeared to the subject to Terms and Conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document of the company and the production of the company and production of this document are approved to the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unleavilu and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 19 of 108

4.6 Carrier Frequencies Separationy

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.2			
Test Setup:	SGS Test system Vector Signal Generator Spectrum Analyzer Communication Tester RF Control Unit Control Unit			
Test Instruments:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	2/3 of the 20dB bandwidth			
	Remark: the transmission power is less than 0.125W.			
Test Results:	Pass			
The detailed test data see: A	ppendix			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 20 of 108

4.7 Hopping Channel Number





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.ags.com/en/Terms-and-Conditions/T




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 21 of 108

4.8 Dwell Time





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.ags.com/en/Terms-and-Conditions/T



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 22 of 108

4.9 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)			
Test Method:	ANSI C63.10:2013 Section 7.8.6			
Test Setup:	PC Spectrum Analyzer O O O O O O O O O			
Instruments Used:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.			
Test Results:	Pass			
The detailed test data see: A	ppendix			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 23 of 108

4.10 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10:2013 Section 7.8.8				
Test Setup:	PC Spectrum Analyzer O O O O O O O O O				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02


Rev.:

Page: 24 of 108

4.11 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	15.209 and 15.205	5				
Test Method:	ANSI C63.10 :2013 Section 11.12						
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)						
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
88MHz-216MHz 150 43.5 Qua					3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit						
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.ags.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Arne, China (Jangsu) Pilot Fiee Trade Zone 2 1 5000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区沟盖路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 25 of 108




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be retested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Y axis positioning which it is worse case.
- j. Repeat above procedures until all frequencies measured was complete.
- k. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- The disturbance above 18GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

Test Configuration:

Measurements Below 1000MHz

- RBW = 120 kHz
- VBW = 300 kHz
- Detector = Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/farmi-and-Conditions.aspix and, for electronic Documents of Interface and Conditions of Terms and Conditions of Electronic Documents of Interface and Conditions of Electronic Documents and Electroni

South ut No. 6 Plant, No. 1. Rurething Road, Suchou Industrial Park, Suchou Aries, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由限易試验区苏州片区苏州工业园区英華首1号的6号厂房南部 郷第: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 26 of 108

	Page: 26 01 108
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10 Hz, when duty cycle is no less than 98 percent.
	VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its
	maximum power control level for the tested mode of operation.
Exploratory Test	Non-hopping transmitting mode with all kind of modulation and all kind of
Mode:	data type
	Charge + Transmitting mode.
	Through Pre-scan, find the
	DH5 of data type and GFSK modulation is the worst case.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode
	For below 1GHz part, through pre-scan, the worst case is the lowest channel.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	a see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Cond



Report No.: HEWM2202000026RG02


Rev.: 01

Page: 27 of 108

4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013					
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)			
Limit: Frequency Limit (dBuV/m) Rema						
	30MHz-88MHz	40.0	Quasi-peak Quasi-peak			
	88MHz-216MHz	43.5				
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Above 1GHz	54.0	Average Value			
	Above IGHZ	74.0	Peak Value			

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-end-Conditions/Tarme-End-Conditions/

Southruf No 6 Plant, No. 1. Runehmag Road, Suchou Industrial Park, Suchou Anne, China (Jiangsa) Plot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由限易試验区苏州片区苏州工业最区汽港路1号約6号厂房南部 郷第: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 28 of 108

	frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Y axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.			
Test Configuration:	Measurements Below 1000MHz			
Tool Cornigulation.	• RBW = 120 kHz			
	• VBW = 300 kHz			
	Detector = Peak			
	Trace mode = max hold			
	Peak Measurements Above 1000 MHz			
	RBW = 1 MHz			
	• VBW ≥ 3 MHz			
	Detector = Peak			
	Sweep time = auto			
	Trace mode = max hold			
	Average Measurements Above 1000MHz			
	• RBW = 1 MHz			
	VBW = 10 Hz, when duty cycle is no less than 98 percent.			
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum 			
	transmission duration over which the transmitter is on and is transmitting at its			
	maximum power control level for the tested mode of operation.			
	Non-hopping transmitting mode with all kind of modulation and all kind of			
Exploratory Test Mode:	data type			
	Charge + Transmitting mode.			
	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst			
Final Test Mode:	case.			
Filial 165t Widde.	Pretest the EUT at Charge + Transmitting mode,			
	Only the worst case is recorded in the report.			
Instruments Used:	Refer to section 6 for details			
Test Results:	Pass			
The detailed test data see	e: Appendix			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runehmag Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由與馬威斯区苏州片区苏州工业园区河铁路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 29 of 108

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±7.25 x 10 ⁻⁸
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±7.25 x 10 ⁻⁸
7	Conduction Emission	± 2.9dB (150kHz to 30MHz)
		± 3.13dB (9kHz - 30MHz)
	5	± 4.8dB (30MHz - 1GHz)
8	Radiated Emission	± 4.8dB (1GHz to 18GHz)
		± 4.8dB (Above 18GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeef, available on request or accessible at http://www.ags.com/en/Terms-end-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-end-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerned parties to e-transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisficietion of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results in the content or appearance of this document report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.:

Page: 30 of 108

Equipment List 6

o Equipment List								
	Tonscend Test System (for original report)							
F	Manufactura	Model No.	IN.	Cal. date	Cal.Due date			
Equipment	Manufacturer		Inventory No.	(yyyy-mm- dd)	(yyyy-mm- dd)			
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/5/8	2024/5/7			
Temperature and	MingGao	TH101B	SUWI-01-01-07	2021/2/20	2022/2/19			
humidity meter	WilligGao	ППОТВ	30001-01-01	2022/2/19	2023/2/18			
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2021/5/28	2022/5/27			
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2021/2/20	2022/2/19			
DC Fower Supply				2022/2/19	2023/2/18			
Measurement Software	Tonscend	JS1120-3 Test System V 2.6.88.0336	SUWI-02-09-09	NCR	NCR			
Radio Communication Analyzer	StarPoint	SP9500E	SUWI-01-28-01	2021/9/28	2022/9/27			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/4	2022/12/3			
Power Meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/4	2022/12/3			
Pulse power Sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/4	2022/12/3			

CE Test Equipment (for original report)							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/5/8	2024/5/7		
Artificial network	DOUDE & COUMA DZ	ENI\/216	SUWI-01-19-01	2021/2/20	2022/2/19		
Artificial network	ROHDE&SCHWARZ	ENV216	SUVVI-01-19-01	2022/2/19	2023/2/18		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021/2/20	2022/2/19		
Artificial network				2022/2/19	2023/2/18		
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		
Test receiver	DOLIDE & COLIMAD 7	ECD7	SUWI-01-10-01	2021/2/20	2022/2/19		
restreceiver	ROHDE&SCHWARZ	ESR7	30001-01-10-01	2022/2/19	2023/2/18		
Temperature and	MingGao	TH101B	SUWI-01-01-06	2021/2/20	2022/2/19		
humidity meter	9040		22111 31 01 00	2022/2/19	2023/2/18		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Sudhou Industrial Park, Sudhou Ame, China (Jangsu) Pilot Fiee Trade Zone 2 1 5 0 0 0 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区沟供路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980 sgs.chlna@sgs.com

1 (86-512) 62992980 www.sgsgroup.com.cn



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 31 of 108

rage. 3101100											
RSE Test Equipment (for new report)											
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date						
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7						
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/2/16	2023/2/15						
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27						
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/2/16	2023/2/15						
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15						
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15						
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13						
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2022/2/16	2023/2/15						
Amplifier	Amplifier Tonscend		SUWI-01-14-02	2022/2/16	2023/2/15						
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2022/2/16	2023/2/15						
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9						
Measurement Software	Tonscend	JS32-RE V3.0.0.3	SUWI-02-09-04	NCR	NCR						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.:

Page: 32 of 108

Photographs - EUT Constructional Details 7

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suchou Anie, China (Jengsu) Pilot Fies Trade Zone 2 1 5 0 0 0. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区沟供路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980 sgs.chlna@sgs.com

1 (86-512) 62992980 www.sgsgroup.com.cn



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 33 of 108

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.asa.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, a term of the conditions of lighting the conditions of the conditi

South ut No. 6 Part, No. 1. Ruretning Road, Suthou Infustrial Park, Suthou Arie, China (Jangsu) Plot Fier Trade Zore 215000 中國-苏州 - 中國(江苏)自由限易成治区苏州片区苏州工业园区为铁路1号的6号厂房南部 邮编: 215000

215000 1 (86–512) 6299

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 34 of 108

20dB Emission Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant9	2402	0.95	2401.54	2402.48		
		2441	0.95	2440.54	2441.48		
		2480	0.95	2479.54	2480.48		
2DH5	Ant9	2402	1.29	2401.37	2402.66		
		2441	1.29	2440.37	2441.66		
		2480	1.29	2479.37	2480.66		
3DH5	Ant9	2402	1.29	2401.36	2402.65		
		2441	1.30	2440.36	2441.65		
		2480	1.30	2479.36	2480.65		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 35 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's tindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 36 of 108



2DH5 Ant9 2402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Submitho Fig. Rushing (Submitho Fig. Subno Janes Chine (Jangsai) Plot Fiee Tinde Zone 215000 中国・苏州・中国(江苏)自由関系成計区苏州上立国区英雄高1号約6号 海南 単築: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 37 of 108



2DH5 Ant9 2480





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 38 of 108



3DH5 Ant9 2441



09:19:59 17.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1, Rumening Road, Suzhou Industrial Park, Suzhou Anne, China (Jangsu) Plot Free Trade Zone 中國 - 苏州 - 中國(江苏)自由與易成治区苏州片区苏州工业园区阅载路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 39 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.ags.com/en/Infames-and-Conditions-ags.com/en/Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and

Southruf No. 6 Plant, No. 1. Rureleng Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier India Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅载路1号约6号厂资商器 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 40 of 108

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant9	2402	0.852	2401.576	2402.429		
DH5		2441	0.854	2440.575	2441.429		
		2480	0.854	2479.574	2480.428		
	Ant9	2402	1.167	2401.417	2402.584		
2DH5		2441	1.166	2440.416	2441.583		
		2480	1.167	2479.415	2480.582		
	Ant9	2402	1.17	2401.420	2402.590		
3DH5		2441	1.17	2440.419	2441.589		
		2480	1.172	2479.418	2480.589		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 41 of 108

Test Graphs



09:05:43 17.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

300.0 kHz/

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅载路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 42 of 108



2DH5 Ant9 2402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlash, swallable on request or accessible at http://www.asp.com/en/Terms-en-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.aspx.com/en/Terms-en-Document.aspx

Schridt No. Fland, Pland, Suzhou, Machan Park, Suzhou, Ame, Chino (Amgau) Plat Free Trade Zone 215000 中国・苏州・中国(江苏)自由四周以前医元苏州下亚国区风兼路15的65厂度商事 柳樂: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 43 of 108



2DH5 Ant9 2480





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlash, swallable on request or accessible at http://www.asp.com/en/Terms-en-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.aspx.com/en/Terms-en-Document.aspx

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 44 of 108



3DH5 Ant9 2441





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlash, swallable on request or accessible at http://www.asp.com/en/Terms-en-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.aspx.com/en/Terms-en-Document.aspx

Schridt No. Fland, Pland, Suzhou, Machan Park, Suzhou, Ame, Chino (Amgau) Plat Free Trade Zone 215000 中国・苏州・中国(江苏)自由四周以前医元苏州下亚国区风兼路15的65厂度商事 柳樂: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 45 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.ags.com/en/Infames-and-Conditions-ags.com/en/Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and

Southurfloo Part, Nor J. Nursheng Road, Subrou Indiatrial Park, Subrou Ame, China (Amgau) Plot Free Trade Zone 215000 中國 - 苏州 - 中國 (江苏)自由贸易区营区苏州广区苏州工业园区周接高1号约6号厂房商部 鄉集: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 46 of 108

Maximum output power Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
		2402	12.80	≤30.00	PASS
DH5	Ant9	2441	13.40	≤30.00	PASS
		2480	13.19	≤30.00	PASS
	Ant9	2402	11.25	≤20.97	PASS
2DH5		2441	11.85	≤20.97	PASS
		2480	11.69	≤20.97	PASS
3DH5	Ant9	2402	11.56	≤20.97	PASS
		2441	11.91	≤20.97	PASS
		2480	11.74	≤20.97	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 47 of 108

Carrier frequency separation Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant9	Нор	1.142	≥0.950	PASS
DITIO	Ailta	Πορ	1.142	20.930	1 700
2DH5	Ant9	Нор	1.010	≥0.860	PASS
3DH5	Ant9	Нор	1.002	≥0.867	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 48 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, assisted to the control of th


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 49 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Somuri No. Plant, Part America, Souther Industrial Park, Suchos Ame, Chino (Amegai) Plot Free Trade Zone 215000 中國 - 苏州 - 中國 (江苏) 自由與風域管区苏州片区苏州工业园区风景等(15的区下度高多 鄉集: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 50 of 108

Time of occupancy Test Result

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant9	Нор	0.36	320	0.115	≤0.4	PASS
DH3	Ant9	Нор	1.62	160	0.259	≤0.4	PASS
DH5	Ant9	Нор	2.87	106.67	0.306	≤0.4	PASS
2DH1	Ant9	Нор	0.37	320	0.118	≤0.4	PASS
2DH3	Ant9	Нор	1.63	160	0.261	≤0.4	PASS
2DH5	Ant9	Нор	2.88	106.67	0.307	≤0.4	PASS
3DH1	Ant9	Нор	0.37	320	0.118	≤0.4	PASS
3DH3	Ant9	Нор	1.62	160	0.259	≤0.4	PASS
3DH5	Ant9	Нор	2.87	106.67	0.306	≤0.4	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 51 of 108

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01



10:03:59 17.02.2022

CF 2.441 GH



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southur/No (Plant, No.1, Runshang Road, Suchou Indiastrial Park, Suchou Anse, China (Jangsa) Pllot Fiew Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅集路1号的6号厂建商部 鄉集: 215000

NAME OF



Report No.: HEWM2202000026RG02

Rev.: 01



CF 2.441 GHz

alpaller with

HAMPHANIN



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.


est representation to be compressed in the party of the p


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅载路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 55 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

Schridt No. Fland, Pland, Suzhou, Machan Park, Suzhou, Ame, Chino (Amgau) Plat Free Trade Zone 215000 中国・苏州・中国(江苏)自由四周以前医元苏州下亚国区风兼路15的65厂度商事 柳樂: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 56 of 108

Number of hopping channels Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant9	Нор	79	≥15	PASS
2DH5	Ant9	Нор	79	≥15	PASS
3DH5	Ant9	Нор	79	≥15	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 57 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attending the region of the company of the


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 58 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.ags.com/en/Infames-and-Conditions-ags.com/en/Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and

Submitho Fig. Rushing (Submitho Fig. Subno Janes Chine (Jangsai) Plot Fiee Tinde Zone 215000 中国・苏州・中国(江苏)自由関系成計区苏州上立国区英雄高1号約6号 海南 単築: 215000



Report No.: HEWM2202000026RG02

Rev.:

Page: 59 of 108

Band edge measurements Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel	Result [dBm]	Limit [dBm]	Verdict
		Low	2402	11.41	-46.35	≤-8.59	PASS
		High	2480	11.75	-57.95	≤-8.25	PASS
DH5	Ant9	Low	Hop_2402	11.45	-64.14	≤-8.55	PASS
		High	Hop_2480	12.30	-61.7	≤-7.7	PASS
		Low	2402	8.68	-52.96	≤-11.32	PASS
		High	2480	9.15	-58.08	≤-10.85	PASS
2DH5	Ant9	Low	Hop_2402	7.09	-64.26	≤-12.91	PASS
		High	Hop_2480	9.28	-60.6	≤-10.72	PASS
		Low	2402	7.90	-49.8	≤-12.1	PASS
3DH5		High	2480	8.80	-57.64	≤-11.2	PASS
	Ant9	Low	Hop_2402	8.08	-64.99	≤-11.92	PASS
		High	Hop_2480	9.82	-62.22	≤-10.18	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 60 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's tindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 61 of 108



DH5_Ant9_High_Hop_2480



10:09:53 17.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)




Report No.: HEWM2202000026RG02

Rev.: 01

62 of 108 Page:





09:16:25 17.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Arne, China (Jangsu) Pilot Fiee Trade Zone 2 1 5000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区闽铁路1号的6号厂房南部 邮编: 2.15000


1 (86-512) 6299298() www.sasgroup.com.cn sgs.chlna@sgs.com 1 (86-512) 62992980




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 63 of 108





(I) business I (I)-thing forecast

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)




Report No.: HEWM2202000026RG02

Rev.:

64 of 108 Page:





09:40:57 17.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Arne, China (Jangsu) Pilot Fiee Trade Zone 2 1 5000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区闽铁路1号的6号厂房南部 邮编: 2.15000

1 (86-512) 6299298() www.sasgroup.com.cn sgs.chlna@sgs.com 1 (86-512) 62992980




Report No.: HEWM2202000026RG02

Rev.: 01

65 of 108 Page:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions_aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Arne, China (Jangsu) Pilot Fiee Trade Zone 2 1 5000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区闽铁路1号的6号厂房南部 邮编: 2.15000 1 (86-512) 6299298() www.sasgroup.com.cn sgs.chlna@sgs.com 1 (86-512) 62992980



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 66 of 108

Conducted Spurious Emission Test Result

- 44	Antenna	Frequency[MHz]	FreqRange	RefLevel	Result	Limit	
TestMode			[MHz]	[dBm]	[dBm]	[dBm]	Verdict
		2402	Reference	12.07	12.07		PASS
			30~1000	12.07	-57.23	≤-7.93	PASS
			1000~26500	12.07	-49.13	≤-7.93	PASS
			Reference	12.61	12.61		PASS
DH5	Ant9	2441	30~1000	12.61	-57.46	≤-7.39	PASS
			1000~26500	12.61	-46.46	≤-7.39	PASS
			Reference	12.36	12.36		PASS
		2480	30~1000	12.36	-57.65	≤-7.64	PASS
			1000~26500	12.36	-51.98	≤-7.64	PASS
	Ant9	2402	Reference	8.78	8.78		PASS
			30~1000	8.78	-56.9	≤-11.22	PASS
			1000~26500	8.78	-51.04	≤-11.22	PASS
		Ant9 2441 2480	Reference	9.45	9.45		PASS
2DH5			30~1000	9.45	-57.85	≤-10.55	PASS
			1000~26500	9.45	-51.02	≤-10.55	PASS
			Reference	9.44	9.44		PASS
			30~1000	9.44	-57.68	≤-10.56	PASS
			1000~26500	9.44	-51.68	≤-10.56	PASS
		2402	Reference	8.77	8.77		PASS
			30~1000	8.77	-57.88	≤-11.23	PASS
			1000~26500	8.77	-52.01	≤-11.23	PASS
3DH5		2441	Reference	9.44	9.44		PASS
	Ant9		30~1000	9.44	-57.58	≤-10.56	PASS
			1000~26500	9.44	-51.57	≤-10.56	PASS
		2480	Reference	9.46	9.46		PASS
			30~1000	9.46	-58	≤-10.54	PASS
			1000~26500	9.46	-51.95	≤-10.54	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarme-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx, Attention is storewn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended purifies to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration (riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

Southurtho 6 Plant, Mar. 1, Rurretning Road, Suchou Industrial Park, Suchou Anne, Chima (Jangsu) Plot Fier Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区汽酰路1号的6号厂度南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 67 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 68 of 108





09:05:49 17.02.2022




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

Southruf No. 6 Plant, No. 1, Rumening Road, Suzhou Industrial Park, Suzhou Anne, China (Jangsu) Plot Free Trade Zone 中國 - 苏州 - 中國(江苏)自由與易成治区苏州片区苏州工业园区阅载路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01



09:06:17 17.02.2022

1.0 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, assisted to the control of th


Southurtho 6 Plant, No. 1, Rumaning Road, Suchou Industrial Park, Suchou Anne, China (Hangsu) Plot Free Trade Zone 215000中國 - 苏州 - 中国(江苏)自由现易试验区苏州片区苏州工业园区阅载路1号的6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 70 of 108



DH5 Ant9 2480 30~1000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 71 of 108








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

South of No. 6 Plant, No. 1, Rurehang Road, Suthou Industrial Park, Suthou Anse, China (Jangsu) Plot Free Inde Zone 215000 中国 - 苏州 - 中国 - 艾井 | 自由限制成验区苏州片区苏州工业最区为维路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01





1.0 GHz

09:11:32 17.02.2022

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, assisted to the control of th


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 73 of 108



2DH5 Ant9 2441 30~1000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中國 - 苏州 - 中國(江苏)自由國易威能区苏州片区苏州工业园区阅集路1号的6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 74 of 108



2DH5 Ant9 2480 0~Reference





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com


Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1, Rumening Road, Suzhou Industrial Park, Suzhou Anne, China (Jangsu) Plot Free Trade Zone 中國 - 苏州 - 中國(江苏)自由與易成治区苏州片区苏州工业园区阅集路1号的6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 76 of 108



3DH5 Ant9 2402 30~1000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arns, China (Jangsu) Plot Fier Inde Zone 中國 - 苏州 - 中國(江苏)自由國易威能区苏州片区苏州工业园区阅集路1号的6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com


Member of the SGS Group (SGS SA)




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 77 of 108



3DH5 Ant9 2441 0~Reference





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southur/No (Plant, No.1, Runshang Road, Suchou Indiastrial Park, Suchou Arne, China (Jangsa) Pllot Fiew Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅集路1号的6号厂建商部 鄉集: 215000



Report No.: HEWM2202000026RG02

01

78 of 108 Page:



Ref Level 25.00 dBm Offset 4.50 dB = RBW 100 kHz Att 30 dB SWT 255 ms = VBW 300 kHz

09:20:50 17.02.2022

1.0 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Arne, China (Jangsu) Pilot Fiee Trade Zone 2 1 5000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区闽铁路1号的6号厂房南部 邮编: 2.15000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com


26.5 GHz




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 79 of 108



3DH5 Ant9 2480 30~1000





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attending the region of the company of the


Submurito N Print - Nurdeng Roat, Subrau Hakathal Park Subrau Anano, Olma (Amgan) Plot Fee Tinde Zone 215000 中国・苏州・中国(江苏)自由四馬以前医万州ド区苏州工业园区河胜高1号約6号「海南部 柳集: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 80 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any uneuthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 81 of 108

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
		2402	2.89	3.76	76.86	1.14
DH5	Ant9	2441	2.89	3.76	76.86	1.14
		2480	2.89	3.76	76.86	1.14
		2402	2.89	3.76	76.86	1.14
2DH5	Ant9	2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
		2402	2.89	3.75	77.07	1.13
3DH5	Ant9	2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document_aspx. Attention is dorwn to the limitation of liability, indemnification and jurisdiction issues defined inherin. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any uneuthorized alteration (rigger or faisification of ine content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 82 of 108

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sas.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, attention, its properties of the control of

Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 83 of 108



2DH5 Ant9 2402





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

South of No. 6 Plant, No. 1, Rurehang Road, Suchou Industrial Park, Suchou Anse, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由国际试验区苏州片区苏州工业园区英铁路1号的6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com


Member of the SGS Group (SGS SA)



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 84 of 108



2DH5 Ant9 2480



*

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan


Southruf No. 6 Plant, No. 1. Rurelming Road, Suchou Industrial Park, Suchou Arne, China (Jangsu) Plot Fier Inde Zone 215000 中國 - 苏州 - 中國(江苏)自由國易威治区苏州片区苏州工业园区周维路1号约6号厂房南部 邮编: 215000




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 85 of 108



3DH5 Ant9 2441





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

Submit No. Plant, Part, Furnitors, Road, Submit Industrial Park, Submit No. Plant, Part, Furnitor Zone 215000 中国・新州・中国(江苏)自由限別は管区方州ド区苏州工业国区汽鉄商15約65厂湾南部 柳集: 215000



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 86 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sqs.com/en/fferms-and-Conditions.aspx.and, for electronic format documents, attention, the limitation of leiching Common of the company of the compan

Submit No. Plant, Part, Furnitors, Road, Submit Industrial Park, Submit No. Plant, Part, Furnitor Zone 215000 中国・新州・中国(江苏)自由限別は管区方州ド区苏州工业国区汽鉄商15約65厂湾南部 柳集: 215000



Report No.: HEWM2202000026RG02


Rev.: 01

Page: 87 of 108

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: GFSK _LF



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	41.64	40.23	-22.32	17.91	40.00	22.09	174	141	Horizontal					
2	76.8025	41.29	-26.14	15.15	40.00	24.85	236	322	Horizontal					
3	86.26	45.59	-26.75	18.84	40.00	21.16	288	151	Horizontal					
4	118.0275	38.33	-24.13	14.20	43.50	29.30	249	141	Horizontal					
5	178.41	45.12	-20.58	24.54	43.50	18.96	210	182	Horizontal					
6	350.585	37.29	-20.29	17.00	46.00	29.00	177	41	Horizontal					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions_agpx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of <a href="http://www.ags.com/en/Tarms-and-Conditions-Terms-and-Con



Report No.: HEWM2202000026RG02

Rev.: 01

Page: 88 of 108



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	38.245	51.59	-22.51	29.08	40.00	10.92	133	350	Vertical					
2	41.64	52.33	-22.32	30.01	40.00	9.99	199	1	Vertical					
3	50.855	42.59	-22.69	19.90	40.00	20.10	142	79	Vertical					
4	86.0175	43.29	-26.73	16.56	40.00	23.44	184	67	Vertical					
5	90.625	41.89	-26.90	14.99	43.50	28.51	264	67	Vertical					
6	178.6525	41.47	-20.57	20.90	43.50	22.60	231	158	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available an request or accessible at http://www.ags.com/en/farms-and-Conditions.ags); and, for electronic Documents of Intelligence and and, for electronic Documents of Intelligence and a conditions for Electronic Documents and Intelligence and Conditions for Electronic Documents and Applications and Intelligence and Intelli




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 89 of 108

Transmitter emission above 1GHz 802.GFSK_Channel 00



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4804.0000	48.12	-13.21	34.91	74.00	39.09	142	283	Horizontal					
2	4804.0000	-	-	17.86	54.00	36.14	-	-	Horizontal					
3	7206.0000	46.48	-6.84	39.64	74.00	34.36	251	99	Horizontal					
4	7206.0000	ı	-	22.59	54.00	31.41	-	-	Horizontal					
5	9608.0000	42.06	-1.22	40.84	74.00	33.16	233	32	Horizontal					
6	9608.0000	-	-	23.79	54.00	30.21	-	-	Horizontal					






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 90 of 108

802.GFSK Channel 00



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4804.0000	48.97	-13.21	35.76	74.00	38.24	148	81	Vertical					
2	4804.0000	ı	-	18.71	54.00	35.29	-	-						
3	7206.0000	46.23	-6.84	39.39	74.00	34.61	194	148	Vertical					
4	7206.0000	ı	-	22.34	54.00	31.66	-	ı						
5	9608.0000	42.19	-1.22	40.97	74.00	33.03	172	166	Vertical					
6	9608.0000	-	-	23.92	54.00	30.08	-	-						






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 91 of 108

802.GFSK Channel 39



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4882.0000	49.40	-12.98	36.42	74.00	37.58	233	4	Horizontal					
2	4882.0000		-	19.37	54.00	34.63	-	-	Horizontal					
3	7323.0000	45.51	-7.14	38.37	74.00	35.63	152	281	Horizontal					
4	7323.0000	-	-	21.32	54.00	32.68	-	-	Horizontal					
5	9764.0000	38.13	-1.21	36.92	74.00	37.08	166	198	Horizontal					
6	9764.0000	-	-	19.87	54.00	34.13	-	-	Horizontal					






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 92 of 108

802.GFSK Channel 39



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4882.0000	50.14	-12.98	37.16	74.00	36.84	144	200	Vertical					
2	4882.0000	-	-	20.11	54.00	33.89	ı	-						
3	7323.0000	46.24	-7.14	39.10	74.00	34.90	125	152	Vertical					
4	7323.0000	-	-	22.05	54.00	31.95	ı	-						
5	9764.0000	39.08	-1.21	37.87	74.00	36.13	206	67	Vertical					
6	9764.0000	-	-	20.82	54.00	33.18	-	-						






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 93 of 108

802.GFSK Channel 78



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4960.0000	49.84	-12.83	37.01	74.00	36.99	245	115	Horizontal					
2	4960.0000	-	-	19.96	54.00	34.04	-	-	Horizontal					
3	7440.0000	47.65	-6.83	40.82	74.00	33.18	197	268	Horizontal					
4	7440.0000	-	-	23.77	54.00	30.23	-	-	Horizontal					
5	9920.0000	38.88	-0.93	37.95	74.00	36.05	182	317	Horizontal					
6	9920.0000	-	-	20.90	54.00	33.10	-	-	Horizontal					






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 94 of 108

802.GFSK Channel 78



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4960.0000	50.32	-12.83	37.49	74.00	36.51	233	165	Vertical					
2	4960.0000	-	-	20.44	54.00	33.56	-	-						
3	7440.0000	46.55	-6.83	39.72	74.00	34.28	148	114	Vertical					
4	7440.0000	ı	-	22.67	54.00	31.33	-	ı						
5	9920.0000	39.55	-0.93	38.62	74.00	35.38	269	147	Vertical					
6	9920.0000	-	-	21.57	54.00	32.43	-	-						





Report No.: HEWM2202000026RG02

Rev.: 01


Page: 95 of 108

Test on the worst case:

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: GFSK _LF



Final	Data List								
NO.	Frequency	Reading	Factor	QP Value	QP Limit	QP Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Folality
1	35.8994	43.07	-17.36	25.71	40.00	14.29	106	4	Horizontal
2	99.9967	34.65	-16.57	18.08	43.50	25.42	211	196.9	Horizontal
3	144.0109	37.93	-19.91	18.02	43.50	25.48	268	55	Horizontal
4	216.4819	31.16	-15.12	16.04	46.00	29.96	275	360	Horizontal
5	530.5563	25.12	-7.43	17.69	46.00	28.31	218	125	Horizontal
6	828.0729	24.88	-2.44	22.44	46.00	23.56	188	220.7	Horizontal






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 96 of 108



Final	Final Data List													
NO.	Frequency	Reading	Factor	QP Value	QP Limit	QP Margin	Height	Angle	Polarity					
1101	[MHz]	[dBµV]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	· Olamy					
1	34.6955	37.72	-17.65	20.07	40.00	19.93	162	328.2	Vertical					
2	52.4800	32.10	-14.68	17.42	40.00	22.58	154	11.4	Vertical					
3	107.9971	33.56	-16.69	16.87	43.50	26.63	178	248.1	Vertical					
4	144.0276	34.61	-19.91	14.70	43.50	28.80	214	356.6	Vertical					
5	240.0663	28.43	-14.39	14.04	46.00	31.96	185	146.1	Vertical					
6	900.9189	24.79	-1.35	23.44	46.00	22.56	217	47.4	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available an request or accessible at http://www.ags.com/en/farms-and-Conditions.ags); and, for electronic Documents of Intelligence and and, for electronic Documents of Intelligence and a conditions for Electronic Documents and Intelligence and Conditions for Electronic Documents and Applications and Intelligence and Intelli

Southur/No (Plant, No.1, Runshang Road, Suchou Indiastrial Park, Suchou Arne, China (Jangsa) Pllot Fiew Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区阅集路1号的6号厂建商部 鄉集: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

Member of the SGS Group (SGS SA)




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 97 of 108

Transmitter emission above 1GHz GFSK_Channel 00



Data	List								
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	5
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	4804	51.18	-12.33	38.85	74.00	35.15	162	280	Horizontal
2	4804	-	-	14.07	54.00	39.93	162	280	Horizontal
3	7206	48.85	-5.91	42.94	74.00	31.06	188	341	Horizontal
4	7206	-	-	18.16	54.00	35.84	188	341	Horizontal
5	9608	42.77	0.49	43.26	74.00	30.74	164	0	Horizontal
6	9608	-	-	18.48	54.00	35.52	164	0	Horizontal






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 98 of 108

GFSK_Channel 00



Data	Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Folanty			
1	4804	50.38	-12.33	38.05	74.00	35.95	162	198	Vertical			
2	4804	-	-	13.27	54.00	40.73	162	198	Vertical			
3	7206	48.92	-5.91	43.01	74.00	30.99	175	74	Vertical			
4	7206	-	-	18.23	54.00	35.77	175	74	Vertical			
5	9608	43.72	0.49	44.21	74.00	29.79	264	340	Vertical			
6	9608	-	-	19.43	54.00	34.57	264	340	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available an request or accessible at http://www.ags.com/en/farms-and-Conditions.ags); and, for electronic Documents of Intelligence and and, for electronic Documents of Intelligence and a conditions for Electronic Documents and Intelligence and Conditions for Electronic Documents and Applications and Intelligence and Intelli




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 99 of 108

GFSK_Channel 78



Data	Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovitu			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	4960	49.25	-12.41	36.84	74.00	37.16	162	217	Horizontal			
2	4960	-	-	12.06	54.00	41.94	162	217	Horizontal			
3	7440	46.35	-5.36	40.99	74.00	33.01	186	53	Horizontal			
4	7440	-	-	16.21	54.00	37.79	186	53	Horizontal			
5	9920	43.69	1.29	44.98	74.00	29.02	261	158	Horizontal			
6	9920	-	-	20.20	54.00	33.80	261	158	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available an request or accessible at http://www.ags.com/en/farms-and-Conditions.ags); and, for electronic Documents of Intelligence and and, for electronic Documents of Intelligence and a conditions for Electronic Documents and Intelligence and Conditions for Electronic Documents and Applications and Intelligence and Intelli




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 100 of 108

GFSK_Channel 78



Data	Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	4960	49.58	-12.41	37.17	74.00	36.83	294	301	Vertical			
2	4960	-	-	12.39	54.00	41.61	294	301	Vertical			
3	7440	46.53	-5.36	41.17	74.00	32.83	186	0	Vertical			
4	7440	-	-	16.39	54.00	37.61	186	0	Vertical			
5	9920	45.14	1.29	46.43	74.00	27.57	362	217	Vertical			
6	9920	-	-	21.65	54.00	32.35	362	217	Vertical			






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 101 of 108

Restricted bands around fundamental frequency GFSK Channel 00



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2342.8033	39.72	3.09	42.81	74.00	31.19	266	147	Horizontal			
2	2342.8033	ı	-	25.76	54.00	28.24	-	-	Horizontal			
3	2386.7	39.63	3.07	42.70	74.00	31.30	266	147	Horizontal			
4	2386.7	ı	-	25.65	54.00	28.35	-	-	Horizontal			
5	2402.0000	100.38	3.08	103.46	-	-	266	147	Horizontal			
6	2402.0000	-	-	86.41	-	-	-	-	Horizontal			






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 102 of 108

GFSK Channel 00



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2361.3933	38.87	3.08	41.95	74.00	32.05	125	245	Vertical			
2	2361.3933	-	-	24.90	54.00	29.10	-	-	Vertical			
3	2389.17	39.07	3.07	42.14	74.00	31.86	125	245	Vertical			
4	2389.17	-	-	25.09	54.00	28.91	-	-	Vertical			
5	2402.0000	98.71	3.08	101.79	-	-	125	245	Vertical			
6	2402.0000	-	-	84.74	-	-	-	-	Vertical			






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 103 of 108

GFSK Channel 78



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.0000	97.05	3.57	100.62	-	-	147	182	Horizontal		
2	2480.0000	-	-	83.57	-	-	-	-	Horizontal		
3	2483.5000	42.97	3.60	46.57	74.00	27.43	147	182	Horizontal		
4	2483.5000	ı	-	29.52	54.00	24.48	-	ı	Horizontal		
5	2493.4075	39.98	3.66	43.64	74.00	30.36	147	182	Horizontal		
6	2493.4075	-	-	26.59	54.00	27.41	-	-	Horizontal		






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 104 of 108

GFSK Channel 78



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.0000	95.76	3.57	99.33	-	-	235	115	Vertical				
2	2480.0000	ı	-	82.28	-	-	-	-	Vertical				
3	2483.5000	38.89	3.60	42.49	74.00	31.51	235	115	Vertical				
4	2483.5000	ı	-	25.44	54.00	28.56	-	ı	Vertical				
5	2491.105	40.15	3.64	43.79	74.00	30.21	235	115	Vertical				
6	2491.105	-	-	26.74	54.00	27.26	-	-	Vertical				






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 105 of 108

Test on the worst case:

Restricted bands around fundamental frequency GFSK_Channel 00



Data List											
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity		
1	2335.1417	42.37	3.03	45.40	74.00	28.60	112	33	Horizontal		
2	2335.1417	-	-	20.62	54.00	33.38	112	33	Horizontal		
3	2372.8109	42.46	3.19	45.65	74.00	28.35	112	33	Horizontal		
4	2372.8109	-	-	20.87	54.00	33.13	112	33	Horizontal		
5	2402	99.01	3.31	102.32	-	-	112	33	Horizontal		
6	2402	-	-	77.54	-	-	112	33	Horizontal		






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 106 of 108

GFSK_Channel 00



Data	Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dalavitu			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	2336.3121	41.75	3.03	44.78	74.00	29.22	362	154	Vertical			
2	2336.3121	-	-	20.00	54.00	34.00	362	154	Vertical			
3	2386.4221	41.90	3.24	45.14	74.00	28.86	362	154	Vertical			
4	2386.4221	-	-	20.36	54.00	33.64	362	154	Vertical			
5	2402	92.91	3.31	96.22	-	-	362	154	Vertical			
6	2402	-	-	71.44	-	-	362	154	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.ags.com/en/Infames-and-Conditions-ags.com/en/Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditions-and-Conditions-Infames-and-Conditi




Report No.: HEWM2202000026RG02

Rev.: 01

Page: 107 of 108

GFSK_Channel 78



Data	Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	D 1 1			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	2480	103.25	3.88	107.13	-	-	103	22	Horizontal			
2	2480	-	-	82.35	-	-	103	22	Horizontal			
3	2483.5	44.94	3.91	48.85	74.00	25.15	103	22	Horizontal			
4	2483.5	-	-	24.07	54.00	29.93	103	22	Horizontal			
5	2485.075	44.04	3.92	47.96	74.00	26.04	103	22	Horizontal			
6	2485.075	-	-	23.18	54.00	30.82	103	22	Horizontal			






Report No.: HEWM2202000026RG02

Rev.: 01

Page: 108 of 108

GFSK_Channel 78



Data	Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevite			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	2480	97.63	3.88	101.51	-	-	332	241	Vertical			
2	2480	-	-	76.73	-	-	332	241	Vertical			
3	2483.5	45.31	3.91	49.22	74.00	24.78	332	241	Vertical			
4	2483.5	-	-	24.44	54.00	29.56	332	241	Vertical			
5	2484.6549	42.96	3.92	46.88	74.00	27.12	332	241	Vertical			
6	2484.6549	-	-	22.10	54.00	31.90	332	241	Vertical			

The End

