


EMC Technologies Report Number: M040124_Cert_Onion_Atheros_BT

APPENDIX L2 - PEAK POWER SPECTRAL DENSITY - 802.11g



Peak Power Spectral Density – Channel 1

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	20 dB
5 dBm	-7.18 dBm	VBW	30 kHz		
5 dBm	2.41197745 GHz	SWT	100 s	Unit	dBm




Date: 12.FEB.2004 09:41:37



Peak Power Spectral Density – Channel 6

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	20 dB
5 dBm	-8.47 dBm	VBW	30 kHz		
5 dBm	2.43697745 GHz	SWT	100 s	Unit	dBm




Date: 12.FEB.2004 09:29:03



Peak Power Spectral Density – Channel 11

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	20 dB
5 dBm	-8.49 dBm	VBW	30 kHz		
5 dBm	2.46197685 GHz	SWT	100 s	Unit	dBm




Date: 12.FEB.2004 09:07:53



Peak Power Spectral Density – Channel 6 (TURBO)

Max/Ref Lvl	Marker 1 [T1]	RBW	3 kHz	RF Att	20 dB
5 dBm	-13.94 dBm	VBW	30 kHz		
5 dBm	2.43697806 GHz	SWT	100 s	Unit	dBm



Date: 12.FEB.2004 09:36:07

