

Page: 1 of 23

RF EXPOSURE REPORT

OF

Applicant: Huawei Technologies Co., Ltd.

Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C.

Product Name: Smart Phone

Brand Name: HUAWEI

Model No.: VOG-L04

Model Difference: N/A

Report Number: E2/2019/10031-01

FCC ID: QISVOG-L04

FCC Rule Part: Part 2.1091

Issue Date: Jan. 28, 2019

Date of Test: Jan. 16, 2019 ~ Jan 28, 2019

Date of EUT Received: Dec. 28, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation in this report is in compliance with FCC Rules Part 2.

The test results of this report relate only to the tested sample identified in this report.

Marcus Tseng

Tested By:

Marcus Tseng / Sr. Engineer

Approved By:

Yeh John / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Allem A has a si

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 2 of 23

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
E2/2019/10031	Rev.00	Initial creation of document	All	Jan. 25, 2019	Karen Huang
E2/2019/10031-01	Rev.01	Update measurement data and information	Page 3, 6~23	Jan. 28, 2019	Karen Huang



No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 3 of 23

GENERAL INFORMATION

Product Description

General:

Product Name:	Smart Phone		
Brand Name:	HUAWEI		
Model No.:	VOG-L04		
Model Difference:	N/A		
Hardware Version:	HL2VOGUEM		
Software Version:	9.1.0.42(C792E10R1P4)		
	3.82V		
Input Rated Voltage	Battery: 1. Model No.: HB486486ECW, SN: 6DUNACI724G00064 Supplier: HuaweiTechnologies Co., Ltd 2. Model No.: HB486486ECW, SN: 5WNDAYI726 X00085 Supplier: HuaweiTechnologies Co., Ltd		

Wireless Charging:

Operating Frequency	110kHz-148kHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 www.tw.sgs.com



Page: 4 of 23

MAXIMUM PERMISSIBLE EXPOSURE (MPE)

1.1 Standard Applicable

According to KDB 680106 D01 RF Exposure Wireless Charging App v03

RF exposure potential to users and bystanders is expected to vary according to factors inherent to the design of individual systems, which generally requires different evaluation considerations to show compliance.

When exposure concerns arise; for example, due to evolving products and operations, RF exposure evaluation may be requested under the provisions of Sections 1.1307 (c) and (d) to determine compliance. Because of significant variations in design and operating characteristics, the procedures required to evaluate RF exposure compliance for wireless power transfer are considered according to the exposure potentials of individual implementations

The RF exposure requirements must be determined in conjunction with the device operating characteristics, according to the mobile and portable exposure requirements in Sections 2.1091 and 2.1093 of the rules. SAR and MPE limits do not cover the frequency range for wireless power transfer applications which operate below 100 kHz and 300 kHz respectively; therefore, RF exposure compliance needs to be determined with respect to Sections 1.1307 (c) and (d) of the FCC rules.

Limits for Maximum Permissive Exposure (MPE)

Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m. A KDB inquiry is required to determine the applicable exposure limits below 100 kHz.

TABLE 1-LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
	(A) Limits for (Occupational/Controlled Exp	osure	
0.3-3.0	614	1.6	3 *100	6
3.0-30	1842/	f 4.89/	/f *900/f ²	6
30-300	61.4	0.16	3 1.0	6
300-1,500			f/300	6
1,500-100,000			5	6
	(B) Limits for Gene	ral Population/Uncontrolled	Exposure	
0.3-1.34	614	1.6	3 *100	30
1.34-30	824/	f 2.19	/f *180/f ²	30
30-300	27.5	0.07	3 0.2	30
300-1,500			f/1500	30
1,500-100,000	Lp 3		1.0	30

f = frequency in MHz * = Plane-wave equivalent power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 5 of 23

The Worst Charging Condition:

Ancillary Equipment	Charging Condition	Verdict
Load	90% Loading	PASS
Load	50% Loading	PASS
Load	10% Loading	PASS

Note: For Wireless Power Consortium Qi specification, a lower operating frequency or high duty cycle result in the transfer of a higher amount of power and charging current.


Measurement Procedure:

The electric and magnetic field strength result at 10 cm from the top surface and all applicable edges surrounding the DUT while it is actively charging conditions at 10% 50% and 90% are included.

Measurement Equipment Used:

EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
E-field probe	W&G	EF-0691	G-0061	02/22/2018	02/21/2019

Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 6 of 23

Maximum Permissible Exposure (MPE) Evaluation:

(For Battery SN: 6DUNACI724G00064)

90% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)		
Front	10 cm	1.41	0.035		
Back	10 cm	1.43	0.034		
Left	10 cm	1.5	0.038		
Right	10 cm	1.53	0.045		
Тор	10 cm	1.28	0.043		
Bottom	10 cm	1.57	0.043		
Limit		614	1.63		

50% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)		
Front	10 cm	1.34	0.031		
Back	10 cm	1.48	0.034		
Left	10 cm	1.3	0.038		
Right	10 cm	1.75	0.046		
Тор	10 cm	1.48	0.039		
Bottom	10 cm	1.63	0.038		
Limit		614	1.63		

10% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)	
Front	10 cm	1.38	0.036	
Back	10 cm	1.46	0.035	
Left	10 cm	1.4	0.037	
Right	10 cm	1.62	0.043	
Тор	10 cm	1.37	0.042	
Bottom	10 cm	1.59	0.042	
Limit		614	1.63	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the

transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 f (886-2) 2298-0488



Page: 7 of 23

Spot check data:

(For Battery SN: 5WNDAYI726 X00085)

90% Loading

Maximum Permissible Exposure				
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)	
Front	10 cm	0.46	0.011	
Back	10 cm	0.59	0.011	
Left	10 cm	0.66	0.015	
Right	10 cm	0.69	0.022	
Тор	10 cm	0.44	0.020	
Bottom	10 cm	0.73	0.020	
Limit		614	1.63	

50% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)		
Front	10 cm	0.47	0.009		
Back	10 cm	0.64	0.011		
Left	10 cm	0.46	0.015		
Right	10 cm	0.91	0.023		
Тор	10 cm	0.64	0.016		
Bottom	10 cm	0.79	0.015		
Limit		614	1.63		

10% Loading

Maximum Permissible Exposure					
Probe from EUT Side	Test Distance	E-field (V/m)	H-field (A/m)		
Front	10 cm	0.52	0.014		
Back	10 cm	0.62	0.012		
Left	10 cm	0.56	0.014		
Right	10 cm	0.78	0.020		
Тор	10 cm	0.53	0.019		
Bottom	10 cm	0.75	0.019		
Limit 614 1.63					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Left And Michigan Michigan

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

f (886-2) 2298-0488



Page: 8 of 23

APPENDIX A. CERTIFICATE OF CALIBRATION



DARE!! Calibrations
Calibration services

Vijzeimoleniaan 7 3447 GX Woerden The Netherlands Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

CERTIFICATE OF CALIBRATION

For

SGS Taiwan Limited

On behalf of:

EMC Instruments corporation 1F, No.8, Lane38 WenSan 3rd street Kwei-Shan Hsiang Taoyuan Hsien

Instrument

E-field probe

manufacture

Narda / Wandel & Goltermann EF-0691 + NBM-550

G-0061 + F-0375 150000331

type serial number

Calibration method:

The calibration is carried out according to IEC 61000-4-3 (2006-02) + A1 (2007-11) + A2 (2010-03).

The instrument was allowed to acclimatize for at least 2 hours before any measurements were made.

During calibration, all axis of the field probe are switched on as in the normal isotropic mode of operation of the probe.

Up to 150 MHz, the calibration is performed in a TEM cell. The calculated field method is used for the calibration

The calibration of frequencies from 200 MHz is carried out in a full anechoic room. Over the frequency range of 200 MHz to 1000 MHz, the standard transfer method is used. For frequencies from 1200 MHz, the calculated field method is used.

The polarization of the E-field is vertical. For each frequency and field strength setting, the field probe is rotated so that each position is aligned with the E-field. The position under test is always perpendicular to the direction of propagation and parallel to the E-field.

Page 13 and 14 describes the orientation of the DUT during calibration.

Applied field strength

Correction Factor =

Measured field strength

Position 1: probe horizontal, perpendicular to the field, display horizontal (up). Probe head aligned with center of the antenna, probe box to the right.

Position 2: probe horizontal, perpendicular to the field, display aligned vertical, to the front facing the antenna. Probe head aligned with center of the antenna, probe box to the right.

Position 3: probe horizontal, perpendicular to the field, display horizontal (down). Probe head aligned with center of the antenna, probe box to the right.

Certificate number 201800190.00

The Rued voor Accorditatio is one of the signatories of the Multilanus Agreement of the European Co-operation for Accorditation (EA) the the natural recognition of calibration partification. Reproduction of the complete certificate is allowed. Plate of the certificate may only be reproduced with written approval of the

Page / of 1
This certificate is issued provided that settler DARE!!
Californious our the Rand were Assemblate does assure are

Dijkstra Advice, Research & EMC Services B.V. KVK Utracht 30 88675 Rabobank Utrachtse Waarden e.o. IBAN: NL19RABOO158313704 • SWIFT code RABONL2U Eort-number: NL805613468 VAT number: NL805613468.B01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 9 of 23



DARE!! Calibrations Calibration services

Vilzelmoleniaan 7 3447 GX. Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@date.nl

The linearity is compared to the limits given by the IEC 61000-4-3 standard as mentioned at page 15.

The calibration was carried out in a screened room, at an ambient temperature of (23 ± 2) °C and a relative humidity of (50 ± 10) %. Ambient conditions:

Period of calibration: 2018 February, 20 to 2018 February, 22.

2019 February, 22 Thue date:

Results:


The results are listed on page 3 to 11. The results of comparisons with specifications are shown in the column 'Remarks'

Reported statements comply with ILAC-G8 (2009-03): 'Guidelines on the Reporting of Compliance with Specification'. The following remarks can be reported:

Case 1 - 'Pass' or no remark if: (a) The measurement result is within (or below) the specification limit when the measurement uncertainty is taken into account.

Case 4 - 'Out of specs.' if: (b) The measurement result is outside (or above) the specification limit when the measurement uncertainty is taken into account Case 2 & 3 - 'Border value' if:

(c) It is not possible to state compliance using a 95% coverage probability for the expanded uncertainty.



No adjustments have been made to the instrument. The measured values were calculated from a single sample.

Uncertainty:

The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k = 2, which for a normal distribution corresponds to a coverage probability of approximately 95%. The standard uncertainty of measurement has been ed in accordance with EA publication EA-4/02.

Certificate number 201800190 00

Page 2 of 15

tro Advice, Research & EMC Services B.V. KVK Utrecht 301 38675 Rabobank Utrechtse Waarden e.u. BAN: NL19RABO0158313704 + SWIFT code RABONLZU nber: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 10 of 23



DARE!! Calibrations Calibration services

3447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl

The uncertainties refer to the measured values only with no account being taken of the ability of the instruments under test to maintain their calibration.

Traceability:

The measurements have been executed using standards for which the traceability to (inter)national standards has been demonstrated towards the RvA.

Equipment list 9 kHz -

Description	Identification	Certificate number	Last calibration date
Signal Generator	ID 7431	RvA K063/201800341.00	January 16, 2018
Power meter	ID 1247	RvA K063/201605321.00	November 29, 2016
Power head	ID 1248	RvA K063/201605321.00	November 29, 2016
RF Amplifier	ID 7304	-/No cal required	
Coupler	ID 7432	RvA K063/201800384.00	February 7, 2018
TEM cell	ID 1073	-/No cal required	
Attenuator 30dB	ID 1313	RvA K063/201800016.00	January 11, 2018
Termination 50 ohms, N-type	ID 1545	/No cal required	-
Radicentre, Siemens	ID 7407	/-/No cal required	-

Equipment list 200 MHz - 40 GHz

Description	Identification	Certificate number	Last calibration date
Signal Generator	ID 7430	RvA K063/201800340.00	January 17, 2018
Signal Generator	ID 7340	RvA K063/201700904.00	March 8, 2017
RF Amplifier	ID 1334	-/No cal required	
RF Amplifier	ID 1163	-/No cal required	18
RF Amplifier	ID 1164	-/No cal required	-
RF Amplifier	ID 1347	-/No cal required	E 1 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Power head	ID 7406	RvA K063/201700916.00	March 13, 2017
Attenuator 20dB	ID 7462	RvA K063/201800018.00	January 11, 2018
Coupler	ID 1005	RvA K063/201703746.00	August 30, 2017
Coupler	ID 7446	RvA K063/201706907.00	November 21, 2017
Antenna Log periodic 200 –	ID 1387	-/No cal required	-
1000 MHz			
Antenna Horn 1.12 -1.70 GHz	ID 7395	-/No cal required	-
Antenna Horn 1.70 -2.60 GHz	ID 7499	-/No cal required	8
Antenna Horn 2.60 -3.95 GHz	ID 7498	-/No cal required	-
Antenna Horn 3.95 -5.85 GHz	ID 7447	-/No cal required	-
Antenna Horn 5.85 -8.20 GHz	ID 7448	-/No cal required	-
Antenna Horn 8.20 - 12.40 GHz	ID 7449	-/No cal required	ŧ.
Antenna Horn 12.4	ID 7450	-/No cal required	-

ber 201800190.00

Dijhstra Advice, Research & EMC Services B.V. Dijkstra Advice, Research & EMC Services B.V.
KW, Utrech Sol 38675
Rabobank Utrechde Waarden e.d.
IBAN: NL19RABOD158313704 + SWIFT code RABONI2U
EGH-Iumber: NL8056.13.468.B01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 11 of 23



DARE!! Calibrations Calibration services

Vijzelmolenlaan 7 3447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

Description - 18.0 GHz	Identification	Certificate number	Last calibration date
Antenna Horn 18.0 -26.5 GHz	ID 7477	-√No cal required	
Antenna Horn 26.5 -40.0 GHz	ID 7478	-/No cal required	
Field sensor	ID 7457	NPL/2017090186-2	October 2017
Field sensor	ID 7273	NPL/2017090186-1	October 2017
Anechoic Room	ID 7092	-/No cal required	8
A Party of Party and Party		Did - George Standard et	October 2017

Date

Calibrated by

Checked by

2018 February, 22

Rodrigw

D. van der Vlugt



Certificate number 201800190.00

Page 4 of 15

Dijkstre Advice, Research & EMC Services B.V. KVK Utrecht 30138675 Rabobank Urrechtse Waarden 4:0: IBAN: N.19RABO0158313704 + SWIFT code RABONLZU Eori-number: NL805613468 VAT number: NL805613468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Page: 12 of 23



DARE!! Calibrations Calibration services

Vijzelmolenlaan 7 3447 GX. Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe linearity (Position 1)

Frequency: 50 MHz Range: range less

APPLIED FIELD [V/m]	MEASURED FIELD [V/m]	LINEARITY ± UNCERTAINTY	REMARKS DUE TO SPECIFICATIONS	CORRECTION FACTOR
2,99	2,60	$(0.0 \pm 1.2) \text{ dB}$	Border value	1,15
3,34	2,92	$(0.0 \pm 1.1) dB$	Border value	1,15
3,75	3,27	$(0.0 \pm 1.1) \text{ dB}$	Border value	1,15
4,23	3,69	$(0.0 \pm 1.0) dB$	Border value	1,15
4,76	4,15	$(0.0 \pm 0.9) dB$	Border value	1,15
5,30	4,61	$(0.0 \pm 0.9) dB$	Border value	1,15
6,00	5,22	0 dB (Reference)		1,15
6,73	5,85	$(0.0 \pm 0.8) \text{ dB}$	Border value	1,15
7,55	6,56	$(0.0 \pm 0.8) \text{ dB}$	Border value	1,15
8,45	7,34	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,15
9,51	8,27	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,15
10,67	9,26	$(0.0 \pm 0.7) dB$	Border value	1,15
11,97	10,40	$(0.0 \pm 0.7) dB$	Border value	1.15

Certificate number 201800190.00

Page 5 of 15

Dijkstre Advice, Research & EMC Services B.V. KvK Utrecht 30138675 Rabobank Utrechtse Waarden e.o. BAN: NL19RABC0158313704 • SWIFT code RABONLZU Eori-number: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 13 of 23



DARE!! Calibrations Calibration services

3447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe linearity (Position 2)

Frequency: 50 MHz Range: range less

APPLIED FIELD [V/m]	MEASURED FIELD [V/m]	LINEARITY ± UNCERTAINTY	REMARKS DUE TO SPECIFICATIONS	CORRECTION FACTOR
2,99	2,74	$(0.0 \pm 1.2) \text{ dB}$	Border value	1,09
3,35	3,07	$(0.0 \pm 1.1) \text{ dB}$	Border value	1,09
3,76	3,44	$(0.0 \pm 1.0) dB$	Border value	1,09
4,22	3,85	$(0.0 \pm 0.9) dB$	Border value	1,10
4,73	4,33	$(0.0 \pm 0.9) dB$	Border value	1.09
5,32	4,85	$(0.0 \pm 0.8) \text{ dB}$	Border value	1,10
5,95	5,43	0 dB (Reference)		1,10
6,67	6,09	$(0.0 \pm 0.8) \text{ dB}$	Border value	1,09
7,49	6,83	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,10
8,38	7,66	$(0.0 \pm 0.7) dB$	Border value	1.09
9,42	8,60	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,10
10,58	9,65	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,10
11,87	10,82	$(0.0 \pm 0.7) \text{ dB}$	Border value	1,10

Certificate number 201800190.00

Page 6 of 15

Dijkstra Advice, Research & EMC Services B.V. KvK Utrecht 301 38675 Rabotanik Utrechtse Waarden e.o. IBAN: N.19RABO0158319704 • SWIFT code RABONL2U Eori-number: N.805613468 VAT number: N.8056.13,468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 14 of 23



DARE!! Calibrations Calibration services

3447 GX Woerden The Netherlands

Tel.+31 348 431 807 Fax +31 348 430 645 www.dare.nl cal brations@dare.nl

APPLIED FIELD	MEASURED FIELD	LINEARITY ± UNCERTAINTY	REMARKS DUE TO SPECIFICATIONS	FACTOR
[V/m]	[V/m]	(0.0 - 1.0) 40	Bushandar	
3,02	2,65	$(0.0 \pm 1.2) dB$	Border value	1,14
3,35	2,94	$(0.0 \pm 1.1) dB$	Border value	1,14
3,75	3,29	$(0,0 \pm 1,1) dB$	Border value	1,14
4,25	3,73	$(0.0 \pm 1.0) dB$	Border value	1,14
4,77	4,20	$(0.0 \pm 0.9) dB$	Border value	1,14
5,35	4,71	$(0.0 \pm 0.9) \text{ dB}$	Border value	1,14
5,99	5,26	0 dB (Reference)		1,14
6.72	5.91	$(0.0 \pm 0.8) dB$	Border value	1.14
7,53	6.62	$(0.0 \pm 0.8) dB$	Border value	1.14
8.44	7,42	$(0.0 \pm 0.7) dB$	Border value	1.14
9.48	8.34	$(0.0 \pm 0.7) dB$	Border value	1.14
10.64	9.35	$(0.0 \pm 0.7) dB$	Border value	1.14

 $(0.0 \pm 0.7) \, dB$

Certificate number 201800190.00

Page 7 of 15

Dijkstra Advice, Research & EMC Services B.V. XVX Utrecht 30138675 Rabobank Utrechtse Waarden e.g. BAN: NL19RAB00158313764 + SWIFT code RABONL2U mber: NL805613468 number: NL8056.13,468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 15 of 23



DARE!! Calibrations Calibration services

Vijzeimolenlaan 7 3447 GX Woerden Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe frequency response

Frequency range: 100 kHz - 150 MHz

Probe orientation: monopole in the same plane as E-field

Septum height: 0,45 m Range rangeless Applied field: 6 V/m

FREQUENCY [MHz]	MEASU [V/m]	RED FIEL	D	CF ± UNCERTAINTY			AVERAGE CF
5-1-23	Pos 1	Pos 2	Pos 3	Pos 1	Pos 2	Pos 3	
0,1	3,9	4,5	4,8	$1,53 \pm 0,27$	$1,33 \pm 0,23$	$1,27 \pm 0,22$	1,38
0,2	5,1	5,8	5,8	$1,19 \pm 0,21$	$1,05 \pm 0,18$	$1,02 \pm 0,18$	1,09
0,3	5,4	6,1	6,0	$1,10 \pm 0,19$	0.99 ± 0.17	0.99 ± 0.17	1,03
0.4	5,6	6,1	5,9	$1,07 \pm 0,19$	0.98 ± 0.17	$1,00 \pm 0,18$	1,02
0,5	5,6	6.1	5,9	1.06 ± 0.19	0.99 ± 0.17	1.02 ± 0.18	1,02
0,6	5.7	6,1	5,8	$1,05 \pm 0,19$	0.99 ± 0.18	1.03 ± 0.18	1.03
0,7	5,7	5,9	5,6	$1,06 \pm 0,19$	$1,01 \pm 0,18$	$1,06 \pm 0,19$	1,04
8,0	5,6	5,9	5,6	1.06 ± 0.19	1.02 ± 0.18	$1,07 \pm 0,19$	1,05
0,9	5,6	5,9	5,6	$1,06 \pm 0,19$	$1,03 \pm 0,18$	1.09 ± 0.19	1,06
1	5,6	5,8	5,4	$1,07 \pm 0,19$	$1,04 \pm 0,18$	1.09 ± 0.19	1,07
2	5,4	5,6	5,4	$1,11 \pm 0,19$	1.06 ± 0.19	1.11 ± 0.20	1,09
3	5,3	5,6	5,3	$1,12 \pm 0,20$	$1,07 \pm 0,19$	$1,12 \pm 0,20$	1,10
4	5,3	5,6	5,3	$1,13 \pm 0,20$	1.07 ± 0.19	$1,12 \pm 0,20$	1,11
5	5,3	5,6	5,4	$1,13 \pm 0,20$	1.07 ± 0.19	1.11 ± 0.20	1,10
6	5,3	5,5	5,4	$1,13 \pm 0,20$	$1,07 \pm 0,19$	1.11 ± 0.20	1,11
7	5,3	5,6	5,4	1.13 ± 0.20	1.07 ± 0.19	1.11 ± 0.20	1,10
8	5,3	5,6	5,4	$1,12 \pm 0,20$	$1,07 \pm 0,19$	$1,11 \pm 0,20$	1,10
9	5,3	5,6	5,4	$1,12 \pm 0,20$	1.07 ± 0.19	1.11 ± 0.20	1,10
10	5,3	5,6	5,4	1.12 ± 0.20	1.07 ± 0.19	$1,11 \pm 0,19$	1,10
20	5,3	5,6	5,3	$1,13 \pm 0,20$	$1,07 \pm 0,19$	1.11 ± 0.20	1,10
30	5,3	5,5	5,4	$1,13 \pm 0,20$	1.08 ± 0.19	1.12 ± 0.20	1,11
40	5,2	5,5	5,3	$1,14 \pm 0,20$	1.08 ± 0.19	$1,13 \pm 0,20$	1,12
50	5,3	5,4	5,3	1.15 ± 0.20	1.09 ± 0.19	$1,13 \pm 0,20$	1,12
60	5,2	5,5	5,2	$1,15 \pm 0,20$	1.10 ± 0.19	$1,14 \pm 0,20$	1,13
70	5,2	5.4	5,3	1.15 ± 0.20	$1,10 \pm 0,19$	1.14 ± 0.20	1,13
30	5,2	5,4	5,2	1.15 ± 0.20	1.10 ± 0.19	1,14 ± 0,20	1,13
90	5,2	5,5	5,3	$1,14 \pm 0,20$	1.09 ± 0.19	$1,13 \pm 0,20$	1,12
100	5,3	5,5	5,3	1.14 ± 0.20	1.08 ± 0.19	$1,12 \pm 0,20$	1,11
150	5.3	5,5	5,3	1.13 ± 0.20	1.08 ± 0.19	1.12 ± 0.20	1,11

Certificate number 201800190.00

Page 8 of 15

Dijkstre Advice, Research & EMC Services B.V. KW Utracht 30138675 Rabobank Utrachtse Waarden e.o. BAN: NL19RAB00158313704 + SWIFT code RABONLIU Eori-number: NLB05613468 VAT number: NLB056,13.468.B01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 16 of 23



DARE!! Calibrations Calibration services

447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe frequency response

Frequency range: 200 MHz - 1 GHz

Probe orientation: monopole in the same plane as E-field

Antenna distance: 2,0 m Range: rangeless Applied field: 6 V/m

FREQUENCY [MHz]	MEASURED FIELD [V/m]			CF ± UNCERTAINTY			AVERAGE CF
	Pos 1	Pos 2	Pos 3	Pos 1	Pos 2	Pos 3	
200	5,5	5,7	5,5	$1,10 \pm 0,16$	$1,05 \pm 0,16$	1.09 ± 0.16	1,08
250	5,3	5,5	5,3	$1,12 \pm 0,17$	$1,09 \pm 0,16$	1.12 ± 0.17	1,11
300	5,4	5,6	5,4	1.11 ± 0.16	1.07 ± 0.16	$1,10 \pm 0,16$	1,10
350	5,6	5,7	5,5	1.09 ± 0.16	$1,06 \pm 0,16$	1.09 ± 0.16	1,08
400	5,5	5,5	5,5	1.10 ± 0.16	$1,09 \pm 0,16$	$1,10 \pm 0,16$	1,10
450	5,6	5,6	5,5	$1,07 \pm 0,16$	$1,07 \pm 0,16$	1.09 ± 0.16	1,08
500	5,6	5,8	5,5	1.07 ± 0.16	$1,04 \pm 0,15$	1.08 ± 0.16	1,06
550	5,8	6,0	5,8	$1,04 \pm 0,15$	$1,00 \pm 0,15$	1.03 ± 0.15	1,02
600	5,8	6,0	5,7	$1,05 \pm 0,16$	1.01 ± 0.15	1.05 ± 0.16	1,04
650	5,5	6.0	5,5	1.08 ± 0.16	1.01 ± 0.15	$1,10 \pm 0,16$	1,06
700	5,7	6,2	5,7	$1,07 \pm 0,16$	0.98 ± 0.15	1.06 ± 0.16	1,04
750	5,6	6,2	5,7	1.06 ± 0.16	0.96 ± 0.14	$1,05 \pm 0,16$	1,02
800	5,9	6,5	5,9	$1,02 \pm 0,15$	0.93 ± 0.14	1.03 ± 0.15	0,99
850	6,2	6,7	6,2	0.97 ± 0.14	0.90 ± 0.13	0.98 ± 0.14	0.95
900	5,9	6,3	5,9	1.02 ± 0.15	0.95 ± 0.14	$1,02 \pm 0,15$	1,00
950	5,6	5,8	5,6	1.08 ± 0.16	$1,04 \pm 0,15$	1.08 ± 0.16	1,07
1000	5.5	5.6	5,5	1.10 ± 0.16	1.07 ± 0.16	1.10 ± 0.16	1.09

Certificate number 201800190.00

Page 9 of 15

Dijkstra Advice, Research & EMC Services B.V. xvx Utrecht 30138675 Rabobank Utrechtse Waarden e.o. IBAN: NL19RAB00158313764 + SWIFT code RABONLZU Eori-number: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 17 of 23



DARE!! Calibrations Calibration services

Vijzeimolenlaan 7 3447 GX. Woerden The Netherlands

To. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe frequency response

Frequency range: 1200 MHz - 6000 MHz

Probe orientation: monopole in the same plane as E-field

Antenna distance: 1,0 m Range: rangeless Applied field: 6 V/m

FREQUENCY [MHz]	MEAST [V/m]	JRED FIE	LD	CF ± UNCERTAINTY			AVERAGE CF
	Pos 1	Pos 2	Pos 3	Pos 1	Pos 2	Pos 3	
1200	5,3	5,2	5,3	1.11 ± 0.16	$1,12 \pm 0.17$	1.11 ± 0.16	1,11
1400	5,3	5,6	5,2	$1,11 \pm 0,15$	$1,06 \pm 0,14$	$1,13 \pm 0,15$	1,10
1600	5,6	6,1	5,5	1.07 ± 0.14	0.97 ± 0.13	$1,07 \pm 0,14$	1,04
1800	5,6	5,8	5,5	1.08 ± 0.17	$1,02 \pm 0,16$	$1,08 \pm 0,17$	1,06
2000	5,3	5,4	5,3	$1,13 \pm 0.18$	1.12 ± 0.18	$1,13 \pm 0,18$	1,13
2200	5,4	5,6	5,4	1.09 ± 0.17	1.08 ± 0.17	$1,10 \pm 0,18$	1,09
2400	5,6	5,8	5,6	1.09 ± 0.17	$1,03 \pm 0,16$	1.07 ± 0.17	1.06
2600	5,8	6,3	5,8	1.04 ± 0.16	0.96 ± 0.15	1.03 ± 0.16	1,01
2800	5,8	5,9	5,8	1.03 ± 0.17	$1,00 \pm 0,16$	1.03 ± 0.17	1,02
3000	5,7	5,7	5,8	$1,06 \pm 0,17$	1.05 ± 0.17	1.04 ± 0.17	1,05
3200	5.5	5,5	5.5	1.10 ± 0.18	1.09 ± 0.17	1.09 ± 0.17	1.09
3400	5,3	5,8	5,4	1.13 ± 0.18	$1,03 \pm 0,16$	$1,11 \pm 0,18$	1,09
3600	5,6	6,1	5,7	1.07 ± 0.17	0.97 ± 0.15	$1,06 \pm 0,17$	1,03
3800	5,5	5,8	5,5	$1,08 \pm 0,17$	$1,03 \pm 0,16$	1.08 ± 0.17	1,06
4000	5,4	5,6	5,5	1.10 ± 0.17	$1,09 \pm 0,17$	1.09 ± 0.17	1,09
4200	5.3	5.3	5.3	1.12 ± 0.17	1.12 ± 0.17	1.13 ± 0.17	1.12
4400	5,3	5,6	5,4	1.12 ± 0.17	$1,06 \pm 0,16$	$1,10 \pm 0,17$	1,09
4600	4.9	5,4	4,9	1.20 ± 0.18	$1,10 \pm 0,17$	$1,21 \pm 0,18$	1,17
4800	4.8	5,2	4,8	$1,24 \pm 0,19$	1.15 ± 0.18	$1,24 \pm 0,19$	1,21
5000	4,9	5.1	4.8	1.19 ± 0.18	1.18 ± 0.18	1.21 ± 0.18	1.20
5200	4.7	4,8	4.7	$1,25 \pm 0,19$	$1,22 \pm 0,19$	$1,25 \pm 0,19$	1,24
5400	4.7	4,9	4.7	$1,26 \pm 0,19$	$1,21 \pm 0,18$	$1,28 \pm 0,19$	1,25
5600	4,5	4,8	4,6	$1,30 \pm 0,20$	$1,24 \pm 0,19$	$1,27 \pm 0,19$	1,27
5800	4.2	4.5	4,3	1.39 ± 0.21	$1,31 \pm 0.20$	1.38 ± 0.21	1,36
6000	4.2	4.4	4.2	1.40 ± 0.21	1.36 = 0.21	1.39 ± 0.21	1.38

Certificate number 201800190.00

Page 10 of 15

KVK Utrecht 30138675 Rabobank Utrechtse Waarden e.o. IBAN: NL19RAB00158313704 + SWIFT code RABONLZU Epri-number: NLB05613468 VAT number: NLB056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 18 of 23



DARE!! Calibrations Calibration services

3447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

E-field Probe is Applied field: 6				
FREQUENCY	MEASURED FIELD Position 1	MEASURED FIELD Position 2	MEASURED FIELD Position 3	ANISOTROPY ± UNCERTAINTY
[MHz]	[V/m]	[V/m]	[V/m]	[dB]
10	5,34 V/m	5,62 V/m	5,42 V/m	$(0.2 \pm 2.0) \text{ dB}$
100	5,28 V/m	5,54 V/m	5,34 V/m	$(0,2\pm2,0)$ dB
1000	5,5 V/m	5,6 V/m	5,5 V/m	$(0.1 \pm 1.8) \text{ dB}$

Certificate number 201800190.00

Dijkstra Advice, Research & EMC Services B.V. KW. Utrecht 30:138675 Rabobank Utrechtse Waarden e.o. IBAN: N.1.9RAB00158313764 + SWIFT code RABONLZU E05-number: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 19 of 23



DARE!! Calibrations Calibration services

3447 GX Woerden The Netherlands

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl



Certificate number 201800190.00

Page /2 of 15

Dijkstra Advice, Research & EMC Services B.V. KVK Utrecht 30138675 Rabobank Utrechtse Waarden n.o. IBAN: NL19RAB00158313704 • SWIFT code RABONL2U Eori-number: NL805613468 VAT number: NL8056.13.468.801






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Page: 20 of 23



Dijkstra Advice, Research & EMC Services B.V. KvK Utrecht 30138675 bank Utrechtse Waarden e.g. BAN: NL19RABO0158313704 + SWIFT code RABONL2U Eori-number: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Page: 21 of 23




DARE!! Calibrations Calibration services

3447 GX Woerden

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl callbrations@dare.nl

Probe orientation in anechoic room 200 MHz - 40 GHz (Top view)



Certificate number 201800190.00

Page /4 of 15







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 22 of 23



DARE!! Calibrations Calibration services

3447 GX. Woerden

Tel. +31 348 431 807 Fax +31 348 430 645 www.dare.nl calibrations@dare.nl

IEC 61000-4-3 (2006-02) + A1 (2007-11) + A2 (2010-03) specifications

Linearity check

Certificate number 201800190.00

Page 15 of 15

Dijkstre Advice, Research & EMC Services II.V. KW Utrecht 30138675 Rabobank Utrechtse Waarden e.o. IBAN: N.19RAB00158313704 • SWIFT code RABONLZU Eori-number: NL805613468 VAT number: NL8056.13.468.801





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 23 of 23

APPENDIX B. SYSTEM VALIDATION



	EMR-30 E-Field							
Ref.(V/M)	Meas.(V/M)	Result of Deviation(%)	Deviation range(%)					
0.8	0.73	8.75						
1.13	1.05	7.08	±10					
1.6	1.49	6.88						

PHOTOGRAPHS OF SET UP

Please refer to the attached file (Setup Photo)

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488