

<Flip-Open Mode>
(Antenna #0)

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)								
									Auto-Tune state 112	0	18	36	54	72	90	108	126
WCDMA BS	RMC 12.2Kbps	4182	836.4	N/A	N/A	Right Cheek	0mm	0.049	0.101	0.095	0.001	0.091	0.100	0.090	0.081	0.097	0.081
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 71	1	19	37	55	73	91	109	127
WCDMA BS	RMC 12.2Kbps	4182	836.4	N/A	N/A	Back	5mm	0.349	0.427	0.279	0.324	0.415	0.283	0.389	0.228	0.294	0.347
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 112	2	20	38	56	74	92	110	128
LTE B26(S)	QPSK	28865	831.5	1	0	Left Cheek	0mm	0.093	0.134	0.001	0.148	0.062	0.001	0.106	0.001	0.120	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 112	3	21	39	57	75	93	111	129
LTE B26(S)	QPSK	28865	831.5	1	0	Back	5mm	0.585	0.792	0.212	0.209	0.242	0.001	0.305	0.057	0.780	0.075
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 14	4	22	40	58	76	94	112	130
LTE B12	QPSK	23095	707.5	N/A	N/A	Right Cheek	0mm	0.136	0.159	0.071	0.001	0.080	0.001	0.001	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 44	5	23	41	59	77	95	113	131
LTE B12	QPSK	23095	707.5	N/A	N/A	Bottom Side	5mm	0.308	0.419	0.285	0.106	0.537	0.211	0.226	0.001	0.144	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 43	6	24	42	60	78	96	114	132
LTE B13	QPSK	23226	782	1	0	Right Cheek	0mm	0.118	0.236	0.053	0.001	0.070	0.001	0.167	0.064	0.159	0.117
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 82	7	25	43	61	79	97	115	133
LTE B13	QPSK	23230	782	25	0	Back	5mm	0.625	0.797	0.153	0.001	0.167	0.092	0.501	0.224	0.511	0.323
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 81	8	26	44	62	80	98	116	134
LTE B14	QPSK	23330	780	1	0	Right Cheek	0mm	0.148	0.178	0.001	0.001	0.056	0.001	0.174	0.066	0.166	0.072
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 113	9	27	45	63	81	99	117	135
LTE B14	QPSK	23330	780	1	0	Back	5mm	0.502	0.632	0.130	0.001	0.133	0.114	0.395	0.183	0.451	0.211
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 51	10	28	46	64	82	100	118	136
FR1 n26(S)	QPSK	186385	831.5	50	28	Right Cheek	0mm	0.097	0.135	0.001	0.073	0.001	0.001	0.010	0.051	0.058	0.073
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 107	11	29	47	65	83	101	119	137
FR1 n26(S)	QPSK	186385	831.5	50	28	Bottom Side	5mm	0.536	0.574	0.118	0.236	0.071	0.396	0.228	0.562	0.251	0.411
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 43	12	30	48	66	84	102	120	138
FR1 n12	QPSK	141500	707.5	1	1	Right Cheek	0mm	0.128	0.105	0.001	0.001	0.001	0.089	0.001	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 14	13	31	49	67	85	103	121	139
FR1 n12	QPSK	141500	707.5	1	1	Back	5mm	0.375	0.445	0.221	0.169	0.246	0.424	0.001	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 78	14	32	50	68	86	104	122	140
FR1 n13	QPSK	156400	782	1	1	Right Cheek	0mm	0.076	0.099	0.001	0.001	0.001	0.055	0.001	0.106	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 82	15	33	51	69	87	105	123	141
FR1 n13	QPSK	156400	782	25	14	Back	5mm	0.408	0.441	0.062	0.001	0.367	0.001	0.220	0.513	0.240	0.109
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 82	16	34	52	70	88	106	124	142
FR1 n14	QPSK	158600	780	25	14	Right Cheek	0mm	0.101	0.13	0.001	0.001	0.089	0.001	0.051	0.010	0.057	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 82	17	35	53	71	89	107	125	143
FR1 n14	QPSK	158600	780	25	14	Back	5mm	0.477	0.642	0.001	0.336	0.287	0.143	0.291	0.610	0.291	0.406

(Antenna #1)												
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S1	0	54	108
WCDMA B2	RMC 12.2Kbps	9400	1880	N/A	N/A	Left Cheek	0mm	0.043	0.057	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S1	1	55	109
WCDMA B2	RMC 12.2Kbps	9638	1907.6	N/A	N/A	Back	5mm	0.98	1.27	0.437	0.629	0.195
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S1	2	56	110
WCDMA B2	RMC 12.2Kbps	9400	1880	N/A	N/A	Back	0mm	1.95	2.35	0.341	0.925	0.349
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S1	3	57	111
WCDMA B4	RMC 12.2Kbps	1413	1732.6	N/A	N/A	Right Cheek	0mm	0.047	0.057	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S5	4	58	112
WCDMA B4	RMC 12.2Kbps	1413	1732.6	N/A	N/A	Back	5mm	1	1.5	0.325	0.827	0.425
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S5	5	59	113
WCDMA B4	RMC 12.2Kbps	1413	1732.6	N/A	N/A	Bottom Side	0mm	0.967	1.14	0.441	0.766	0.550
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 128	6	60	114
WCDMA B5	RMC 12.2Kbps	4182	896.4	N/A	N/A	Right Cheek	0mm	0.0403	0.113	0.001	0.109	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 128	7	61	115
WCDMA B5	RMC 12.2Kbps	4182	896.4	N/A	N/A	Back	5mm	0.448	0.5	0.060	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state S1	8	62	116
LTE B25(2)	QPSK	26340	1880	1	0	Left Cheek	0mm	0.028	0.05	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 27	9	63	117
LTE B25(2)	QPSK	26340	1880	50	0	Back	5mm	0.903	1.17	0.142	0.599	0.427
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 26	10	64	118
LTE B25(2)	QPSK	26340	1880	1	0	Bottom Side	0mm	1.1	1.55	0.256	0.820	0.556
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 128	11	65	119
LTE B26(5)	QPSK	26865	891.5	1	0	Right Cheek	0mm	0.051	0.09	0.001	0.001	0.074
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 128	12	66	120
LTE B26(5)	QPSK	26865	891.5	1	0	Back	5mm	0.574	0.615	0.101	0.602	0.085
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 103	13	67	121
LTE B7	QPSK	21100	2636	1	0	Left Cheek	0mm	0.04	0.05	0.001	0.061	0.055
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 102	14	68	122
LTE B7	QPSK	21100	2636	50	0	Bottom Side	5mm	0.989	1.38	1.190	1.280	1.300
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 102	15	69	123
LTE B7	QPSK	20850	2610	1	0	Bottom Side	0mm	1.06	1.17	0.656	0.855	0.895
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 135	16	70	124
LTE B12(17)	QPSK	23695	707.5	1	0	Right Cheek	0mm	0.072	0.125	0.086	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 135	17	71	125
LTE B12(17)	QPSK	23695	707.5	1	0	Back	5mm	0.404	0.471	0.001	0.075	0.080
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 94	18	72	126
LTE B13	QPSK	23230	782	1	0	Right Cheek	0mm	0.047	0.06	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 92	19	73	127
LTE B13	QPSK	23230	782	1	0	Bottom Side	5mm	0.437	0.541	0.362	0.153	0.246
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 96	20	74	128
LTE B14	QPSK	23330	793	1	0	Right Cheek	0mm	0.073	0.097	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 99	21	75	129
LTE B14	QPSK	23330	793	1	0	Back	5mm	0.468	0.522	0.200	0.198	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 103	22	76	130
LTE B30	QPSK	27710	2510	25	0	Left Thigh	0mm	0.045	0.001	0.001	0.001	0.001
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 12	23	77	131
LTE B30	QPSK	27710	2510	1	0	Back	5mm	0.999	1.45	1.070	0.751	0.304

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 103	24	78	132
LTE B30	QPSK	27710	2910	1	0	Bottom Side	0mm	1.4	1.98	0.886	1.110	1.380
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 103	25	79	133
LTE B41(38)P/E	QPSK	40620	2693	1	0	Left Cheek	0mm	0.034	0.063	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 133	26	80	134
LTE B41(38)P/E	QPSK	41490	2680	1	0	Bottom Side	5mm	0.923	1.86	0.554	1.560	1.850
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 143	27	81	135
LTE B41(38)P/E	QPSK	40620	2693	1	0	Back	0mm	1.76	2.26	0.893	1.560	1.970
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 84	28	82	136
LTE B48	QPSK	59830	3609	1	0	Left Tiled	0mm	0.05	0.1	0.001	0.061	0.065
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 12	29	83	137
LTE B48	QPSK	59340	3660	1	0	Bottom Side	5mm	0.633	0.994	0.511	0.721	0.596
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 136	30	84	138
LTE B71	QPSK	133322	683	1	0	Right Cheek	0mm	0.049	0.059	0.059	0.057	0.057
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 136	31	85	139
LTE B71	QPSK	133322	683	1	0	Back	5mm	0.271	0.322	0.001	0.001	0.312
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 51	32	86	
FR1 n252	QPSK	376500	1882.5	1	1	Right Cheek	0mm	0.017	0.001	0.001	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 51	33	87	
FR1 n252	QPSK	376500	1882.5	1	1	Back	5mm	0.874	1.41	0.585	0.64	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 51	34	88	
FR1 n252	QPSK	376500	1882.5	1	1	Back	0mm	1.13	1.41	0.69	0.765	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 36	35	89	
FR1 n265	QPSK	196300	831.5	50	28	Right Cheek	0mm	0.068	0.089	0.052	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 36	36	90	
FR1 n265	QPSK	196300	831.5	1	1	Back	5mm	0.379	0.519	0.519	0.203	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 104	37	91	
FR1 n7	QPSK	507000	2636	108	54	Left Tiled	0mm	0.044	0.069	0.001	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 135	38	92	
FR1 n7	QPSK	507000	2636	108	54	Back	5mm	0.93	1.36	1.02	0.98	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 135	39	93	
FR1 n7	QPSK	507000	2636	108	54	Back	0mm	2.29	2.79	2.27	2.32	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 132	40	94	
FR1 n12	QPSK	141500	707.5	1	1	Left Cheek	0mm	0.049	0.069	0.001	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 132	41	95	
FR1 n12	QPSK	141500	707.5	1	1	Back	5mm	0.38	0.455	0.001	0.149	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 89	42	96	
FR1 n13	QPSK	156400	782	1	1	Right Cheek	0mm	0.048	0.064	0.001	0.052	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 92	43	97	
FR1 n13	QPSK	156400	782	1	1	Back	5mm	0.229	0.397	0.161	0.36	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 89	44	98	
FR1 n14	QPSK	158800	793	1	1	Right Cheek	0mm	0.047	0.069	0.001	0.065	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 89	45	99	
FR1 n14	QPSK	158800	793	1	1	Back	5mm	0.225	0.385	0.001	0.362	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 12	46	100	
FR1 n30	QPSK	462000	2910	25	14	Left Cheek	0mm	0.033	0.058	0.001	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 12	47	101	
FR1 n30	QPSK	462000	2910	1	1	Back	5mm	0.978	1.34	0.738	0.311	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)			
									Auto-Tune state 12	48	102	
FR1 n30	QPSK	462000	2910	1	1	Back	0mm	1.92	2.28	1.91	0.987	

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 104	49	103
FR1 n41	QPSK	518598	2592.99	135	69	Left Thed	0mm	0.047	0.061	0.001	0.001

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 102	50	104
FR1 n41	QPSK	518598	2592.99	1	1	Back	5mm	0.593	1.57	0.911	1.51

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 102	51	105
FR1 n41	QPSK	518598	2592.99	1	1	Back	0mm	2.27	2.68	1.09	2.27

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 134	52	106
FR1 n71	QPSK	136100	680.5	1	1	Right Cheek	0mm	0.039	0.063	0.001	0.001

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 134	53	107
FR1 n71	QPSK	136100	680.5	1	1	Back	5mm	0.208	0.278	0.001	0.001

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 12	140	142
FR1 n48	QPSK	641656	3624.99	1	1	Right Cheek	0mm	0.036	0.066	0.011	0.016

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)		
									Auto-Tune state 12	141	143
FR1 n48	QPSK	641656	3624.99	1	1	Bottom Side	5mm	0.364	0.476	0.277	0.208

Body>1.2 (Antenna #0)																														
Mode	Service/Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state S1	Average Value of Time Sweep (W/kg)																				
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
WCDMA B2	RMC 12.2Kbps	9538	1907.6	N/A	N/A	Back	5mm	0.98	1.270	0.984	0.437	0.194	0.176	0.176	0.169	0.158	0.124	0.124	0.121	0.122	0.122	0.112	0.194	0.180	0.894	0.605	0.426	0.337	0.310	
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
										0.237	0.233	0.227	0.224	0.225	0.209	0.078	0.857	0.794	0.700	0.631	0.576	0.532	0.490	0.453	0.440	0.424	0.417	0.409	0.400	
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	
										0.409	0.384	0.372	0.361	0.333	0.993	0.549	0.370	0.279	0.275	0.261	0.270	0.962	0.795	0.687	0.629	0.582	0.553	0.531	0.519	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	
										0.501	0.488	0.478	0.470	0.460	0.453	0.447	0.451	0.440	0.418	0.417	0.393	0.527	0.422	0.385	0.375	0.367	0.361	0.358	0.353	
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	
										0.352	0.331	0.332	0.328	0.650	0.582	0.544	0.525	0.505	0.493	0.483	0.478	0.474	0.469	0.462	0.458	0.456	0.440	0.441	0.431	
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	
										0.161	0.172	0.175	0.177	0.182	0.184	0.186	0.186	0.196	0.195	0.197	0.206	0.324	0.335	0.298	0.319	0.334	0.345	0.353	0.358	
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	
										0.361	0.363	0.367	0.369	0.368	0.373	0.379	0.386	0.388	0.328	0.358	0.379	0.393	0.398	0.402	0.406	0.416	0.415	0.417	0.420	
										140	141	142	143																	
										0.438	0.437	0.437	0.444																	
WCDMA B4	RMC 12.2Kbps	1413	1732.6	N/A	N/A	Back	5mm	1	1.500	0.260	0.788	0.383	0.336	0.325	0.297	0.277	0.197	0.192	0.187	0.187	0.184	0.161	0.292	0.259	0.215	0.600	0.641	0.561	0.513	
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
										0.356	0.345	0.339	0.335	0.337	0.291	0.132	0.280	0.473	0.648	0.747	0.785	0.779	0.741	0.674	0.645	0.626	0.602	0.585	0.564	
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	
										0.579	0.519	0.484	0.465	0.393	0.513	0.981	0.659	0.406	0.395	0.352	0.329	0.329	1.030	1.130	1.070	0.988	0.902	0.827	0.795	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	
										0.752	0.706	0.677	0.649	0.625	0.603	0.582	0.601	0.550	0.502	0.490	0.481	1.480	1.070	0.785	0.708	0.654	0.609	0.598	0.574	
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	
										0.552	0.451	0.445	0.415	1.290	1.500	1.260	1.030	0.903	0.798	0.723	0.671	0.661	0.628	0.602	0.583	0.565	0.477	0.468	0.423	
										100	101	102	103	104	105	106	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										0.782	0.587	0.488	0.435	0.405	0.381	0.365	0.346	0.297	0.294	0.296	0.289	0.425	0.426	1.120	0.880	0.758	0.685	0.642	0.610	
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	
										0.584	0.566	0.555	0.546	0.537	0.528	0.478	0.479	0.458	1.020	0.814	0.694	0.623	0.584	0.549	0.524	0.508	0.502	0.492	0.484	
										140	141	142	143																	
										0.432	0.434	0.429	0.412																	
LTE B7	QPSK	21100	2535	1	0	Bottom Side	5mm	0.928	1.490	0.526	1.090	0.979	0.968	0.954	0.920	0.890	0.772	0.759	0.745	0.750	0.763	0.741	0.862	0.863	0.877	0.814	0.922	0.919	0.916	
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
										0.888	0.855	0.881	0.855	0.873	0.890	0.328	0.502	0.622	0.746	0.787	0.829	0.863	0.884	0.918	0.924	0.931	0.918	0.928	0.937	
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	
										0.929	0.951	0.939	0.961	0.988	0.481	0.807	0.942	0.897	0.871	0.899	0.326	0.496	0.629	0.734	0.794	0.862	0.887	0.886	0.902	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	
										0.912	0.915	0.905	0.937	0.935	0.958	0.966	0.943	0.953	0.961	0.962	1.000	0.496	0.829	0.956	0.956	0.948	0.963	0.950	0.948	
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	
										0.947	0.889	0.911	0.901	0.336	0.494	0.646	0.735	0.807	0.855	0.885	0.931	0.897	0.923	0.949	0.955	0.972	0.997	0.991	0.993	
										100	101	102	103	104	105	106	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										0.983	1.230	1.490	1.190	1.150	1.090	1.050	0.836	0.830	0.823	0.845	1.000	0.952	0.517	0.752	0.926	1.010	1.020	1.030	1.020	
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	
										1.030	1.010	1.020	1.020	0.989	0.958	0.966	0.952	0.357	0.545	0.701	0.798	0.860	0.925	0.956	0.994	0.976	1.000	1.060	1.030	
										140	141	142	143																	
										1.060	1.080	1.060	1.060																	
LTE B30	QPSK	27710	2310	1	0	Back	5mm	0.999	1.450	0.292	0.577	0.805	0.982	0.978	1.020	1.050	1.250	1.290	1.290	1.290	1.270	1.450	1.100	1.140	0.278	0.517	0.669	0.780	0.839	
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
										1.040	1.080	1.070	1.070	1.120	1.110	0.204	0.291	0.388	0.464	0.502	0.557	0.602	0.649	0.695	0.723	0.740	0.765	0.780	0.808	
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	
										0.750	0.838	0.853	0.859	0.890	0.244	0.471	0.752	1.040	1.090	1.120	0.181	0.265	0.341	0.421	0.466	0.535	0.589	0.619	0.617	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	
										0.850	0.673	0.710	0.726	0.768	0.766	0.784	0.746	0.791	0.846	0.872	0.896	0.211	0.403	0.566	0.626	0.692	0.751	0.720	0.768	
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	
										0.950	0.978	1.000	1.030	0.164	0.232	0.303	0.377	0.416	0.465	0.548	0.577	0.594	0.584	0.546	0.463	0.382	0.293	0.258	0.258	
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	
										0.226	0.356	0.502	0.643	0.735	0.841	0.924	1.000	1.360	1.360	1.400	1.120	1.140	0.209	0.315	0.434	0.516	0.590	0.651		
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	
										0.740	0.791	0.774	0.812	0.848	0.900	1.040	1.080	1.100	1.150	0.233	0.304	0.373	0.438	0.513	0.543	0.582	0.586	0.631	0.654	
										140	141	142	143																	
										0.805	0.837	0.832	0.853																	
LTE B41[38]HPPe	QPSK	41490	2680	1	0	Bottom Side	5mm	0.923	1.860	0.954	1.360	1.080	1.030	1.040	1.020	0.992	0.914	0.904	0.871	0.865	0.866	0.888	1.080	1.130	0.751	1.230	1.310	1.300	1.270	
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
										1.220	1.150	1.140	1.160	1.140	1.170	0.554	0.867	1.140	1.310	1.400	1.390	1.430	1.420	1.430	1.440	1.390	1.370	1.360		
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	
										1.430	1.430	1.360	1.340	1.360	0.783	1.350	0.360	1.220	1.230	1.240	0.625	0.963	1.250	1.400	1.450	1.530	1.490	1.570	1.480	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	
										1.480	1.490	1.660	1.420	1.440	1.470	1.460	1.490	1.470	1.450	1.410	1.450	1.070	1.650	1.670	1.650	1.620	1.600	1.610	1.610	
										80	81	82	83	84	85	86	87	88												

(Antenna #2)																
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B25(2)	QPSK	26580	1905	1	0	Right Cheek	0mm	0.931	Auto-Tune state 63	0	23	46	69	92	115	138
									1.03	1.030	0.455	0.424	0.458	0.301	0.355	0.412
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B25(2)	QPSK	26140	1860	1	0	Back	5mm	0.983	Auto-Tune state 63	1	24	47	70	93	116	139
									1.34	0.678	0.568	0.743	0.625	0.427	0.378	0.442
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B25(2)	QPSK	26140	1860	1	0	Top Side	0mm	1.7	Auto-Tune state 63	2	25	48	71	94	117	140
									2.41	1.330	1.210	2.000	1.280	0.831	0.552	1.030
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B66(4)	QPSK	132072	1770	1	0	Right Cheek	0mm	1	Auto-Tune state 63	3	26	49	72	95	118	141
									1.08	0.503	0.449	1.040	0.428	0.270	0.147	0.103
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B66(4)	QPSK	132322	1745	1	0	Back	5mm	0.722	Auto-Tune state 62	4	27	50	73	96	119	142
									0.904	0.135	0.129	0.284	0.126	0.079	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B66(4)	QPSK	132072	1770	1	0	Top Side	0mm	0.92	Auto-Tune state 143	5	28	51	74	97	120	143
									1.53	0.806	0.809	1.150	1.110	1.330	1.060	1.530
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B26(5)	QPSK	26865	831.5	1	0	Right Cheek	0mm	0.767	Auto-Tune state 83	6	29	52	75	98	121	
									1.15	1.120	1.130	1.140	1.150	1.130	1.110	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B26(5)	QPSK	26865	831.5	1	0	Top Side	5mm	0.384	Auto-Tune state 72	7	30	53	76	99	122	
									0.53	0.307	0.189	0.001	0.204	0.171	0.171	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B7	QPSK	20850	2510	1	0	Right Thigh	0mm	0.956	Auto-Tune state 132	8	31	54	77	100	123	
									1.11	0.605	0.637	0.829	0.408	0.652	0.618	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B7	QPSK	20850	2510	1	0	Back	5mm	0.936	Auto-Tune state 132	9	32	55	78	101	124	
									1.18	0.515	0.534	0.847	0.235	0.502	0.378	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B7	QPSK	21100	2535	1	0	Front	0mm	2.42	Auto-Tune state 62	10	33	56	79	102	125	
									2.84	2.780	2.660	2.560	2.620	2.060	2.450	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B12(17)	QPSK	23095	707.5	1	0	Right Cheek	0mm	0.22	Auto-Tune state 10	11	34	57	80	103	126	
									0.381	0.341	0.329	0.354	0.321	0.295	0.251	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B12(17)	QPSK	23095	707.5	1	0	Top Side	5mm	0.344	Auto-Tune state 26	12	35	58	81	104	127	
									0.425	0.222	0.001	0.100	0.069	0.001	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B13	QPSK	23230	782	1	0	Right Cheek	0mm	0.871	Auto-Tune state 13	13	36	59	82	105	128	
									1.39	1.390	0.239	0.196	0.326	0.001	0.057	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B13	QPSK	23230	782	1	0	Back	5mm	0.345	Auto-Tune state 31	14	37	60	83	106	129	
									0.387	0.326	0.001	0.151	0.141	0.062	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B14	QPSK	23330	793	1	0	Right Thigh	0mm	0.784	Auto-Tune state 11	15	38	61	84	107	130	
									1.13	1.010	0.151	1.060	0.691	0.077	0.190	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B14	QPSK	23330	793	1	0	Top Side	5mm	0.377	Auto-Tune state 11	16	39	62	85	108	131	
									0.504	0.166	0.001	0.125	0.430	0.201	0.001	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B30	QPSK	27710	2310	1	0	Right Cheek	0mm	0.961	Auto-Tune state 128	17	40	63	86	109	132	
									0.976	0.707	0.482	0.214	0.593	0.550	0.318	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B30	QPSK	27710	2310	1	0	Back	5mm	0.952	Auto-Tune state 124	18	41	64	87	110	133	
									1.4	0.650	0.417	0.119	0.791	1.210	0.924	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
LTE B30	QPSK	27710	2310	1	0	Front	0mm	2.5	Auto-Tune state 17	19	42	65	88	111	134	
									2.89	2.280	1.960	2.810	2.320	2.480	1.840	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
TE B41(BKHPUE)	QPSK	39750	2508	1	0	Right Thigh	0mm	0.94	Auto-Tune state 125	20	43	66	89	112	135	
									1.15	0.797	1.030	0.805	0.403	0.917	1.010	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
TE B41(BKHPUE)	QPSK	40185	2548.5	1	0	Back	5mm	0.868	Auto-Tune state 133	21	44	67	90	113	136	
									1.15	0.963	0.663	0.842	0.522	0.874	0.482	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 10g SAR (W/kg)	Average Value of Time Sweep (W/kg)							
TE B41(BKHPUE)	QPSK	40185	2548.5	1	0	Top Side	0mm	2.42	Auto-Tune state 134	22	45	68	91	114	137	
									2.93	2.910	2.560	2.780	2.600	2.780	1.790	

[illegible][illegible]

<Flip-Close Mode>

Head (Antenna #0)																									
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 107	0	9	18	27	36	45	54	63	72	81	90	99	108	117	126	135
WCDMA BS	RMC 12.2Mbps	4182	836.4	N/A	N/A	Back	5mm	0.302	0.555	0.398	0.156	0.001	0.001	0.446	0.108	0.501	0.218	0.522	0.212	0.505	0.213	0.428	0.142	0.484	0.486
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 107	1	10	19	28	37	46	55	64	73	82	91	100	109	118	127	136
LTE B06(S)	QPSK	26865	831.5	1	0	Back	5mm	0.759	0.921	0.209	0.120	0.683	0.584	0.330	0.081	0.457	0.319	0.529	0.226	0.402	0.339	0.499	0.224	0.248	0.555
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 14	2	11	20	29	38	47	56	65	74	83	92	101	110	119	128	137
LTE B12	QPSK	23095	707.5	1	0	Back	5mm	0.339	0.499	0.245	0.199	0.143	0.189	0.385	0.413	0.149	0.137	0.253	0.158	0.001	0.163	0.227	0.069	0.001	0.159
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 41	3	12	21	30	39	48	57	66	75	84	93	102	111	120	129	138
LTE B13	QPSK	23280	782	25	0	Back	5mm	0.402	0.543	0.173	0.089	0.097	0.152	0.219	0.058	0.001	0.186	0.121	0.279	0.071	0.308	0.516	0.219	0.095	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 82	4	13	22	31	40	49	58	67	76	85	94	103	112	121	130	139
LTE B14	QPSK	23330	793	1	0	Back	5mm	0.626	0.745	0.223	0.108	0.107	0.164	0.233	0.058	0.001	0.321	0.741	0.136	0.001	0.274	0.608	0.115	0.055	0.078
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 107	5	14	23	32	41	50	59	68	77	86	95	104	113	122	131	140
FR1 n06(S)	QPSK	166300	831.5	1	1	Back	5mm	0.532	0.806	0.388	0.052	0.081	0.101	0.122	0.001	0.111	0.217	0.485	0.001	0.001	0.236	0.306	0.603	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 14	6	15	24	33	42	51	60	69	78	87	96	105	114	123	132	141
FR1 n12	QPSK	141500	707.5	1	1	Back	5mm	0.0876	0.141	0.018	0.133	0.001	0.061	0.035	0.028	0.112	0.113	0.135	0.001	0.001	0.023	0.098	0.076	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 78	7	16	25	34	43	52	61	70	79	88	97	106	115	124	133	142
FR1 n13	QPSK	156400	782	1	1	Back	5mm	0.232	0.33	0.123	0.001	0.001	0.001	0.111	0.231	0.074	0.125	0.322	0.270	0.149	0.001	0.312	0.240	0.237	0.120
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 82	8	17	26	35	44	53	62	71	80	89	98	107	116	125	134	143
FR1 n14	QPSK	158800	793	1	1	Back	5mm	0.464	0.598	0.139	0.029	0.001	0.454	0.120	0.365	0.125	0.184	0.370	0.361	0.179	0.535	0.319	0.374	0.317	0.550

Head (Antenna #2)																									
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 63	0	9	18	27	36	45	54	63	72	81	90	99	108	117	126	135
LTE B26(2)	QPSK	26340	1880	1	0	Front	5mm	0.907	1.17	0.207	0.300	0.177	0.234	0.202	0.172	0.084	0.481	0.226	0.145	0.127	0.152	0.122	0.102	0.085	0.050
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 62	1	10	19	28	37	46	55	64	73	82	91	100	109	118	127	136
LTE B66(4)	QPSK	13202	1745	1	0	Front	5mm	0.536	0.891	0.112	0.141	0.084	0.121	0.001	0.129	0.050	0.060	0.104	0.070	0.084	0.075	0.056	0.001	0.051	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 73	2	11	20	29	38	47	56	65	74	83	92	101	110	119	128	137
LTE B26(5)	QPSK	26865	831.5	1	0	Bottom Side	5mm	0.336	0.362	0.266	0.280	0.146	0.163	0.056	0.065	0.001	0.141	0.577	0.217	0.166	0.001	0.374	0.060	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 132	3	12	21	30	39	48	57	66	75	84	93	102	111	120	129	138
LTE B7	QPSK	21100	2030	1	0	Front	5mm	1	1.46	0.410	0.344	0.441	0.401	0.526	0.379	0.543	0.455	0.348	0.456	0.463	0.310	0.507	0.538	0.547	0.195
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 26	4	13	22	31	40	49	58	67	76	85	94	103	112	121	130	139
LTE B12(17)	QPSK	23005	707.5	1	0	Bottom Side	5mm	0.294	0.364	0.059	0.078	0.112	0.068	0.134	0.147	0.086	0.077	0.069	0.123	0.115	0.098	0.105	0.113	0.059	0.067
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 13	5	14	23	32	41	50	59	68	77	86	95	104	113	122	131	140
LTE B13	QPSK	23200	782	1	0	Back	5mm	0.263	0.346	0.290	0.110	0.001	0.147	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.039	0.001	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 11	6	15	24	33	42	51	60	69	78	87	96	105	114	123	132	141
LTE B14	QPSK	23300	793	1	0	Bottom Side	5mm	0.422	0.509	0.052	0.084	0.001	0.001	0.001	0.001	0.001	0.058	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 103	7	16	25	34	43	52	61	70	79	88	97	106	115	124	133	142
LTE B30	QPSK	27710	2310	1	0	Front	5mm	0.937	1.6	0.296	0.198	0.277	0.228	0.168	0.145	0.121	0.290	0.251	0.251	0.262	0.200	0.265	0.478	0.148	0.101
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Average Value of Time Sweep (W/kg)																
									Auto-Tune state 105	8	17	26	35	44	53	62	71	80	89	98	107	116	125	134	143
LTE B41(38)4PUE	QPSK	38750	2008	1	0	Front	5mm	0.932	1.24	0.356	0.407	0.388	0.259	0.426	0.439	0.313	0.379	0.418	0.218	0.404	0.455	0.381	0.456	0.365	0.225

Body大于1.2 (Antenna #0)

Mode	Service/ Modulation	Channel	Frequency y (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 85	Average Value of Time Sweep (W/kg)																			
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
WCDMA B4	RMC 12.2kbps	1312	1712.4	N/A	N/A	Back	5mm	0.983	1.290	0.060	0.436	0.183	0.136	0.125	0.097	0.077	0.197	0.192	0.187	0.187	0.184	0.059	0.015	0.400	0.441	0.361	0.313	0.501	0.413
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										0.156	0.145	0.139	0.196	0.137	0.091	0.132	0.280	0.473	0.448	0.547	0.585	0.579	0.541	0.474	0.445	0.426	0.402	0.385	0.364
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										0.379	0.319	0.284	0.265	0.193	0.267	0.781	0.459	0.206	0.195	0.152	0.129	0.503	0.930	0.810	0.789	0.703	0.627	0.595	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										0.552	0.506	0.477	0.449	0.425	0.403	0.382	0.395	0.350	0.302	0.290	0.221	1.280	0.870	0.585	0.508	0.454	0.409	0.398	0.374
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										0.352	0.251	0.245	0.215	0.090	1.290	1.060	0.830	0.703	0.642	0.523	0.474	0.460	0.428	0.402	0.383	0.365	0.377	0.268	0.223
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										0.582	0.387	0.288	0.235	0.205	0.181	0.165	0.146	0.097	0.094	0.096	0.162	0.225	0.226	0.920	0.680	0.558	0.485	0.442	0.410
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
										0.384	0.366	0.355	0.346	0.337	0.328	0.278	0.278	0.258	0.820	0.614	0.494	0.423	0.385	0.349	0.324	0.308	0.302	0.292	0.284
										140	141	142	143																
										0.432	0.434	0.429	0.311																

Mode	Service/ Modulation	Channel	Frequency y (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR	Auto-Tune state 2	Average Value of Time Sweep (W/kg)																			
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
LTE B7	QPSK	21100	2535	1	0	Back	5mm	0.923	1.390	0.526	1.090	1.390	0.968	0.954	0.487	0.890	0.772	0.759	0.745	0.750	0.763	0.741	0.862	0.863	0.477	0.814	0.922	0.919	0.916
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										1.088	1.055	1.083	1.055	1.073	1.090	0.528	0.289	0.822	0.946	0.987	1.029	1.063	1.084	1.118	1.124	1.131	1.118	1.128	1.137
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										1.129	1.151	1.139	1.161	1.188	0.681	1.007	1.142	1.097	0.495	1.099	0.526	0.696	0.829	0.934	0.994	1.062	1.087	1.086	1.102
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										1.112	1.115	1.105	1.137	1.135	1.158	1.186	1.143	1.153	1.161	1.162	0.486	0.696	1.029	1.156	1.156	1.148	1.163	1.150	1.148
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										1.147	1.089	1.111	1.101	0.536	0.694	0.846	0.935	1.007	1.055	1.085	1.131	1.097	0.437	1.148	1.155	1.172	1.197	1.191	1.193
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										1.183	1.430	1.390	1.390	1.350	1.290	1.250	1.036	1.030	1.023	1.045	1.200	1.152	0.717	0.952	0.330	1.200	1.220	1.230	1.220
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
										1.230	1.210	1.220	1.220	1.189	1.158	1.166	1.152	0.557	0.745	0.901	0.998	1.060	1.125	1.156	1.194	1.176	0.428	0.734	1.230
										140	141	142	143																
										1.260	1.280	1.260	1.260																

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 7	Average Value of Time Sweep (W/kg)																			
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
LTE B30	QPSK	27710	2310	1	0	Back	5mm	0.925	1.230	0.292	0.127	0.455	0.532	0.528	0.570	0.600	1.230	0.800	1.000	0.840	0.820	1.000	0.650	0.690	0.778	0.067	0.219	0.330	0.389
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										1.040	1.080	1.070	1.070	1.120	1.110	0.204	0.291	0.368	0.464	0.502	0.472	0.602	0.649	0.695	0.723	0.740	0.765	0.780	0.808
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										0.750	0.838	0.853	0.859	0.890	0.244	0.471	0.752	1.040	1.020	1.120	0.981	0.921	0.821	0.466	0.525	0.589	0.649	0.617	
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										0.650	0.673	0.710	0.726	0.768	0.766	0.784	0.746	0.791	0.846	0.872	0.896	0.211	0.403	0.566	0.488	0.692	0.751	0.720	0.768
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										0.525	0.978	1.000	1.030	1.064	0.732	0.303	0.377	0.416	0.466	0.514	0.548	0.547	0.579	0.584	0.646	0.653	0.603	0.768	0.785
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										0.226	0.356	0.502	0.302	0.443	0.535	0.641	0.724	0.800	1.140	1.230	0.980	0.920	0.820	0.466	0.525	0.589	0.649	0.617	
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139										
0.740	0.793	0.774	0.812	0.848	0.900	1.040	1.080	1.100	1.150	1.233	0.304	0.373	0.438	0.513	0.543	0.582	0.586	0.631	0.654										
140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159										
0.805	0.837	0.832	0.853	0.888	0.940	1.080	1.120	1.140	1.190	1.233	0.304	0.373	0.438	0.513	0.543	0.582	0.586	0.631	0.654										

Body大于1.2 (Antenna #0)																													
Mode	Service/ Modulation	Channel	Frequenc y (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured 1g SAR (W/kg)	Auto-Tune state 132	Average Value of Time Sweep (W/kg)																			
LTE B7	QPSK	21100	2535	1	0	Front	5mm	0.956	1.460	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
										0.486	1.170	1.110	0.410	1.080	1.020	0.970	0.850	0.810	0.790	0.800	0.790	0.344	0.930	0.950	0.517	0.960	1.060	1.050	1.030
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										0.527	0.441	0.820	0.880	0.930	0.970	0.980	1.020	1.020	1.030	0.401	1.030	1.270	1.280	1.320	1.320	1.330	1.330	1.330	0.526
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										0.980	1.000	0.990	0.277	0.490	0.667	0.790	0.860	0.379	0.960	0.980	1.000	0.980	1.000	1.020	1.180	1.230	0.543	1.280	1.280
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										1.290	1.310	0.667	0.790	0.860	0.455	0.960	0.980	1.350	1.335	1.350	1.380	0.799	1.290	1.400	1.380	1.370	1.390	1.400	1.390
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										1.340	1.280	1.300	1.290	0.456	0.790	0.967	1.090	1.160	1.210	1.260	1.280	1.300	0.463	1.300	1.320	1.350	1.380	1.350	1.360
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										1.270	1.190	0.310	0.880	0.860	0.980	0.970	0.970	0.481	0.770	0.507	1.030	1.050	1.070	1.070	1.240	1.330	1.350	1.370	
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
										0.538	1.360	1.390	1.360	1.340	1.320	1.290	1.270	1.280	0.547	0.781	0.950	1.460	1.130	1.200	1.240	1.270	1.260	0.195	1.290
										140	141	142	143																
										1.340	1.340	1.340	1.360																
LTE B30	QPSK	27710	2310	1	0	Front	5mm	0.937	1.600	Average Value of Time Sweep (W/kg)																			
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
										0.899	0.892	0.880	0.876	0.875	0.860	0.852	0.296	0.831	0.805	0.816	0.789	0.769	0.741	0.671	0.608	0.198	0.858	0.850	0.844
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										0.834	0.863	0.847	0.830	0.854	0.277	0.825	0.805	0.794	0.798	0.768	0.754	0.730	0.698	0.228	0.595	0.527	0.666	0.638	0.636
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										0.626	0.617	0.601	0.168	0.574	0.563	0.547	0.532	0.487	0.451	0.404	0.583	0.145	0.559	0.553	0.544	0.535	0.521	0.510	0.512
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										0.486	0.121	0.364	0.345	0.319	0.699	0.692	0.689	0.685	0.678	0.290	0.669	0.668	0.657	0.650	0.637	0.602	0.575	0.528	0.251
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										0.873	0.910	0.926	0.968	0.966	0.984	0.946	0.991	0.251	1.077	1.096	0.411	0.603	0.766	0.826	0.892	0.951	0.262	0.968	0.923
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										1.560	1.580	1.560	1.600	0.850	0.844	0.200	1.124	0.858	1.560	1.410	1.320	1.340	0.409	0.515	0.265	0.716	0.790	0.851	0.879
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
										1.000	1.360	0.562	0.643	0.478	0.841	0.924	1.000	1.360	1.380	1.360	0.644	0.841	0.148	1.090	1.140	0.390	0.374	0.363	0.347
										140	141	142	143																
										0.910	0.926	0.101	0.966																
LTE B41[38]HPLUE	QPSK	39750	2506	1	0	Front	5mm	0.932	1.240	Average Value of Time Sweep (W/kg)																			
										0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
										0.558	1.080	0.890	0.810	0.830	0.800	0.780	0.643	0.356	0.633	0.613	0.620	0.631	0.770	0.790	0.495	0.860	0.407	0.860	0.870
										20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
										0.790	0.790	0.780	0.790	0.780	0.810	0.388	0.463	0.619	0.720	0.750	0.810	0.820	0.840	0.860	0.259	0.890	0.890	0.880	0.910
										40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59
										0.890	0.910	0.900	0.870	0.426	0.462	0.840	0.860	0.800	0.800	0.810	0.249	0.441	0.439	0.686	0.750	0.780	0.810	0.830	0.830
										60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
										0.850	0.860	0.313	0.870	0.880	0.890	0.890	0.890	0.900	0.900	0.900	0.379	0.453	0.820	0.900	0.920	0.900	0.900	0.890	0.900
										80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
										0.418	0.840	0.840	0.850	0.248	0.448	0.595	0.691	0.750	0.218	0.820	0.860	0.860	0.870	0.880	0.900	0.910	0.404	0.950	
										100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
										0.484	0.840	1.010	1.040	1.110	1.240	0.940	0.455	0.720	0.720	0.710	0.700	0.830	0.830	0.447	0.694	0.381	0.890	0.910	0.910
										120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139
0.990	1.900	0.880	0.890	0.900	0.456	0.860	0.850	0.860	0.237	0.441	0.951	0.692	0.760	0.365	0.840	0.860	0.850	0.860	0.890										
140	141	142	143																										
1.220	1.240	1.240	0.225																										