



BR2602e-u2 ANT Datasheet

December 30, 2022

Version 1.0

Version History

Revision	Amendment	Date	Author
1.0	Initial version	2022-12-30	Kaiyue Wu

Barrot Confidential

Contents

1.	Description	4
2.	Location	4
3.	Gain Pattern	4
4.	Bluetooth TRP	5
5.	Bluetooth TIS.....	6
6.	Company Profile.....	7
7.	Contact Information	7
7.1.	Beijing.....	7
7.2.	Shenzhen.....	8
7.3.	Shanghai.....	8
8.	Copyright.....	8

1. Description

Gain: 0db


Frequency: 2400-2483.5MHz

Type: PCB

2. Location



3. Gain Pattern




4. Bluetooth TRP

Test	Bluetooth TRP		
Result	0	19	39
Frequency (MHz)	2402	2421	2441
TRP(dBm)	1.46	1.36	-0.86
NHPRP(dBm) 45	0.27	0.09	-2.14
MAX(dBm)	6.02	6.58	4.46
EIRP peak	6.02	6.58	4.46
Min(dBm)	-11.77	-10.46	-11.33
Attenuation Horizontal	41.17	42.08	41.17
Attenuation Vertical	41.16	42.07	41.16


Bluetooth TRP




Bluetooth 0 TRP




Bluetooth 0 TRP H




Bluetooth 0 TRP E1




Bluetooth 0 TRP E2




Bluetooth 19 TRP




Bluetooth 19 TRP H




Bluetooth 19 TRP E1




Bluetooth 19 TRP E2




Bluetooth 39 TRP




Bluetooth 39 TRP H



Bluetooth 39 TRP E1




Bluetooth 39 TRP E2




5. Bluetooth TIS

Test	Bluetooth TIS		
Result	0	19	39
Frequency (MHz)	2402	2421	2441
TIS(dBm)	-85.74	-86.14	-84.25
NHPIS(dBm) 45	-84.56	-84.86	-82.97
RSSIAve	2.37	1.36	0.05
MaxPosRSSI	5.7	4.81	2.88
MaxPosSens	-89.08	-89.58	-87.08
MAX(dBm)	6.93	6.58	5.37
EIS peak	6.93	6.58	5.37
Min(dBm)	-10.86	-10.46	-10.42
Attenuation Horizontal	42.08	42.08	42.08
Attenuation Vertical	42.07	42.07	42.07


Bluetooth TIS




Bluetooth 0 TIS




Bluetooth 0 TIS H




Bluetooth 0 TIS E1



Bluetooth 0 TIS E2





6. Company Profile

BARROT TECHNOLOGY CO., LTD. – Barrot is a world leading one-stop chipset level solution provider who offers wireless connectivity and audio intelligent hardware solutions featuring with own IPs. The company is an associated member of The Bluetooth SIG, and it is the only one who contributes to Bluetooth specification definition in Greater China. Barrot owns three high-tech IPs: Bluetooth RF, Bluetooth stack and Acoustic algorithms, so Barrot offers most integrated, robust, reliable, and easy-to-use wireless turn-key solutions for IOT, Automotive and Wireless audio applications.

Barrot devotes itself to being the most reliable short distance wireless technologies' solution provider in the world.

7. Contact Information

7.1. Beijing

Beijing Tel: +86 10 82702580

Fax: +86 10 82898219

Address: A1009, Block A, Jia Hua Building, No.9 Shangdisanjie St, Haidian District, Beijing

Marketing Email: marketing@barrot.com.cn

Support: support@barrot.com.cn

Web site: www.barrot.com.cn

7.2. Shenzhen

Shenzhen Tel: +86 755 27885822-603

Address: Floor 5, building 1, COFCO business park, district 67, Xingdong community, Xin'an street, Bao'an District, Shenzhen City, Guangdong Province

Support: support@barrot.com.cn

Web site: www.barrot.com.cn

7.3. Shanghai

Address: 2rd Floor, No. 500, Bibo Road, Zhangjiang Gaoke, Pudong New Area, Shanghai

Support: support@barrot.com.cn

Web site: www.barrot.com.cn

8. Copyright

Copyright ©2017-2022 BARROT TECHNOLOGY CO., LTD.

The Bluetooth trademark is owned by The Bluetooth SIG, and the usage of this trademark is licensed to Barrot Technology Limited.

Other trademarks included in this document are owned by their respective owners.