



SAR TEST REPORT

No. I21Z60222-SEM01

For

TCL Communication Ltd.

WIFI45A

Model Name: MW45AM

With

Hardware Version: V2.0

Software Version: MW45A_ZZ_02.00_01

FCC ID: 2ACCJB132

Issued Date: 2021-2-5

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample

Test positions for body:

The Body SAR is tested at the following 6 test positions, with the distance 10mm between the EUT and the phantom bottom:



Picture 2: Front 10mm



Picture 3: Rear 10mm




Picture 4: Left 10mm




Picture 5: Right 10mm




Picture 6: Bottom 10mm



Picture7: Top 10mm



Picture8: Front 10mm(Band66)



Picture9: Rear 10mm(Band66)



Picture10: Left 10mm(Band66)



Picture11: Right 10mm(Band66)



Picture12: Bottom 10mm(Band66)



Picture13: Top 10mm(Band66)