







Date: 30.APR.2024 15:13:18




Date: 30.APR.2024 15:13:21




Date: 30.APR.2024 12:46:34




Date: 30.APR.2024 12:49:11




Date: 30.APR.2024 14:21:56




Date: 30.APR.2024 14:25:07




Date: 30.APR.2024 15:14:43



Date: 30.APR.2024 15:14:46



Date: 30.APR.2024 15:16:09



Date: 30.APR.2024 15:16:12

Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
30C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
30C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 102V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 138V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
-20C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
-10C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
10C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
40C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 102V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 138V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-10C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass

30C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 102V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
10C 120V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 120V	a	5180	Ant2	5179.96	-40000	-7.72	25	Pass
40C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 138V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-20C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-10C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
0C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
40C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
50C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
20C 138V	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
-20C 120V	a	5745	Ant2	5745	0	0	25	Pass
-10C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
0C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
10C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
30C 120V	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
40C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
50C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
20C 102V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 138V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
-20C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-10C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
0C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
10C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
30C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
40C 120V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass

50C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 102V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 138V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
10C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
30C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
50C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 138V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-20C 120V	n20	5240	Ant1	5240	0	0	25	Pass
-10C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
0C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
30C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
40C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 102V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 138V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
10C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 138V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-10C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 102V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass

20C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	n20	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-20C 120V	n20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-10C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
10C 120V	n20	5180	Ant2	5180	0	0	25	Pass
30C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
40C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
50C 120V	n20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 102V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 138V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-20C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-10C 120V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
0C 120V	n20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
30C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
40C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
50C 120V	n20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	n20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
20C 138V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
-20C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
-10C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
0C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
10C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
30C 120V	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
40C 120V	n20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
50C 120V	n20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 102V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 138V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-20C 120V	n20	5825	Ant2	5825	0	0	25	Pass
-10C 120V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
0C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
30C 120V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
50C 120V	n20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 102V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	n40	5190	Ant1	5190	0	0	25	Pass
20C 138V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass

-20C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	n40	5190	Ant1	5190	0	0	25	Pass
0C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 120V	n40	5190	Ant1	5190	0	0	25	Pass
50C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 102V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 138V	n40	5230	Ant1	5230	0	0	25	Pass
-20C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 120V	n40	5230	Ant1	5229.92	-80000	-15.3	25	Pass
0C 120V	n40	5230	Ant1	5230	0	0	25	Pass
10C 120V	n40	5230	Ant1	5230	0	0	25	Pass
30C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C 120V	n40	5230	Ant1	5230	0	0	25	Pass
20C 102V	n40	5755	Ant1	5755	0	0	25	Pass
20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	n40	5755	Ant1	5755	0	0	25	Pass
-10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant1	5755	0	0	25	Pass
10C 120V	n40	5755	Ant1	5755	0	0	25	Pass
30C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	n40	5795	Ant1	5795	0	0	25	Pass
20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	n40	5795	Ant1	5795	0	0	25	Pass
0C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	n40	5795	Ant1	5795	0	0	25	Pass
30C 120V	n40	5795	Ant1	5795	0	0	25	Pass
40C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 138V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-20C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass

0C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
30C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
40C 120V	n40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 120V	n40	5190	Ant2	5190	0	0	25	Pass
20C 102V	n40	5230	Ant2	5230	0	0	25	Pass
20C 120V	n40	5230	Ant2	5230	0	0	25	Pass
20C 138V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-20C 120V	n40	5230	Ant2	5229.92	-80000	-15.3	25	Pass
-10C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
0C 120V	n40	5230	Ant2	5230	0	0	25	Pass
10C 120V	n40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
30C 120V	n40	5230	Ant2	5230	0	0	25	Pass
40C 120V	n40	5230	Ant2	5230	0	0	25	Pass
50C 120V	n40	5230	Ant2	5230	0	0	25	Pass
20C 102V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
20C 138V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
-20C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
-10C 120V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant2	5755	0	0	25	Pass
10C 120V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
30C 120V	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
40C 120V	n40	5755	Ant2	5754.92	-80000	-13.9	25	Pass
50C 120V	n40	5755	Ant2	5755	0	0	25	Pass
20C 102V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 120V	n40	5795	Ant2	5795	0	0	25	Pass
20C 138V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
-20C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
-10C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant2	5795	0	0	25	Pass
10C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
30C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
40C 120V	n40	5795	Ant2	5795	0	0	25	Pass
50C 120V	n40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
20C 102V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 138V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass


30C 120V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
40C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 138V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-20C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 120V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
0C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 120V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 102V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 138V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
-10C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
0C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
10C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
30C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
40C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
50C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
30C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
50C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
20C 102V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 138V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-10C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
0C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 120V	ac20	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass
40C 120V	ac20	5180	Ant2	5179.98	-20000	-3.86	25	Pass

50C 120V	ac20	5180	Ant2	5180	0	0	25	Pass
20C 102V	ac20	5240	Ant2	5240	0	0	25	Pass
20C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
20C 138V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-20C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
-10C 120V	ac20	5240	Ant2	5240	0	0	25	Pass
0C 120V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 120V	ac20	5240	Ant2	5239.98	-20000	-3.82	25	Pass
30C 120V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 120V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
50C 120V	ac20	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 102V	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
20C 120V	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
20C 138V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
-20C 120V	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
-10C 120V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
0C 120V	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
10C 120V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
30C 120V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
40C 120V	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
50C 120V	ac20	5745	Ant2	5744.96	-40000	-6.96	25	Pass
20C 102V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant2	5825	0	0	25	Pass
20C 138V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-20C 120V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-10C 120V	ac20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
0C 120V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
10C 120V	ac20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
30C 120V	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
40C 120V	ac20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
50C 120V	ac20	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 102V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
20C 138V	ac40	5190	Ant1	5190	0	0	25	Pass
-20C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
-10C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
10C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
40C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
20C 102V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass


20C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
20C 138V	ac40	5230	Ant1	5230	0	0	25	Pass
-20C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
20C 102V	ac40	5755	Ant1	5755	0	0	25	Pass
20C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	ac40	5755	Ant1	5755	0	0	25	Pass
-20C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
-10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
20C 102V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
50C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ac40	5190	Ant2	5190	0	0	25	Pass
20C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
20C 138V	ac40	5190	Ant2	5190	0	0	25	Pass
-20C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
0C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
30C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
40C 120V	ac40	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 120V	ac40	5190	Ant2	5190	0	0	25	Pass
20C 102V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
20C 138V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass

-20C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
-10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
0C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
10C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
40C 120V	ac40	5230	Ant2	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 102V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 138V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
-20C 120V	ac40	5755	Ant2	5755	0	0	25	Pass
-10C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
10C 120V	ac40	5755	Ant2	5755	0	0	25	Pass
30C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant2	5755	0	0	25	Pass
50C 120V	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant2	5795	0	0	25	Pass
20C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
20C 138V	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
-20C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
-10C 120V	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
0C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
10C 120V	ac40	5795	Ant2	5794.92	-80000	-13.81	25	Pass
30C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
40C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
50C 120V	ac40	5795	Ant2	5795	0	0	25	Pass
20C 102V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant1	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 102V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant1	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass


0C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 102V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant2	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant2	5210	0	0	25	Pass
20C 102V	ac80	5775	Ant2	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant2	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant2	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant2	5775	0	0	25	Pass




Date: 30.APR.2024 11:16:07




Date: 30.APR.2024 11:16:28




Date: 30.APR.2024 11:16:13




Date: 30.APR.2024 11:16:16




Date: 30.APR.2024 11:16:19




Date: 30.APR.2024 11:16:22




Date: 30.APR.2024 11:16:25




Date: 30.APR.2024 11:16:31




Date: 30.APR.2024 11:16:34




Date: 30.APR.2024 11:16:37




Date: 30.APR.2024 11:19:25




Date: 30.APR.2024 11:19:46




Date: 30.APR.2024 11:19:31




Date: 30.APR.2024 11:19:34




Date: 30.APR.2024 11:19:37




Date: 30.APR.2024 11:19:40




Date: 30.APR.2024 11:19:43




Date: 30.APR.2024 11:19:49




Date: 30.APR.2024 11:19:52




Date: 30.APR.2024 11:19:55




Date: 30.APR.2024 11:21:39




Date: 30.APR.2024 11:22:00




Date: 30.APR.2024 11:21:45




Date: 30.APR.2024 11:21:48




Date: 30.APR.2024 11:21:51




Date: 30.APR.2024 11:21:54




Date: 30.APR.2024 11:21:57




Date: 30.APR.2024 11:22:03




Date: 30.APR.2024 11:22:07




Date: 30.APR.2024 11:22:10




Date: 30.APR.2024 11:25:04




Date: 30.APR.2024 11:25:25




Date: 30.APR.2024 11:25:10




Date: 30.APR.2024 11:25:13




Date: 30.APR.2024 11:25:16




Date: 30.APR.2024 11:25:19




Date: 30.APR.2024 11:25:22




Date: 30.APR.2024 11:25:28




Date: 30.APR.2024 11:25:31




Date: 30.APR.2024 11:25:34




Date: 30.APR.2024 12:52:58




Date: 30.APR.2024 12:53:20




Date: 30.APR.2024 12:53:04




Date: 30.APR.2024 12:53:07




Date: 30.APR.2024 12:53:10




Date: 30.APR.2024 12:53:13




Date: 30.APR.2024 12:53:16




Date: 30.APR.2024 12:53:23




Date: 30.APR.2024 12:53:26





Date: 30.APR.2024 12:53:29




Date: 30.APR.2024 12:56:32




Date: 30.APR.2024 12:56:53







Date: 30.APR.2024 12:56:44




Date: 30.APR.2024 12:56:47




Date: 30.APR.2024 12:56:50




Date: 30.APR.2024 12:56:57




Date: 30.APR.2024 12:57:00




Date: 30.APR.2024 12:57:03




Date: 30.APR.2024 13:00:09




Date: 30.APR.2024 13:00:30




Date: 30.APR.2024 13:00:15




Date: 30.APR.2024 13:00:18




Date: 30.APR.2024 13:00:21




Date: 30.APR.2024 13:00:24




Date: 30.APR.2024 13:00:27




Date: 30.APR.2024 13:00:33




Date: 30.APR.2024 13:00:37




Date: 30.APR.2024 13:00:40




Date: 30.APR.2024 13:14:39




Date: 30.APR.2024 13:15:00




Date: 30.APR.2024 13:14:45




Date: 30.APR.2024 13:14:48




Date: 30.APR.2024 13:14:51




Date: 30.APR.2024 13:14:54




Date: 30.APR.2024 13:14:57



Date: 30.APR.2024 13:15:03



Date: 30.APR.2024 13:15:06



Date: 30.APR.2024 13:15:10