

KES Co., Ltd. 3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr

Test report No.: KES-SR-22T0011 Page (1) of (7)

APPENDIX E: DUT ANTENNA DIAGRAM & SAR TEST SETUP PHOTOGRAPHS



KES Co., Ltd. 3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr

Test report No.: KES-SR-22T0011 Page (2) of (7)

DUT Antenna Diagram





Figure E-1 Antenna Location (Rear Side View)




3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr Test report No.: KES-SR-22T0011 Page (3) of (7)

SAR Test Setup Photographs




Front Side from Flat Phantom (Separation Distance: 0 cm)




Rear Side from Flat Phantom (Separation Distance: 0 cm)



3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr Test report No.: KES-SR-22T0011 Page (4) of (7)



0 degree from Flat Phantom (Separation Distance: 0 cm)




45 degree from Flat Phantom (Separation Distance: 0 cm)

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. The authenticity of the test report, contact shchoi@kes.co.kr



3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr Test report No.: KES-SR-22T0011 Page (5) of (7)



90 degree Side from Flat Phantom (Separation Distance: 0 cm)




135 degree from Flat Phantom (Separation Distance: 0 cm)



3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr Test report No.: KES-SR-22T0011 Page (6) of (7)



180 degree from Flat Phantom (Separation Distance: 0 cm)




225 degree from Flat Phantom (Separation Distance: 0 cm)



3701, 40, Simin-daero 365beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, 431-716, Korea Tel: +82-31-425-6200 / Fax: +82-31-424-0450 www.kes.co.kr Test report No.: KES-SR-22T0011 Page (7) of (7)



270 degree from Flat Phantom (Separation Distance: 0 cm)



315 degree from Flat Phantom (Separation Distance: 0 cm)