



The Photos of SAR test

No. I19Z60553-SEM01

For

Huawei Technologies Co.,Ltd

Tablet

Model Name: AGS2-L09

With

Hardware Version: A6t6e-2

Software Version: AGS2-L09 8.0.0.18(C432)

FCC ID: QISAGS2-L09A



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn

©Copyright. All rights reserved by CTTL.



Picture 1: Constituents of the sample

Test positions for body:

The Body SAR is tested at the following 5 test positions all with the distance =0/35/28mm between the EUT and the phantom bottom:



Picture 2: Top with 0mm




Picture 3: Rear with 0mm



Picture 4: Right with 0mm



Picture 5: Top with 35mm



Picture 6: Rear with 28mm