




60MHz_LCH_5755.5MHz_Ant0_NTNV




60MHz_LCH_5755.5MHz_Ant1_NTNV




60MHz_LCH_5755.5MHz_MIMO_NTNV




60MHz_MCH_5787.5MHz_Ant0_NTNV




60MHz_MCH_5787.5MHz_Ant1_NTNV




60MHz_MCH_5787.5MHz_MIMO_NTNV




60MHz_HCH_5819.5MHz_Ant0_NTNV




60MHz_HCH_5819.5MHz_Ant1_NTNV




60MHz_HCH_5819.5MHz_MIMO_NTNV




80MHz_LCH_5765.5MHz_Ant0_NTNV




80MHz_LCH_5765.5MHz_Ant1_NTNV




80MHz_LCH_5765.5MHz_MIMO_NTNV




80MHz_MCH_5787.5MHz_Ant0_NTNV




80MHz_MCH_5787.5MHz_Ant1_NTNV




80MHz_MCH_5787.5MHz_MIMO_NTNV




80MHz_HCH_5809.5MHz_Ant0_NTNV



80MHz_HCH_5809.5MHz_Ant1_NTNV



80MHz_HCH_5809.5MHz_MIMO_NTNV



5. Frequency Stability

5.1 Ant0

5.1.1 Test Result

Ant0							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4MHz	MIMO	5728.5	20	3.06	5728.547	5725 to 5850	Pass
				3.60	5728.545	5725 to 5850	Pass
				4.14	5728.548	5725 to 5850	Pass
			-10	3.60	5728.544	5725 to 5850	Pass
			-5	3.60	5728.546	5725 to 5850	Pass
			0	3.60	5728.541	5725 to 5850	Pass
			5	3.60	5728.541	5725 to 5850	Pass
			10	3.60	5728.545	5725 to 5850	Pass
			20	3.60	5728.548	5725 to 5850	Pass
			30	3.60	5728.547	5725 to 5850	Pass
			40	3.60	5728.546	5725 to 5850	Pass
		5786.5	20	3.06	5786.542	5725 to 5850	Pass
				3.60	5786.544	5725 to 5850	Pass
				4.14	5786.544	5725 to 5850	Pass
			-10	3.60	5786.544	5725 to 5850	Pass
			-5	3.60	5786.542	5725 to 5850	Pass
			0	3.60	5786.543	5725 to 5850	Pass
			5	3.60	5786.541	5725 to 5850	Pass
			10	3.60	5786.546	5725 to 5850	Pass
			20	3.60	5786.542	5725 to 5850	Pass
			30	3.60	5786.544	5725 to 5850	Pass
			40	3.60	5786.544	5725 to 5850	Pass
		5846.12	20	3.06	5846.175	5725 to 5850	Pass
				3.60	5846.179	5725 to 5850	Pass
				4.14	5846.182	5725 to 5850	Pass
			-10	3.60	5846.179	5725 to 5850	Pass
			-5	3.60	5846.182	5725 to 5850	Pass
			0	3.60	5846.183	5725 to 5850	Pass
			5	3.60	5846.178	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 410 of 416

			10	3.60	5846.171	5725 to 5850	Pass
			20	3.60	5846.174	5725 to 5850	Pass
			30	3.60	5846.178	5725 to 5850	Pass
			40	3.60	5846.182	5725 to 5850	Pass
3MHz	MIMO	5727.5	20	3.06	5727.509	5725 to 5850	Pass
				3.60	5727.494	5725 to 5850	Pass
				4.14	5727.506	5725 to 5850	Pass
			-10	3.60	5727.509	5725 to 5850	Pass
				3.60	5727.515	5725 to 5850	Pass
				3.60	5727.512	5725 to 5850	Pass
			5	3.60	5727.521	5725 to 5850	Pass
				3.60	5727.521	5725 to 5850	Pass
				3.60	5727.515	5725 to 5850	Pass
			20	3.60	5727.509	5725 to 5850	Pass
				3.60	5727.494	5725 to 5850	Pass
				3.60	5727.494	5725 to 5850	Pass
		5784.5	20	3.06	5784.500	5725 to 5850	Pass
				3.60	5784.509	5725 to 5850	Pass
				4.14	5784.521	5725 to 5850	Pass
			-10	3.60	5784.509	5725 to 5850	Pass
				3.60	5784.518	5725 to 5850	Pass
				3.60	5784.503	5725 to 5850	Pass
			5	3.60	5784.521	5725 to 5850	Pass
				3.60	5784.506	5725 to 5850	Pass
				3.60	5784.497	5725 to 5850	Pass
			20	3.60	5784.497	5725 to 5850	Pass
				3.60	5784.506	5725 to 5850	Pass
				3.60	5784.506	5725 to 5850	Pass
		5847.2	20	3.06	5847.191	5725 to 5850	Pass
				3.60	5847.212	5725 to 5850	Pass
				4.14	5847.215	5725 to 5850	Pass
			-10	3.60	5847.218	5725 to 5850	Pass
				3.60	5847.230	5725 to 5850	Pass
				3.60	5847.218	5725 to 5850	Pass
			5	3.60	5847.209	5725 to 5850	Pass
				3.60	5847.203	5725 to 5850	Pass
				3.60	5847.197	5725 to 5850	Pass
			20	3.60	5847.197	5725 to 5850	Pass
				3.60	5847.206	5725 to 5850	Pass
				3.60	5847.194	5725 to 5850	Pass
5MHz	MIMO	5732.5	20	3.06	5732.575	5725 to 5850	Pass
				3.60	5732.575	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 411 of 416

				4.14	5732.565	5725 to 5850	Pass
			-10	3.60	5732.580	5725 to 5850	Pass
			-5	3.60	5732.580	5725 to 5850	Pass
			0	3.60	5732.570	5725 to 5850	Pass
			5	3.60	5732.580	5725 to 5850	Pass
			10	3.60	5732.550	5725 to 5850	Pass
			20	3.60	5732.565	5725 to 5850	Pass
			30	3.60	5732.565	5725 to 5850	Pass
			40	3.60	5732.580	5725 to 5850	Pass
		5782.5	20	3.06	5782.565	5725 to 5850	Pass
				3.60	5782.545	5725 to 5850	Pass
				4.14	5782.575	5725 to 5850	Pass
			-10	3.60	5782.585	5725 to 5850	Pass
			-5	3.60	5782.580	5725 to 5850	Pass
			0	3.60	5782.570	5725 to 5850	Pass
			5	3.60	5782.540	5725 to 5850	Pass
			10	3.60	5782.555	5725 to 5850	Pass
			20	3.60	5782.535	5725 to 5850	Pass
			30	3.60	5782.570	5725 to 5850	Pass
			40	3.60	5782.575	5725 to 5850	Pass
		5842.5	20	3.06	5842.570	5725 to 5850	Pass
				3.60	5842.575	5725 to 5850	Pass
				4.14	5842.565	5725 to 5850	Pass
			-10	3.60	5842.565	5725 to 5850	Pass
			-5	3.60	5842.565	5725 to 5850	Pass
			0	3.60	5842.565	5725 to 5850	Pass
			5	3.60	5842.575	5725 to 5850	Pass
			10	3.60	5842.550	5725 to 5850	Pass
			20	3.60	5842.555	5725 to 5850	Pass
			30	3.60	5842.575	5725 to 5850	Pass
			40	3.60	5842.580	5725 to 5850	Pass
10MHz	MIMO	5730.5	20	3.06	5730.550	5725 to 5850	Pass
				3.60	5730.540	5725 to 5850	Pass
				4.14	5730.530	5725 to 5850	Pass
			-10	3.60	5730.520	5725 to 5850	Pass
			-5	3.60	5730.560	5725 to 5850	Pass
			0	3.60	5730.510	5725 to 5850	Pass
			5	3.60	5730.570	5725 to 5850	Pass
			10	3.60	5730.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 412 of 416

			20	3.60	5730.550	5725 to 5850	Pass
			30	3.60	5730.540	5725 to 5850	Pass
			40	3.60	5730.530	5725 to 5850	Pass
		5787.5	20	3.06	5787.550	5725 to 5850	Pass
				3.60	5787.550	5725 to 5850	Pass
				4.14	5787.540	5725 to 5850	Pass
			-10	3.60	5787.550	5725 to 5850	Pass
			-5	3.60	5787.550	5725 to 5850	Pass
			0	3.60	5787.530	5725 to 5850	Pass
			5	3.60	5787.550	5725 to 5850	Pass
			10	3.60	5787.550	5725 to 5850	Pass
			20	3.60	5787.550	5725 to 5850	Pass
			30	3.60	5787.540	5725 to 5850	Pass
			40	3.60	5787.530	5725 to 5850	Pass
		5844.5	20	3.06	5844.530	5725 to 5850	Pass
				3.60	5844.530	5725 to 5850	Pass
				4.14	5844.530	5725 to 5850	Pass
			-10	3.60	5844.540	5725 to 5850	Pass
			-5	3.60	5844.530	5725 to 5850	Pass
			0	3.60	5844.520	5725 to 5850	Pass
			5	3.60	5844.520	5725 to 5850	Pass
			10	3.60	5844.530	5725 to 5850	Pass
			20	3.60	5844.530	5725 to 5850	Pass
			30	3.60	5844.530	5725 to 5850	Pass
			40	3.60	5844.520	5725 to 5850	Pass
20MHz	MIMO	5735.5	20	3.06	5735.540	5725 to 5850	Pass
				3.60	5735.520	5725 to 5850	Pass
				4.14	5735.540	5725 to 5850	Pass
			-10	3.60	5735.520	5725 to 5850	Pass
			-5	3.60	5735.520	5725 to 5850	Pass
			0	3.60	5735.540	5725 to 5850	Pass
			5	3.60	5735.600	5725 to 5850	Pass
			10	3.60	5735.520	5725 to 5850	Pass
			20	3.60	5735.520	5725 to 5850	Pass
			30	3.60	5735.580	5725 to 5850	Pass
			40	3.60	5735.580	5725 to 5850	Pass
		5787.5	20	3.06	5787.600	5725 to 5850	Pass
				3.60	5787.580	5725 to 5850	Pass
				4.14	5787.540	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 413 of 416

			-10	3.60	5787.540	5725 to 5850	Pass
			-5	3.60	5787.540	5725 to 5850	Pass
			0	3.60	5787.600	5725 to 5850	Pass
			5	3.60	5787.520	5725 to 5850	Pass
			10	3.60	5787.600	5725 to 5850	Pass
			20	3.60	5787.560	5725 to 5850	Pass
			30	3.60	5787.600	5725 to 5850	Pass
			40	3.60	5787.600	5725 to 5850	Pass
		5839.5	20	3.06	5839.520	5725 to 5850	Pass
				3.60	5839.560	5725 to 5850	Pass
				4.14	5839.560	5725 to 5850	Pass
			-10	3.60	5839.520	5725 to 5850	Pass
			-5	3.60	5839.520	5725 to 5850	Pass
			0	3.60	5839.520	5725 to 5850	Pass
			5	3.60	5839.600	5725 to 5850	Pass
			10	3.60	5839.520	5725 to 5850	Pass
			20	3.60	5839.560	5725 to 5850	Pass
			30	3.60	5839.520	5725 to 5850	Pass
			40	3.60	5839.520	5725 to 5850	Pass
		5745.5	20	3.06	5745.580	5725 to 5850	Pass
				3.60	5745.580	5725 to 5850	Pass
				4.14	5745.540	5725 to 5850	Pass
			-10	3.60	5745.580	5725 to 5850	Pass
			-5	3.60	5745.620	5725 to 5850	Pass
			0	3.60	5745.580	5725 to 5850	Pass
			5	3.60	5745.580	5725 to 5850	Pass
			10	3.60	5745.580	5725 to 5850	Pass
			20	3.60	5745.620	5725 to 5850	Pass
			30	3.60	5745.620	5725 to 5850	Pass
			40	3.60	5745.580	5725 to 5850	Pass
		5787.5	20	3.06	5787.580	5725 to 5850	Pass
				3.60	5787.580	5725 to 5850	Pass
				4.14	5787.580	5725 to 5850	Pass
			-10	3.60	5787.540	5725 to 5850	Pass
			-5	3.60	5787.580	5725 to 5850	Pass
			0	3.60	5787.620	5725 to 5850	Pass
			5	3.60	5787.540	5725 to 5850	Pass
			10	3.60	5787.580	5725 to 5850	Pass
			20	3.60	5787.620	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 414 of 416

			30	3.60	5787.580	5725 to 5850	Pass
			40	3.60	5787.540	5725 to 5850	Pass
		5829.5	20	3.06	5829.580	5725 to 5850	Pass
				3.60	5829.580	5725 to 5850	Pass
				4.14	5829.580	5725 to 5850	Pass
			-10	3.60	5829.620	5725 to 5850	Pass
			-5	3.60	5829.580	5725 to 5850	Pass
			0	3.60	5829.540	5725 to 5850	Pass
			5	3.60	5829.620	5725 to 5850	Pass
			10	3.60	5829.580	5725 to 5850	Pass
			20	3.60	5829.580	5725 to 5850	Pass
			30	3.60	5829.580	5725 to 5850	Pass
			40	3.60	5829.580	5725 to 5850	Pass
60MHz	MIMO	5755.5	20	3.06	5755.560	5725 to 5850	Pass
				3.60	5755.560	5725 to 5850	Pass
				4.14	5755.560	5725 to 5850	Pass
			-10	3.60	5755.560	5725 to 5850	Pass
			-5	3.60	5755.560	5725 to 5850	Pass
			0	3.60	5755.560	5725 to 5850	Pass
			5	3.60	5755.560	5725 to 5850	Pass
			10	3.60	5755.560	5725 to 5850	Pass
			20	3.60	5755.560	5725 to 5850	Pass
			30	3.60	5755.560	5725 to 5850	Pass
			40	3.60	5755.560	5725 to 5850	Pass
		5787.5	20	3.06	5787.560	5725 to 5850	Pass
				3.60	5787.560	5725 to 5850	Pass
				4.14	5787.560	5725 to 5850	Pass
			-10	3.60	5787.560	5725 to 5850	Pass
			-5	3.60	5787.560	5725 to 5850	Pass
			0	3.60	5787.560	5725 to 5850	Pass
			5	3.60	5787.560	5725 to 5850	Pass
			10	3.60	5787.560	5725 to 5850	Pass
			20	3.60	5787.560	5725 to 5850	Pass
			30	3.60	5787.560	5725 to 5850	Pass
			40	3.60	5787.560	5725 to 5850	Pass
		5819.5	20	3.06	5819.560	5725 to 5850	Pass
				3.60	5819.560	5725 to 5850	Pass
				4.14	5819.560	5725 to 5850	Pass
			-10	3.60	5819.560	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 415 of 416

80MHz	MIMO		-5	3.60	5819.560	5725 to 5850	Pass
			0	3.60	5819.560	5725 to 5850	Pass
			5	3.60	5819.560	5725 to 5850	Pass
			10	3.60	5819.560	5725 to 5850	Pass
			20	3.60	5819.560	5725 to 5850	Pass
			30	3.60	5819.560	5725 to 5850	Pass
			40	3.60	5819.560	5725 to 5850	Pass
		5765.5	20	3.06	5765.650	5725 to 5850	Pass
				3.60	5765.575	5725 to 5850	Pass
				4.14	5765.575	5725 to 5850	Pass
			-10	3.60	5765.650	5725 to 5850	Pass
			-5	3.60	5765.650	5725 to 5850	Pass
			0	3.60	5765.650	5725 to 5850	Pass
			5	3.60	5765.650	5725 to 5850	Pass
			10	3.60	5765.650	5725 to 5850	Pass
			20	3.60	5765.650	5725 to 5850	Pass
			30	3.60	5765.575	5725 to 5850	Pass
			40	3.60	5765.650	5725 to 5850	Pass
		5787.5	20	3.06	5787.650	5725 to 5850	Pass
				3.60	5787.650	5725 to 5850	Pass
				4.14	5787.650	5725 to 5850	Pass
			-10	3.60	5787.650	5725 to 5850	Pass
			-5	3.60	5787.575	5725 to 5850	Pass
			0	3.60	5787.575	5725 to 5850	Pass
			5	3.60	5787.650	5725 to 5850	Pass
			10	3.60	5787.650	5725 to 5850	Pass
			20	3.60	5787.650	5725 to 5850	Pass
			30	3.60	5787.650	5725 to 5850	Pass
			40	3.60	5787.650	5725 to 5850	Pass
		5809.5	20	3.06	5809.575	5725 to 5850	Pass
				3.60	5809.650	5725 to 5850	Pass
				4.14	5809.575	5725 to 5850	Pass
			-10	3.60	5809.650	5725 to 5850	Pass
			-5	3.60	5809.575	5725 to 5850	Pass
			0	3.60	5809.650	5725 to 5850	Pass
			5	3.60	5809.650	5725 to 5850	Pass
			10	3.60	5809.650	5725 to 5850	Pass
			20	3.60	5809.575	5725 to 5850	Pass
			30	3.60	5809.650	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center EEC Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100403

Page: 416 of 416

			40	3.60	5809.575	5725 to 5850	Pass
--	--	--	----	------	----------	--------------	------

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)