

19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Applicant: **SENA TECHNOLOGIES.Inc** FCC ID: **S7A-SP41** 


Apr 04<sup>th</sup>, 2017

We hereby declare that

1. Add the antennas which is less than the default as SENA-DP01-19.7.



Add Antenna (Model: SENA-DP02-19)







19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 04th, 2017

# Applicant: **SENA TECHNOLOGIES.Inc** FCC ID: **S7A-SP41**

We, Sena Technologies, Inc. confirm that when this product is charging, RF function is not working.

Bu




19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 25<sup>th</sup>, 2017

### Applicant: **SENA TECHNOLOGIES.Inc** FCC ID: **S7A-SP41**

We, Sena Technologies,Inc. confirm that when equipped, the distance between antenna and one's head is 32mm. So, We, Sena Technologies,Inc. confirm that when equipped, the distance between antenna and one's head is at least 30mm.



Bu



19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 25<sup>th</sup>, 2017

# Applicant: **SENA TECHNOLOGIES.Inc** FCC ID: **S7A-SP41**

We, Sena Technologies,Inc. confirm that the power deviation between channels is estimated by the characteristics of the wireless chip. We recognize and manage this part.

Por