


Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 85 of 308



-26BW_NVNT_ANT1_802_11ax(HE20)_5785




99% OCB NVNT_ANT2_802_11ax(HE20)_5785

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 86 of 308



-26BW_NVNT_ANT2_802_11ax(HE20)_5785




99% OCB_NVNT_ANT1_802_11ax(HE20)_5825

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 87 of 308



-26BW_NVNT_ANT1_802_11ax(HE20)_5825




99% OCB NVNT_ANT2_802_11ax(HE20)_5825

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 88 of 308



-26BW_NVNT_ANT2_802_11ax(HE20)_5825




99% OCB_NVNT_ANT1_802_11n(HT40)_5755

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 89 of 308



-26BW_NVNT_ANT1_802_11n(HT40)_5755



99%_OCB_NVNT_ANT2_802_11n(HT40)_5755


Appendix B

CN24XTFJ 003


Page 90 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11n(HT40)_5755




99%_OCB_NVNT_ANT1_802_11n(HT40)_5795

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 91 of 308



-26BW_NVNT_ANT1_802_11n(HT40)_5795



99% OCB_NVNT_ANT2_802_11n(HT40)_5795


Appendix B

CN24XTFJ 003


Page 92 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11n(HT40)_5795



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5755


Appendix B

CN24XTFJ 003


Page 93 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT1_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT2_802_11ac(VHT40)_5755


Appendix B

CN24XTFJ 003


Page 94 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5795


Appendix B

CN24XTFJ 003


Page 95 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT1_802_11ac(VHT40)_5795



99%_OCB_NVNT_ANT2_802_11ac(VHT40)_5795


Appendix B

CN24XTFJ 003


Page 96 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11ac(VHT40)_5795




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5755

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 97 of 308



-26BW_NVNT_ANT1_802_11ax(HE40)_5755




99% OCB NVNT_ANT2_802_11ax(HE40)_5755

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 98 of 308



-26BW_NVNT_ANT2_802_11ax(HE40)_5755



99% OCB_NVNT_ANT1_802_11ax(HE40)_5795


Appendix B

CN24XTFJ 003


Page 99 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT1_802_11ax(HE40)_5795



99% OCB_NVNT_ANT2_802_11ax(HE40)_5795


Appendix B

CN24XTFJ 003


Page 100 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11ax(HE40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5775

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 101 of 308



-26BW_NVNT_ANT1_802_11ac(VHT80)_5775




99%_OCB_NVNT_ANT2_802_11ac(VHT80)_5775

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 102 of 308



-26BW_NVNT_ANT2_802_11ac(VHT80)_5775




99% OCB_NVNT_ANT1_802_11ax(HE80)_5775

Appendix B


CN24XTFJ 003

Prüfbericht - Produkte
Test Report - Products

Page 103 of 308



-26BW_NVNT_ANT1_802_11ax(HE80)_5775



99% OCB NVNT_ANT2_802_11ax(HE80)_5775


Appendix B

CN24XTFJ 003


Page 104 of 308

Prüfbericht - Produkte

Test Report - Products



-26BW_NVNT_ANT2_802_11ax(HE80)_5775



Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 105 of 308

2. Maximum output power

2.1 Test Data

U-NII-1:

Antenna	Modulation	Frequency (MHz)	Conducted Power (dBm)	FCC Limit (dBm)	IC Limit (dBm)	Gain (dBi)	EIRP (dBm)	Result
ANT1	802.11a	5180.00	17.64	24	23.01	-3.00	14.64	Pass
ANT2	802.11a	5180.00	17.20	24	23.01	-3.00	14.2	Pass
ANT1	802.11a	5200.00	17.39	24	23.01	-3.00	14.39	Pass
ANT2	802.11a	5200.00	17.65	24	23.01	-3.00	14.65	Pass
ANT1	802.11a	5240.00	17.72	24	23.01	-3.00	14.72	Pass
ANT2	802.11a	5240.00	14.34	24	23.01	-3.00	11.34	Pass
ANT1	802.11n(HT20)	5180.00	17.38	24	23.01	-3.00	14.38	Pass
ANT2	802.11n(HT20)	5180.00	17.71	24	23.01	-3.00	14.71	Pass
ANT1	802.11n(HT20)	5200.00	17.96	24	23.01	-3.00	14.96	Pass
ANT2	802.11n(HT20)	5200.00	17.72	24	23.01	-3.00	14.72	Pass
ANT1	802.11n(HT20)	5240.00	16.32	24	23.01	-3.00	13.32	Pass
ANT2	802.11n(HT20)	5240.00	17.29	24	23.01	-3.00	14.29	Pass
ANT1	802.11ac(VHT20)	5180.00	18.17	24	23.01	-3.00	15.17	Pass
ANT2	802.11ac(VHT20)	5180.00	17.62	24	23.01	-3.00	14.62	Pass
ANT1	802.11ac(VHT20)	5200.00	16.52	24	23.01	-3.00	13.52	Pass
ANT2	802.11ac(VHT20)	5200.00	17.45	24	23.01	-3.00	14.45	Pass
ANT1	802.11ac(VHT20)	5240.00	15.64	24	23.01	-3.00	12.64	Pass
ANT2	802.11ac(VHT20)	5240.00	15.19	24	23.01	-3.00	12.19	Pass
ANT1	802.11ax(HE20)	5180.00	15.82	24	23.01	-3.00	12.82	Pass
ANT2	802.11ax(HE20)	5180.00	17.42	24	23.01	-3.00	14.42	Pass
ANT1	802.11ax(HE20)	5200.00	13.66	24	23.01	-3.00	10.66	Pass
ANT2	802.11ax(HE20)	5200.00	13.41	24	23.01	-3.00	10.41	Pass
ANT1	802.11ax(HE20)	5240.00	11.08	24	23.01	-3.00	8.08	Pass
ANT2	802.11ax(HE20)	5240.00	13.56	24	23.01	-3.00	10.56	Pass
ANT1	802.11n(HT40)	5190.00	13.75	24	23.01	-3.00	10.75	Pass
ANT2	802.11n(HT40)	5190.00	13.29	24	23.01	-3.00	10.29	Pass
ANT1	802.11n(HT40)	5230.00	14.50	24	23.01	-3.00	11.5	Pass
ANT2	802.11n(HT40)	5230.00	13.87	24	23.01	-3.00	10.87	Pass
ANT1	802.11ac(VHT40)	5190.00	12.99	24	23.01	-3.00	9.99	Pass
ANT2	802.11ac(VHT40)	5190.00	11.99	24	23.01	-3.00	8.99	Pass
ANT1	802.11ac(VHT40)	5230.00	12.34	24	23.01	-3.00	9.34	Pass
ANT2	802.11ac(VHT40)	5230.00	12.63	24	23.01	-3.00	9.63	Pass
ANT1	802.11ax(HE40)	5190.00	12.19	24	23.01	-3.00	9.19	Pass
ANT2	802.11ax(HE40)	5190.00	11.91	24	23.01	-3.00	8.91	Pass
ANT1	802.11ax(HE40)	5230.00	13.51	24	23.01	-3.00	10.51	Pass
ANT2	802.11ax(HE40)	5230.00	12.85	24	23.01	-3.00	9.85	Pass
ANT1	802.11ac(VHT80)	5210.00	13.14	24	23.01	-3.00	10.14	Pass
ANT2	802.11ac(VHT80)	5210.00	13.25	24	23.01	-3.00	10.25	Pass
ANT1	802.11ax(HE80)	5210.00	12.94	24	23.01	-3.00	9.94	Pass
ANT2	802.11ax(HE80)	5210.00	13.28	24	23.01	-3.00	10.28	Pass

Antenna	Mode	Frequency (MHz)	MIMO_Conducted Power(dBm)	FCC Limit (dBm)	IC Limit (dBm)	Gain (dBi)	EIRP (dBm)	Result
MIMO_TX	802.11n(HT20)	5180.00	20.56	24	23.01	-3.00	17.56	Pass
MIMO_TX	802.11n(HT20)	5200.00	20.85	24	23.01	-3.00	17.85	Pass
MIMO_TX	802.11n(HT20)	5240.00	19.84	24	23.01	-3.00	16.84	Pass
MIMO_TX	802.11ac(VHT20)	5180.00	20.91	24	23.01	-3.00	17.91	Pass
MIMO_TX	802.11ac(VHT20)	5200.00	20.02	24	23.01	-3.00	17.02	Pass
MIMO_TX	802.11ac(VHT20)	5240.00	18.43	24	23.01	-3.00	15.43	Pass
MIMO_TX	802.11ax(HE20)	5180.00	19.70	24	23.01	-3.00	16.70	Pass
MIMO_TX	802.11ax(HE20)	5200.00	16.55	24	23.01	-3.00	13.55	Pass
MIMO_TX	802.11ax(HE20)	5240.00	15.51	24	23.01	-3.00	12.51	Pass
MIMO_TX	802.11n(HT40)	5190.00	16.54	24	23.01	-3.00	13.54	Pass
MIMO_TX	802.11n(HT40)	5230.00	17.21	24	23.01	-3.00	14.21	Pass
MIMO_TX	802.11ac(VHT40)	5190.00	15.53	24	23.01	-3.00	12.53	Pass
MIMO_TX	802.11ac(VHT40)	5230.00	15.50	24	23.01	-3.00	12.50	Pass
MIMO_TX	802.11ax(HE40)	5190.00	15.06	24	23.01	-3.00	12.06	Pass
MIMO_TX	802.11ax(HE40)	5230.00	16.20	24	23.01	-3.00	13.20	Pass
MIMO_TX	802.11ac(VHT80)	5210.00	16.21	24	23.01	-3.00	13.21	Pass
MIMO_TX	802.11ax(HE80)	5210.00	16.12	24	23.01	-3.00	13.12	Pass

Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 106 of 308

U-NII-3:

Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Limit (dBm)	Gain (dBi)	EIRP (dBm)	Result
ANT1	802.11a	5745.00	17.24	30	-3.00	14.24	Pass
ANT2	802.11a	5745.00	15.68	30	-3.00	12.68	Pass
ANT1	802.11a	5785.00	18.54	30	-3.00	15.54	Pass
ANT2	802.11a	5785.00	17.89	30	-3.00	14.89	Pass
ANT1	802.11a	5825.00	18.73	30	-3.00	15.73	Pass
ANT2	802.11a	5825.00	18.40	30	-3.00	15.40	Pass
ANT1	802.11n(HT20)	5745.00	17.17	30	-3.00	14.17	Pass
ANT2	802.11n(HT20)	5745.00	17.41	30	-3.00	14.41	Pass
ANT1	802.11n(HT20)	5785.00	18.70	30	-3.00	15.70	Pass
ANT2	802.11n(HT20)	5785.00	16.44	30	-3.00	13.44	Pass
ANT1	802.11n(HT20)	5825.00	18.25	30	-3.00	15.25	Pass
ANT2	802.11n(HT20)	5825.00	18.71	30	-3.00	15.71	Pass
ANT1	802.11ac(VHT20)	5745.00	17.66	30	-3.00	14.66	Pass
ANT2	802.11ac(VHT20)	5745.00	16.55	30	-3.00	13.55	Pass
ANT1	802.11ac(VHT20)	5785.00	17.96	30	-3.00	14.96	Pass
ANT2	802.11ac(VHT20)	5785.00	17.82	30	-3.00	14.82	Pass
ANT1	802.11ac(VHT20)	5825.00	18.76	30	-3.00	15.76	Pass
ANT2	802.11ac(VHT20)	5825.00	19.00	30	-3.00	16.00	Pass
ANT1	802.11ax(HE20)	5745.00	13.78	30	-3.00	10.78	Pass
ANT2	802.11ax(HE20)	5745.00	16.98	30	-3.00	13.98	Pass
ANT1	802.11ax(HE20)	5785.00	18.29	30	-3.00	15.29	Pass
ANT2	802.11ax(HE20)	5785.00	16.39	30	-3.00	13.39	Pass
ANT1	802.11ax(HE20)	5825.00	18.53	30	-3.00	15.53	Pass
ANT2	802.11ax(HE20)	5825.00	19.01	30	-3.00	16.01	Pass
ANT1	802.11n(HT40)	5755.00	17.18	30	-3.00	14.18	Pass
ANT2	802.11n(HT40)	5755.00	17.10	30	-3.00	14.10	Pass
ANT1	802.11n(HT40)	5795.00	19.11	30	-3.00	16.11	Pass
ANT2	802.11n(HT40)	5795.00	17.66	30	-3.00	14.66	Pass
ANT1	802.11ac(VHT40)	5755.00	15.38	30	-3.00	12.38	Pass
ANT2	802.11ac(VHT40)	5755.00	17.04	30	-3.00	14.04	Pass
ANT1	802.11ac(VHT40)	5795.00	18.51	30	-3.00	15.51	Pass
ANT2	802.11ac(VHT40)	5795.00	17.72	30	-3.00	14.72	Pass
ANT1	802.11ax(HE40)	5755.00	16.74	30	-3.00	13.74	Pass
ANT2	802.11ax(HE40)	5755.00	15.89	30	-3.00	12.89	Pass
ANT1	802.11ax(HE40)	5795.00	18.09	30	-3.00	15.09	Pass
ANT2	802.11ax(HE40)	5795.00	17.40	30	-3.00	14.40	Pass
ANT1	802.11ac(VHT80)	5775.00	17.97	30	-3.00	14.97	Pass
ANT2	802.11ac(VHT80)	5775.00	17.54	30	-3.00	14.54	Pass
ANT1	802.11ax(HE80)	5775.00	18.06	30	-3.00	15.06	Pass
ANT2	802.11ax(HE80)	5775.00	17.68	30	-3.00	14.68	Pass

Antenna	Mode	Frequency (MHz)	MIMO_Conducted Power(dBm)	Limit (dBm)	Max Gain (dBi)	EIRP (dBm)	Result
MIMO_TX	802.11n(HT20)	5745.00	20.30	30	-3.00	17.30	Pass
MIMO_TX	802.11n(HT20)	5785.00	20.73	30	-3.00	17.73	Pass
MIMO_TX	802.11n(HT20)	5825.00	21.50	30	-3.00	18.50	Pass
MIMO_TX	802.11ac(VHT20)	5745.00	20.15	30	-3.00	17.15	Pass
MIMO_TX	802.11ac(VHT20)	5785.00	20.90	30	-3.00	17.90	Pass
MIMO_TX	802.11ac(VHT20)	5825.00	21.89	30	-3.00	18.89	Pass
MIMO_TX	802.11ax(HE20)	5745.00	18.68	30	-3.00	15.68	Pass
MIMO_TX	802.11ax(HE20)	5785.00	20.45	30	-3.00	17.45	Pass
MIMO_TX	802.11ax(HE20)	5825.00	21.79	30	-3.00	18.79	Pass
MIMO_TX	802.11n(HT40)	5755.00	20.15	30	-3.00	17.15	Pass
MIMO_TX	802.11n(HT40)	5795.00	21.46	30	-3.00	18.46	Pass
MIMO_TX	802.11ac(VHT40)	5755.00	19.30	30	-3.00	16.30	Pass
MIMO_TX	802.11ac(VHT40)	5795.00	21.14	30	-3.00	18.14	Pass
MIMO_TX	802.11ax(HE40)	5755.00	19.34	30	-3.00	16.34	Pass
MIMO_TX	802.11ax(HE40)	5795.00	20.77	30	-3.00	17.77	Pass
MIMO_TX	802.11ac(VHT80)	5775.00	20.77	30	-3.00	17.77	Pass
MIMO_TX	802.11ax(HE80)	5775.00	20.89	30	-3.00	17.89	Pass

Note: The cable loss and duty cycle factor are taken into account in results, e.i.r.p.=P(Peak power)+ G

Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 107 of 308

2.2 Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	98.97	0.00
NVNT	ANT2	802.11a	5180.00	98.97	0.00
NVNT	ANT1	802.11a	5200.00	98.97	0.00
NVNT	ANT2	802.11a	5200.00	98.97	0.00
NVNT	ANT1	802.11a	5240.00	98.97	0.00
NVNT	ANT2	802.11a	5240.00	98.97	0.00
NVNT	ANT1	802.11n(HT20)	5180.00	96.38	0.16
NVNT	ANT2	802.11n(HT20)	5180.00	96.40	0.16
NVNT	ANT1	802.11n(HT20)	5200.00	95.65	0.19
NVNT	ANT2	802.11n(HT20)	5200.00	95.71	0.19
NVNT	ANT1	802.11n(HT20)	5240.00	97.10	0.13
NVNT	ANT2	802.11n(HT20)	5240.00	95.65	0.19
NVNT	ANT1	802.11ac(VHT20)	5180.00	95.07	0.22
NVNT	ANT2	802.11ac(VHT20)	5180.00	95.10	0.22
NVNT	ANT1	802.11ac(VHT20)	5200.00	95.07	0.22
NVNT	ANT2	802.11ac(VHT20)	5200.00	95.07	0.22
NVNT	ANT1	802.11ac(VHT20)	5240.00	95.10	0.22
NVNT	ANT2	802.11ac(VHT20)	5240.00	95.07	0.22
NVNT	ANT1	802.11ax(HE20)	5180.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5180.00	88.64	0.52
NVNT	ANT1	802.11ax(HE20)	5200.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5200.00	88.51	0.53
NVNT	ANT1	802.11ax(HE20)	5240.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5240.00	88.64	0.52
NVNT	ANT1	802.11n(HT40)	5190.00	56.52	2.48
NVNT	ANT2	802.11n(HT40)	5190.00	56.52	2.48
NVNT	ANT1	802.11n(HT40)	5230.00	90.38	0.44
NVNT	ANT2	802.11n(HT40)	5230.00	90.48	0.43
NVNT	ANT1	802.11ac(VHT40)	5190.00	90.48	0.43
NVNT	ANT2	802.11ac(VHT40)	5190.00	90.48	0.43
NVNT	ANT1	802.11ac(VHT40)	5230.00	90.48	0.43
NVNT	ANT2	802.11ac(VHT40)	5230.00	90.48	0.43
NVNT	ANT1	802.11ax(HE40)	5190.00	80.77	0.93
NVNT	ANT2	802.11ax(HE40)	5190.00	80.77	0.93
NVNT	ANT1	802.11ax(HE40)	5230.00	81.13	0.91
NVNT	ANT2	802.11ax(HE40)	5230.00	80.77	0.93
NVNT	ANT1	802.11ac(VHT80)	5210.00	82.14	0.85
NVNT	ANT2	802.11ac(VHT80)	5210.00	80.70	0.93
NVNT	ANT1	802.11ax(HE80)	5210.00	80.00	0.97
NVNT	ANT2	802.11ax(HE80)	5210.00	80.00	0.97

Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 108 of 308

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	98.97	0.00
NVNT	ANT2	802.11a	5745.00	98.97	0.00
NVNT	ANT1	802.11a	5785.00	98.97	0.00
NVNT	ANT2	802.11a	5785.00	98.97	0.00
NVNT	ANT1	802.11a	5825.00	98.97	0.00
NVNT	ANT2	802.11a	5825.00	98.97	0.00
NVNT	ANT1	802.11n(HT20)	5745.00	96.40	0.16
NVNT	ANT2	802.11n(HT20)	5745.00	96.38	0.16
NVNT	ANT1	802.11n(HT20)	5785.00	96.40	0.16
NVNT	ANT2	802.11n(HT20)	5785.00	96.40	0.16
NVNT	ANT1	802.11n(HT20)	5825.00	96.38	0.16
NVNT	ANT2	802.11n(HT20)	5825.00	97.10	0.13
NVNT	ANT1	802.11ac(VHT20)	5745.00	95.07	0.22
NVNT	ANT2	802.11ac(VHT20)	5745.00	95.07	0.22
NVNT	ANT1	802.11ac(VHT20)	5785.00	95.07	0.22
NVNT	ANT2	802.11ac(VHT20)	5785.00	95.07	0.22
NVNT	ANT1	802.11ac(VHT20)	5825.00	95.07	0.22
NVNT	ANT2	802.11ac(VHT20)	5825.00	95.07	0.22
NVNT	ANT1	802.11ax(HE20)	5745.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5745.00	88.64	0.52
NVNT	ANT1	802.11ax(HE20)	5785.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5785.00	88.64	0.52
NVNT	ANT1	802.11ax(HE20)	5825.00	88.64	0.52
NVNT	ANT2	802.11ax(HE20)	5825.00	88.64	0.52
NVNT	ANT1	802.11n(HT40)	5755.00	94.55	0.24
NVNT	ANT2	802.11n(HT40)	5755.00	94.55	0.24
NVNT	ANT1	802.11n(HT40)	5795.00	90.38	0.44
NVNT	ANT2	802.11n(HT40)	5795.00	90.48	0.43
NVNT	ANT1	802.11ac(VHT40)	5755.00	90.48	0.43
NVNT	ANT2	802.11ac(VHT40)	5755.00	90.48	0.43
NVNT	ANT1	802.11ac(VHT40)	5795.00	90.48	0.43
NVNT	ANT2	802.11ac(VHT40)	5795.00	90.57	0.43
NVNT	ANT1	802.11ax(HE40)	5755.00	81.13	0.91
NVNT	ANT2	802.11ax(HE40)	5755.00	80.77	0.93
NVNT	ANT1	802.11ax(HE40)	5795.00	80.77	0.93
NVNT	ANT2	802.11ax(HE40)	5795.00	81.13	0.91
NVNT	ANT1	802.11ac(VHT80)	5775.00	82.14	0.85
NVNT	ANT2	802.11ac(VHT80)	5775.00	82.14	0.85
NVNT	ANT1	802.11ax(HE80)	5775.00	80.00	0.97
NVNT	ANT2	802.11ax(HE80)	5775.00	80.00	0.97

Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 109 of 308

3. Power Spectral Density

3.1 Test Datas Bands U-NII-1

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Duty factor(dB)	Conducted PSD (dBm/MHz)	FCC Conducted limit(dBm/MHz)	EIRP PSD (dBm/MHz)	ISED EIRP PSD limit (dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	4.82	0.00	4.82	11	1.82	10	Pass
NVNT	ANT1	802.11a	5200.00	3.04	0.00	3.04	11	0.04	10	Pass
NVNT	ANT1	802.11a	5240.00	4.75	0.00	4.75	11	1.75	10	Pass
NVNT	ANT2	802.11a	5180.00	3.81	0.00	3.81	11	0.81	10	Pass
NVNT	ANT2	802.11a	5200.00	5.18	0.00	5.18	11	2.18	10	Pass
NVNT	ANT2	802.11a	5240.00	-0.18	0.00	-0.18	11	-3.18	10	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	4.06	0.16	4.22	11	1.22	10	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	2.28	0.16	2.44	11	-0.56	10	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	4.55	0.19	4.74	11	1.74	10	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	1.54	0.19	1.73	11	-1.27	10	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	1.35	0.13	1.48	11	-1.52	10	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	1.68	0.19	1.87	11	-1.13	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	3.21	0.22	3.43	11	0.43	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	-1.56	0.22	-1.34	11	-4.34	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	1.63	0.22	1.85	11	-1.15	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	3.13	0.22	3.35	11	0.35	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	2.85	0.22	3.08	11	0.08	10	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	1.58	0.22	1.80	11	-1.2	10	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-1.05	0.52	-0.53	11	-3.53	10	Pass
NVNT	ANT2	802.11ax(HE20)	5180.00	-0.21	0.52	0.31	11	-2.69	10	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-4.40	0.52	-3.88	11	-6.88	10	Pass
NVNT	ANT2	802.11ax(HE20)	5200.00	-4.87	0.53	-4.33	11	-7.33	10	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-4.76	0.52	-4.24	11	-7.24	10	Pass
NVNT	ANT2	802.11ax(HE20)	5240.00	-4.12	0.52	-3.60	11	-6.6	10	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-23.46	2.48	-20.98	11	-23.98	10	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	-21.38	2.48	-18.90	11	-21.9	10	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-6.95	0.44	-6.51	11	-9.51	10	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	-6.03	0.43	-5.60	11	-8.6	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-6.85	0.43	-6.42	11	-9.42	10	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	-7.28	0.43	-6.85	11	-9.85	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-7.28	0.43	-6.85	11	-9.85	10	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	-8.65	0.43	-8.22	11	-11.22	10	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-11.29	0.93	-10.36	11	-13.36	10	Pass
NVNT	ANT2	802.11ax(HE40)	5190.00	-11.52	0.93	-10.59	11	-13.59	10	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-11.40	0.91	-10.49	11	-13.49	10	Pass
NVNT	ANT2	802.11ax(HE40)	5230.00	-10.77	0.93	-9.84	11	-12.84	10	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-13.56	0.85	-12.71	11	-15.71	10	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	-15.25	0.93	-14.32	11	-17.32	10	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	-13.49	0.97	-12.52	11	-15.52	10	Pass
NVNT	ANT2	802.11ax(HE80)	5210.00	-13.91	0.97	-12.94	11	-15.94	10	Pass

Appendix B

CN24XTFJ 003

Prüfbericht - Produkte

Test Report - Products

Page 110 of 308

Condition	Antenna	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	FCC Conducted limit(dBm/MHz)	EIRP PSD (dBm/MHz)	ISED EIRP PSD limit (dBm/MHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	5180.00	6.21	11	3.21	10	Pass
NVNT	MIMO_TX	802.11n(HT20)	5200.00	6.28	11	3.28	10	Pass
NVNT	MIMO_TX	802.11n(HT20)	5240.00	4.31	11	1.31	10	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5180.00	4.24	11	1.24	10	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5200.00	5.43	11	2.43	10	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5240.00	4.80	11	1.8	10	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5180.00	1.60	11	-1.4	10	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5200.00	-1.62	11	-4.62	10	Pass
NVNT	MIMO_TX	802.11ax(HE20)	5240.00	-1.36	11	-4.36	10	Pass
NVNT	MIMO_TX	802.11n(HT40)	5190.00	-17.60	11	-20.6	10	Pass
NVNT	MIMO_TX	802.11n(HT40)	5230.00	-3.99	11	-6.99	10	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5190.00	-3.62	11	-6.62	10	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5230.00	-5.28	11	-8.28	10	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5190.00	-8.13	11	-11.13	10	Pass
NVNT	MIMO_TX	802.11ax(HE40)	5230.00	-8.52	11	-11.52	10	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5210.00	-11.10	11	-14.1	10	Pass
NVNT	MIMO_TX	802.11ax(HE80)	5210.00	-10.09	11	-13.09	10	Pass

Note: The cable loss and duty cycle factor are taken into account in results, e.i.r.p.=P_(Peak power)+ G

Appendix B

CN24XTFJ 003

Page 111 of 308

Prüfbericht - Produkte

Test Report - Products



Appendix B

CN24XTFJ 003

Page 112 of 308

Prüfbericht - Produkte

Test Report - Products



Power_Spectral_Density NVNT_ANT2_802_11a_5200



Power_Spectral_Density NVNT_ANT1_802_11a_5240