



99% Bandwidth - QPSK


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth




5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth




99% Bandwidth - 16QAM


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth




5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/09	Test Band	Band 5/26


Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	1.4	836.5	1.08
	3		2.69
	5		4.47
	10		8.92
	15		13.40
	15	821.5	13.38
16QAM	1.4	836.5	1.08
	3		2.68
	5		4.46
	10		8.90
	15		13.37
	15	821.5	13.38

99% Bandwidth - QPSK


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth




5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



821.5MHz




99% Bandwidth -16QAM


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth




5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



821.5MHz



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/09	Test Band	LTE Band 7

Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	5	2535.0	4.47
	10		8.92
	15		13.41
	20		17.81
16QAM	5	2535.0	4.47
	10		8.90
	15		13.37
	20		17.84

99% Bandwidth - QPSK


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth




99% Bandwidth - 16QAM


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/09	Test Band	LTE Band 12

Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	1.4	707.5	1.08
	3		2.68
	5		4.47
	10		8.93
16QAM	1.4	707.5	1.08
	3		2.68
	5		4.47
	10		8.91

99% Bandwidth - QPSK


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth



5MHz Channel Bandwidth




10MHz Channel Bandwidth



99% Bandwidth - 16QAM


1.4MHz Channel Bandwidth




3MHz Channel Bandwidth



5MHz Channel Bandwidth



10MHz Channel Bandwidth



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/09	Test Band	LTE Band 13


Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	5	782.0	4.47
	10		8.92
16QAM	5	782.0	4.47
	10		8.89

99% Bandwidth - QPSK

5MHz Channel Bandwidth



10MHz Channel Bandwidth




99% Bandwidth - 16QAM

5MHz Channel Bandwidth



10MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/09	Test Band	LTE Band 38/41


Modulation	Bandwidth (MHz)	Frequency (MHz)	99% Bandwidth (MHz)
QPSK	5	2593.0	4.47
	10		8.92
	15		13.39
	20		17.82
16QAM	5	2593.0	4.46
	10		8.91
	15		13.38
	20		17.82

99% Bandwidth - QPSK


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth




20MHz Channel Bandwidth




99% Bandwidth - 16QAM


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 2/25

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	-0.0011
	- 20	-0.0019
	- 10	-0.0007
	0	-0.0022
	+ 10	-0.0021
	+ 20 (Ref)	0.0000
	+ 30	-0.0057
	+ 40	-0.0051
	+ 50	-0.0052
4.30	+ 20	-0.0060
3.30	+ 20	-0.0027

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 4/66

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0019
	- 20	0.0016
	- 10	0.0016
	0	0.0023
	+ 10	0.0013
	+ 20 (Ref)	0.0000
	+ 30	0.0003
	+ 40	0.0007
	+ 50	0.0005
4.30	+ 20	0.0007
3.30	+ 20	0.0005

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 5/26

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	-0.0088
	- 20	-0.0038
	- 10	-0.0044
	0	-0.0048
	+ 10	-0.0025
	+ 20 (Ref)	0.0000
	+ 30	-0.0016
	+ 40	-0.0056
	+ 50	-0.0088
4.30	+ 20	-0.0075
3.30	+ 20	-0.0049

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 7

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0002
	- 20	0.0007
	- 10	0.0004
	0	0.0019
	+ 10	0.0002
	+ 20 (Ref)	0.0000
	+ 30	0.0013
	+ 40	-0.0003
	+ 50	0.0017
4.30	+ 20	0.0000
3.30	+ 20	0.0011

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 12

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0052
	- 20	0.0055
	- 10	0.0049
	0	0.0025
	+ 10	0.0044
	+ 20 (Ref)	0.0000
	+ 30	0.0010
	+ 40	0.0020
	+ 50	0.0051
4.30	+ 20	0.0000
3.30	+ 20	0.0014

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 13

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0042
	- 20	0.0045
	- 10	0.0052
	0	0.0047
	+ 10	0.0066
	+ 20 (Ref)	0.0000
	+ 30	-0.0014
	+ 40	0.0003
	+ 50	-0.0003
4.30	+ 20	-0.0005
3.30	+ 20	-0.0036

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/11/29	Test Band	LTE Band 38/41

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.80	- 30	0.0028
	- 20	-0.0009
	- 10	-0.0006
	0	0.0043
	+ 10	-0.0002
	+ 20 (Ref)	0.0000
	+ 30	0.0044
	+ 40	0.0047
	+ 50	0.0005
4.30	+ 20	0.0048
3.30	+ 20	0.0049

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 2/25

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1850.70	1.4	1	0	23.25	24.63	< 33.01
1882.50				23.24	24.62	< 33.01
1914.30				23.32	24.70	< 33.01
1850.70	1.4	1	2	23.44	24.82	< 33.01
1882.50				23.33	24.71	< 33.01
1914.30				23.54	24.92	< 33.01
1850.70	1.4	1	6	23.31	24.69	< 33.01
1882.50				23.22	24.60	< 33.01
1914.30				23.26	24.64	< 33.01
1850.70	1.4	6	0	22.36	23.74	< 33.01
1882.50				22.32	23.70	< 33.01
1914.30				22.39	23.77	< 33.01
1851.50	3	1	0	23.48	24.86	< 33.01
1882.50				23.18	24.56	< 33.01
1913.50				23.12	24.50	< 33.01
1851.50	3	1	7	23.39	24.77	< 33.01
1882.50				23.29	24.67	< 33.01
1913.50				23.26	24.64	< 33.01
1851.50	3	1	14	23.17	24.55	< 33.01
1882.50				23.36	24.74	< 33.01
1913.50				22.98	24.36	< 33.01
1851.50	3	15	0	22.36	23.74	< 33.01
1882.50				22.24	23.62	< 33.01
1913.50				22.44	23.82	< 33.01

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1852.50	5	1	0	23.20	24.58	< 33.01
1882.50				23.26	24.64	< 33.01
1912.50				23.27	24.65	< 33.01
1852.50	5	1	12	23.23	24.61	< 33.01
1882.50				23.30	24.68	< 33.01
1912.50				23.16	24.54	< 33.01
1852.50	5	1	24	23.23	24.61	< 33.01
1882.50				23.26	24.64	< 33.01
1912.50				23.21	24.59	< 33.01
1852.50	5	25	0	22.21	23.59	< 33.01
1882.50				22.26	23.64	< 33.01
1912.50				22.33	23.71	< 33.01
1855.00	10	1	0	23.23	24.61	< 33.01
1882.50				23.21	24.59	< 33.01
1910.00				23.21	24.59	< 33.01
1855.00	10	1	24	23.23	24.61	< 33.01
1882.50				23.38	24.76	< 33.01
1910.00				23.40	24.78	< 33.01
1855.00	10	1	49	23.23	24.61	< 33.01
1882.50				23.16	24.54	< 33.01
1910.00				23.18	24.56	< 33.01
1855.00	10	50	0	22.38	23.76	< 33.01
1882.50				22.35	23.73	< 33.01
1910.00				22.47	23.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1857.50	15	1	0	23.21	24.59	< 33.01
1882.50				23.35	24.73	< 33.01
1907.50				23.32	24.70	< 33.01
1857.50	15	1	37	23.38	24.76	< 33.01
1882.50				23.38	24.76	< 33.01
1907.50				23.30	24.68	< 33.01
1857.50	15	1	74	23.44	24.82	< 33.01
1882.50				23.26	24.64	< 33.01
1907.50				23.32	24.70	< 33.01
1857.50	15	75	0	22.25	23.63	< 33.01
1882.50				22.39	23.77	< 33.01
1907.50				22.52	23.90	< 33.01
1860.00	20	1	0	23.23	24.61	< 33.01
1882.50				23.36	24.74	< 33.01
1905.00				23.30	24.68	< 33.01
1860.00	20	1	49	23.50	24.88	< 33.01
1882.50				23.48	24.86	< 33.01
1905.00				23.62	25.00	< 33.01
1860.00	20	1	99	23.23	24.61	< 33.01
1882.50				23.23	24.61	< 33.01
1905.00				23.44	24.82	< 33.01
1860.00	20	100	0	22.32	23.70	< 33.01
1882.50				22.39	23.77	< 33.01
1905.00				22.50	23.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1850.70	1.4	1	0	21.88	23.26	< 33.01
1882.50				21.96	23.34	< 33.01
1914.30				22.08	23.46	< 33.01
1850.70	1.4	1	2	22.03	23.41	< 33.01
1882.50				21.81	23.19	< 33.01
1914.30				21.98	23.36	< 33.01
1850.70	1.4	1	6	21.91	23.29	< 33.01
1882.50				22.10	23.48	< 33.01
1914.30				21.91	23.29	< 33.01
1850.70	1.4	6	0	21.38	22.76	< 33.01
1882.50				21.56	22.94	< 33.01
1914.30				21.33	22.71	< 33.01
1851.50	3	1	0	22.09	23.47	< 33.01
1882.50				21.88	23.26	< 33.01
1913.50				22.04	23.42	< 33.01
1851.50	3	1	7	22.00	23.38	< 33.01
1882.50				22.25	23.63	< 33.01
1913.50				22.27	23.65	< 33.01
1851.50	3	1	14	21.94	23.32	< 33.01
1882.50				22.17	23.55	< 33.01
1913.50				22.05	23.43	< 33.01
1851.50	3	15	0	21.39	22.77	< 33.01
1882.50				21.28	22.66	< 33.01
1913.50				21.46	22.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1852.50	5	1	0	21.97	23.35	< 33.01
1882.50				22.12	23.50	< 33.01
1912.50				21.85	23.23	< 33.01
1852.50	5	1	12	21.50	22.88	< 33.01
1882.50				21.91	23.29	< 33.01
1912.50				21.88	23.26	< 33.01
1852.50	5	1	24	22.06	23.44	< 33.01
1882.50				22.27	23.65	< 33.01
1912.50				21.65	23.03	< 33.01
1852.50	5	25	0	21.33	22.71	< 33.01
1882.50				21.41	22.79	< 33.01
1912.50				21.38	22.76	< 33.01
1855.00	10	1	0	22.06	23.44	< 33.01
1882.50				22.43	23.81	< 33.01
1910.00				21.98	23.36	< 33.01
1855.00	10	1	24	22.02	23.40	< 33.01
1882.50				22.41	23.79	< 33.01
1910.00				22.16	23.54	< 33.01
1855.00	10	1	49	21.91	23.29	< 33.01
1882.50				22.01	23.39	< 33.01
1910.00				22.16	23.54	< 33.01
1855.00	10	50	0	21.39	22.77	< 33.01
1882.50				21.35	22.73	< 33.01
1910.00				21.49	22.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1857.50	15	1	0	22.16	23.54	< 33.01
1882.50				22.27	23.65	< 33.01
1907.50				21.85	23.23	< 33.01
1857.50	15	1	37	22.24	23.62	< 33.01
1882.50				22.46	23.84	< 33.01
1907.50				22.54	23.92	< 33.01
1857.50	15	1	74	22.01	23.39	< 33.01
1882.50				22.14	23.52	< 33.01
1907.50				22.17	23.55	< 33.01
1857.50	15	75	0	21.27	22.65	< 33.01
1882.50				21.50	22.88	< 33.01
1907.50				21.43	22.81	< 33.01
1860.00	20	1	0	22.25	23.63	< 33.01
1882.50				22.60	23.98	< 33.01
1905.00				21.97	23.35	< 33.01
1860.00	20	1	49	22.25	23.63	< 33.01
1882.50				21.82	23.20	< 33.01
1905.00				22.46	23.84	< 33.01
1860.00	20	1	99	21.96	23.34	< 33.01
1882.50				21.66	23.04	< 33.01
1905.00				22.41	23.79	< 33.01
1860.00	20	100	0	21.22	22.60	< 33.01
1882.50				21.41	22.79	< 33.01
1905.00				21.44	22.82	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/12/08	Test Band	LTE Band 4/66

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1710.70	1.4	1	0	23.05	25.05	< 30.00
1745.00				23.08	25.08	< 30.00
1779.30				23.33	25.33	< 30.00
1710.70	1.4	1	2	23.09	25.09	< 30.00
1745.00				23.15	25.15	< 30.00
1779.30				23.41	25.41	< 30.00
1710.70	1.4	1	6	22.98	24.98	< 30.00
1745.00				22.97	24.97	< 30.00
1779.30				23.03	25.03	< 30.00
1710.70	1.4	6	0	22.16	24.16	< 30.00
1732.50				22.16	24.16	< 30.00
1754.30				22.36	24.36	< 30.00
1711.50	3	1	0	23.09	25.09	< 30.00
1745.00				23.20	25.20	< 30.00
1778.50				23.34	25.34	< 30.00
1711.50	3	1	7	23.13	25.13	< 30.00
1745.00				23.03	25.03	< 30.00
1778.50				23.44	25.44	< 30.00
1711.50	3	1	14	23.19	25.19	< 30.00
1745.00				23.04	25.04	< 30.00
1778.50				23.31	25.31	< 30.00
1711.50	3	15	0	22.20	24.20	< 30.00
1745.00				22.30	24.30	< 30.00
1778.50				22.40	24.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						