

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

21/08/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36959G	2.33	6.101G	-43.37	-37.54	-5.83	1
6.37039G	1.89	6.1014G	-44.57	-37.83	-6.74	2
6.31761G	1.26	6.098G	-44.73	-38.74	-5.99	3
6.36879G	1.87	6.1016G	-45.18	-37.72	-7.46	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

21/08/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47821G	1.80	6.3152G	-38.35	-30.10	-8.25	1
6.47201G	2.28	6.311G	-37.81	-30.32	-7.49	2
6.47741G	1.75	6.3164G	-38.62	-29.90	-8.72	3
6.42942G	2.24	6.262G	-45.95	-37.39	-8.56	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

21/08/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60721G	1.18	6.4666G	-39.61	-31.91	-7.70	1
6.64241G	1.69	6.4756G	-37.45	-30.23	-7.22	2
6.60382G	1.17	6.4642G	-40.71	-32.12	-8.59	3
6.63801G	1.36	6.4226G	-46.54	-38.09	-8.45	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

21/08/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76242G	1.13	6.5828G	-47.00	-38.38	-8.62	1
6.80141G	1.04	7.0704G	-47.24	-38.96	-8.28	2
6.79901G	1.07	6.582G	-47.87	-38.46	-9.41	3
6.79741G	0.73	6.5814G	-48.05	-38.89	-9.16	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

21/08/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31259G	2.78	6.6946G	-36.01	-32.80	-3.21	1
6.35858G	2.65	6.6818G	-33.71	-32.07	-1.64	2
6.29859G	2.68	6.6582G	-33.69	-30.38	-3.31	3
6.30099G	2.87	6.6826G	-35.79	-31.91	-3.88	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

21/08/2024

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46979G	2.10	6.0678G	-33.43	-28.16	-5.27	1
6.45899G	2.38	6.083G	-31.10	-26.76	-4.34	2
6.39141G	2.05	6.9258G	-43.31	-37.95	-5.36	3
6.39061G	3.06	6.0122G	-36.22	-31.37	-4.85	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80902G	-1.57	7.4478G	-48.31	-41.57	-6.74	1
6.81022G	-2.23	7.4334G	-48.84	-42.23	-6.61	2
6.79863G	-2.02	7.4254G	-48.93	-42.02	-6.91	3
6.77023G	-1.97	7.4626G	-48.80	-41.97	-6.83	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95385G	-7.60	5.921975G	-60.77	-47.60	-13.17	1
5.958824G	-6.49	5.99175G	-60.83	-46.49	-14.34	2
5.962423G	-7.26	5.99G	-61.20	-47.26	-13.94	3
5.962573G	-7.68	6.000075G	-61.17	-47.68	-13.49	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

21/08/2024



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

21/08/2024

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438224G	-7.91	6.40165G	-59.44	-47.91	-11.53	1
6.437549G	-7.43	6.400925G	-59.57	-47.43	-12.14	2
6.438699G	-7.76	6.3995G	-59.98	-47.76	-12.22	3
6.441098G	-8.18	6.39965G	-60.02	-48.18	-11.84	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

21/08/2024

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477424G	-8.88	6.4383G	-60.71	-48.88	-11.83	1
6.481973G	-8.78	6.440925G	-60.17	-48.78	-11.39	2
6.479899G	-9.59	6.438575G	-60.64	-49.59	-11.05	3
6.473775G	-9.25	6.428125G	-60.49	-49.25	-11.24	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511851G	-8.13	6.47945G	-60.15	-48.13	-12.02	1
6.512401G	-7.56	6.5456G	-58.59	-45.89	-12.70	2
6.513125G	-8.24	6.4814G	-60.28	-48.24	-12.04	3
6.512501G	-8.45	6.479925G	-60.19	-48.45	-11.74	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528802G	-9.49	6.50075G	-60.61	-49.49	-11.12	1
6.529976G	-8.59	6.50265G	-60.56	-48.59	-11.97	2
6.528977G	-9.61	6.49285G	-60.88	-49.61	-11.27	3
6.537999G	-9.46	6.497825G	-60.43	-49.46	-10.97	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

21/08/2024



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

21/08/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.972098G	-8.27	6.0263G	-57.18	-48.27	-8.91	1
5.969199G	-7.77	6.04345G	-57.42	-47.77	-9.65	2
5.978847G	-7.91	6.0266G	-57.17	-47.91	-9.26	3
5.971298G	-8.34	6.05975G	-57.20	-48.34	-8.86	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

21/08/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.219296G	-7.54	6.26615G	-56.69	-47.54	-9.15	1
6.211148G	-6.59	6.266G	-56.49	-46.59	-9.90	2
6.222846G	-7.26	6.26775G	-56.78	-47.26	-9.52	3
6.215697G	-7.38	6.26685G	-56.73	-47.38	-9.35	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409999G	-3.53	6.4665G	-53.64	-43.41	-10.23	1
6.4064G	-3.87	6.3425G	-54.29	-43.87	-10.42	2
6.410549G	-4.24	6.4666G	-54.86	-44.24	-10.62	3
6.407499G	-5.03	6.34325G	-55.34	-45.03	-10.31	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

21/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.459496G	-3.86	6.50635G	-54.54	-43.84	-10.70	1
6.449599G	-3.91	6.38295G	-54.90	-43.91	-10.99	2
6.449799G	-4.28	6.38315G	-55.04	-44.28	-10.76	3
6.440251G	-4.39	6.3837G	-55.02	-44.39	-10.63	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

21/08/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.480951G	-4.29	6.42345G	-55.04	-44.29	-10.75	1
6.487149G	-4.46	6.42405G	-54.85	-44.46	-10.39	2
6.489199G	-4.82	6.42355G	-55.42	-44.82	-10.60	3
6.479801G	-4.79	6.42335G	-55.20	-44.79	-10.41	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

21/08/2024

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521951G	-4.75	6.58685G	-55.52	-44.75	-10.77	1
6.532548G	-4.63	6.58635G	-55.55	-44.63	-10.92	2
6.518802G	-5.19	6.46405G	-55.22	-45.19	-10.03	3
6.518652G	-5.01	6.58675G	-55.80	-45.01	-10.79	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/08/2024



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

21/08/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.892548G	-8.55	6.9818G	-55.72	-48.55	-7.17	1
6.881551G	-8.16	6.9834G	-55.66	-48.16	-7.50	2
6.889949G	-8.56	6.97845G	-55.45	-48.56	-6.89	3
6.869754G	-8.42	6.96435G	-55.38	-48.42	-6.96	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

21/08/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.912553G	-4.19	6.98675G	-54.25	-44.19	-10.06	1
6.919451G	-4.13	6.9937G	-54.56	-44.13	-10.43	2
6.919401G	-4.06	6.98665G	-54.62	-44.06	-10.56	3
6.922301G	-3.81	6.986G	-54.37	-43.81	-10.56	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9975G	-4.05	6.1214G	-53.22	-44.05	-9.17	1
5.9994G	-3.69	6.107G	-52.98	-43.66	-9.32	2
6.01239G	-4.12	6.1067G	-53.37	-44.10	-9.27	3
5.9975G	-3.95	6.1075G	-53.15	-43.95	-9.20	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

21/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2315G	-3.11	6.3679G	-52.73	-43.11	-9.62	1
6.2337G	-3.04	6.3474G	-52.35	-43.04	-9.31	2
6.2416G	-3.19	6.3465G	-52.55	-43.01	-9.54	3
6.2394G	-3.64	6.3554G	-52.93	-43.64	-9.29	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

21/08/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3966G	-1.65	6.51G	-50.69	-41.65	-9.04	1
6.3745G	-1.91	6.5064G	-50.55	-41.90	-8.65	2
6.3994G	-2.26	6.507G	-52.01	-42.26	-9.75	3
6.3732G	-2.77	6.5086G	-52.08	-42.77	-9.31	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

21/08/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4733G	-2.30	6.5907G	-51.41	-42.30	-9.11	1
6.4573G	-1.75	6.3424G	-51.25	-41.70	-9.55	2
6.4794G	-2.46	6.3416G	-51.95	-42.46	-9.49	3
6.457G	-2.23	6.3414G	-52.07	-42.23	-9.84	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

21/08/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5525G	-3.37	6.385G	-52.41	-43.37	-9.04	1
6.557G	-2.79	6.4225G	-52.64	-42.79	-9.85	2
6.5574G	-3.17	6.3774G	-52.87	-43.17	-9.70	3
6.5521G	-3.68	6.4219G	-52.66	-43.68	-8.98	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

21/08/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6124G	-3.67	6.5034G	-52.37	-43.23	-9.14	1
6.617G	-2.86	6.5027G	-52.51	-42.82	-9.69	2
6.6379G	-3.57	6.503G	-52.55	-43.57	-8.98	3
6.6342G	-3.96	6.5036G	-52.59	-43.66	-8.93	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99371G	-2.03	6.8992G	-51.22	-42.03	-9.19	1
6.99441G	-2.00	6.9033G	-49.41	-41.79	-7.62	2
6.99471G	-2.13	6.9022G	-50.26	-42.13	-8.13	3
6.99741G	-1.70	6.9009G	-50.73	-41.70	-9.03	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08838G	-1.38	6.2696G	-49.59	-41.25	-8.34	1
6.08718G	-2.06	6.2676G	-49.90	-41.54	-8.36	2
6.10018G	-2.45	6.2676G	-49.89	-41.93	-7.96	3
6.10058G	-2.22	6.2692G	-49.90	-42.03	-7.87	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47721G	-1.21	6.7514G	-50.29	-41.05	-9.24	1
6.47941G	-0.92	6.7488G	-49.85	-40.57	-9.28	2
6.5218G	-1.45	6.7492G	-50.08	-41.35	-8.73	3
6.44761G	-1.21	6.2622G	-49.78	-40.72	-9.06	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60941G	-2.97	6.9874G	-50.24	-42.97	-7.27	1
6.68759G	-2.78	6.9962G	-50.16	-42.78	-7.38	2
6.63981G	-2.62	6.422G	-49.99	-42.35	-7.64	3
6.63941G	-3.04	6.9996G	-50.17	-43.04	-7.13	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

21/08/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

21/08/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46139G	-2.57	6.9982G	-48.40	-42.57	-5.83	1
6.38821G	-2.29	6.999G	-48.52	-42.29	-6.23	2
6.39301G	-3.00	6.9978G	-48.73	-43.00	-5.73	3
6.38861G	-2.92	6.9998G	-48.54	-42.92	-5.62	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

21/08/2024

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54981G	-0.24	6.169G	-43.33	-34.74	-8.59	1
6.54981G	-0.13	6.1746G	-42.69	-34.30	-8.39	2
6.54861G	-0.68	6.1542G	-45.24	-36.43	-8.81	3
6.55141G	-0.64	6.161G	-44.40	-35.89	-8.51	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

21/08/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01589G	-2.77	6.108G	-52.51	-42.77	-9.74	1
5.9785G	-2.41	6.1065G	-52.41	-42.14	-10.27	2
6.01069G	-1.41	6.1072G	-51.84	-41.41	-10.43	3
6.01309G	-2.15	6.1073G	-52.09	-41.63	-10.46	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0113G	-4.09	6.8448G	-52.10	-44.09	-8.01	1
7.0125G	-3.85	6.8698G	-51.86	-43.85	-8.01	2
7.0098G	-3.18	6.8435G	-51.59	-43.18	-8.41	3
7.0071G	-3.64	6.8517G	-51.80	-43.64	-8.16	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

MASK

6025MHz_TX

25/09/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

MASK

6025MHz_TX

25/09/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

MASK

6985MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95561G	0.15	6.742G	-47.97	-39.67	-8.30	1
6.95901G	-0.30	6.7402G	-48.47	-40.00	-8.47	2
6.92222G	-0.32	6.742G	-47.75	-40.05	-7.70	3
6.95261G	-0.38	6.7414G	-48.26	-40.19	-8.07	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6985MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90882G	-0.21	6.7416G	-48.56	-40.09	-8.47	1
7.00739G	-0.99	6.7416G	-48.63	-40.49	-8.14	2
6.92022G	-0.31	6.7418G	-48.24	-40.07	-8.17	3
6.90902G	-0.60	6.7416G	-48.66	-40.39	-8.27	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21017G	2.74	6.595G	-45.60	-37.26	-8.34	1
6.21097G	2.46	6.5918G	-45.51	-37.42	-8.09	2
6.07181G	2.37	6.597G	-46.02	-37.63	-8.39	3
6.21177G	3.33	6.595G	-44.34	-36.67	-7.67	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

MASK

6105MHz_TX

25/09/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15219G	2.51	6.5926G	-44.00	-37.43	-6.57	1
6.14139G	2.63	6.6078G	-43.01	-37.37	-5.64	2
6.14939G	2.99	6.5362G	-38.45	-32.97	-5.48	3
6.21057G	3.32	6.5918G	-42.20	-36.66	-5.54	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

MASK

6105MHz_TX

25/09/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

25/09/2024




6.525-6.875GHz 802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

25/09/2024




6.525-6.875GHz 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

25/09/2024



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-58.88	3.12	-62.04	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-58.88	3.12	-62.02	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-58.88	3.12	-62.03	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-58.88	3.12	-62.03	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-59.88	3.12	-63.05	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6105	OFF	-59.88	3.12	-63.01	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6260	OFF	-61.88	3.12	-65.05	≤ -62
						Minimal	-62.88	3.12	-66.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-60.88	3.12	-64.02	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6425	OFF	-60.88	3.12	-64.06	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6580	OFF	-58.88	3.12	-62.08	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-59.88	3.12	-63.05	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6745	OFF	-60.88	3.12	-64.08	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6900	OFF	-58.88	3.12	-62.02	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62


7/8	191	320	6905	Low edge	6750	OFF	-62.88	3.12	-66.06	≤ -62
						Minimal	-63.88	3.12	-67.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6905	OFF	-60.88	3.12	-64.02	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	7060	OFF	-58.88	3.12	-62.01	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.04	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-62.02	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-62.03	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-62.03	OFF	9	90	90	PASS


Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-63.05	OFF	10	100	90	PASS
				Center	6105	-63.01	OFF	10	100	90	PASS
				High edge	6260	-65.05	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-64.02	OFF	9	90	90	PASS
				Center	6425	-64.06	OFF	9	90	90	PASS
				High edge	6580	-62.08	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-63.05	OFF	9	90	90	PASS
				Center	6745	-64.08	OFF	10	100	90	PASS
				High edge	6900	-62.02	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-66.06	OFF	10	100	90	PASS
				Center	6905	-64.02	OFF	9	90	90	PASS
				High edge	7060	-62.01	OFF	9	90	90	PASS

Bandwidth: 20MHz

Traffic Loading Plot




Traffic Loading Calculation




Bandwidth: 320MHz

Traffic Loading Plot




Traffic Loading Calculation




Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 9.OCT.2024 22:49:21

Frequency (MHz): 6105 MHz




Date: 9.OCT.2024 22:50:17


Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz




Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6750 MHz




Frequency (MHz): 6900 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 9.OCT.2024 10:51:25

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 9.OCT.2024 10:28:07

Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz



Note : M1 : Inject AWGN signal


Test CH191 ; Incumbent signal 6905 MHz



Date: 8.OCT.2024 17:47:09

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 8.OCT.2024 17:21:45

Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-59.88	3.12	-63.03	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-62.88	3.12	-66.04	≤ -62
						Minimal	-63.88	3.12	-67.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-59.88	3.12	-63.05	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-59.88	3.12	-63.03	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-58.88	3.12	-62.03	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6105	OFF	-58.88	3.12	-62.02	≤ -62
						Minimal	-59.88	3.12	-63.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6260	OFF	-59.88	3.12	-63.03	≤ -62
						Minimal	-60.88	3.12	-64.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-61.88	3.12	-65.05	≤ -62
						Minimal	-62.88	3.12	-66.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6425	OFF	-61.88	3.12	-65.03	≤ -62
						Minimal	-62.88	3.12	-66.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6580	OFF	-60.88	3.12	-64.02	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-60.88	3.12	-64.03	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6745	OFF	-64.88	3.12	-68.03	≤ -62
						Minimal	-65.88	3.12	-69.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	6900	OFF	-63.88	3.12	-67.01	≤ -62
						Minimal	-64.88	3.12	-68.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62


7/8	191	320	6905	Low edge	6750	OFF	-60.88	3.12	-64.05	≤ -62
						Minimal	-61.88	3.12	-65.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				Center	6905	OFF	-62.88	3.12	-66.04	≤ -62
						Minimal	-63.88	3.12	-67.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62
				High edge	7060	OFF	-66.88	3.12	-70.05	≤ -62
						Minimal	-67.88	3.12	-71.00	≤ -62
						ON	-78.88	3.12	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63.03	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-66.04	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-63.05	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-63.03	OFF	10	100	90	PASS


Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-62.03	OFF	9	90	90	PASS
				Center	6105	-62.02	OFF	9	90	90	PASS
				High edge	6260	-63.03	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-65.05	OFF	10	100	90	PASS
				Center	6425	-65.03	OFF	9	90	90	PASS
				High edge	6580	-64.02	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-64.03	OFF	10	100	90	PASS
				Center	6745	-68.03	OFF	9	90	90	PASS
				High edge	6900	-67.01	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-64.05	OFF	9	90	90	PASS
				Center	6905	-66.04	OFF	9	90	90	PASS
				High edge	7060	-70.05	OFF	10	100	90	PASS

Bandwidth: 20MHz

Traffic Loading Plot




Traffic Loading Calculation




Bandwidth: 320MHz

Traffic Loading Plot




Traffic Loading Calculation



Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 17.DEC.2024 00:26:26

Frequency (MHz): 6455 MHz




Date: 17.DEC.2024 00:30:45

Frequency (MHz): 6695 MHz



Date: 17.DEC.2024 00:31:35


Frequency (MHz): 7015 MHz



Date: 17.DEC.2024 00:32:16


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 17.DEC.2024 00:33:22

Frequency (MHz): 6105 MHz




Date: 17.DEC.2024 00:34:41

Frequency (MHz): 6260 MHz




Date: 17.DEC.2024 00:35:24

Frequency (MHz): 6270 MHz




Date: 17.DEC.2024 00:36:28

Frequency (MHz): 6425 MHz




Date: 17.DEC.2024 00:36:57

Frequency (MHz): 6580 MHz




Date: 17.DEC.2024 00:38:14

Frequency (MHz): 6590 MHz




Date: 17.DEC.2024 00:39:20

Frequency (MHz): 6745 MHz




Date: 17.DEC.2024 00:40:56

Frequency (MHz): 6750 MHz




Date: 17.DEC.2024 00:46:35

Frequency (MHz): 6900 MHz




Date: 17.DEC.2024 00:42:01

Frequency (MHz): 6905 MHz



Date: 17.DEC.2024 00:47:49

Frequency (MHz): 7060 MHz




Date: 17.DEC.2024 21:47:42

Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 16.DEC.2024 22:00:44

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 16.DEC.2024 23:28:31

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6900 MHz



Date: 16 DEC. 2024 23:33:02

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 16 DEC. 2024 22:17:34

Note : M1 : Inject AWGN signal


Test CH191 ; Incumbent signal 6905 MHz



Date: 16.DEC.2024 22:37:13

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 16.DEC.2024 23:01:01

Note : M1 : Inject AWGN signal