



11.2. APPENDIX B: OCCUPIED CHANNEL BANDWIDTH 11.2.1. Test Result

Test Mode	Antenna	Frequency[MHz]	OCB	FL[MHz]	FH[MHz]
		5180	[MHz] 18.182	5170.8492	5189.0310
		5200	18.182	5190.8092	5208.9910
		5240	18.102	5230.8891	5248.9910
		5260	18.342	5250.8092	5269.1508
		5280	18.302	5270.8492	5289.1508
		5320	18.342	5310.8492	5329.1908
		5500	18.222	5490.8092	5509.0310
11A	Ant1	5580	18.222	5570.8891	5589.1109
ПА	Airci	5700	18.142	5690.8092	5708.9510
		5720	18.102	5710.8492	5728.9510
		5720_UNII-2C	14.151	5710.8492	5725
		5720_UNII-3	3.951	5725	5728.9510
		5720_0NII-3 5745	18.022	5735.9291	5753.9510
		5785	18.182	5775.8891	5794.0709
		5825	18.382	5815.8092	5834.1908
		5180	18.821	5170.6094	5189.4306
		5200	18.981	5190.4895	5209.4705
		5240	18.861	5230.5295	5249.3906
		5260	18.861	5250.5295	5269.3906
		5280	18.781	5270.6094	5289.3906
		5320	18.821	5310.6094	5329.4306
	Ant1	5500	18.821	5490.5295	5509.3506
11N20SISO		5580	19.061	5570.4895	5589.5504
1111203130		5700	19.061	5690.4096	5709.4705
		5720	19.021	5710.4496	5729.4705
		5720_UNII-2C	14.55	5710.4496	5725
		5720_UNII-3	4.471	5725	5729.4705
		5745	18.901	5735.4895	5754.3906
		5785	19.181	5775.4096	5794.5904
		5825	19.58	5815.2098	5834.7902
		5190	37.403	5171.3786	5208.7812
		5230	37.802	5211.1389	5248.9411
	Ant1	5270	37.323	5251.3786	5288.7013
		5310	37.083	5291.5385	5328.6214
		5510	37.163	5491.3786	5528.5415
		5550	37.403	5531.2987	5568.7013
11N40SISO		5670	37.243	5651.2987	5688.5415
		5710	37.163	5691.3786	5728.5415
		5710_UNII-2C	33.621	5691.3786	5725
		5710_UNII-3	3.542	5725	5728.5415
		5755	37.163	5736,2987	5773.4615
		5795	37.403	5776.2188	5813.6214
		5180	19.5	5170.2498	5189.7502
		5200	19.82	5190.1299	5209.9500
		5240	19.74	5230.0899	5249.8302
		5260	19.58	5250.2098	5269.7902
		5280	19.5	5270.2498	5289.7502
11AX20SISO	Ant1	5320	19.62	5310.2098	5329.8302
1 1AAZUSISU		5500	19.66	5490.1299	5509.7902
	 	5580	19.421	5570.2897	5589.7103
	 	5700	19.58	5690.1698	5709.7502
		5720	19.62	5710.1299	5709.7502
		3120	13.0∠	J1 10.1299	0123.1302




REPORT NO.: 4791339609-1-RF-2 Page 289 of 374


		5720_UNII-3	4.75	5725	5729.7502	
		5745	19.58	5735.2098	5754.7902	
		5785	19.66	5775.1299	5794.7902	
		5825	19.74	5815.1299	5834.8701	
		5190	38.202	5170.9790	5209.1808	
		5230	38.521	5210.7393	5754.7902 5794.7902 5834.8701	
		5270	38.362	5250.8192	5289.1808	
		5310	38.282	5290.8991	5329.1808	
		5510	38.521	5490.7393	5529.2607	
11AX40SISO	An+1	5550	38.282	5530.8991	5569.1808	
11AX40SISO	Ant1	5670	38.282	5650.8991	5689.1808	
		5710	38.202	5690.8192	5729.0210	
		5710_UNII-2C	34.181	5690.8192	5725	
		5710_UNII-3	4.021	5725	5729.0210	
		5755	38.362	5735.8192	5774.1808	
	Ī	5795	38.442	5775.8192	5814.2607	



11.2.2. Test Graphs
































































































REPORT NO.: 4791339609-1-RF-2 Page 310 of 374

11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		5720	16.60	5711.68	5728.28	≥0.5	PASS
		5720_UNII-3	3.28	5725	5728.28	≥0.5	PASS
11A	Ant1	5745	16.44	5736.72	5753.16	≥0.5	PASS
		5785	16.60	5776.68	5793.28	≥0.5	PASS
		5825	16.36	5816.80	5833.16	≥0.5	PASS
		5720	17.84	5711.04	5728.88	≥0.5	PASS
		5720_UNII-3	3.88	5725	5728.88	≥0.5	PASS
11N20SISO	Ant1	5745	17.64	5736.16	5753.80	≥0.5	PASS
		5785	17.72	5776.08	5793.80	≥0.5	PASS
		5825	17.84	5816.08	5833.92	≥0.5	PASS
		5710	36.32	5691.84	5728.16	≥0.5	PASS
11N40SISO	Ant1	5710_UNII-3	3.16	5725	5728.16	≥0.5	PASS
1111403130		5755	36.32	5736.84	5773.16	≥0.5	PASS
		5795	36.32	5776.84	5813.16	≥0.5	PASS
		5720	18.80	5710.64	5729.44	≥0.5	PASS
	Ant1	5720_UNII-3	4.44	5725	5729.44	≥0.5	PASS
11AX20SISO		5745	19.16	5735.40	5754.56	≥0.5	PASS
		5785	19.20	5775.40	5794.60	≥0.5	PASS
		5825	19.20	5815.40	5834.60	≥0.5	PASS
		5710	38.00	5690.96	5728.96	≥0.5	PASS
11AX40SISO	Ant1	5710_UNII-3	3.96	5725	5728.96	≥0.5	PASS
1147403130	Anti	5755	38.08	5735.96	5774.04	≥0.5	PASS
		5795	38.08	5776.04	5814.12	≥0.5	PASS




11.3.2. Test Graphs


























REPORT NO.: 4791339609-1-RF-2

Page 317 of 374

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
		5180	16.39	≤23.98		20.32	≤22.60	PASS
		5200	16.34	≤23.98		20.27	≤22.60	PASS
		5240	16.13	≤23.98		20.06	≤22.58	PASS
		5260	16.21	≤23.98	≤23.06	20.14	≤29.06	PASS
		5280	16.38	≤23.98	≤23.06	20.31	≤29.06	PASS
		5320	16.16	≤23.98	≤23.06	20.09	≤29.06	PASS
11A	Ant1	5500	8.72	≤23.98	≤23.06	12.65	≤29.06	
IIA	Anti	5580	8.96	≤23.98	≤23.06	12.89	≤29.06	
		5700	8.17	≤23.98	≤23.06	12.10	≤29.06	
		5720_UNII-2C	8.57	≤23.05	≤22.51	12.50	≤28.51	
		5720_UNII-3	-0.05	≤30.00	≤30.00	3.88	≤30.00	
		5745	15.97	≤30.00	≤30.00	19.90		
		5785	15.97	≤30.00	≤30.00	19.90		
		5825	16.10	≤30.00	≤30.00	20.03		
		5180	16.06	≤23.98		19.99	≤22.75	
		5200	16.46	≤23.98		20.39	≤22.78	
		5240	16.26	≤23.98		20.19	≤22.76	
		5260	16.19	≤23.98	≤23.06	20.12	≤29.06	
		5280	16.18	≤23.98	≤23.06	20.11	≤29.06	
		5320	16.45	≤23.98	≤23.06	20.38	≤29.06	
11N20SISO	Ant1	5500 5580	8.89 9.10	≤23.98 ≤23.98	≤23.06 ≤23.06	12.82 13.03	≤29.06 ≤29.06	
		5700	8.36	≤23.98	≤23.06	12.29	≤29.06	
		5720_UNII-2C	9.04	≤23.95	≤22.63	12.29	≤28.63	
		5720_UNII-3	0.93	≤30.00	≤30.00	4.86		
		5745	16.16	≤30.00	≤30.00	20.09		
		5785	16.26	≤30.00	≤30.00	20.19		
		5825	16.17	≤30.00	≤30.00	20.10		
		5190	13.78	≤23.98		17.71	≤23.01	
	Ant1	5230	14.00	≤23.98		17.93	≤23.01	
		5270	12.02	≤23.98	≤23.06	15.95	≤29.06	
		5310	12.14	≤23.98	≤23.06	16.07	≤29.06	
		5510	11.48	≤23.98	≤23.06	15.41	≤29.06	
11N40SISO		5550	11.88	≤23.98	≤23.06	15.81	≤29.06	PASS
		5670	11.48	≤23.98	≤23.06	15.41	≤29.06	PASS
		5710_UNII-2C	12.11	≤23.98	≤23.06	16.04	≤29.06	PASS
		5710_UNII-3	-0.56	≤30.00	≤30.00	3.37		PASS
		5755	16.04	≤30.00	≤30.00	19.97		PASS
		5795	15.97	≤30.00	≤30.00	19.90		PASS
		5180	13.58	≤23.98		17.51	≤22.9	
		5200	13.44	≤23.98		17.37	≤22.97	
		5240	13.62	≤23.98		17.55	≤22.95	
11AX20SISO		5260	13.86	≤23.98	≤23.06	17.79	≤29.06	
		5280	13.83	≤23.98	≤23.06	17.76	≤29.06	
		5320	13.72	≤23.98	≤23.06	17.65	≤29.06	
	Ant1	5500	12.90	≤23.98	≤23.06	16.83	≤29.06	
		5580	13.11	≤23.98	≤23.06	17.04	≤29.06	
		5700	13.32	≤23.98	≤23.06	17.25	≤29.06	
		5720_UNII-2C	12.90	≤23.13	≤22.72	16.83	≤28.72	PASS PASS PASS PASS PASS PASS PASS PASS
		5720_UNII-3	4.73	≤30.00	≤30.00	8.66		
		5745	16.03	≤30.00	≤30.00	19.96		
	-	5785 5825	16.12	≤30.00	≤30.00	20.05		
	1	5825	15.99	≤30.00	≤30.00	19.92		LHOO



REPORT NO.: 4791339609-1-RF-2 Page 318 of 374

5230	13.78	≤23.98		17.71	≤23.01	PASS
5270	12.32	≤23.98	≤23.06	16.25	≤29.06	PASS
5310	11.91	≤23.98	≤23.06	15.84	≤29.06	PASS
5510	11.89	≤23.98	≤23.06	15.82	≤29.06	PASS
5550	12.24	≤23.98	≤23.06	16.17	≤29.06	PASS
5670	12.25	≤23.98	≤23.06	16.18	≤29.06	PASS
5710_UNII-2C	12.40	≤23.98	≤23.06	16.33	≤29.06	PASS
5710_UNII-3	0.09	≤30.00	≤30.00	4.02		PASS
5755	16.33	≤30.00	≤30.00	20.26		PASS
5795	15.91	≤30.00	≤30.00	19.84		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



11.4.2. Test Graphs

