

Allgon AB SAR COMPLIANCE REPORT

Report Type: FCC SAR assessment report

Model: D5-42, CL-AL018-1

REPORT NUMBER: 2410B2085SHA-003

ISSUE DATE: January 10, 2025

DOCUMENT CONTROL NUMBER: TTRFFCCSAR-01_V1 © 2018 Intertek





TEST REPORT

Telephone: 86 21 6127 8200 www.intertek.com

Report no.: 2410B2085SHA-003

| Applicant: | Allgon AB |
|---------------|---------------------------------------------------------|
| | August Barks gata 30A, SE-421 32 Västra Frölunda,Sweden |
| Manufacturer: | Allgon AB |
| | August Barks gata 30A, SE-421 32 Västra Frölunda,Sweden |
| | |
| FCC ID: | 2BC3H2316B |

SUMMARY:

| The equipment complies with the requirements according to the following standard(s) or Specification: |
|-------------------------------------------------------------------------------------------------------|
| KDB447498 D01 General RF Exposure Guidance v06 |
| FCC Part2.1091, FCC Part2.1093 FCC Part1.1307(b) |

PREPARED BY:

REVIEWED BY:

Gnick Liu

Project Engineer Erick Liu

Reviewer Wakeyou Wang

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.





Revision History

| Report No. | Version | Description | Issued Date |
|------------------|---------|-------------------------|------------------|
| 2410B2085SHA-003 | Rev. 01 | Initial issue of report | January 10, 2025 |
| | | | |
| | | | |

Intertek Total Quality. Assured. TEST REPORT

1 GENERAL INFORMATION

1.1 Description of Equipment Under Test (EUT)

| Product name: | Transceiver |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Type/Model: | D5-42, CL-AL018-1 |
| Host model: | T36-01 |
| Description of EUT: | EUT is a wireless transceiver module, all models are the same except for the model name. The EUT was tested together with the host device. |
| | 2.8V DC |
| Rating: | Host: 5-45VDC 1A, 3.7VDC 2000mAh, Li-ion battery |
| Category of EUT: | Class B |
| EUT type: | 🔀 Table top 🔲 Floor standing |
| Software Version: | / |
| Hardware Version: | / |
| Sample ID: | 0241111-10-001, 0241111-10-002 |
| Sample received date: | November 11, 2024 |
| Date of test: | November 12, 2024 – December 31, 2024 |



1.2 Technical Specification

| Operation Frequency | |
|----------------------|-----------------------------|
| Band: | 13.556 ~ 13.567MHz |
| Normal Working | |
| Frequency: | 13.56MHz |
| Channel Number: | 1 |
| Type of Modulation: | ASK |
| Antenna Designation: | Fixed Internal Loop Antenna |

| Operation Frequency Band: | 2400MHz ~ 2483.5MHz |
|------------------------------|---------------------|
| Bluetooth Version: | Bluetooth LE |
| Type of Modulation: | GFSK |
| Channel Number: | 40 |
| Data Rate: | 1 Mbps |
| Channel Separation: | 2 MHz |
| Antenna: | 3.96dBi, PCB |

Note:

This information is supplied by the applicant. Any change on this value would result in different test data / conclusion.



1.3 Description of Test Facility

| Name: | Intertek Testing Services (Shanghai FTZ) Co., Ltd. |
|------------|------------------------------------------------------------------------|
| Address: | Building 86, No. 1198 Qinzhou Road(North), Shanghai 200233, P.R. China |
| Telephone: | 86 21 61278200 |
| Telefax: | 86 21 54262353 |

| The test facility is | CNAS Accreditation Lab |
|--------------------------------------|-------------------------------------------------------------------------------|
| recognized, | Registration No. CNAS L21189 |
| certified, or accredited by these | FCC Accredited Lab Designation Number: CN0175 |
| organizations. | IC Registration Lab CAB identifier: CN0014 |
| | VCCI Registration Lab Registration No.: R-14243, G-10845, C-14723, T-12252 |
| | A2LA Accreditation Lab Certificate Number: 3309.02 |

Total Quality. Assured.

TEST REPORT

2 SAR Assessment

Test result: Pass

2.1 SAR Test Exclusion Limit

100 MHz – 6 GHz and \leq 50 mm

| 100 10112 0 | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----------------------|
| MHz | 5 | 10 | 15 | 20 | 25 | mm |
| 150 | 39 | 77 | 116 | 155 | 194 | |
| 300 | 27 | 55 | 82 | 110 | 137 | |
| 450 | 22 | 45 | 67 | 89 | 112 | |
| 835 | 16 | 33 | 49 | 66 | 82 | |
| 900 | 16 | 32 | 47 | 63 | 79 | |
| 1500 | 12 | 24 | 37 | 49 | 61 | SAR Test |
| 1900 | 11 | 22 | 33 | 44 | 54 | Threshold (mW) |
| 2450 | 10 | 19 | 29 | 38 | 48 | |
| 3600 | 8 | 16 | 24 | 32 | 40 | |
| 5200 | 7 | 13 | 20 | 26 | 33 | |
| 5400 | 6 | 13 | 19 | 26 | 32 | |
| 5800 | 6 | 12 | 19 | 25 | 31 | |
| | | | | | | |
| MHz | 30 | 35 | 40 | 45 | 50 | mm |
| 150 | 232 | 271 | 310 | 349 | 387 | |
| 300 | 164 | 192 | 219 | 246 | 274 | |
| 450 | 134 | 157 | 179 | 201 | 224 | |
| 835 | 98 | 115 | 131 | 148 | 164 | |
| 900 | 95 | 111 | 126 | 142 | 158 | |
| 1500 | 73 | 86 | 98 | 110 | 122 | SAR Test Exclusion |
| 1900 | 65 | 76 | 87 | 98 | 109 | Threshold (mW) |
| 2450 | 57 | 67 | 77 | 86 | 96 | |
| 3600 | 47 | 55 | 63 | 71 | 79 | |
| 5200 | 39 | 46 | 53 | 59 | 66 | |
| 5400 | 39 | 45 | 52 | 58 | 65 | |
| 5800 | 37 | 44 | 50 | 56 | 62 | |

intertek Total Quality. Assured.

TEST REPORT

100 MHz – 6 GHz and > 50 mm

| MHz | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | mm |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|----|
| 100 | 474 | 481 | 487 | 494 | 501 | 507 | 514 | 521 | 527 | 534 | 541 | 547 | 554 | 561 | 567 | |
| 150 | 387 | 397 | 407 | 417 | 427 | 437 | 447 | 457 | 467 | 477 | 487 | 497 | 507 | 517 | 527 | |
| 300 | 274 | 294 | 314 | 334 | 354 | 374 | 394 | 414 | 434 | 454 | 474 | 494 | 514 | 534 | 554 | |
| 450 | 224 | 254 | 284 | 314 | 344 | 374 | 404 | 434 | 464 | 494 | 524 | 554 | 584 | 614 | 644 | |
| 835 | 164 | 220 | 275 | 331 | 387 | 442 | 498 | 554 | 609 | 665 | 721 | 776 | 832 | 888 | 943 | |
| 900 | 158 | 218 | 278 | 338 | 398 | 458 | 518 | 578 | 638 | 698 | 758 | 818 | 878 | 938 | 998 | |
| 1500 | 122 | 222 | 322 | 422 | 522 | 622 | 722 | 822 | 922 | 1022 | 1122 | 1222 | 1322 | 1422 | 1522 | mW |
| 1900 | 109 | 209 | 309 | 409 | 509 | 609 | 709 | 809 | 909 | 1009 | 1109 | 1209 | 1309 | 1409 | 1509 | |
| 2450 | 96 | 196 | 296 | 396 | 496 | 596 | 696 | 796 | 896 | 996 | 1096 | 1196 | 1296 | 1396 | 1496 | |
| 3600 | 79 | 179 | 279 | 379 | 479 | 579 | 679 | 779 | 879 | 979 | 1079 | 1179 | 1279 | 1379 | 1479 | |
| 5200 | 66 | 166 | 266 | 366 | 466 | 566 | 666 | 766 | 866 | 966 | 1066 | 1166 | 1266 | 1366 | 1466 | |
| 5400 | 65 | 165 | 265 | 365 | 465 | 565 | 665 | 765 | 865 | 965 | 1065 | 1165 | 1265 | 1365 | 1465 | |
| 5800 | 62 | 162 | 262 | 362 | 462 | 562 | 662 | 762 | 862 | 962 | 1062 | 1162 | 1262 | 1362 | 1462 | |

< 100 MHz and < 200 mm

| MHz | < 50 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | mm |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|
| 100 | 237 | 474 | 481 | 487 | 494 | 501 | 507 | 514 | 521 | 527 | 534 | 541 | 547 | 554 | 561 | 567 | |
| 50 | 308 | 617 | 625 | 634 | 643 | 651 | 660 | 669 | 677 | 686 | 695 | 703 | 712 | 721 | 729 | 738 | |
| 10 | 474 | 948 | 961 | 975 | 988 | 1001 | 1015 | 1028 | 1041 | 1055 | 1068 | 1081 | 1095 | 1108 | 1121 | 1135 | |
| 1 | 711 | 1422 | 1442 | 1462 | 1482 | 1502 | 1522 | 1542 | 1562 | 1582 | 1602 | 1622 | 1642 | 1662 | 1682 | 1702 | mW |
| 0.1 | 948 | 1896 | 1923 | 1949 | 1976 | 2003 | 2029 | 2056 | 2083 | 2109 | 2136 | 2163 | 2189 | 2216 | 2243 | 2269 | |
| 0.05 | 1019 | 2039 | 2067 | 2096 | 2125 | 2153 | 2182 | 2211 | 2239 | 2268 | 2297 | 2325 | 2354 | 2383 | 2411 | 2440 | |
| 0.01 | 1185 | 2370 | 2403 | 2437 | 2470 | 2503 | 2537 | 2570 | 2603 | 2637 | 2670 | 2703 | 2737 | 2770 | 2803 | 2837 | |

Total Quality. Assured.

2.2 Assessment Results

Seen from the original test report 2410B2085SHA-001:

The highest RFID EIRP adjusted with tune-up tolerance is 43.2dBuV/m – 95.3 = -52.1dBm = 0.000006mW < 308mW (Test Exclusion Thresholds of 50MHz at <50mm). Therefore, the SAR requirement is deemed to be satisfied without test.

Seen from the original test report 2410B2085SHA-002:

The highest EIRP adjusted with tune-up tolerance is 4.50dBm = 2.82mW < <u>10mW (Test Exclusion Thresholds of 2450MHz at 5mm)</u>. Therefore, the SAR requirement is deemed to be satisfied without test.