

## Product Specifications of BRA-42 Antenna

### Product Model

BRA-42 Handheld Antenna

### Product Function and Features

Electrical Properties: It is for UHF RFID handheld terminal applications with high gain and low VSWR.

Mechanical Properties: small size and suitable for various severe environments.

### Product Applications

BRA-42 Antenna is of convenient application in UHF RFID handheld terminals and other terminal application fields.

### Performance Specifications

Frequency Range: 902MHz~928MHz

VSWR:  $\leq 1.3:1$

Gain: 4dBi

Polarization: Circular Polarization

3dB beam width:  $115^{\circ} \times 115^{\circ}$  (horizontal  $\times$  vertical)

Axial ratio  $< 3\text{dB}$

Relative humidity: 5%~95%

Impedance:  $50\Omega$

Connector Type: MMCX (IPX optional)

### Mechanical Specifications

Size: 80 mm $\times$ 80 mm $\times$ 9.1mm

Weight: 31 g

Material: Stainless steel, FR-4

Color: Green, Silver

Operating Temperature:  $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$


Storage Temperature:  $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$

Type of Antenna: PCB Antenna



Antenna Photo


### Antenna Dimensions




Address: B108 and B115, Building B, Fuhai Technology Industrial Park, Huafeng Zhigu,  
Fuhai Street, Bao'an District, Shenzhen

Shenzhen Broadradio RFID Technology Co., Ltd is a hightech enterprises specialized in research & developmentproduction and sales of RFID antenna and RFID tag , "Demands lead application, Applications drive products" , integrates technological innovation into products instantly, and provides our clients with a full range of complete RFID (field) solutions inngchudi antennaand tag design  
For any inquiry, please contact us atrfidtag@broadradio. com. cn

### Antenna Pattern and S Parameter



2D Antenna Pattern



3D Antenna pattern