

客 戶

CUSTOMER

东莞市仲康电子科技有限公司

承 認 書

SPECIFICATION FOR APPROVAL

ROHS
compliant

客 戶 品 名

CURS.PART NAME. HBDW-4002-12V

料 號

PART NO. 231-0003-004

本 公 司 品 名

OURS PART NAME. A11G50-6R5K

料 號

PART NO. C2206

工程出圖

ENGINEERING DRAWING

發行

MADE

檢查

CHECKED

承認

APPROVED

李志鵬 袁善軍 胡志強

深圳市志翔源电子有限公司

日期

DATE:

2022年1月2日

日期:

年

月

日

承認印

CUSTOMER APPROVE



深圳市志翔源电子有限公司

ShenZhen ZhiXiangYuan Electronic Co.,LTD

ADD: 深圳市龍華區觀湖街道觀盛五路英飛好成科技園605

TEL:86-0755-23884126

FAX:86-0755-23779620

公司官網: www.zxycoil.com E-mail: jon_268@163.com

內地工廠: 四川省廣安市岳池高新區羅度鎮203省道西100米

仕様書変更履歴表
SPECIFICATION ALTERATION HISTORY RECORDS

仕様書番號
SPEC NO : ZXY20220702001

No. DATE	變更內容及理由 Alteration contents and reason	確認印 Confirm
No.1 2022 年 7 月 2 日	第一次制定	胡志強
No. 2		胡志強
No. 3		印
No. 4		印
No. 5		印
No. 6		印
No. 7		印
No. 8		印
No. 9		印
No. 10		印


ZHIXIANGYUANG ELECTRONIC IND. CO., LTD.

表單編號: QR-009/A

Product Number:


Product Description Power Inductor(vertical Mount)

1. MECHANICAL DIMENSIONS: (mm)



A	49.5±0.5
B	42.5±1.0
C	20.5±1.0
D	5.3±0.2
E	72±2
F	3.0±1.0
G	15.0±2.0
H	6±1.0
I	2.9Max

2. CHEMATIC:



3.ELECTRICAL CHARACTERISTICS:

3.1INDUCTANCE @ 100KHz, / 1V, 25℃

Inductance: 6.5uH ±5%. WITH DC BIAS 0A.


DCR: 42.5mΩ MAX

3.2 TEST INSTRUMENTS: &Chroma3302 & Chroma 1320 ;
&Chroma16502; CALLIPERS.

4. MATERIAL LIST

NO.	PART NAME	DISCRIPTION	SUPPLIER	REMARK
1	CORE	PC44 φ 50*1.0	UNITED	N/A
2	WIRE	2UEW-F	YIDA	E344055
3	TAPE	PF. (d) (8)	YAHUAN	E165111
4	TUBE	125℃ 600V	CHANGYUAN	E180908

5. ANTENNA PHYSICAL



Antenna Model Name	Antenna Type	Gain(dbi)
A11G50-6R5K	Inductive Loop Antenna	-1.0dbi

6. PACKING METHOD

- (1) Every 350pcs is packed into a box of pearl cotton holes
- (2) Put every 1400pcs into a carton
- (3) Each case shall be labeled with the material label specified by the customer