




Cat_M1_Band26_Part90s_5MHz_QPSK_1_5_CH26740




Cat_M1_Band26_Part90s_5MHz_QPSK_6_0_CH26740




Cat_M1_Band26_Part90s_5MHz_QPSK_1_5_CH26765




Cat_M1_Band26_Part90s_5MHz_QPSK_6_0_CH26765



Cat_M1_Band26_Part90s_5MHz_QPSK_6_0_CH26715



Cat_M1_Band26_Part90s_5MHz_16QAM_1_0_CH26715




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Cat M1_Band26_Part90s_5MHz_16QAM_1_0_CH26740




Cat M1_Band26_Part90s_5MHz_16QAM_1_5_CH26740




Cat M1_Band26_Part90s_5MHz_16QAM_1_0_CH26765




Cat M1_Band26_Part90s_5MHz_16QAM_1_5_CH26765



Cat M1_Band26_Part90s_5MHz_16QAM_1_5_CH26715



Cat M1_Band26_Part90s_5MHz_16QAM_6_0_CH26715




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Cat M1_Band26_Part90s_5MHz_16QAM_6_0_CH26740




Cat M1_Index 0_Band26_Part90s_10MHz_QPSK_1_5_CH26740




Cat M1_Band26_Part90s_5MHz_16QAM_6_0_CH26765




Cat M1_Index 0_Band26_Part90s_10MHz_QPSK_6_0_CH26740



Cat M1_Index 0_Band26_Part90s_10MHz_QPSK_1_0_CH26740



Cat M1_Index 0_Band26_Part90s_10MHz_16QAM_1_0_CH26740




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Cat_M1_Index


0_Band26_Part90s_10MHz_16QAM_1_5_CH26740




Cat_M1_Index 7_Band26_Part90s_10MHz_QPSK_1_49_CH26740




Cat_M1_Index 0_Band26_Part90s_10MHz_16QAM_6_0_CH26740




Cat_M1_Index 7_Band26_Part90s_10MHz_QPSK_50_0_CH26740



Cat_M1_Index 7_Band26_Part90s_10MHz_QPSK_1_0_CH26740



Cat_M1_Index 7_Band26_Part90s_10MHz_16QAM_1_0_CH26740




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Cat_M1_Index 7_Band26_Part90s_10MHz_16QAM_1_49_CH26740



Cat_M1_Index 7_Band26_Part90s_10MHz_16QAM_50_0_CH26740



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h), §90.543(e)(3)

RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §6.6

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC §27.53(g)

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

RSS-130 §4.7.1

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

RSS-130 §4.7.2

In addition to the limit outlined in section 4.7.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions:
the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:

$76 + 10 \log_{10} p$ (watts), dB, for base and fixed equipment and
 $65 + 10 \log_{10} p$ (watts), dB, for mobile and portable equipment

the e.i.r.p. in the band 1559-1610 MHz shall not exceed -70 dBW/MHz for wideband signal and -80 dBW for discrete emission with bandwidth less than 700 Hz.

FCC §27.53(h)(1)

(h) *AWS emission limits*—(1) *General protection levels*. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ISED RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

- i. In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts).
- ii. After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

ISED RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

- i. In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts).
- ii. After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

RSS-139 §6.6

In the first 1.0 MHz bands immediately outside and adjacent to the equipment's smallest operating frequency block, Footnote 2 which can contain the equipment's occupied bandwidth, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least $43 + 10 \log_{10} p$ (watts) dB.

After the first 1.0 MHz outside the equipment's smallest operating frequency block, which can contain the equipment's occupied bandwidth, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least $43 + 10 \log_{10} p$ (watts) dB.

§90.691 Emission mask requirements for EA-based systems

(a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.2 EUT Setup

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$\text{EIRP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


10.4 Measurement Result:

10.4.1 Radiated Spurious Emission

Radiated Spurious Emission Measurement Result: NB_IOT-Band 2 (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :NB_IOT B2 15kHz QPSK 1 0
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1850.1 MHz

Test Date :2019-09-06
Temp./Humi. :26.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.55	-59.50	-40.52	-18.31	-0.67	-13.00	-46.50
62.01	-67.00	-51.56	-14.69	-0.75	-13.00	-54.00
104.69	-66.97	-59.29	-6.68	-1.00	-13.00	-53.97
146.40	-71.07	-61.96	-7.93	-1.18	-13.00	-58.07
358.83	-70.80	-67.35	-1.52	-1.93	-13.00	-57.80
462.62	-68.19	-64.47	-1.53	-2.19	-13.00	-55.19
3700.20	-50.98	-57.45	12.40	-5.93	-13.00	-37.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B2 15kHz QPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1850.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-64.95	-45.17	-19.15	-0.63	-13.00	-51.95
104.69	-76.93	-69.25	-6.68	-1.00	-13.00	-63.93
142.52	-75.76	-66.69	-7.91	-1.16	-13.00	-62.76
184.23	-75.30	-70.48	-3.53	-1.29	-13.00	-62.30
302.57	-77.08	-73.75	-1.67	-1.66	-13.00	-64.08
463.59	-69.96	-66.24	-1.52	-2.20	-13.00	-56.96
3700.20	-43.69	-50.16	12.40	-5.93	-13.00	-30.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 4 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B4 15kHz QPSK 1 11
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1710.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-62.51	-42.64	-19.25	-0.62	-13.00	-49.51
62.01	-65.88	-50.44	-14.69	-0.75	-13.00	-52.88
104.69	-65.57	-57.89	-6.68	-1.00	-13.00	-52.57
356.89	-69.07	-65.62	-1.53	-1.92	-13.00	-56.07
441.28	-70.28	-66.69	-1.74	-1.85	-13.00	-57.28
479.11	-68.76	-65.07	-1.44	-2.25	-13.00	-55.76
3420.20	-51.62	-58.22	12.40	-5.80	-13.00	-38.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B4 15kHz QPSK 1 11
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1710.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-65.20	-45.42	-19.15	-0.63	-13.00	-52.20
104.69	-77.10	-69.42	-6.68	-1.00	-13.00	-64.10
142.52	-75.61	-66.54	-7.91	-1.16	-13.00	-62.61
183.26	-73.70	-68.77	-3.65	-1.28	-13.00	-60.70
306.45	-76.71	-73.41	-1.67	-1.63	-13.00	-63.71
459.71	-69.87	-66.13	-1.58	-2.16	-13.00	-56.87
3420.20	-46.56	-53.16	12.40	-5.80	-13.00	-33.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 5 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B5 15kHz BPSK 1 11
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :848.9 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-61.94	-41.76	-19.57	-0.61	-13.00	-48.94
62.01	-66.69	-51.25	-14.69	-0.75	-13.00	-53.69
104.69	-67.39	-59.71	-6.68	-1.00	-13.00	-54.39
155.13	-75.04	-66.43	-7.32	-1.29	-13.00	-62.04
353.01	-70.66	-67.24	-1.51	-1.91	-13.00	-57.66
464.56	-69.01	-65.30	-1.50	-2.21	-13.00	-56.01
1697.80	-30.45	-36.08	9.68	-4.05	-13.00	-17.45
2545.70	-50.14	-55.84	10.68	-4.98	-13.00	-37.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B5 15kHz BPSK 1 11
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :848.9 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-64.90	-45.12	-19.15	-0.63	-13.00	-51.90
104.69	-78.32	-70.64	-6.68	-1.00	-13.00	-65.32
131.85	-69.01	-60.48	-7.42	-1.11	-13.00	-56.01
181.32	-75.14	-69.94	-3.94	-1.26	-13.00	-62.14
303.54	-77.09	-73.77	-1.66	-1.66	-13.00	-64.09
462.62	-71.57	-67.85	-1.53	-2.19	-13.00	-58.57
1697.80	-30.89	-36.52	9.68	-4.05	-13.00	-17.89
2545.70	-52.79	-58.49	10.68	-4.98	-13.00	-39.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 12 (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :NB_IOT B12 15kHz BPSK 1 11
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :699.1 MHz

Test Date :2019-09-06
Temp./Humi. :26.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.55	-58.64	-39.66	-18.31	-0.67	-13.00	-45.64
62.01	-67.49	-52.05	-14.69	-0.75	-13.00	-54.49
89.17	-70.29	-63.26	-6.12	-0.91	-13.00	-57.29
104.69	-66.27	-58.59	-6.68	-1.00	-13.00	-53.27
355.92	-70.96	-67.51	-1.53	-1.92	-13.00	-57.96
460.68	-69.32	-65.57	-1.57	-2.18	-13.00	-56.32
1398.20	-40.97	-45.17	7.89	-3.69	-13.00	-27.97
2097.30	-48.76	-54.06	9.82	-4.52	-13.00	-35.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B12 15kHz BPSK 1 11
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :699.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.28	-45.10	-19.57	-0.61	-13.00	-52.28
94.02	-78.08	-71.46	-5.68	-0.94	-13.00	-65.08
142.52	-77.07	-68.00	-7.91	-1.16	-13.00	-64.07
184.23	-76.67	-71.85	-3.53	-1.29	-13.00	-63.67
305.48	-77.20	-73.90	-1.66	-1.64	-13.00	-64.20
473.29	-70.66	-66.89	-1.51	-2.26	-13.00	-57.66
1398.20	-41.75	-45.95	7.89	-3.69	-13.00	-28.75
2097.30	-54.62	-59.92	9.82	-4.52	-13.00	-41.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 13 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :777.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.71	-42.94	-19.13	-0.64	-13.00	-49.71
62.01	-66.57	-51.13	-14.69	-0.75	-13.00	-53.57
104.69	-66.97	-59.29	-6.68	-1.00	-13.00	-53.97
142.52	-70.72	-61.65	-7.91	-1.16	-13.00	-57.72
354.95	-70.52	-67.07	-1.54	-1.91	-13.00	-57.52
477.17	-69.15	-65.43	-1.47	-2.25	-13.00	-56.15
1554.20	-45.02	-50.25	9.11	-3.88	-13.00	-32.02
2331.30	-46.75	-51.46	9.49	-4.78	-13.00	-33.75
3885.50	-42.55	-48.53	12.20	-6.22	-13.00	-29.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :777.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.18	-45.00	-19.57	-0.61	-13.00	-52.18
92.08	-77.90	-71.31	-5.66	-0.93	-13.00	-64.90
128.94	-68.75	-60.43	-7.23	-1.09	-13.00	-55.75
184.23	-74.37	-69.55	-3.53	-1.29	-13.00	-61.37
306.45	-76.92	-73.62	-1.67	-1.63	-13.00	-63.92
477.17	-70.77	-67.05	-1.47	-2.25	-13.00	-57.77
1554.20	-43.99	-49.22	9.11	-3.88	-13.00	-30.99
2331.30	-51.64	-56.35	9.49	-4.78	-13.00	-38.64
3885.50	-42.83	-48.81	12.20	-6.22	-13.00	-29.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz) (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :777.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
764.31	-70.11	-65.72	-1.78	-2.61	-13.00	-57.11
767.51	-68.20	-63.87	-1.74	-2.59	-13.00	-55.20
768.12	-70.61	-66.29	-1.73	-2.59	-13.00	-57.61
769.11	-69.34	-65.04	-1.72	-2.58	-13.00	-56.34
770.72	-67.38	-63.07	-1.72	-2.59	-13.00	-54.38
772.31	-65.79	-61.46	-1.73	-2.60	-13.00	-52.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :777.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
764.45	-71.53	-67.14	-1.78	-2.61	-13.00	-58.53
767.51	-70.02	-65.69	-1.74	-2.59	-13.00	-57.02
768.35	-74.05	-69.73	-1.73	-2.59	-13.00	-61.05
769.11	-73.17	-68.87	-1.72	-2.58	-13.00	-60.17
770.72	-70.56	-66.25	-1.72	-2.59	-13.00	-57.56
772.31	-68.86	-64.53	-1.73	-2.60	-13.00	-55.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz) (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :777.1 MHz

Test Date :2019-09-06
Temp./Humi. :26.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.11	-67.03	-62.34	-1.65	-3.04	-13.00	-54.03
794.72	-70.17	-65.48	-1.63	-3.06	-13.00	-57.17
795.74	-70.91	-66.21	-1.62	-3.08	-13.00	-57.91
796.31	-67.11	-62.40	-1.62	-3.09	-13.00	-54.11
799.65	-68.05	-63.32	-1.58	-3.15	-13.00	-55.05
801.20	-54.32	-49.57	-1.59	-3.16	-13.00	-41.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B13 3.75kHz BPSK 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :777.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.11	-70.49	-65.80	-1.65	-3.04	-13.00	-57.49
794.72	-73.32	-68.63	-1.63	-3.06	-13.00	-60.32
795.88	-72.45	-67.75	-1.62	-3.08	-13.00	-59.45
796.31	-70.99	-66.28	-1.62	-3.09	-13.00	-57.99
799.66	-72.75	-68.02	-1.58	-3.15	-13.00	-59.75
801.20	-58.44	-53.69	-1.59	-3.16	-13.00	-45.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 26 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B26 15kHz BPSK 1 11
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :848.9 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.21	-42.44	-19.13	-0.64	-13.00	-49.21
62.01	-67.38	-51.94	-14.69	-0.75	-13.00	-54.38
104.69	-66.58	-58.90	-6.68	-1.00	-13.00	-53.58
305.48	-73.72	-70.42	-1.66	-1.64	-13.00	-60.72
353.01	-71.40	-67.98	-1.51	-1.91	-13.00	-58.40
477.17	-69.05	-65.33	-1.47	-2.25	-13.00	-56.05
1697.80	-35.93	-41.56	9.68	-4.05	-13.00	-22.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B26 15kHz BPSK 1 11
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :848.9 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-64.32	-44.14	-19.57	-0.61	-13.00	-51.32
93.05	-77.24	-70.64	-5.67	-0.93	-13.00	-64.24
141.55	-75.74	-66.67	-7.92	-1.15	-13.00	-62.74
185.20	-74.47	-69.70	-3.47	-1.30	-13.00	-61.47
307.42	-76.53	-73.23	-1.68	-1.62	-13.00	-63.53
477.17	-70.15	-66.43	-1.47	-2.25	-13.00	-57.15
1697.80	-31.92	-37.55	9.68	-4.05	-13.00	-18.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: NB_IOT-Band 26(Part 90) (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :NB_IOT B26 15kHz BPSK 1 11
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :814.1 MHz

Test Date :2019-09-06
Temp./Humi. :26.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
43.58	-61.96	-42.69	-18.60	-0.67	-13.00	-48.96
62.01	-66.64	-51.20	-14.69	-0.75	-13.00	-53.64
104.69	-68.33	-60.65	-6.68	-1.00	-13.00	-55.33
146.40	-75.03	-65.92	-7.93	-1.18	-13.00	-62.03
353.01	-70.71	-67.29	-1.51	-1.91	-13.00	-57.71
485.90	-69.87	-66.12	-1.53	-2.22	-13.00	-56.87
1628.20	-38.29	-43.56	9.26	-3.99	-13.00	-25.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :NB_IOT B26 15kHz BPSK 1 11
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :814.1 MHz

Test Date :2019-09-06
 Temp./Humi. :26.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-65.49	-45.71	-19.15	-0.63	-13.00	-52.49
116.33	-77.30	-69.15	-7.13	-1.02	-13.00	-64.30
142.52	-77.16	-68.09	-7.91	-1.16	-13.00	-64.16
183.26	-75.75	-70.82	-3.65	-1.28	-13.00	-62.75
302.57	-77.19	-73.86	-1.67	-1.66	-13.00	-64.19
475.23	-69.88	-66.12	-1.51	-2.25	-13.00	-56.88
1628.20	-35.41	-40.68	9.26	-3.99	-13.00	-22.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 2 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1857.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.16	-43.39	-19.13	-0.64	-13.00	-50.16
61.04	-67.95	-52.19	-15.02	-0.74	-13.00	-54.95
104.69	-65.79	-58.11	-6.68	-1.00	-13.00	-52.79
126.03	-66.71	-58.51	-7.13	-1.07	-13.00	-53.71
147.37	-71.08	-62.02	-7.87	-1.19	-13.00	-58.08
357.86	-70.32	-66.88	-1.52	-1.92	-13.00	-57.32
3715.00	-51.01	-57.43	12.37	-5.95	-13.00	-38.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1857.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.84	-45.66	-19.57	-0.61	-13.00	-52.84
46.49	-69.50	-50.84	-17.99	-0.67	-13.00	-56.50
62.98	-72.19	-57.17	-14.26	-0.76	-13.00	-59.19
104.69	-68.17	-60.49	-6.68	-1.00	-13.00	-55.17
184.23	-74.81	-69.99	-3.53	-1.29	-13.00	-61.81
477.17	-69.71	-65.99	-1.47	-2.25	-13.00	-56.71
3715.00	-45.77	-52.19	12.37	-5.95	-13.00	-32.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :1880.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-62.57	-42.79	-19.15	-0.63	-13.00	-49.57
62.98	-70.08	-55.06	-14.26	-0.76	-13.00	-57.08
90.14	-71.45	-64.61	-5.93	-0.91	-13.00	-58.45
107.60	-68.70	-60.83	-6.86	-1.01	-13.00	-55.70
355.92	-70.56	-67.11	-1.53	-1.92	-13.00	-57.56
445.16	-67.95	-64.36	-1.67	-1.92	-13.00	-54.95
3760.00	-51.84	-58.12	12.30	-6.02	-13.00	-38.84
5627.00	-44.77	-50.53	13.21	-7.45	-13.00	-31.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :1880.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-65.56	-45.78	-19.15	-0.63	-13.00	-52.56
93.05	-78.39	-71.79	-5.67	-0.93	-13.00	-65.39
141.55	-75.72	-66.65	-7.92	-1.15	-13.00	-62.72
182.29	-75.39	-70.32	-3.80	-1.27	-13.00	-62.39
301.60	-78.23	-74.88	-1.68	-1.67	-13.00	-65.23
463.59	-68.41	-64.69	-1.52	-2.20	-13.00	-55.41
3751.00	-41.15	-47.45	12.30	-6.00	-13.00	-28.15
5627.00	-44.11	-49.87	13.21	-7.45	-13.00	-31.11
7496.00	-39.42	-41.46	10.69	-8.65	-13.00	-26.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :1902.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-62.06	-42.19	-19.25	-0.62	-13.00	-49.06
62.01	-70.45	-55.01	-14.69	-0.75	-13.00	-57.45
101.78	-70.74	-63.32	-6.44	-0.98	-13.00	-57.74
159.98	-73.89	-65.56	-6.96	-1.37	-13.00	-60.89
358.83	-70.57	-67.12	-1.52	-1.93	-13.00	-57.57
451.95	-69.32	-65.63	-1.64	-2.05	-13.00	-56.32
3815.00	-48.69	-54.86	12.27	-6.10	-13.00	-35.69
5690.00	-45.84	-51.33	13.06	-7.57	-13.00	-32.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B2 15MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :1902.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.98	-45.80	-19.57	-0.61	-13.00	-52.98
94.02	-78.85	-72.23	-5.68	-0.94	-13.00	-65.85
140.58	-76.05	-67.01	-7.90	-1.14	-13.00	-63.05
184.23	-75.39	-70.57	-3.53	-1.29	-13.00	-62.39
300.63	-77.87	-74.50	-1.69	-1.68	-13.00	-64.87
479.11	-69.91	-66.22	-1.44	-2.25	-13.00	-56.91
3815.00	-48.16	-54.33	12.27	-6.10	-13.00	-35.16
5722.50	-46.03	-51.39	12.95	-7.59	-13.00	-33.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 4 (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :1712.5 MHz

Test Date :2019-09-09
Temp./Humi. :24.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.48	-42.71	-19.13	-0.64	-13.00	-49.48
62.01	-69.99	-54.55	-14.69	-0.75	-13.00	-56.99
89.17	-72.81	-65.78	-6.12	-0.91	-13.00	-59.81
100.81	-70.72	-63.43	-6.31	-0.98	-13.00	-57.72
360.77	-71.41	-67.96	-1.52	-1.93	-13.00	-58.41
458.74	-70.02	-66.29	-1.58	-2.15	-13.00	-57.02
3425.00	-50.97	-57.57	12.40	-5.80	-13.00	-37.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :1712.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-65.41	-45.63	-19.15	-0.63	-13.00	-52.41
127.97	-70.73	-62.44	-7.20	-1.09	-13.00	-57.73
175.50	-75.92	-69.65	-5.00	-1.27	-13.00	-62.92
302.57	-78.13	-74.80	-1.67	-1.66	-13.00	-65.13
438.37	-72.08	-68.51	-1.74	-1.83	-13.00	-59.08
485.90	-68.96	-65.21	-1.53	-2.22	-13.00	-55.96
3425.00	-40.59	-47.19	12.40	-5.80	-13.00	-27.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :1732.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-61.94	-42.17	-19.13	-0.64	-13.00	-48.94
62.98	-69.64	-54.62	-14.26	-0.76	-13.00	-56.64
100.81	-70.47	-63.18	-6.31	-0.98	-13.00	-57.47
356.89	-71.58	-68.13	-1.53	-1.92	-13.00	-58.58
437.40	-68.65	-65.10	-1.72	-1.83	-13.00	-55.65
484.93	-71.19	-67.43	-1.53	-2.23	-13.00	-58.19
3465.00	-52.45	-59.07	12.37	-5.75	-13.00	-39.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :1732.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.67	-45.49	-19.57	-0.61	-13.00	-52.67
126.03	-77.96	-69.76	-7.13	-1.07	-13.00	-64.96
142.52	-78.08	-69.01	-7.91	-1.16	-13.00	-65.08
177.44	-77.23	-71.36	-4.61	-1.26	-13.00	-64.23
299.66	-77.47	-74.08	-1.70	-1.69	-13.00	-64.47
462.62	-70.10	-66.38	-1.53	-2.19	-13.00	-57.10
3465.00	-42.47	-49.09	12.37	-5.75	-13.00	-29.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :1752.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.63	-42.86	-19.13	-0.64	-13.00	-49.63
62.98	-70.83	-55.81	-14.26	-0.76	-13.00	-57.83
101.78	-71.19	-63.77	-6.44	-0.98	-13.00	-58.19
147.37	-72.93	-63.87	-7.87	-1.19	-13.00	-59.93
360.77	-70.98	-67.53	-1.52	-1.93	-13.00	-57.98
444.19	-69.94	-66.35	-1.69	-1.90	-13.00	-56.94
3505.00	-54.47	-61.03	12.28	-5.72	-13.00	-41.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B4 5MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :1752.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-66.70	-46.52	-19.57	-0.61	-13.00	-53.70
107.60	-76.70	-68.83	-6.86	-1.01	-13.00	-63.70
141.55	-78.47	-69.40	-7.92	-1.15	-13.00	-65.47
182.29	-77.47	-72.40	-3.80	-1.27	-13.00	-64.47
302.57	-78.23	-74.90	-1.67	-1.66	-13.00	-65.23
465.53	-69.48	-65.77	-1.49	-2.22	-13.00	-56.48
3505.00	-42.66	-49.22	12.28	-5.72	-13.00	-29.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 5 (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :826.5 MHz

Test Date :2019-09-09
Temp./Humi. :24.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.91	-43.14	-19.13	-0.64	-13.00	-49.91
62.01	-69.70	-54.26	-14.69	-0.75	-13.00	-56.70
103.72	-69.61	-62.05	-6.57	-0.99	-13.00	-56.61
197.81	-75.23	-71.51	-2.34	-1.38	-13.00	-62.23
361.74	-70.84	-67.38	-1.54	-1.92	-13.00	-57.84
444.19	-69.68	-66.09	-1.69	-1.90	-13.00	-56.68
1653.00	-39.65	-44.96	9.32	-4.01	-13.00	-26.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :826.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-66.83	-46.65	-19.57	-0.61	-13.00	-53.83
107.60	-75.91	-68.04	-6.86	-1.01	-13.00	-62.91
140.58	-78.83	-69.79	-7.90	-1.14	-13.00	-65.83
175.50	-77.22	-70.95	-5.00	-1.27	-13.00	-64.22
301.60	-78.11	-74.76	-1.68	-1.67	-13.00	-65.11
465.53	-70.10	-66.39	-1.49	-2.22	-13.00	-57.10
1653.00	-37.26	-42.57	9.32	-4.01	-13.00	-24.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :836.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.39	-43.62	-19.13	-0.64	-13.00	-50.39
62.98	-70.61	-55.59	-14.26	-0.76	-13.00	-57.61
104.69	-69.04	-61.36	-6.68	-1.00	-13.00	-56.04
197.81	-73.69	-69.97	-2.34	-1.38	-13.00	-60.69
357.86	-70.55	-67.11	-1.52	-1.92	-13.00	-57.55
485.90	-71.57	-67.82	-1.53	-2.22	-13.00	-58.57
1673.00	-37.67	-43.13	9.49	-4.03	-13.00	-24.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :836.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-66.82	-47.04	-19.15	-0.63	-13.00	-53.82
108.57	-76.73	-68.77	-6.94	-1.02	-13.00	-63.73
132.82	-74.58	-66.02	-7.45	-1.11	-13.00	-61.58
177.44	-77.08	-71.21	-4.61	-1.26	-13.00	-64.08
303.54	-78.48	-75.16	-1.66	-1.66	-13.00	-65.48
477.17	-70.03	-66.31	-1.47	-2.25	-13.00	-57.03
1673.00	-34.21	-39.67	9.49	-4.03	-13.00	-21.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :846.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.75	-43.98	-19.13	-0.64	-13.00	-50.75
62.98	-69.85	-54.83	-14.26	-0.76	-13.00	-56.85
107.60	-68.12	-60.25	-6.86	-1.01	-13.00	-55.12
196.84	-75.36	-71.52	-2.46	-1.38	-13.00	-62.36
357.86	-71.38	-67.94	-1.52	-1.92	-13.00	-58.38
479.11	-71.55	-67.86	-1.44	-2.25	-13.00	-58.55
1693.00	-34.25	-39.84	9.64	-4.05	-13.00	-21.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B5 5MHz 16QAM 1 0
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :846.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.88	-65.94	-45.21	-20.15	-0.58	-13.00	-52.94
129.91	-72.06	-63.70	-7.26	-1.10	-13.00	-59.06
182.29	-76.87	-71.80	-3.80	-1.27	-13.00	-63.87
306.45	-76.80	-73.50	-1.67	-1.63	-13.00	-63.80
416.06	-74.48	-70.92	-1.60	-1.96	-13.00	-61.48
478.14	-70.04	-66.34	-1.45	-2.25	-13.00	-57.04
1693.00	-32.12	-37.71	9.64	-4.05	-13.00	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 12 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :704.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-62.91	-43.04	-19.25	-0.62	-13.00	-49.91
62.98	-70.06	-55.04	-14.26	-0.76	-13.00	-57.06
104.69	-68.67	-60.99	-6.68	-1.00	-13.00	-55.67
159.98	-73.52	-65.19	-6.96	-1.37	-13.00	-60.52
355.92	-71.48	-68.03	-1.53	-1.92	-13.00	-58.48
479.11	-70.71	-67.02	-1.44	-2.25	-13.00	-57.71
1408.00	-35.86	-40.08	7.92	-3.70	-13.00	-22.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :704.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-65.67	-45.89	-19.15	-0.63	-13.00	-52.67
107.60	-73.59	-65.72	-6.86	-1.01	-13.00	-60.59
141.55	-77.84	-68.77	-7.92	-1.15	-13.00	-64.84
184.23	-76.04	-71.22	-3.53	-1.29	-13.00	-63.04
304.51	-77.48	-74.18	-1.65	-1.65	-13.00	-64.48
478.14	-69.80	-66.10	-1.45	-2.25	-13.00	-56.80
1408.00	-36.55	-40.77	7.92	-3.70	-13.00	-23.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :707.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.02	-43.25	-19.13	-0.64	-13.00	-50.02
62.98	-70.71	-55.69	-14.26	-0.76	-13.00	-57.71
104.69	-67.51	-59.83	-6.68	-1.00	-13.00	-54.51
159.98	-73.60	-65.27	-6.96	-1.37	-13.00	-60.60
197.81	-74.52	-70.80	-2.34	-1.38	-13.00	-61.52
359.80	-70.53	-67.09	-1.51	-1.93	-13.00	-57.53
1415.00	-39.33	-43.56	7.93	-3.70	-13.00	-26.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :707.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-65.75	-45.88	-19.25	-0.62	-13.00	-52.75
107.60	-73.63	-65.76	-6.86	-1.01	-13.00	-60.63
141.55	-78.59	-69.52	-7.92	-1.15	-13.00	-65.59
182.29	-76.36	-71.29	-3.80	-1.27	-13.00	-63.36
303.54	-77.92	-74.60	-1.66	-1.66	-13.00	-64.92
481.05	-69.62	-65.94	-1.44	-2.24	-13.00	-56.62
1415.00	-39.70	-43.93	7.93	-3.70	-13.00	-26.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :711.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.94	-44.17	-19.13	-0.64	-13.00	-50.94
62.01	-69.24	-53.80	-14.69	-0.75	-13.00	-56.24
104.69	-68.78	-61.10	-6.68	-1.00	-13.00	-55.78
359.80	-71.59	-68.15	-1.51	-1.93	-13.00	-58.59
430.61	-70.93	-67.42	-1.67	-1.84	-13.00	-57.93
479.11	-71.91	-68.22	-1.44	-2.25	-13.00	-58.91
1422.00	-38.36	-42.59	7.94	-3.71	-13.00	-25.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B12 10MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :711.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-66.07	-44.76	-20.76	-0.55	-13.00	-53.07
107.60	-71.97	-64.10	-6.86	-1.01	-13.00	-58.97
176.47	-75.78	-69.71	-4.81	-1.26	-13.00	-62.78
301.60	-78.60	-75.25	-1.68	-1.67	-13.00	-65.60
413.15	-74.47	-70.94	-1.58	-1.95	-13.00	-61.47
480.08	-69.69	-66.02	-1.42	-2.25	-13.00	-56.69
1422.00	-39.49	-43.72	7.94	-3.71	-13.00	-26.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 13 (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :782.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-62.71	-42.53	-19.57	-0.61	-13.00	-49.71
62.98	-70.93	-55.91	-14.26	-0.76	-13.00	-57.93
107.60	-63.77	-55.90	-6.86	-1.01	-13.00	-50.77
159.98	-74.15	-65.82	-6.96	-1.37	-13.00	-61.15
358.83	-70.75	-67.30	-1.52	-1.93	-13.00	-57.75
450.01	-70.01	-66.31	-1.68	-2.02	-13.00	-57.01
1555.00	-34.60	-39.83	9.11	-3.88	-13.00	-21.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :782.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-65.91	-45.73	-19.57	-0.61	-13.00	-52.91
45.52	-70.20	-51.40	-18.13	-0.67	-13.00	-57.20
107.60	-71.20	-63.33	-6.86	-1.01	-13.00	-58.20
176.47	-76.03	-69.96	-4.81	-1.26	-13.00	-63.03
302.57	-78.18	-74.85	-1.67	-1.66	-13.00	-65.18
462.62	-70.22	-66.50	-1.53	-2.19	-13.00	-57.22
1555.00	-30.91	-36.14	9.11	-3.88	-13.00	-17.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 13 (763-775MHz) (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-09-06
Temp./Humi. :24.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
763.79	-63.53	-59.14	-1.78	-2.61	-13.00	-50.53
766.61	-58.10	-53.75	-1.75	-2.60	-13.00	-45.10
769.14	-54.38	-50.08	-1.72	-2.58	-13.00	-41.38
772.71	-35.05	-30.71	-1.73	-2.61	-13.00	-22.05
774.18	-28.28	-23.92	-1.74	-2.62	-13.00	-15.28
774.93	-26.75	-22.37	-1.75	-2.63	-13.00	-13.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :782.0 MHz

Test Date :2019-09-06
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
764.31	-65.72	-61.33	-1.78	-2.61	-13.00	-52.72
767.07	-61.86	-57.51	-1.75	-2.60	-13.00	-48.86
769.05	-57.88	-53.58	-1.72	-2.58	-13.00	-44.88
773.31	-39.65	-35.30	-1.74	-2.61	-13.00	-26.65
774.56	-31.45	-27.08	-1.75	-2.62	-13.00	-18.45
775.00	-30.43	-26.05	-1.75	-2.63	-13.00	-17.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 13 (793-805MHz) (The Worst Case)

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :782.0 MHz

Test Date :2019-09-06
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.25	-68.62	-63.93	-1.65	-3.04	-13.00	-55.62
793.70	-69.20	-64.50	-1.65	-3.05	-13.00	-56.20
795.00	-67.14	-62.44	-1.63	-3.07	-13.00	-54.14
795.77	-72.35	-67.65	-1.62	-3.08	-13.00	-59.35
796.79	-66.32	-61.61	-1.61	-3.10	-13.00	-53.32
797.42	-53.92	-49.20	-1.61	-3.11	-13.00	-40.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B13 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :782.0 MHz

Test Date :2019-09-06
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
793.02	-71.24	-66.55	-1.65	-3.04	-13.00	-58.24
793.07	-72.04	-67.35	-1.65	-3.04	-13.00	-59.04
793.66	-72.87	-68.17	-1.65	-3.05	-13.00	-59.87
794.93	-72.35	-67.65	-1.63	-3.07	-13.00	-59.35
795.05	-72.19	-67.49	-1.63	-3.07	-13.00	-59.19
797.42	-57.56	-52.84	-1.61	-3.11	-13.00	-44.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 26 (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :829.0 MHz

Test Date :2019-09-09
Temp./Humi. :24.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-63.02	-43.25	-19.13	-0.64	-13.00	-50.02
62.98	-70.71	-55.69	-14.26	-0.76	-13.00	-57.71
107.60	-65.55	-57.68	-6.86	-1.01	-13.00	-52.55
297.72	-75.27	-71.86	-1.72	-1.69	-13.00	-62.27
358.83	-70.64	-67.19	-1.52	-1.93	-13.00	-57.64
447.10	-69.12	-65.49	-1.67	-1.96	-13.00	-56.12
1658.00	-36.48	-41.82	9.36	-4.02	-13.00	-23.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :829.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-66.29	-46.11	-19.57	-0.61	-13.00	-53.29
107.60	-73.71	-65.84	-6.86	-1.01	-13.00	-60.71
174.53	-75.98	-69.56	-5.15	-1.27	-13.00	-62.98
302.57	-78.31	-74.98	-1.67	-1.66	-13.00	-65.31
367.56	-76.00	-72.51	-1.58	-1.91	-13.00	-63.00
464.56	-70.18	-66.47	-1.50	-2.21	-13.00	-57.18
1658.00	-35.99	-41.33	9.36	-4.02	-13.00	-22.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :836.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-63.80	-43.93	-19.25	-0.62	-13.00	-50.80
62.98	-69.83	-54.81	-14.26	-0.76	-13.00	-56.83
107.60	-63.74	-55.87	-6.86	-1.01	-13.00	-50.74
359.80	-71.42	-67.98	-1.51	-1.93	-13.00	-58.42
434.49	-68.56	-65.06	-1.67	-1.83	-13.00	-55.56
482.02	-71.49	-67.79	-1.46	-2.24	-13.00	-58.49
1673.00	-37.33	-42.79	9.49	-4.03	-13.00	-24.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :836.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-66.19	-46.01	-19.57	-0.61	-13.00	-53.19
108.57	-73.43	-65.47	-6.94	-1.02	-13.00	-60.43
183.26	-76.33	-71.40	-3.65	-1.28	-13.00	-63.33
304.51	-77.91	-74.61	-1.65	-1.65	-13.00	-64.91
438.37	-72.01	-68.44	-1.74	-1.83	-13.00	-59.01
482.99	-70.34	-66.62	-1.49	-2.23	-13.00	-57.34
1673.00	-35.42	-40.88	9.49	-4.03	-13.00	-22.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :844.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-64.01	-44.14	-19.25	-0.62	-13.00	-51.01
62.98	-70.42	-55.40	-14.26	-0.76	-13.00	-57.42
107.60	-64.80	-56.93	-6.86	-1.01	-13.00	-51.80
159.98	-74.59	-66.26	-6.96	-1.37	-13.00	-61.59
362.71	-71.35	-67.88	-1.55	-1.92	-13.00	-58.35
451.95	-69.47	-65.78	-1.64	-2.05	-13.00	-56.47
1688.00	-36.71	-42.27	9.61	-4.05	-13.00	-23.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 10MHz 16QAM 1 0
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :844.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
35.82	-66.51	-46.33	-19.57	-0.61	-13.00	-53.51
107.60	-71.00	-63.13	-6.86	-1.01	-13.00	-58.00
176.47	-75.36	-69.29	-4.81	-1.26	-13.00	-62.36
305.48	-77.99	-74.69	-1.66	-1.64	-13.00	-64.99
391.81	-76.08	-72.49	-1.62	-1.97	-13.00	-63.08
463.59	-69.93	-66.21	-1.52	-2.20	-13.00	-56.93
1688.00	-35.37	-40.93	9.61	-4.05	-13.00	-22.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: CAT_M1_Band 26 (Part 90) (The Worst Case)

Report Number :ER-2019-80104
Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :816.5 MHz

Test Date :2019-09-09
Temp./Humi. :24.3/69
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-62.94	-43.17	-19.13	-0.64	-13.00	-49.94
107.60	-64.53	-56.66	-6.86	-1.01	-13.00	-51.53
159.98	-74.75	-66.42	-6.96	-1.37	-13.00	-61.75
197.81	-75.20	-71.48	-2.34	-1.38	-13.00	-62.20
355.92	-71.20	-67.75	-1.53	-1.92	-13.00	-58.20
462.62	-69.55	-65.83	-1.53	-2.19	-13.00	-56.55
1633.00	-38.51	-43.79	9.27	-3.99	-13.00	-25.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
 Test Mode :Tx CH Low
 EUT Pol :H Plane
 Test Channel :816.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-64.67	-44.89	-19.15	-0.63	-13.00	-51.67
107.60	-72.45	-64.58	-6.86	-1.01	-13.00	-59.45
175.50	-76.39	-70.12	-5.00	-1.27	-13.00	-63.39
298.69	-78.36	-74.96	-1.71	-1.69	-13.00	-65.36
396.66	-75.03	-71.48	-1.61	-1.94	-13.00	-62.03
464.56	-70.44	-66.73	-1.50	-2.21	-13.00	-57.44
1633.00	-36.57	-41.85	9.27	-3.99	-13.00	-23.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :819.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-63.72	-43.94	-19.15	-0.63	-13.00	-50.72
62.98	-70.37	-55.35	-14.26	-0.76	-13.00	-57.37
107.60	-64.94	-57.07	-6.86	-1.01	-13.00	-51.94
159.98	-74.35	-66.02	-6.96	-1.37	-13.00	-61.35
361.74	-70.87	-67.41	-1.54	-1.92	-13.00	-57.87
449.04	-69.39	-65.71	-1.68	-2.00	-13.00	-56.39
1638.00	-41.63	-46.91	9.28	-4.00	-13.00	-28.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
 Test Mode :Tx CH Mid
 EUT Pol :H Plane
 Test Channel :819.0 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.88	-65.48	-44.75	-20.15	-0.58	-13.00	-52.48
107.60	-71.59	-63.72	-6.86	-1.01	-13.00	-58.59
175.50	-77.20	-70.93	-5.00	-1.27	-13.00	-64.20
310.33	-77.52	-74.21	-1.70	-1.61	-13.00	-64.52
396.66	-76.24	-72.69	-1.61	-1.94	-13.00	-63.24
462.62	-70.55	-66.83	-1.53	-2.19	-13.00	-57.55
1638.00	-38.30	-43.58	9.28	-4.00	-13.00	-25.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :821.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :VERTICAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-63.42	-43.64	-19.15	-0.63	-13.00	-50.42
62.98	-70.22	-55.20	-14.26	-0.76	-13.00	-57.22
107.60	-64.10	-56.23	-6.86	-1.01	-13.00	-51.10
159.98	-73.31	-64.98	-6.96	-1.37	-13.00	-60.31
358.83	-70.56	-67.11	-1.52	-1.93	-13.00	-57.56
448.07	-69.54	-65.88	-1.68	-1.98	-13.00	-56.54
1643.00	-40.51	-45.80	9.29	-4.00	-13.00	-27.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :ER-2019-80104
 Operation Mode :Cat_M1 B26 5MHz 16QAM 1 5
 Test Mode :Tx CH High
 EUT Pol :H Plane
 Test Channel :821.5 MHz

Test Date :2019-09-09
 Temp./Humi. :24.3/69
 Antenna Pol. :HORIZONTAL
 Engineer. : Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.88	-66.66	-45.93	-20.15	-0.58	-13.00	-53.66
107.60	-72.17	-64.30	-6.86	-1.01	-13.00	-59.17
142.52	-77.89	-68.82	-7.91	-1.16	-13.00	-64.89
173.56	-76.74	-70.16	-5.30	-1.28	-13.00	-63.74
302.57	-78.17	-74.84	-1.67	-1.66	-13.00	-65.17
467.47	-70.32	-66.59	-1.49	-2.24	-13.00	-57.32
1643.00	-38.63	-43.92	9.29	-4.00	-13.00	-25.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11 FREQUENCY STABILITY MEASUREMENT

11.1 Standard Applicable

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

11.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

11.4 Measurement Result

Note: The battery is rated 3.6V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.4.1 NB IoT

LTE NB IoT Band 2 1880 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	1879.99955	450	-0.239
3.60	20	1879.99964	360	-0.191
2.50	20	1879.99921	790	-0.420
2.4(End point)	20	1879.99952	480	-0.255
FREQUENCY ERROR vs. Temp.				
3.60	60	1880.00063	630	0.335
3.60	50	1879.99987	130	-0.069
3.60	40	1879.99973	270	-0.144
3.60	30	1879.99962	380	-0.202
3.60	20	1879.99955	450	-0.239
3.60	10	1879.99947	530	-0.282
3.60	0	1879.99988	120	-0.064
3.60	-10	1879.99957	430	-0.229
3.60	-20	1880.00054	540	0.287
LTE NB IoT Band 4 1733 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	1732.49978	220	-0.127
3.60	20	1732.49972	280	-0.162
2.50	20	1732.50082	820	0.473
2.4(End point)	20	1732.49933	670	-0.387
FREQUENCY ERROR vs. Temp.				
3.60	60	1732.50000	0	0.000
3.60	50	1732.50040	400	0.231
3.60	40	1732.49972	280	-0.162
3.60	30	1732.50012	120	0.069
3.60	20	1732.50070	700	0.404
3.60	10	1732.49963	370	-0.214
3.60	0	1732.49956	440	-0.254
3.60	-10	1732.49955	450	-0.260
3.60	-20	1732.50078	780	0.450

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE NB IoT Band 5 888 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	887.9993	700	-0.788
3.60	20	888.00087	870	0.980
2.50	20	887.99936	640	-0.721
2.4(End point)	20	888.00027	270	0.304
FREQUENCY ERROR vs. Temp.				
3.60	60	888.00089	890	1.002
3.60	50	887.99980	200	-0.225
3.60	40	887.99916	840	-0.946
3.60	30	888.00060	600	0.676
3.60	20	887.99970	300	-0.338
3.60	10	888.00081	810	0.912
3.60	0	888.00017	170	0.191
3.60	-10	888.00086	860	0.968
3.60	-20	887.99917	830	-0.935
LTE NB IoT Band 12 708 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	707.49958	420	-0.594
3.60	20	707.50034	340	0.481
2.50	20	707.50045	450	0.636
2.4(End point)	20	707.50093	930	1.314
FREQUENCY ERROR vs. Temp.				
3.60	60	707.49991	90	-0.127
3.60	50	707.50004	40	0.057
3.60	40	707.49914	860	-1.216
3.60	30	707.49995	50	-0.071
3.60	20	707.49933	670	-0.947
3.60	10	707.50092	920	1.300
3.60	0	707.50010	100	0.141
3.60	-10	707.49996	40	-0.057
3.60	-20	707.50025	250	0.353

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE NB IoT Band 13 782 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	781.99939	610	-0.780
3.60	20	782.00023	230	0.294
2.50	20	781.99925	750	-0.959
2.4(End point)	20	782.00071	710	0.908
FREQUENCY ERROR vs. Temp.				
3.60	60	781.99986	140	-0.179
3.60	50	781.99972	280	-0.358
3.60	40	781.99902	980	-1.253
3.60	30	781.99986	140	-0.179
3.60	20	781.99938	620	-0.793
3.60	10	781.99981	190	-0.243
3.60	0	781.99952	480	-0.614
3.60	-10	781.99967	330	-0.422
3.60	-20	782.00091	910	1.164
LTE NB IoT Band 26 837 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	836.50072	720	0.861
3.60	20	836.49936	640	-0.765
2.50	20	836.50093	930	1.112
2.4(End point)	20	836.50034	340	0.406
FREQUENCY ERROR vs. Temp.				
3.60	60	836.49928	720	-0.861
3.60	50	836.49958	420	-0.502
3.60	40	836.50099	990	1.184
3.60	30	836.50100	1000	1.195
3.60	20	836.49982	180	-0.215
3.60	10	836.49976	240	-0.287
3.60	0	836.49912	880	-1.052
3.60	-10	836.49994	60	-0.072
3.60	-20	836.50076	760	0.909

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE NB IoT Band 26_Part90 819 MHz				
Limit: within frequency block				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error (PPM)
FREQUENCY ERROR vs. VOLTAGE				
4.10	20	819.00087	870	1.062
3.60	20	819.00091	910	1.111
2.50	20	818.99916	840	-1.026
2.4(End point)	20	818.99989	110	-0.134
FREQUENCY ERROR vs. Temp.				
3.60	60	818.99940	600	-0.733
3.60	50	818.99908	920	-1.123
3.60	40	819.00026	260	0.317
3.60	30	818.99989	110	-0.134
3.60	20	818.99974	260	-0.317
3.60	10	819.00001	10	0.012
3.60	0	819.00041	410	0.501
3.60	-10	819.00006	60	0.073
3.60	-20	819.00042	420	0.513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.4.2 Cat M1

Reference Freq.:	M1 B2 Mid Channel		1880	MHz 20M QPSK CH 18900
	Temp. (°C)	Freq. (MHz)		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	1880.000007	7.000000096	4700
3.6	25	1880.000017	17.00000007	4700
2.5	25	1879.999992	-7.99999998	4700
2.4	25	1879.999987	-13.00000008	4700
(End Point)				
Freq. ERROR vs. Temp.				
3.6	-20	1880.000040	39.9999999	4700
3.6	-10	1880.000018	17.99999995	4700
3.6	0	1880.000014	13.99999996	4700
3.6	10	1879.999997	-3.000000106	4700
3.6	20	1880.000042	41.99999989	4700
3.6	30	1880.000003	3.000000106	4700
3.6	40	1879.999964	-35.99999991	4700
3.6	50	1880.000019	19.00000007	4700
3.6	60	1879.999986	-13.99999996	4700
Reference Freq.:	M1 B4 Mid Channel		1732.5	MHz 20M QPSK CH 20175
	Temp. (°C)	Freq. (MHz)		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	1732.500019	19.00000007	4331
3.6	25	1732.499980	-19.99999995	4331
2.5	25	1732.500015	15.00000008	4331
2.4	25	1732.499984	-15.99999996	4331
(End Point)				
Freq. ERROR vs. Temp.				
3.6	-20	1732.500038	37.9999999	4331
3.6	-10	1732.500001	1.000000111	4331
3.6	0	1732.500027	27.00000005	4331
3.6	10	1732.500036	35.99999991	4331
3.6	20	1732.499961	-39.00000002	4331
3.6	30	1732.500040	39.9999999	4331
3.6	40	1732.499997	-3.000000106	4331
3.6	50	1732.499975	-25.00000005	4331
3.6	60	1732.500035	35.00000003	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	M1 B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	836.499967	-33.00000003	2091
3.6	25	836.499959	-41.00000001	2091
2.5	25	836.500047	47	2091
2.4 (End Point)	25	836.499997	-2.700000096	2091
Freq. ERROR vs. Temp.				
3.6	-20	836.500029	29.00000004	2091
3.6	-10	836.499985	-14.99999996	2091
3.6	0	836.500034	34.00000003	2091
3.6	10	836.500021	20.99999995	2091
3.6	20	836.499972	-28.00000004	2091
3.6	30	836.500019	18.99999995	2091
3.6	40	836.500035	35.00000003	2091
3.6	50	836.499957	-43.00000001	2091
3.6	60	836.499990	-9.999999975	2091
Reference Freq.:	M1 B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	707.500010	9.999999975	1769
3.6	25	707.499977	-23.00000006	1769
2.5	25	707.500018	17.99999995	1769
2.4 (End Point)	25	707.500015	14.99999996	1769
Freq. ERROR vs. Temp.				
3.6	-20	707.500031	31.00000004	1769
3.6	-10	707.500013	12.99999997	1769
3.6	0	707.500033	33.00000003	1769
3.6	10	707.500002	1.999999995	1769
3.6	20	707.500009	8.999999977	1769
3.6	30	707.500049	48.99999999	1769
3.6	40	707.499983	-16.99999996	1769
3.6	50	707.499961	-39.00000002	1769
3.6	60	707.499994	-5.999999985	1769

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	M1 B13 Mid		782	MHz 10M QPSK CH 23230
	Channel			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	781.999950	-49.99999999	1955
3.6	25	781.999997	-2.999999992	1955
2.5	25	782.000005	4.999999987	1955
2.4	25	781.999986	-13.99999996	1955
(End Point)				
Freq. ERROR vs. Temp.				
3.6	-20	781.999956	-44	1955
3.6	-10	781.999977	-23.00000006	1955
3.6	0	781.999976	-24.00000005	1955
3.6	10	782.000035	35.00000003	1955
3.6	20	781.999977	-23.00000006	1955
3.6	30	781.999987	-12.99999997	1955
3.6	40	782.000046	46	1955
3.6	50	782.000015	14.99999996	1955
3.6	60	782.000025	25.00000005	1955
Reference Freq.:	M1 B26 Mid		831.5	MHz 15M QPSK CH 26865
	Channel			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
4.1	25	831.499964	-36.00000002	2091
3.6	25	831.499997	-2.999999992	2091
2.5	25	831.500050	49.99999999	2091
2.4	25	831.500031	31.00000004	2091
(End Point)				
Freq. ERROR vs. Temp.				
3.6	-20	831.499955	-45	2091
3.6	-10	831.499978	-21.99999994	2091
3.6	0	831.499960	-40.00000001	2091
3.6	10	831.499983	-16.99999996	2091
3.6	20	831.499987	-12.99999997	2091
3.6	30	831.500037	37.00000002	2091
3.6	40	831.500034	34.00000003	2091
3.6	50	831.499974	-26.00000005	2091
3.6	60	831.500049	48.99999999	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	Part 90 M1 B26 Mid		819	MHz 10M QPSK CH 26740
	Channel			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE (M1 B26 for Part 90S)				
4.1	25	818.999966	-34.00000003	2048
3.6	25	819.000004	3.99999999	2048
2.5	25	818.999972	-28.00000004	2048
2.4	25	819.000021	20.99999995	2048
(End Point)				
Freq. ERROR vs. Temp.				
3.6	-20	818.999988	-11.99999997	2048
3.6	-10	818.999965	-35.00000003	2048
3.6	0	818.999991	-8.999999977	2048
3.6	10	819.000021	20.99999995	2048
3.6	20	819.000030	30.00000004	2048
3.6	30	818.999969	-31.00000004	2048
3.6	40	818.999978	-21.99999994	2048
3.6	50	818.999989	-10.99999997	2048
3.6	60	819.000040	40.00000001	2048

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 PEAK TO AVERAGE RATIO

12.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2 Test SET-UP



12.3 Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal = 1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12.4 Measurement Result

12.4.1 NB IoT

LTE NB-IoT Band 2					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
18601	1850.1	BPSK	15	1@0	5.31
		QPSK	15	12@0	6.51
18900	1880	BPSK	15	1@0	6.86
		QPSK	15	12@0	11.03
19199	1909.9	BPSK	15	1@0	6.6
		QPSK	15	12@0	12.26
LTE NB-IoT Band 4					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
19951	1710.1	BPSK	15	1@0	8.73
		QPSK	15	12@0	4.78
20175	1732.5	BPSK	15	1@0	6.8
		QPSK	15	12@0	5.14
20399	1754.9	BPSK	15	1@0	6.97
		QPSK	15	12@0	8.44
LTE NB-IoT Band 5					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
20401	824.1	BPSK	15	1@0	3.24
		QPSK	15	12@0	6.69
20525	836.5	BPSK	15	1@0	7.3
		QPSK	15	12@0	9.89
20649	848.9	BPSK	15	1@0	11.42
		QPSK	15	12@0	5.69
LTE NB-IoT Band 12					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
23011	699.1	BPSK	15	1@0	9.73
		QPSK	15	12@0	12.06
23095	707.5	BPSK	15	1@0	10.43
		QPSK	15	12@0	11.24
23719	715.9	BPSK	15	1@0	9.85
		QPSK	15	12@0	7.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE NB-IoT Band 13					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
23181	777.1	BPSK	15	1@0	6.02
		QPSK	15	12@0	8.07
23230	782	BPSK	15	1@0	9.81
		QPSK	15	12@0	6.77
23279	786.9	BPSK	15	1@0	7.1
		QPSK	15	12@0	4.5
LTE NB-IoT Band 26					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
26791	824.1	BPSK	15	1@0	8.92
		QPSK	15	12@0	9.7
26915	836.5	BPSK	15	1@0	6.63
		QPSK	15	12@0	8.22
27039	848.9	BPSK	15	1@0	10.58
		QPSK	15	12@0	4.77
LTE NB-IoT Band 26_Part90					
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)
26691	814.1	BPSK	15	1@0	10.4
		QPSK	15	12@0	11.55
26740	819	BPSK	15	1@0	9.51
		QPSK	15	12@0	4.45
26789	823.9	BPSK	15	1@0	9.79
		QPSK	15	12@0	9.1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12.4.2 Cat M1

M1 BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	18607	9.67	13	1851.5	18615	11.88	13
1880.0	18900	9.48	13	1880.0	18900	10.21	13
1909.3	19193	10.34	13	1908.5	19185	10.02	13
M1 BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	18625	8.01	13	1855.0	18650	9.80	13
1880.0	18900	8.73	13	1880.0	18900	9.81	13
1907.5	19175	9.92	13	1905.0	19150	9.46	13
M1 BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	18675	9.86	13	1860.0	18700	8.09	13
1880.0	18900	9.59	13	1880.0	18900	9.16	13
1902.5	19125	9.39	13	1900.0	19100	6.37	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

M1 BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	19957	11.31	13	1711.5	19965	9.67	13
1732.5	20175	9.20	13	1732.5	20175	10.28	13
1754.3	20393	8.58	13	1753.5	20385	7.51	13
M1 BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	19975	9.63	13	1715.0	20000	9.99	13
1732.5	20175	9.85	13	1732.5	20175	9.80	13
1752.5	20375	10.38	13	1750.0	20350	10.52	13
M1 BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	20025	9.90	13	1720.0	20050	5.53	13
1732.5	20175	9.79	13	1732.5	20175	8.56	13
1747.5	20325	9.32	13	1745.0	20300	6.93	13
M1 BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
824.7	20407	8.98	13	825.5	20415	10.67	13
836.5	20525	9.65	13	836.5	20525	10.39	13
848.3	20643	10.14	13	847.5	20635	10.38	13
M1 BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
826.5	20425	10.26	13	829.0	20450	10.10	13
836.5	20525	10.65	13	836.5	20525	10.13	13
846.5	20625	10.89	13	844.0	20600	9.48	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

M1 BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
699.7	23017	9.67	13	700.5	23025	10.54	13
707.5	23095	9.47	13	707.5	23095	10.44	13
715.3	23173	9.79	13	714.5	23165	10.96	13
M1 BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
701.5	23035	9.71	13	704.0	23060	10.11	13
707.5	23095	10.21	13	707.5	23095	9.01	13
713.5	23155	11.21	13	711.0	23130	9.40	13
M1 BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
779.5	23205	9.85	13	782.0	23230	9.08	13
782.0	23230	9.09	13				
784.5	23255	9.55	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

M1 BAND 26							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
814.7	26697	11.53	13	815.5	26705	12.02	13
831.5	26865	10.01	13	831.5	26865	9.63	13
848.3	27033	11.64	13	847.5	27025	11.73	13
M1 BAND 26							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
816.5	26715	7.60	13	820.0	26750	10.36	13
831.5	26865	9.19	13	831.5	26865	8.28	13
846.5	27015	10.88	13	844.0	26990	8.61	13
M1 BAND 26							
Channel bandwidth: 15MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		16QAM	Limit			16QAM	Limit
822.5	26775	9.74	13				
831.5	26865	9.42	13				
841.5	26965	7.78	13				
M1 BAND 26 for part 90S							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
814.7	26697	10.22	13	815.5	26705	8.93	13
819.0	26740	10.95	13	819	26740	10.74	13
823.3	26783	9.78	13	822.5	26775	7.01	13
M1 BAND 26 for part 90S							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
816.5	26715	10.51	13	819.0	26740	10.10	13
819.0	26740	11.58	13				
821.5	26765	10.77	13				

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.