

Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: IPH-A04597

ISED ID 1792A-A04597

EXHIBIT 16 - PHOTOS - EMC AND SAR SETUP

Figure E16.1 – Setup, Conducted Measurements





Applicant: Garm

Test Report S/N:

Garmin International

45461812-R1.0, 45461813-R1.0

FCC ID:

IPH-A04597 1792A-A04597

Figure E16.2 – Setup, Radiated Measurements <30MHz





Applicant:

Garmin International

Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: ISED ID

IPH-A04597 1792A-A04597

Figure E16.3 – Setup, Radiated Measurements 30 – 1000MHz





Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: IPH-A04597

13-R1.0 **ISED ID** 1792A-A04597

Figure E16.4 – Setup, Radiated Measurements, 1 – 18GHz





Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: IPH-A04597

ISED ID 1792A-A04597

Figure E16.5 - Setup, Radiated Measurements, 18 - 26GHz





FCC ID: IPH-A04597

Test Report S/N: 45461812-R1.0, 45461813-R1.0 ISED ID 1792A-A04597

Figure E16.6 - Setup, Radiated Rx Measurements, 1 - 18GHz






FCC ID: IPH-A04597

Test Report S/N: 45461812-R1.0, 45461813-R1.0 ISED ID 1792A-A04597

Figure E16.7 – Setup, NFC Frequency Stability Measurements





Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: IPH-A04597

ISED ID 1792A-A04597

Figure E16.8 – Setup, NFC Frequency Stability Measurements






Test Report S/N: 45461812-R1.0, 45461813-R1.0

FCC ID: IPH-A04597

ISED ID 1792A-A04597

Figure E16.9 - Setup, Line Conducted Measurements





FCC ID:

IPH-A04597

Test Report S/N:

45461812-R1.0, 45461813-R1.0

ISED ID

1792A-A04597

Figure E16.10 – Setup, Line Conducted Measurements






Test Report S/N: Test Report Issue Date: 45461801 R1.0 23 February 2023

APPENDIX C - SETUP PHOTOS

Figure C.1 – Photo – Setup: Extremity, DUT Back – Silicone Band (B1)





Test Report S/N:
Test Report Issue Date:

45461801 R1.0 23 February 2023

Figure C.2 – Photo – Setup: Extremity, DUT Back - Metal Band (B2)

